"Hydrology 101"
Fundamentals of Surface Water Hydrology and Hydrologic Data

Kirk Westphal, CDM Smith

Agenda Item 4

Purpose of this information

- For the next 12 months, you will be viewing a lot of hydrologic data in various formats, and for many purposes
- Other RBCs have noted that a brief introduction to hydrologic information would be helpful
- We can refer back to this information at any time throughout the process





Average Annual Demand (MGD)	Minimum Physically Available Flow (MGD)	Average Groundwater Pumping (MGD)	Minimum Reservoir Storage (%)	Average Shortage (MGD)	Maximum Shortage (MGD)	Frequency of Shortage (%)
8	152	0	0%	0.0	0.0	0.0%
15	218	0	0%	0.0	0.0	0.0%
1	211	0	0%	0.0	0.0	0.0%
6	210	0	0%	0.0	0.0	0.0%
1,994	342	0	0%	335.4	2,698.9	34.0%
1	283	0	0%	0.0	0.0	0.0%
128	294	0	0%	0.0	0.0	0.0%
42	0	0	0%	0.9	37.7	7.0%
1	1	0	0%	0.0	0.0	0.0%
0	0	0	100%	0.0	0.0	0.0%
8	17	0	0%	0.0	0.0	0.0%
2	17	0	0%	0.0	0.0	0.0%
1	3	0	0%	0.0	0.0	0.0%
0	6	0	0%	0.0	0.0	0.0%
278	0	0	0%	102.6	263.9	91.2%
4	31	0	0%	0.0	0.0	0.0%
3	0	0	0%	0.2	3.0	13.3%
7	4	0	0%	0.0	3.3	1.8%
58	6	0	0%	13.5	50.8	94.3%
55	1	0	0%	9.5	45.1	47.4%
18	29	0	0%	0.0	0.8	0.2%
2	2	0	0%	0.0	0.0	0.0%
4	1	0	0%	0.1	2.9	9.0%
0	1	0	0%	0.0	0.0	0.0%
1	0	0	0%	0.0	0.4	1.7%
0	0	0	0%	0.0	0.0	0.0%
1	25	0	0%	0.0	0.0	0.0%
14	46	0	0%	0.0	2.6	3.5%
1	36	0	0%	0.0	0.0	0.0%
3	49	0	0%	0.0	0.0	0.0%
864	968	0	43%	0.0	0.0	0.0%
1	0	0	0%	0.1	0.9	33.5%
16	272	0	0%	3.4	6.2	89.2%

M&I water user	North Pacolet River	22
M&I water user	Lawsons Fork Creek	21
Ag water user	Pacolet River	1
M&I water user	Pacolet River	6
M&I water user	Pacolet River	18
M&I water user	Pacolet River	42
M&I water user	Turkey Creek	1
Ag water user	Middle Tyger River	11
M&I water user	Middle Tyger River	22



Hydrologic Cycle



PERCIPITATION, DEPOSITION / DESUBLIMATION
Water droplets fall from clouds as drizzle, rain, snow, or ice.

ACCUMULATION, SNOWMELT, MELTWATER, SUBLIMATION, DESUBLIMATION/DEPOSITION
Snow and ice accumulate, later melting back into liquid water, or turning into vapor.

Functions of
- Land Use
- Slope
- Soils

ADVECTION
Winds move clouds through the atmosphere.

SURFACE RUNOFF, CHANNEL RUNOFF, RESERVOIRS
Water flows above ground as runoff, forming streams, rivers, swamps, ponds, and lakes.

CONDENSATION, CLOUDS, FOG
Water vapor rises and condenses as clouds.

EVAPORATION
Heat from the sun causes water to evaporate.

PLANT UPTAKE, INTERCEPTION, TRANSPIRATION
Plants take up water from the ground, and later transpire it back into the air.

HYDROSPHERE, OCEANS
The oceans contain 97% of Earth's water.

INFILTRATION, PERCOLATION, SUBSURFACE FLOW, AQUIFER, WATER TABLE, SEEPAGE, SPRING, WELL
Water is soaked into the ground, flows below it, and seeps back out enriched in minerals.

VOLCANIC STEAM, GEYSERS, SUBDUCTION
Water penetrates the earth's crust, and comes back out as geysers or volcanic steam

The Water Cycle

Water moves around our planet by the processes shown here. The water cycle shapes landscapes, transports minerals, and is essential to most life and ecosystems on the planet.

Measuring Hydrologic Data

waterdata.usgs.gov







Streamgaging Basics | U.S. Geological Survey (usgs.gov)

Displaying Hydrologic Data:

Basic Streamflow Hydrograph



Daily vs. Monthly Flow



Visualizing Small Differences:

Log Scale



Standard Scale



Log Scale

Displaying Hydrologic Data:
Flow Exceedance Curve / Flow Duration Curve





River flow is higher than 300 cfs 15 % of the time

Frequency and Magnitude of Shortage



User Type	Source Water	Location (mi)	Average Annual Demand (MGD)	Minimum Physically Available Flow (MGD)	Average Groundwater Pumping (MGD)	Minimum Reservoir Storage (%)	Average Shortage (MGD)	Maximum Shortage (MGD)	Frequency of Shortage (%)
M&I water user	Mainstem	6	9	152	0	0%	0.0	0.0	0.0%
M&I water user	Mainstem	41	7	232	0	0%	0.0	0.0	0.0%
M&I water user	Mainstem	52	1	231	0	0%	0.0	0.0	0.0%
M&I water user	Mainstem	52	3	230	0	0%	0.0	0.0	0.0%
M&I water user	Mainstem	78	1,994	401	0	0%	300.0	2,640.1	31.6%
Ag water user	Mainstem	101	0	346	0	0%	0.0	0.0	0.0%
M&I water user	Mainstem	105	67	358	0	0%	0.0	0.0	0.0%
M&I water user	Cherokee Creek	2	26	0	0	0%	0.2	27.8	1.3%
M&I water user	North Pacolet River	1	1	1	0	0%	0.0	0.0	0.0%
M&I water user	North Pacolet River	2	0	0	0	100%	0.0	0.0	0.0%
M&I water user	North Pacolet River	22	11	18	0	0%	0.0	0.0	0.0%
M&I water user	Lawsons Fork Creek	21	0	23	0	0%	0.0	0.0	0.0%
Ag water user	Pacolet River	1	0	3	0	0%	0.0	0.0	0.0%
M&I water user	Pacolet River	6	0	7	0	0%	0.0	0.0	0.0%
M&I water user	Pacolet River	18	64	0	0	0%	0.1	36.7	0.4%
M&I water user	Pacolet River	42	0	41	0	0%	0.0	0.0	0.0%
M&I water user	Turkey Creek	1	5	0	0	0%	0.9	5.6	31.1%
Ag water user	Middle Tyger River	11	0	4	0	0%	0.0	0.0	0.0%
M&I water user	Middle Tyger River	22	26	9	0	0%	0.1	18.3	0.6%
M&I water user	South Tyger River	11	23	1	0	0%	0.5	17.9	7.4%

In this generic example, the frequency that river flow is less than the withdrawal target is difficult to count.

The answer is different with monthly vs. daily data.

(Note that this example does not include storage)

You will have the benefit of summary tables that can be developed for daily and monthly data.

Important Hydrologic Statistics

- **7Q10:** Low flow metric, representing the lowest 7-day average flow that occurs once every 10 years.
- **Median Monthly Flow:** Median value of all monthly average flows for a given month (Jan illustrated by blue dots):
  - *Half the points higher, half lower*
- **Mean Monthly Flow:** Average value of all monthly average flows for a given month (Jan illustrated by blue dots)
  - *Usually higher than the median, since high points "stretch" the average.*



Mean and median estimated visually

Water Availability

Direct River Withdrawal



Water is limited to the flow in the stream at any point in time

Reservoir Withdrawal



"Safe Yield" is the amount of water that can be continuously withdrawn from a reservoir through the period or record without depletion. Generally higher than river withdrawals because storage buffers low flows.

New View of the Hydrologic Cycle