

Recreational Waters Natural Public Swimming Areas Bacteriological Analysis Input Form

A NT CNT.	10 ' ' '	
	ral Swimming Area	
	ethod	
	D	
-	Period (mo/yr)	
7. Number of Sar	mples Required	
Sample Date	Sample Location	E. Coli Count
	<u> </u>	
8. Number of Sar	mples Exceeding 349/100ml	
9. Number of Rep	peat Samples Taken	
Sample Date	Sample Location	E. Coli Count
,	_	
10. Number of Re	epeat Samples Exceeding 349/100ml	
10. Number of Re		
10. Number of Re		
11. Laboratory ID	epeat Samples Exceeding 349/100ml	
11. Laboratory ID 12. Laboratory N	epeat Samples Exceeding 349/100ml	
11. Laboratory ID 12. Laboratory N	epeat Samples Exceeding 349/100ml O	
11. Laboratory ID 12. Laboratory N 13. Laboratory A	epeat Samples Exceeding 349/100ml O	
11. Laboratory ID 12. Laboratory N 13. Laboratory A	epeat Samples Exceeding 349/100ml O	

<u>PURPOSE</u>: This form is intended for use by commercial and municipal laboratories to record and report monthly fecal coliform bacteria counts for natural public swimming facilities in the state of South Carolina.

This application must be submitted to the following address:

SCDES

Bureau of Water

Drinking Water and Recreational Waters Compliance Section

2600 Bull St.

Columbia, SC 29201

ITEM BY ITEM INSTRUCTIONS FOR COMPLETING THIS FORM:

- Line 1: Enter the permit number of natural public swimming facility.
- Line 2: Enter the name of the natural public swimming facility.
- Line 3. Enter the analytical method used to enumerate the E. Coli.
- Line 4. Enter the contaminant identification.
- Line 5. Enter the sample type (ex. grab, composite, etc).
- Line 6. Enter the compliance period (month and year).
- Line 7. Enter the number of samples reported/required. Note R.61-50 requires a minimum of two sampling events per month not more than fourteen (14) days apart. In a normal thirty (30) day sampling period two (2) samples per month should be reported. Under line 7. Enter the sampling dates, sample locations (ex. Left side of diving platform @ 6ft. depth), and E. Coli Counts.
- Line 8. Enter the number of samples exceeding 349/100 ml.
- Line 9. Enter the number of repeat samples reported/required. If additional repeat samples are needed/reported enter those samples as prescribed above in the "Comments" section. Under line 9. Enter the sampling dates, sample locations (ex. Left side of diving platform @ 6ft. depth), and E. Coli Counts per ml.
- Line 10. Enter the number of repeat samples exceeding 349/100 ml.
- Line 11. Enter the laboratory SCDES identification number.
- Line 12. Enter the laboratory name
- Line 13. Enter the laboratory address
- Line 14. Enter any comments or use this space to report additional repeat samples.

REMEMBER TO SIGN AT THE BOTTOM. ALL SIGNATURES MUST BE ORIGINAL.

OFFICE MECHANICS AND FILING:

This form should be **filed** in the Recreational Waters file room according to the facility permit number.

DES 3631 (10/2024)