



**SUMMARY SHEET
Enforcement Action Report
January 2025**

For the reporting period of December 1, 2024, through December 31, 2024, the Department of Environmental Services issued thirty-eight (38) Consent Orders with total assessed civil penalties in the amount of one hundred fifty-five, two hundred twenty dollars (\$155,220.00). Also, eleven (11) Administrative Orders with total assessed civil penalties in the amount of twenty-one thousand, ten dollars (\$21,010.00) were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	1	\$21,010.00	2	\$2,200.00
Solid Waste	0	0	0	0
Hazardous Waste	0	0	0	0
Mining	0	0	1	\$1,300.00
Radiological Health	0	0	1	\$24,000.00
Infectious Waste	0	0	0	0
SUBTOTAL	1	\$21,010.00	4	\$27,500.00
Water				
Recreational Water	0	0	25	\$35,520.00
Drinking Water	0	0	2	\$3,000.00
Water Pollution	0	0	3	\$24,000.00
SUBTOTAL	0	0	30	\$62,520.00
Air Quality				
SUBTOTAL	0	0	4	\$65,200.00
Regional & Laboratory Services				
Onsite Wastewater	9	0	0	0
SUBTOTAL	10	0	0	0
Coastal Management				
SUBTOTAL	0	0	0	0
TOTAL	11	\$21,010.00	38	\$155,220.00



ENFORCEMENT ACTION REPORT January 2025

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

- 1) Order Type and Number: Administrative Order 24-0137-UST
Order Date: December 3, 2024
Individual/Entity: **Pavan Parth, LLC**
Facility: Pavan Parth Food Store 104
Location: 212 72 Bypass Northwest
Greenwood, SC 29646
Mailing Address: 115 Lavender Hill Court
County: Greenwood
Previous Orders: AO 21-0225-UST (\$7,200.00)
Permit/ID Number: 04735
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.31(a), 280.34(c), 28.35(a)(1), 280.36(a)(1)(i), 280.40(a), 280.40(a)(2), 280.40(a)(3), 280.41(b)(1)(i)(B), 280.43(d), 280.44(a), 280.45(b)(1), 280.242(b)(3), and 280.242 (b)(4), 280.243(c), and 280.245 (2012 & Supp 2024).

Summary: Pavan Parth, LLC (Individual/Entity) owns underground storage tanks (USTs) in Greenwood County, South Carolina. On April 19, 2024, the Department conducted a routine inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to train Class C Operators before they assume responsibility for the UST Facility and failure to designate in writing a list of Class C operators; failed to validate that monthly and annual requirements had been performed and to physically visit each facility at least once a quarter; failed to test spill prevention equipment at least once every three (3) years; failed to test release detection equipment annually; failed to conduct an annual line tightness test on pressurized lines or have monthly monitoring; failed to conduct an annual test of line leak detectors; failed to conduct proper release detection using an automatic tank gauge (ATG); failed to properly maintain tank release detection equipment; failed to maintain and operate a corrosion protection system; and failed to provide an adequate release detection method.

Action: The Individual/Entity is required to submit: list of Class C operators trained and designated for the Facility; proof a Walkthrough Inspection Log has been initiated and is being properly maintained; current passing spill bucket integrity test results for all spill buckets

associated with the USTs/compartments at the Facility; current passing release detection equipment operability test results for all the USTs/compartments at the Facility; current passing line tightness test results for all USTs/compartments at the Facility; current passing line leak detector function check results for all the USTs/compartments at the Facility; proof that the ATG probe for the 4,000-gallon diesel compartment has been repaired and/or replaced and passing follow-up ATG results; proof the metal components in the under-dispenser containment sump associated with the dispenser 9/10 are isolated from soil and/or water; and either the most recent ten (10) out of twelve (12) months of ATG records with the most recent two (2) months passing for the 4,000-gallon diesel compartment or passing tank tightness test results and current passing ATG record for the 4,000-gallon diesel compartment. The Department has assessed a total civil penalty in the amount of twenty-one thousand, ten dollars (\$21,010.00). The Individual/Entity shall pay a civil penalty in the amount of twenty-one thousand, ten dollars (**\$21,010.00**).

2) Order Type and Number: Consent Order 24-0086-UST
 Order Date: December 17, 2024
 Individual/Entity: **Leyla Ammouri Life Estate**
 Facility: Four Corners
 Location: 2013 Harden Street
 Columbia, SC 29204

 Mailing Address: Same
 County: Richland
 Previous Orders: None
 Permit/ID Number: 15657
 Violations Cited: The State Underground Petroleum
 Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et
 seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code
 Ann., Regs 61-92, 280.93(a), 280.243(b) (2012 & Supp 2024).

Summary: Leyla Ammouri Life Estate (Individual/Entity) owns underground storage tanks (USTs) in Richland County, South Carolina. On February 9, 2024, the Department conducted a file review of the Facility and issued a Notice of Alleged Violation. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to demonstrate financial responsibility for an UST system; and failed to have a properly trained A/B operator within 30 days of assuming duties.

Action: The Individual/Entity is required to submit a completed Certificate of Financial Responsibility form and evidence of financial assurance. The Department has assessed a total civil penalty in the amount of one thousand, two hundred dollars (\$1,200.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, two hundred dollars (**\$1,200.00**).

3) Order Type and Number: Consent Order 24-0150-UST
 Order Date: December 12, 2024
 Individual/Entity: **Greer Roofing Company**

Facility: Greer Roofing Company
Location: 209 Tandem Drive
Greer, SC 29652
Mailing Address: P.O. Box 311
Greer, SC 29652
County: Greenville
Previous Orders: CO 23-0162-UST (\$720.00)
Permit/ID Number: 10415
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.93(a) (2012 & Supp 2024).

Summary: Greer Roofing Company (Individual/Entity) owns underground storage tanks (USTs) in Greenville County, South Carolina. On May 8, 2024, the Department conducted a file review of the Facility and issued a Notice of Alleged Violation. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to demonstrate financial responsibility for an UST system.

Action: The Individual/Entity is required to: submit a completed Certificate of Financial Responsibility form and evidence of financial assurance. The Department has assessed a total civil penalty in the amount of twenty-six thousand dollars (\$26,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)** and pay a suspended penalty in the amount of twenty-five thousand dollars (\$25,000.00) should any requirement of the Order not be met.

Mining Enforcement

4) Order Type and Number: Consent Order 24-11-MSWM
Order Date: December 19, 2024
Individual/Entity: **S&T Recycling, LLC**
Facility: S&T Recycling Mine
Location: Approximately 2.5 miles northeast of Lexington, South Carolina, adjacent to US Highway 378 and 2.75 miles west of its intersection with Interstate 20
Mailing Address: 5009 Sunset Boulevard
Lexington, South Carolina 29072
County: Lexington
Previous Orders: CO 22-03-MSWM (\$600.00)
Permit/ID Number: I-001584
Violations Cited: The South Carolina Mining Act, S.C. code Ann. § 48-20-120 et seq. (2008 & Supp. 2018); South Carolina Mining Regulation (2012) R.89-Section 340(B), 280, and 210; and the Permit I-001584 Section IX.1.

Summary: S&T Recycling, LLC (Individual/Entity), owns and operates S&T Recycling Mine in Lexington County, South Carolina. Based on a file review, the Individual/Entity has violated the South Carolina Mining Act, the Mining Regulation, and the Permit as follows: failed to submit the mining annual reclamation report for fiscal years 2024 and 2025 and failed to pay Annual Operating Fees and late fees for fiscal years 2023 through 2025.

Action: The Individual/Entity is required to submit the mining annual reclamation report for fiscal years 2024 and 2025. The Department has assessed a total civil penalty in the amount one thousand, three hundred dollars (\$1,300.00). The Individual/Entity shall pay a civil penalty of one thousand, three hundred dollars **(\$1,300.00)**.

Radiological Health Enforcement

5) Order Type and Number: Consent Order 24-04-RP
Order Date: December 19, 2024
Individual/Entity: **Family Health Centers, Inc.**
Facility: Family Health Centers, Inc.
Location: 3310 Magnolia Street
Orangeburg, South Carolina 29118
Mailing Address: 1445 Presidential Drive
Orangeburg, South Carolina 29115
County: Orangeburg
Previous Orders: None
Permit/ID Number: R # 38-1082
Violations Cited: The Atomic Energy and Radiation Control Act, S.C. Code Ann. § 13-7-10 et seq. (2017) and the X-Rays (Title B) Regulations, 6 S.C. Code Ann. Regs. 61-64 (2023).

Summary: Family Health Centers, Inc. (Individual/Entity) operates a mammography facility in Orangeburg County, South Carolina. The Department conducted an inspection at the facility on December 15, 2023. The Individual/Entity has violated Atomic Energy and Radiation Control Act and the X-Rays (Title B) Regulations as follows: failed to meet the initial training and experience requirements for interpreting physicians; failed to meet the continuing experience requirements for interpreting physicians; failed to maintain documentation of qualifications of personnel who worked at the facility as interpreting physicians; failed to prepare mammography reports in accordance with the Regulation; failed to provide a mammography report within thirty (30) calendar days of mammographic examinations; failed to identify a lead physician to maintain the quality assurance program; and failed to meet image quality standards as determined by the facility's accreditation body.

Action: The Individual/Entity corrected all violations prior to the issuance of the Consent Order. The Department has assessed a total civil penalty in the amount of twenty-four thousand dollars (\$24,000.00). The Individual/Entity is required to pay a civil penalty in the amount of twenty-four thousand dollars **(\$24,000.00)**.

BUREAU OF WATER

Recreational Waters Enforcement

- 6) Order Type and Number: Consent Order 24-188-RW
Order Date: December 2, 2024
Individual/Entity: **Triangle Palisades of Blythewood I, LLC**
Facility: Palisades of Blythewood Phase I
Location: 2051 Blythewood Crossing Lane
Blythewood, SC 29016
Mailing Address: P.O. Box 280
Gastonia, NC 28053
County: Richland
Previous Orders: 24-008-RW (\$680.00)
Permit/ID Number: 40-1088B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Triangle Palisades of Blythewood I, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 6, 2024, and August 13, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the waterline tiles were dirty; skimmer baskets were floating; the drinking water fountain and foot rinse shower were not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand six hundred dollars (**\$1,600.00**).

- 7) Order Type and Number: Consent Order 24-189-RW
Order Date: December 2, 2024
Individual/Entity: **Abney Hill Estates Property Owners Association, Inc.**
Facility: Abney Hill Estates
Location: 155 Abney Estates Drive
Blythewood, SC 29016
Mailing Address: 4910 Trenholm Road, Suite C
Columbia, SC 29206
County: Richland
Previous Orders: 23-176-RW (\$680.00)
Permit/ID Number: 40-1186B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Abney Hill Estates Property Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 6, 2024, July 24, 2024, and August 13, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the deck was uneven with sharp edges; the pool furniture was not at least four feet from the edge of the pool; there was debris in the skimmer baskets; the water level was too high; skimmers were missing weirs; non-pool related items were stored in the equipment room; the recirculation and filtration system was not meeting the minimum flow of 165 gallons per minute according to the flow meter; the cyanuric acid level was above the water quality standards acceptable limit; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of four thousand eight hundred dollars (\$4,800.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand eight hundred dollars (**\$4,800.00**).

8) <u>Order Type and Number:</u>	Consent Order 24-190-RW
<u>Order Date:</u>	December 3, 2024
<u>Individual/Entity:</u>	Veera Hospitality SC, LLC
<u>Facility:</u>	Comfort Inn
<u>Location:</u>	436 McNulty Road Blythewood, SC 29016
<u>Mailing Address:</u>	Same
<u>County:</u>	Richland
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	40-409-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Veera Hospitality SC, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 7, 2024, and August 14, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the foot rinse shower was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the life ring was obstructed; the facility address was not posted at the emergency notification device; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

9) Order Type and Number: Consent Order 24-191-RW
 Order Date: December 3, 2024
 Individual/Entity: **Longpoint Property Owners
 Association, Inc.**
 Facility: Longpoint Subdivision
 Location: 251 Mount Royall Drive
 Mount Pleasant, SC 29464
 Mailing Address: 3955 Faber Place Drive, Suite 103
 North Charleston, SC 29405
 County: Charleston
 Previous Orders: None
 Permit/ID Number: 10-406-1
 Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Longpoint Property Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 27, 2024, and September 4, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; the lifeline floats were damaged; the deck was uneven with sharp edges; the pavers had settled at the edge of the coping; a skimmer was missing a weir; there was debris in the skimmer baskets; a skimmer lid was cracked; a skimmer basket was floating; and the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

10) Order Type and Number: Consent Order 24-192-RW
 Order Date: December 3, 2024
 Individual/Entity: **Hampton Street 123, LLC**
 Facility: Land Bank Loft Apartments
 Location: 1401 Hampton Street
 Columbia, SC 29201
 Mailing Address: Same
 County: Richland
 Previous Orders: 23-169-RW (\$680.00)
 Permit/ID Number: 40-1161G
 Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Hampton Street 123, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 3, 2024, and July 17, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was algae on the pool floor and walls; the

drinking water fountain was missing; the foot rinse shower was missing during the first inspection and was not operating properly during the second inspection; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook was missing a bolt; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; the bathrooms were not accessible; the pool equipment room was not accessible; the chemical storage room was not accessible; a gate did not self-close and latch; the bound and numbered log book was not maintained on a daily basis during the first inspection; and the bound and numbered log book was not available for review during the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand six hundred dollars (**\$1,600.00**).

11)	<u>Order Type and Number:</u>	Consent Order 24-193-RW
	<u>Order Date:</u>	December 2, 2024
	<u>Individual/Entity:</u>	Wade Hampton Gardens Community Association, Inc.
	<u>Facility:</u>	Wade Hampton Gardens
	<u>Location:</u>	8 Hampton Court Greenville, SC 29609
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Greenville
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	23-004-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Wade Hampton Gardens Community Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on June 28, 2024, and July 23, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: depth marker tiles were broken; a ladder was not tight and secure; the pH level was not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

12)	<u>Order Type and Number:</u>	Consent Order 24-194-RW
	<u>Order Date:</u>	December 10, 2024
	<u>Individual/Entity:</u>	Ft. Jackson Hotel Partners, LLC

Facility: Home 2 Suites by Hilton Columbia
Location: 7340 Garners Ferry Road
Columbia, SC 29209
Mailing Address: Same
County: Richland
Previous Orders: 22-143-RW (\$680.00)
24-026-RW (\$1,600.00)
Permit/ID Number: 40-1187B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ft. Jackson Hotel Partners, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 18, 2024, and August 20, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the waterline tiles were dirty; the pool furniture was not at least four feet from the edge of the pool; skimmer baskets were floating; pool chemicals were stored in the equipment room; the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; the current pool operator of record information was not legible; the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book; and the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand two hundred dollars **(\$3,200.00)**.

13) Order Type and Number: Consent Order 24-195-RW
Order Date: December 9, 2024
Individual/Entity: **Wellington Green Recreation Association**
Facility: Wellington Green
Location: 105 Bridgeport Drive
Greenville, SC 29615
Mailing Address: Same
County: Greenville
Previous Orders: None
Permit/ID Number: 23-578-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Wellington Green Recreation Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a kiddie pool located in Greenville County, South Carolina. The Department conducted inspections on June 24, 2024, and July 18, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the depth marker tiles were deteriorated and the letters and numbers were not the correct size; the

plaster on the pool floor was deteriorated; the deck was uneven with sharp edges; the drinking water fountain was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the pool rules sign did not have all the required rules; and the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

14)	<u>Order Type and Number:</u>	Consent Order 24-196-RW
	<u>Order Date:</u>	December 10, 2024
	<u>Individual/Entity:</u>	Stratford Place Homeowners Association, Inc.
	<u>Facility:</u>	Stratford Place
	<u>Location:</u>	940 Glenn Street West Columbia, SC 29169
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Lexington
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	32-115-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Stratford Place Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Lexington County, South Carolina. The Department conducted inspections on July 16, 2024, and August 1, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the water level was too high; the drinking water fountain was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the emergency notification device was not operational on the second inspection; the emergency notification device was not approvable on the second inspection; the pool rules sign was not legible; and the current pool operator of record information was not posted to the public.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

15)	<u>Order Type and Number:</u>	Consent Order 24-197-RW
	<u>Order Date:</u>	December 10, 2024
	<u>Individual/Entity:</u>	Heritage Lakes Property Owners Association, Inc.
	<u>Facility:</u>	Heritage Lakes

Location: 104 Black Horse Run
Greenville, SC 29607
Mailing Address: 101 Five Gait Turn
Simpsonville, SC 29681
County: Greenville
Previous Orders: None
Permit/ID Number: 23-575-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Heritage Lakes Property Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on June 6, 2024, and July 10, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; a hose on the deck posed as a tripping hazard; the water level was too low; the chlorine and pH levels were not within the acceptable range of water quality standards; and the emergency notification device was not operational.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

16) Order Type and Number: Consent Order 24-198-RW
Order Date: December 10, 2024
Individual/Entity: **Corakko Beach Village, LLC**
Facility: Corakko Beach Club
Location: 175 Avenue of Oaks
Daufuskie Island, SC 29915
Mailing Address: 5 Waterway Lane
Hilton Head Island, SC 29926
County: Beaufort
Previous Orders: None
Permit/ID Number: 07-361-1, 07-362-1, & 07-363-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Corakko Beach Village, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of two pools and a kiddie pool located in Beaufort County, South Carolina. The Department conducted inspections on July 18, 2024, and August 1, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows:

Main Pool: a waterline tile was missing; the pool floor was dirty; the pool wall was dirty; the pool furniture was not at least four feet from the edge of the pool; the deck was uneven with sharp edges; the backflow preventer requirement was not met; skimmer baskets were weighted; a skimmer was missing a weir; the bathrooms did not have paper towels or hand dryers; the bolts on the shepherd's crook were rusted; the return inlet covers were missing; the pool equipment room was not locked; the flow meter was not operating properly; there

were electrical violations in the pool equipment room; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook was not properly mounted in its designated location; the shepherd's crook was not clear of obstructions; the pool rules sign was not completely filled out; there were no "Shallow Water – No Diving Allowed" sign was posted during the first inspection; the "Shallow Water – No Diving Allowed" signs posted were in disrepair during the second inspection; there were no "No Lifeguard On Duty – Swim At Your Own Risk" sign posted during the first inspection; the "No Lifeguard on Duty – Swim at Your Own Risk" signs posted were in disrepair during the second inspection; the current pool operator of record information was not posted to the public; the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book; the disinfection equipment was not in operable condition; the recirculation and filtration system was not in operable condition; and the automatic controller was not operable.

Teen Pool: a lifeline with floats was not attached to the pool wall; a ladder was not tight and secure; the pool floor was dirty; there was algae on the pool walls and floor; the pool furniture was not at least four feet from the edge of the pool; the deck was uneven with sharp edges; there was debris in the skimmer baskets; the pool equipment room was not locked; the flow meter was not operating properly; a light in the pool wall was out of its niche; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; there were no "Shallow Water – No Diving Allowed" signs posted during the first inspection; the "Shallow Water – No Diving Allowed" signs posted were in disrepair during the second inspection; there were no "No Lifeguard On Duty – Swim At Your Own Risk" sign posted during the first inspection; the "No Lifeguard on Duty – Swim at Your Own Risk" signs posted were in disrepair during the second inspection; the shepherd's crook was not properly mounted in its designated location during the first inspection; the shepherd's crook was not clear of obstructions during the second inspection; the bolts on the shepherd's crook were rusted; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book; the recirculation and filtration system in place was not approved; and the automatic controller was in its alarm state.

Kiddie Pool: a hose was filling the kiddie pool; the pool furniture was not at least four feet from the pool edge; the water level was too high; the bathrooms did not have paper towels or hand dryers; the pool equipment room was not locked; the flow meter was not operating properly; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted during the first inspection; the "No Lifeguard on Duty – Swim at Your Own Risk" signs posted were in disrepair during the second inspection; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand forty dollars (\$2,040.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand forty dollars **(\$2,040.00)**.

17)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u> <u>Mailing Address:</u> <u>County:</u> <u>Previous Orders:</u> <u>Permit/ID Number:</u> <u>Violations Cited:</u>	Consent Order 24-199-RW December 13, 2024 PHC Apartments, LLC Polos at Hudson Corners 2211 Hudson Road Greer, SC 29650 Same Greenville None 23-505-1 S.C. Code Ann. Regs. 61-51(J)
-----	--	---

Summary: PHC Apartments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on June 20, 2024, and July 16, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a rung; there was debris in the skimmer baskets; a skimmer lid was cracked; the drinking water fountain was not operating properly; a light in the pool wall was out of its niche; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the shepherds crook was missing a bolt; the "Shallow Water - No Diving Allowed" signs posted were obstructed; the "No Lifeguard On Duty - Swim At Your Own Risk" signs posted were obstructed; the recirculation and filtration system was not operational; and the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

18)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u> <u>Mailing Address:</u> <u>County:</u> <u>Previous Orders:</u> <u>Permit/ID Number:</u> <u>Violations Cited:</u>	Consent Order 24-200-RW December 13, 2024 Riverside Glen Homeowners Association, Inc. Riverside Glen 1 Valley Glen Court Greer, SC 29650 PO Box 26389 Greenville, SC 29616 Greenville 20-066-RW (\$680.00) 21-147-RW (\$1,600.00) 22-195-RW (\$3,200.00) 23-495-1 S.C. Code Ann. Regs. 61-51(J)
-----	--	---

Summary: Riverside Glen Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on May 31, 2024, and July 19, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; there was no drinking water fountain; the chlorine level was not within the acceptable range of water quality standards; the life ring was not United States Coast Guard approved during the first inspection; the life ring was deteriorated during the second inspection; the bound and numbered log book was not maintained on a daily basis; depth marker tiles on the pool deck and at the waterline were broken; a ladder was missing bumpers; the pool floor was dirty; the pool walls were dirty; a skimmer basket was floating; and there was algae on the pool floor and walls.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand two hundred dollars (**\$3,200.00**).

19) <u>Order Type and Number:</u>	Consent Order 24-201-RW
<u>Order Date:</u>	December 13, 2024
<u>Individual/Entity:</u>	The Breakers Horizontal Property Regime
<u>Facility:</u>	The Breakers
<u>Location:</u>	1074 North Forest Beach Drive Hilton Head, SC 29928
<u>Mailing Address:</u>	2 Corpus Christi, Suite 302 Hilton Head, SC 29928
<u>County:</u>	Beaufort
<u>Previous Orders:</u>	22-055-RW (\$680.00)
<u>Permit/ID Number:</u>	07-520-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: The Breakers Horizontal Property Regime (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort Country, South Carolina. The Department conducted inspections on June 6, 2024, and July 23, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool floor was not visible due to cloudy water; the deck was uneven with sharp edges; the water level was too high; the return covers were missing; the chlorine level was not within the acceptable range of water quality standards; there was no emergency notification device; and the pool rules sign did not have all of the required rules.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand six hundred dollars (**\$1,600.00**).

20) Order Type and Number: Consent Order 24-202-RW
Order Date: December 16, 2024
Individual/Entity: **River Landing Apartments, LLC**
Facility: River Landing Apartments
Location: 200 River Landing Boulevard
Myrtle Beach, SC 29579
Mailing Address: 201 North Elm Street
Greensboro, NC 27401
County: Horry
Previous Orders: None
Permit/ID Number: 26-1068B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: River Landing Apartments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 14, 2024, and October 9, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the emergency notification device was not operational; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

21) Order Type and Number: Consent Order 24-203-RW
Order Date: December 17, 2024
Individual/Entity: **Kali, Inc.**
Facility: Hampton Inn Camden
Location: 122 Wall Street
Camden, SC 29020
Mailing Address: 419 Sumter Highway
Camden, SC 29020
County: Kershaw
Previous Orders: 23-090-RW (\$2,040.00)
Permit/ID Number: 28-1019B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Kali, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Kershaw County, South Carolina. The Department conducted inspections on June 4, 2024, and July 11, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the

Public Swimming Pools Regulation as follows: skimmers were missing weirs; a light in the pool wall was out of its niche; the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand six hundred dollars **(\$1,600.00)**.

22)	<u>Order Type and Number:</u>	Consent Order 24-204-RW
	<u>Order Date:</u>	December 13, 2024
	<u>Individual/Entity:</u>	Bridges Crossing Property Owners' Association, Inc.
	<u>Facility:</u>	Bridges Crossing
	<u>Location:</u>	115 Lea Gail Circle Simpsonville, SC 29681
	<u>Mailing Address:</u>	P.O. Box 5539 Greenville, SC 29606
	<u>County:</u>	Greenville
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	23-1015C
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Bridges Crossing Property Owners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a kiddie pool located in Greenville County, South Carolina. The Department conducted inspections on June 21, 2024, and July 23, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; the chlorine level was not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

23)	<u>Order Type and Number:</u>	Consent Order 24-205-RW
	<u>Order Date:</u>	December 18, 2024
	<u>Individual/Entity:</u>	Sri Jai Jalaram, Inc.
	<u>Facility:</u>	Hampton Inn Hardeeville
	<u>Location:</u>	104 Brooks Willis Drive Hardeeville, SC 29927
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Jasper
	<u>Previous Orders:</u>	None

Permit/ID Number: 27-1024B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Sri Jai Jalaram, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Jasper County, South Carolina. The Department conducted inspections on May 31, 2024, and July 17, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there were chlorine pucks in the skimmer baskets; the pool walls were dirty; the backflow preventor requirement was not met; there was standing water in the equipment room; the foot rinse shower was not operating; the chlorine and pH levels were not within the acceptable range of water quality standards; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; the bound and numbered log book was not maintained a minimum of three times per week by pool operator of record; the cyanuric acid level was not recorded in the bound and numbered log book weekly; and the disinfection equipment was not operating.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

24) Order Type and Number: Consent Order 24-206-RW
Order Date: December 20, 2024
Individual/Entity: **Sawmill Forest Owners' Association, Inc.**
Facility: Sawmill Forest
Location: 1 Sawmill Forest Drive
Bluffton, SC 29910
Mailing Address: P.O. Box 7665
Hilton Head Island, SC 29938
County: Beaufort
Previous Orders: None
Permit/ID Number: 07-518-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Sawmill Forest Owners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on June 11, 2024, and June 27, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool floor was dirty; the pool furniture was not at least four feet from the edge of the pool; the pavers had settled at the edge of the coping; the bathrooms were not accessible; the water level was too high; one of the deck drains was broken; the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

25) Order Type and Number: Consent Order 24-207-RW
Order Date: December 20, 2024
Individual/Entity: **1600 Marina Road, LLC**
Facility: The Residence at Marina Bay Apartments
Location: 1600 Marina Bay Road
Irmo, SC 29063
Mailing Address: 700 Gervais Street, Suite 275
Columbia, SC 29201
County: Richland
Previous Orders: 22-023-RW (\$680.00)
Permit/ID Number: 40-1133B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: 1600 Marina Road, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Richland County, South Carolina. The Department conducted inspections on June 25, 2024, and August 12, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; the waterline tiles were dirty; the flow meter was not operating; one of the return inlets did not have a cover; a section of the perimeter fencing had openings greater than four inches; the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book; the bound and numbered log book was not maintained on a daily basis; and the recirculation and filtration system was leaking.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand six hundred dollars **(\$1,600.00)**.

26) Order Type and Number: Consent Order 24-208-RW
Order Date: December 20, 2024
Individual/Entity: **Covington South Owners Association, Inc.**
Facility: Covington South
Location: 5648 Notch Peak Avenue
Indian Land, SC 29707
Mailing Address: 1012 Market Street, Suite 201
Fort Mill, SC 29708
County: Lancaster
Previous Orders: None
Permit/ID Number: 29-1056B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Covington South Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Lancaster County, South Carolina. The Department conducted inspections on June 27, 2024, and July 29, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool floor and walls were dirty; the waterline tiles were dirty; skimmer baskets were floating; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook was missing a bolt; the letters on the "Shallow Water - No Diving Allowed" signs posted were not the appropriate size; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

27) <u>Order Type and Number:</u>	Consent Order 24-209-RW
<u>Order Date:</u>	December 20, 2024
<u>Individual/Entity:</u>	CR Bluestone, LLC
<u>Facility:</u>	Bluestone Apartments
<u>Location:</u>	4921 Bluffton Parkway Bluffton, SC 29910
<u>Mailing Address:</u>	Same
<u>County:</u>	Beaufort
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	07-1044B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: CR Bluestone, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on June 13, 2024, and July 1, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the deck drains were broken; a bolt cover was missing; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the life ring was deteriorated and did not have a permanently attached rope; the bound and numbered log book was not maintained on a daily basis on the first inspection; the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record on the second inspection; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

28)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u> <u>Mailing Address:</u> <u>County:</u> <u>Previous Orders:</u> <u>Permit/ID Number:</u> <u>Violations Cited:</u>	Consent Order 24-210-RW December 20, 2024 Sanpriya Enterprises, LLC Clarion Inn – West Columbia 500 Chris Drive West Columbia, SC 29169 Same Lexington None 32-028-1 S.C. Code Ann. Regs. 61-51(J)
-----	--	---

Summary: Sanpriya Enterprises, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Lexington County, South Carolina. The Department conducted inspections on June 24, 2024, and August 12, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a water return cover was missing; the water level was too low during the first inspection and was too high during the second inspection; skimmers were missing weirs; a skimmer lid was cracked; a bathroom did not have paper towels or a hand dryer; the flow meter was not operating during the first inspection and was missing during the second inspection; a light in the pool wall was out of its niche; the chlorine and pH levels were not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; the life ring was not in its designated location; the facility address was not posted at the emergency notification device; only one “No Lifeguard On Duty - Swim At Your Own Risk” sign was posted; and the recirculation and filtration system was leaking.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

29)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u> <u>Mailing Address:</u> <u>County:</u> <u>Previous Orders:</u> <u>Permit/ID Number:</u> <u>Violations Cited:</u>	Consent Order 24-211-RW December 20, 2024 Timberlake Country Club, Inc. Timberlake Country Club 222 Timberlake Drive Chapin, SC 29036 Same Lexington 22-130-RW (\$680.00) 32-1084B S.C. Code Ann. Regs. 61-51(J)
-----	--	---

Summary: Timberlake Country Club, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Lexington County, South Carolina. The Department conducted inspections on May 20, 2024, July 1, 2024, and August 16, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was not tight and secure; the pool plaster was discolored; the waterline tiles were dirty; there was debris in the skimmer baskets; skimmers were missing weirs; the pump was not meeting the minimum flow rate; the pool rules sign was not legible; the bound and numbered log book was not maintained on a daily basis; the disinfection equipment was not approved; the water level was too low; a foot rinse shower was missing; the chlorine and pH levels were not within the acceptable range of water quality standards; the bound and numbered log book was not available for review; and the cyanuric acid level was above the water quality standards acceptable limit.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of four thousand eighty dollars (\$4,080.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand eighty dollars **(\$4,080.00)**.

30) <u>Order Type and Number:</u>	Consent Order 24-212-RW
<u>Order Date:</u>	December 20, 2024
<u>Individual/Entity:</u>	Haven at Battery Creek, LLC
<u>Facility:</u>	Eventide Apartments
<u>Location:</u>	669 Parris Island Gateway Beaufort, SC 29906
<u>Mailing Address:</u>	100 Dunbar Street, Suite 400 Spartanburg, SC 29306
<u>County:</u>	Beaufort
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	07-1270B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Haven at Battery Creek, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on May 31, 2024, and June 26, 2024, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool walls were dirty; the water level was too low; the flow meter was missing; the chlorine level was not within the acceptable range of water quality standards; the life ring was not United States Coast Guard approved; the life ring rope was deteriorated; the pool rules sign did not have all of the required rules; the bound and numbered log book was not available for review; the bound and numbered log book was not maintained on a daily basis; and the recirculation and filtration system was leaking.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

Drinking Water Enforcement

31) Order Type and Number: Consent Order 24-032-DW
Order Date: December 3, 2024
Individual/Entity: **Vintage Fort Mill Owner, LLC**
Facility: Vintage Apartments
Location: Pleasant Road
Fort Mill, SC
Mailing Address: 1610 S. Church Street, Suite C
Murfreesboro, TN 37130
County: York
Previous Orders: None
Permit/ID Number: 33218-WS
Violations Cited: S.C. Code Ann. Regs. 61-58.1.K(1)

Summary: Vintage Fort Mill Owner, LLC (Individual/Entity) owns and is responsible for obtaining from the Department operational approval for public supply water lines and associated appurtenances to serve the Facility located in York County, South Carolina. The Department conducted an inspection on August 12, 2024, and determined that written approval to operate the public water lines that were being used to supply drinking water to the Facility had not been issued by the Department. The Individual/Entity violated the State Primary Drinking Water Regulation as follows: failed to obtain written approval from the Department prior to placing public supply water lines and associated appurtenances into operation.

Action: The Individual/Entity is required to: submit to the Department for review and approval a standard operating procedure that will be followed to ensure all requirements for obtaining approval to operate from the Department are complied with. The Department has assessed a total civil penalty in the amount of three thousand dollars (\$3,000.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand dollars (**\$3,000.00**).

32) Order Type and Number: Consent Order 24-033-DW
Order Date: December 3, 2024
Individual/Entity: **Town of Williams**
Facility: Town of Williams
Location: Corner of Marion Rd. & Lumber Rd.
Mailing Address: PO Box 23
Williams, SC 29493
County: Colleton
Previous Orders: None

Permit/ID Number: 1510003
Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)(a)

Summary: The Town of Williams (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Colleton County, South Carolina. On September 24, 2024, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform and E. coli present results at the PWS. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

Water Pollution Enforcement

33) Order Type and Number: Consent Order 24-051-W
Order Date: December 10, 2024
Individual/Entity: **Edgefield County Water and Sewer Authority**
Facility: Brooks Street WWTP
Location: 577 Brooks Street
Edgefield, SC 29684
Mailing Address: 577 Brooks Street
Edgefield, SC 29684
County: Edgefield
Previous Orders: None
Permit/ID Number: SC0025330
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits Regulation S.C. Code Ann. Regs. 61-9.122.41(a).

Summary: Edgefield County (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment plant (WWTP) located in Edgefield County, South Carolina. On January 23, 2024, a Notice of Violation was issued as a result of violations of the permitted discharge limits for chronic toxicity (CTOX) as reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and the Water Pollution Control Permits Regulation, as follows: failed to comply with the permitted effluent discharge limits for CTOX.

Action: The Individual/Entity is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for CTOX including a Toxicity Identification Evaluation/Toxicity Reduction Evaluation (TIE/TRE); conduct four (4) consecutive quarterly monitoring period upon completion of corrective actions; and implement engineered upgrades to the WWTP should additional violations be observed during the compliance confirmation period. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a civil penalty in the amount of five thousand dollars **(\$5,000.00)**.

34) Order Type and Number: Consent Order 24-052-W
Order Date: December 17, 2024
Individual/Entity: **Sage Auto Interiors, Inc**
Facility: Abbeville Plant
Location: 601 Brooks St, Abbeville, SC 29620
Mailing Address: Same
County: Abbeville County
Previous Orders: None
Permit/ID Number: SC0000353
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110 (d) and the Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41(a).

Summary: Sage Auto Interiors, Inc (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) in Abbeville County, South Carolina. On March 5, 2024, a Notice of Violation was issued as a result of violations of the permitted discharge limits for Chronic Toxicity (CTOX) and ammonia as reported on the discharge monthly monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limitations for CTOX and ammonia.

Action: The Individual/Entity is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for CTOX and ammonia including a Toxicity Identification Evaluation/Toxicity Reduction Evaluation (TIE/TRE); conduct a three (3) event monthly compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Department has assessed a total civil penalty in the amount of seven thousand dollars (\$7,000.00). The Individual/Entity shall pay a civil penalty in the amount of seven thousand dollars **(\$7,000.00)**.

35) Order Type and Number: Consent Order 24-053-W
Order Date: December 19, 2024
Individual/Entity: **Town of Norway**
Facility: Town of Norway
Location: 1Winchester Ave.
Norway, SC 29113

Mailing Address: PO Box 127
Norway, SC 29113
County: Orangeburg
Previous Orders: None
Permit/ID Number: SC0045993
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits Regulation S.C. Code Ann. Regs. 61-9.122.41(a)/9.122.41(1)(4), and Part III, Section B of the Permit.

Summary: Town of Norway (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Orangeburg County, South Carolina. On June 11, 2024, a Notice of Violation was issued as a result of violations of the permit condition requiring the Individual/Entity to submit annual discharge monitoring reports (DMRs) for toxicity to the Department. The Individual/Entity has violated the Pollution Control Act and the Water Pollution Control Permits Regulation, as follows: failed to monitor and comply with the permitted effluent limitations for toxicity.

Action: The Individual/Entity is required to: resume annual toxicity monitoring beginning July 2025 and submit the annual DMRs as required in accordance with the schedule outlined in the NPDES Permit SC0045993. The Department has assessed a total civil penalty in the amount of twelve thousand dollars (12,000.00). The Individual/Entity shall pay a civil penalty in the amount of twelve thousand dollars (**\$12,000.00**).

BUREAU OF AIR QUALITY

36) Order Type and Number: Consent Order 24-051-A
Order Date: December 3, 2024
Individual/Entity: Pegasus Steel LLC - Ladson
Facility: Pegasus Steel LLC - Ladson
Location: 9801 Highway 78 Building 1 Ladson, SC 29456
Mailing Address: Same
County: Charleston
Previous Orders: 19-0005-A
Permit/ID Number: CM-0560-0438
Violations Cited: S.C. Code Ann. Regs. 61-62.1(H)(4), *Permit Requirements*
Project Manager: Lys Schiller

Summary: Pegasus Steel LLC - Ladson (Individual/Entity) is the owner and operator of an airplane and submarine part production facility located in Charleston County, South Carolina. On September 3, 2024, the Department conducted a review of facility records. The Individual/Entity has violated South Carolina Air Pollution Control Regulations, as follows: failed to submit a timely permit renewal application within 90 days prior to expiration of the permit; failed to submit an annual report of incidences of operating outside of the approved pressure drop operational ranges for dust collectors CD-B1 and CD-B2 including date, time, cause, and corrective actions taken or a letter indicating no such incidences occurred for the

period of April 1, 2023, to March 31, 2024, by the April 30, 2024, deadline; and, failed to submit a semi-annual report of monthly PM, PM₁₀, and PM_{2.5} emissions and calculated twelve (12)-month rolling sums for the period of October 1, 2023, to March 31, 2024, by the April 30, 2024, deadline.

Action: The Individual/Entity shall: submit the annual report for the reporting period of April 1, 2023, to March 31, 2024 to include incidences of operating outside of the approved pressure drop operational ranges for CD-B1 and CD-B2 including date, time, cause, and corrective actions taken or a letter indicating no such incidences occurred; and, submit the semiannual report for the reporting period of October 1, 2023, to March 31, 2024 to include monthly PM, PM₁₀, and PM_{2.5} emissions and calculated twelve (12)-month rolling sums. The Department has assessed a total civil penalty in the amount of twenty-three thousand five hundred dollars (\$23,500.00). The Individual/Entity shall pay a civil penalty in the amount of twenty-three thousand five hundred dollars (**\$23,500.00**).

37) Order Type and Number: Consent Order 24-052-A
 Order Date: December 3, 2024
 Individual/Entity: Corley Construction d.b.a. Fairfield Road
 Recycling
 Facility: Fairfield Road Recycling
 Location: 7462 Fairfield Road
 Columbia, SC 29203
 Mailing Address: 1050 Wessinger Road
 Columbia, SC 294203
 County: Richland
 Previous Orders: AO 23-007-A
 Permit/ID Number: 1900-0286
 Violations Cited: S.C. Code Ann. Regs 61-62.5, Standard No. 3
 and S.C. Code Ann. Regs. 61-62.1, Section II, *Permit Requirements*.

Project Manager: Amanda Steuer

Summary: Corley Construction, LLC d.b.a Fairfield Road Recycling ("Individual/Entity") operates an air curtain incinerator ("ACI") located at 1050 Wessinger Road in Columbia, South Carolina. On February 28, 2023, conducted an investigation at the Individual/Entity. The Individual/Entity has violated South Carolina Air Pollution Control Regulations, as follows: limit opacity from the ACI to no more than 20% on February 28, 2023; failed to combust only materials allowed under the regulations, specifically by combusting metal; failed to exercise good operation practices to minimize emissions from incineration, specifically by loading material above the air curtain; failed to perform a visual inspection daily while the equipment is in operation for nine (9) days in January 2023 and twenty-two (22) days in February 2023; failed to record the cause and corrective action taken for all visual inspections where abnormal emissions were observed; failed to accurately record the measured amount of material combusted daily when the unit is in operation; failed to accurately calculate a monthly sum and calculate a 12-month rolling sum for the waste charge rate failed to notify the Environmental Affairs Midlands Region

Columbia Office prior to the startup of the air curtain incinerator on each calendar day that the unit is in operation..

Action: The Individual/Entity is required to: limit opacity to not greater than 20% in accordance with Standard 3 and the TV Permit, except at periods of startup where an opacity of no greater than 35% is permitted during the first 30 minutes of operation; combust only approved materials in accordance with Standard 3 and the TV Permit; exercise good operation practices (to include not loading materials above the air curtain) when operating the ACI to minimize emissions from incineration in accordance with Standard 3 and the TV Permit; perform and record visual inspections daily when the ACI is in operation and record the cause and corrective actions taken for any abnormal visible emissions observed; maintain accurate daily records, including scale house tickets, of the amount of material combusted and make available to the Department upon request; beginning with the next quarterly report, submit to the Department copies of the scale house tickets with each quarterly report along with monthly reports of daily, monthly, and twelve-month rolling sums of the total amount of material combusted; maintain accurate monthly and twelve-month rolling sums of the total amount combusted, calculated at the end of each month; notify the Department prior to operating the ACI for each operating day. The Department has assessed a total civil penalty in the amount of thirty-four thousand, two hundred dollars (\$34,200.00). The Individual/Entity shall pay a civil penalty in the amount of thirty-four thousand, two hundred dollars (**\$34,200.00**).

38) <u>Order Type and Number:</u>	Consent Order #24-053-A
<u>Order Date:</u>	December 4, 2024
<u>Individual/Entity:</u>	Southbound Realty LLC
<u>Facility:</u>	N/A
<u>Location:</u>	Gussies Court and Circle Lane Myrtle Beach, South Carolina 29588
<u>Mailing Address:</u>	143 Honeydew Road Myrtle Beach, SC 29588
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	N/A
<u>Violations Cited:</u>	S.C. Code Ann. Regs.61-62.2, <i>Prohibition of</i> <i>Open Burning</i>
<u>Project Manager:</u>	Elliott Gleaton

Summary: Southbound Realty LLC (Individual/Entity) was contracted to clear and develop a property located in Horry County, South Carolina ("Site"). On December 1, 2023, the Department conducted an investigation in response to a complaint of open burning at the Site. The Individual/Entity has violated South Carolina Air Pollution Control Regulations, as follows: burned or allowed to be burned materials other than those allowed by Section I of the Open Burning Regulations, specifically land clearing debris within 1,000 feet of the nearest public roadway and residential sites.

<u>Individual/Entity:</u>	Sara Jamison and Nicole Jamison
<u>Facility:</u>	Sara Jamison and Nicole Jamison
<u>Location:</u>	332 Mill Creek Road Vance, SC 29163
<u>Mailing Address:</u>	Same as Location
<u>County:</u>	Orangeburg
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Sara Jamison and Nicole Jamison (Individual/Entity) own property located in Orangeburg County, South Carolina. The Department conducted an investigation on October 3, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

41)	<u>Order Type and Number:</u>	Administrative Order AF-0001015
	<u>Order Date:</u>	December 11, 2024
	<u>Individual/Entity:</u>	Derrel Moore
	<u>Facility:</u>	Derrel Moore
	<u>Location:</u>	114 Veterans Street Anderson, SC 29621
	<u>Mailing Address:</u>	Same as Location
	<u>County:</u>	Anderson
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	None
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Derrel Moore (Individual/Entity) owns property located in Anderson County, South Carolina. The Department conducted an investigation on June 26, 2024, and observed buildings being occupied for more than two hours per day without a connection to an approved means of domestic wastewater treatment and disposal. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that buildings occupied for more than two hours per day are connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity is required to apply for a permit to construct an OSWW system within five (5) days and install the permitted OSWW system within ten days of issuance of a permit to construct; or immediately vacate the buildings to eliminate the domestic wastewater. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

42) Order Type and Number: Administrative Order AF-0001016
Order Date: December 11, 2024
Individual/Entity: **Mibsar Miguel Mejia and Melba Armida Mejia**
Facility: Mibsar Miguel Mejia and Melba Armida Mejia
Location: 7102 Henry Harris Road
Lancaster, SC 29720
Mailing Address: Same as Location
County: Lancaster
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Mibsar Miguel Mejia and Melba Armida Mejia (Individual/Entity) own property located in Lancaster County, South Carolina. The Department conducted an investigation on August 7, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

43) Order Type and Number: Administrative Order AF-0001029
Order Date: December 11, 2024
Individual/Entity: **Debbie Boyd Ladson**
Facility: Debbie Boyd Ladson
Location: 707 West Warehouse Court
Taylors, SC 29687
Mailing Address: Same as Location
County: Greenville

Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Debbie Boyd Ladson (Individual/Entity) owns property located in Greenville County, South Carolina. The Department conducted an investigation on June 27, 2024, and observed a camper being occupied for more than two hours per day without a connection to an approved means of domestic wastewater treatment and disposal. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that buildings occupied for more than two hours per day are connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity is required to apply for a permit to construct an OSWW system within five (5) days and install the permitted OSWW system within ten days of issuance of a permit to construct; or immediately vacate the camper to eliminate the domestic wastewater. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

44) Order Type and Number: Administrative Order AF-0001030
Order Date: December 11, 2024
Individual/Entity: **Raymond Veal**
Facility: Raymond Veal
Location: 7008 Lincoln Road
Columbia, SC 29203
Mailing Address: Same as Location
County: Richland
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Raymond Veal (Individual/Entity) owns property located in Richland County, South Carolina. The Department conducted an investigation on August 29, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

45) Order Type and Number: Administrative Order AF-0001066
Order Date: December 11, 2024
Individual/Entity: **Hanh Nhan Nguyen**
Facility: Hanh Nhan Nguyen
Location: 43 James Riceland Court
Simpsonville, SC 29681
Mailing Address: Same as Location
County: Greenville
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Hanh Nhan Nguyen (Individual/Entity) owns property located in Greenville County, South Carolina. The Department conducted an investigation on September 19, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

46) Order Type and Number: Administrative Order AF-0001068
Order Date: December 11, 2024
Individual/Entity: **Henry L. Wigfall, Sarah N. Wigfall, Isiah Wigfall, Kay Scott, Peggy Smith, and Joetta Mack**
Facility: Henry L. Wigfall, Sarah N. Wigfall, Isiah Wigfall, Kay Scott, Peggy Smith, and Joetta Mack
Location: 2820 Mudville Road
Cross, SC 29436
Mailing Address: Same as Location
County: Berkeley
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Henry L. Wigfall, Sarah N. Wigfall, Isiah Wigfall, Kay Scott, Peggy Smith, and Joetta Mack (Individual/Entity) own property located in Berkeley County, South Carolina. The

Department conducted an investigation on August 3, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars **(\$5,000.00)** should any requirement of the Order not be met.

47)	<u>Order Type and Number:</u>	Administrative Order AF-0001069
	<u>Order Date:</u>	December 11, 2024
	<u>Individual/Entity:</u>	James C. Moore, Jr.
	<u>Facility:</u>	James C. Moore, Jr.
	<u>Location:</u>	215 Surrey Lane Anderson, SC 29621
	<u>Mailing Address:</u>	Same as Location
	<u>County:</u>	Anderson
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	None
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: James C. Moore, Jr. (Individual/Entity) owns property located in Anderson County, South Carolina. The Department conducted an investigation on June 4, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars **(\$5,000.00)** should any requirement of the Order not be met.

48)	<u>Order Type and Number:</u>	Administrative Order AF-0001085
	<u>Order Date:</u>	December 11, 2024
	<u>Individual/Entity:</u>	Marsalis W. Taylor

Facility: Marsalis W. Taylor
Location: 11 Founders Lake Court
Columbia, SC 29229
Mailing Address: Same as Location
County: Richland
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Marsalis W. Taylor (Individual/Entity) owns property located in Richland County, South Carolina. The Department conducted an investigation on October 30, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

49) Order Type and Number: Administrative Order AF-00010099
Order Date: December 11, 2024
Individual/Entity: **Emily Kinard and Debra Syfrett**
Facility: Emily Kinard and Debra Syfrett
Location: 157 Williams Street
Cordova, SC 29039
Mailing Address: Same as Location
County: Orangeburg
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Emily Kinard and Debra Syfrett (Individual/Entity) own property located in Orangeburg County, South Carolina. The Department conducted an investigation on November 6, 2024, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars **(\$5,000.00)** should any requirement of the Order not be met.

* Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.