



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D2010 County: Aiken

Dam Name: Strum Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Richardsons Lake Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
- Richardson Lake Rd. immediately below dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D2016 County: Aiken

Dam Name: Herndon Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Farmstead Dr.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- Hwy 278 directly below dam.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/12/13 SC Dam Inventory Number D 2013 County: Aiken

Dam Name: Scott Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Tory Trail

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes X No

C. Do you think the hazard classification should be upgraded? Yes X No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam Class 2 (Significant Hazard)

- Private road on top of dam.

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon Printed Name of Regional Inspector Signature Date of Signature 12/12/13

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/12/13 SC Dam Inventory Number D 4390 County: Aiken

Dam Name: Palmetto Place Sub Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Maplewood Dr.

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes X No

C. Do you think the hazard classification should be upgraded? Yes X No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon Printed Name of Regional Inspector

Signature

12/12/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/12/13 SC Dam Inventory Number D2053 County: Aiken

Dam Name: Joyce Gregory Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Silver Bluff Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No change in development observed downstream of dam. _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

12/12/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/12/13 SC Dam Inventory Number D2044 County: Aiken

Dam Name: Kimberly Clark Lagoon Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Jackson Hwy

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
- No change in development observed downstream of dam. _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector _____ Signature [Signature] Date of Signature 12/12/13

Printed Name of BOW Engineer _____ Signature _____ Date of Signature _____



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/12/13 SC Dam Inventory Number D 0693 County: Aiken

Dam Name: Houndslike Corp. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Huntsman Dr. - Bellreive Dr.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 0755 County: Aiken

Dam Name: Amy B. Wyatt Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Heron Lake Trail

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No changes in development + observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2138 County: Aiken

Dam Name: Carol Jantzen Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Timberchase Ln.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No changes in development observed downstream of dam.

_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Joshua C. Yon
Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 4412 County: Aiken

Dam Name: Parkman Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Timberchase Ln.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No change in development observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector


Signature

11/14/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2018 County: Aiken

Dam Name: Boyd Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Boyd Pond Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No change in development observed below dam.

- Roadway over top of dam.

_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2011 County: Aiken

Dam Name: Ray Campbell Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Williston Rd. (Hwy 278)

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2043 County: Aiken

Dam Name: Webb Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Jackson Hwy

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No change in development observed downstream of dam. _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2002 County: Aiken

Dam Name: James K. Jarrett Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Brown Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
- No changes in development observed downstream of dam. _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2017 County: Aiken

Dam Name: Holley Haven Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Gray Mare Hollow Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No change in development observed downstream of dam.

_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/14/13 SC Dam Inventory Number D 2000 County: Aiken

Dam Name: Anderson Millpond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Anderson Pond Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No changes in development observed downstream of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/14/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/21/13 SC Dam Inventory Number D 2005 County: Aiken

Dam Name: Trust Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
Contact Person (if owner is company): _____ Email: _____
Phone: _____
Mailing Address: _____ State: _____ Zip: _____
City: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Lake Murray Dr.
Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
No change in development observed downstream. _____ Class 2 (Significant Hazard)
TRF

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Travis R. Fuss _____ 11/21/13
Printed Name of Regional Inspector Signature Date of Signature
ha 2 _____
Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/21/13 SC Dam Inventory Number D 2114²⁰¹⁴ County: Aiken

Dam Name: Swints Lake Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Ridge Rd.

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/21/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 0825 County: Aiken

Dam Name: John J. Lewis Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Flowing Well Rd.

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No change in development observed downstream of dam. _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2141 County: Aiken

Dam Name: Larry Murray Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N Fork Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2135 County: Aiken
Dam Name: Chalk Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
Contact Person (if owner is company): _____ Email: _____
Phone: _____
Mailing Address: _____ State: _____ Zip: _____
City: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N Fork Rd.
Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No
_____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

D. If yes for item II.C, what is your opinion of what the new classification should be?
- No change in development observed downstream of dam.
- Dirt road on top of dam.

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2142 County: Aiken

Dam Name: Bonnie Land Co Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Holifield Pond Rd.

Latitude: _____ " N Longitude: _____ " W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

*- No change in development observed downstream of dam.
- Dirt road on top of dam.*

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2140 County: Aiken

Dam Name: Kent Ingram Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Camp Rawls Rd.

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes X No

C. Do you think the hazard classification should be upgraded? Yes X No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon Printed Name of Regional Inspector

Signature

11/26/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2029 County: Aiken

Dam Name: Paul Swartz Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Kennedy Pond Rd.

Latitude: N Longitude: W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes X No

C. Do you think the hazard classification should be upgraded? Yes X No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam. Class 2 (Significant Hazard)
- Dirt road on top of dam.

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D4188 County: Aiken

Dam Name: Garvin's Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Paul Johnson Rd.

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam.

- Dirt road on top of dam.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/26/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D 2027 County: Aiken

Dam Name: Upper Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Upper Pond Rd.

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam.
- Dirt road on top of dam.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/26/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/26/13 SC Dam Inventory Number D2028 County: Aiken

Dam Name: Cedar Lake Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Tory Trail

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

*- No change in development observed downstream of dam.
- Roadway on top of dam.*

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/26/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 0824 County: Aiken

Dam Name: Wilson/Brantley

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Snipes Pond Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)

- No changes in development observed downstream of dam.

- Roadway on top of dam.

_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/27/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 0808 County: Aiken

Dam Name: Michael Laughlin

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Off of Cooks Bridge Rd

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No changes in development observed downstream of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector [Signature] Signature 11/27/13 Date of Signature

Printed Name of BOW Engineer _____ Signature _____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 0827 County: Aiken

Dam Name: Laughlin Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Off of Cooks Bridge Rd.

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes in development observed downstream of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector


Signature

11/27/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D2147 County: Aiken

Dam Name: J.M. Huber

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Gooseneck Rd.

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No changes observed downstream of dam.

- Settling basin for inactive mine site.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon

Printed Name of Regional Inspector

Signature

11/27/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 2132 County: Aiken

Dam Name: Jones Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Pioneer Rd.

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes X No

C. Do you think the hazard classification should be upgraded? Yes X No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) - No changes in development + observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon Printed Name of Regional Inspector

Signature

11/27/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 0800 County: Aiken

Dam Name: Raymond H. Anderson

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Migrant Camp Rd.

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

- No change in development observed downstream of dam. - Dirt road on top of dam.

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon Printed Name of Regional Inspector

Signature

11/27/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D 0823 County: Aiken

Dam Name: Huttos Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Hutto Pond Rd.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No change in development observed downstream of dam. Class 2 (Significant Hazard)
- Dirt road on top of dam.

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector [Signature] Signature 11/27/13 Date of Signature

Printed Name of BOW Engineer _____ Signature _____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11/27/13 SC Dam Inventory Number D4517 County: Aiken

Dam Name: Jerry Holmes Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Frontage Rd. Off of Hwy 39

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
- No change in development observed downstream of dam. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Joshua C. Yon
Printed Name of Regional Inspector

[Signature]
Signature

11/27/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4415 County: Edgefield

Dam Name: Marvin McKie Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Marvin McKie

Contact Person (if owner is company):

Phone: 864-964-0006 Email:

Mailing Address: 103 Waterman Way

City: Anderson State: SC Zip: 29621

North Augusta 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Int. of W. Martintown Rd & Townes Rd

Latitude: 33° 33' 45" N Longitude: -82° 1' 15" W Tax map # (list all): 082-00-00-076

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

6/12/2015 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 1691 County: Edgefield
Dam Name: Charles Wall Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Beverly Charles, + Miriam Wall Trust Agreement

Contact Person (if owner is company): _____

Phone: 803-278-1450 Email: _____

Mailing Address: 105 Outback Drive

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 105 Outback Dr. Edgefield, SC 29824

Latitude: 33° 41' 00" N Longitude: -82° 6' 30" W Tax map # (list all): 035-00-00-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4475 County: Edgefield

Dam Name: Roger Brown Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Shirley D Brown

Contact Person (if owner is company): _____

Phone: 706-854-8585 Email: _____

Mailing Address: 3522 Lost Tree Court

City: Augusta State: GA Zip: 30907

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 505 Garrett Road Edgefield, SC 29824

Latitude: 33°40'45" N Longitude: -82°7'00" W Tax map # (list all): 035-00-00-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4436 County: Edgefield

Dam Name: Tom Proctor Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Thomas F Proctor III

Contact Person (if owner is company):

Phone: 803-279-2893 Email:

Mailing Address: 20 White Oak Drive

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 56 Vortech Rd Modoc, SC 29838

Latitude: 33°42'15" N Longitude: -82°10'15" W Tax map # (list all): 005-00-00-009

B. Is there any evidence of new development below the dam? ___ Yes [checked] No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

6/12/2015 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4411 County: Edgefield
Dam Name: Allen Blalock Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JLO Group LP

Contact Person (if owner is company): Bart C O'Quinn

Phone: 706-863-3766 Email: BartOQuinn@gmail.com

Mailing Address: 1109 Medical Center Drive (2B)

City: Augusta State: GA Zip: 30909

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 258 Sprouse Rd Marks Hill, SC 29821

Latitude: 33° 42' 15" N Longitude: -82° 6' 30" W Tax map # (list all): 034-00-00-004

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4138 County: Edgefield
Dam Name: Ralph Sapp Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Harry J Taylor, Jr

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 190 Sprouse Road

City: Clarks Hill State: SC Zip: 29821

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Same as mailing address

Latitude: 33° 43' 00" N Longitude: -82° 7' 15" W Tax map # (list all): 034-00-00-025

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4094 County: Edgefield
Dam Name: Sandy Bearer Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JLO Group

Contact Person (if owner is company): Bart C. O'Quinn

Phone: 706-863-3766 Email: Bartoquinn@gmail.com

Mailing Address: 1109 ~~28B~~ Medical Center Drive (2B)

City: Augusta State: GA Zip: 30909

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Across from 781 Garrett Rd Clarks Hill, SC

Latitude: 33° 41' 45" N Longitude: -82° 7' 45" W Tax map # (list all): 019-00-01-011 29821

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/11/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 1695 County: Edgefield

Dam Name: Clark Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Walter Gamewell Watson Living Trust

Contact Person (if owner is company): Walter G. Watson

Phone: 803-279-8420 Email: _____

Mailing Address: 910 River Oak Drive

City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3755 Augusta Rd Trenton, SC 29847

Latitude: 33° 43' 45" N Longitude: - 81° 50' 30" W Tax map # (list all): 173-00-02-015,
173-00-02-002 (Carr)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 1695 County: Edgefield
Dam Name: Clark Pond Dam

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Chalmers A. Carr III

Contact Person (if owner is company): _____

Phone: 803-685-5929 Email: _____

Mailing Address: 5 RW DuBoise Road

City: Ridge Spring State: SC Zip: 29129

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 3755 Augusta Rd Trenton, SC 29847

Latitude: 33° 43' 45" N Longitude: - 81° 50' 30" W Tax map # (list all): 173-00-02-002,
173-00-02-015 (Watson)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Dani Hallman 6/19/15
Printed Name of Regional Inspector Signature Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4054 County: Edgefield

Dam Name: J.E. McDaniel Dam 1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pamella Kolb

Contact Person (if owner is company): _____

Phone: 803-643-9542 Email: _____

Mailing Address: 1447 Dibble Road SW

City: Aiken State: SC Zip: 29801

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 McDaniels Dr. Trenton, SC 29847

Latitude: 33°44'15" N Longitude: -81°52'30" W Tax map # (list all): 159-00-00-040

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4449 County: Edgefield

Dam Name: Michael Wise Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Winston Lee Boddie II & Diane M. Peterson

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 4516 Vann Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 4516 Vann Rd, Trenton, SC 29847

Latitude: 33°41'30" N Longitude: -81°55'00" W Tax map # (list all): 142-00-00-0016

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

6/19/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D4414 County: Edgefield
Dam Name: Rainsford/Martin Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Ricky K & Angela T. Anderson

Contact Person (if owner is company): _____

Phone: 803-637-0091 Email: _____

Mailing Address: 11 New Market Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 17 New Market Rd Trenton, SC 29847

Latitude: 33° 41' 30" N Longitude: -81° 55' 45" W Tax map # (list all): 142-00-01-007,
142-00-00-004 (Wight)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4414 County: Edgefield
Dam Name: Rainsford / Martin Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Sean Wight

Contact Person (if owner is company):

Phone: 803-637-9234 Email:

Mailing Address: 343 Rainsford Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 17 New Market Rd, Trenton, SC 29847

Latitude: 33° 41' 30" N Longitude: -81° 55' 45" W Tax map # (list all): 142-00-00-004
142-00-01-007 (Anderson)

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard)
[] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4333 County: Edgefield

Dam Name: John Rainsford Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803-637-6533 / 803-637-3385 Email:

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 304 Rainsford Rd, Edgefield, SC 29824

Latitude: 33°41'45" N Longitude: -81°56'30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [checked] Yes [] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [checked] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

6/19/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4488 County: Edgefield

Dam Name: John Rainsford Jr. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803-637-6533/803-637-3385 Email: _____

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 607 Old Stage Rd Edgefield, SC 29824

Latitude: 33° 42' 30" N Longitude: -81° 56' 30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 0911 County: Edgefield

Dam Name: Rainsford Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803.637.6533/803.637.3385 Email:

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 72 Johns Road Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: -81° 56' 30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? [checked] Yes [] No

C. Do you think the hazard classification should be upgraded? [checked] Yes [] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [checked] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

6/19/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4209 County: Edgefield

Dam Name: LC Mixon Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Lawrence J Nuss

Contact Person (if owner is company): _____

Phone: 803-232-0350 Email: _____

Mailing Address: 200 Rolling Hills Drive

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 200 Rolling Dr. Trenton, SC 29847

Latitude: 33° 38' 15" N Longitude: -81° 56' 30" W Tax map # (list all): 124-00-01-014,

124-00-01-015 (Perry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4209 County: Edgefield
Dam Name: LC Mixon Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Crystal M Perry
Contact Person (if owner is company):
Phone: 803-663-5233 Email:
Mailing Address: 190 Rolling Hills Drive
City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 190 Rolling Hills Dr. Trenton, SC 29847
Latitude: 33° 32' 15" N Longitude: -81° 56' 30" W Tax map # (list all): 124-00-01-015,
124-00-01-014 (Nuss)

B. Is there any evidence of new development below the dam? ___ Yes [checked] No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard)
___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector Dani Hallman Signature 6/19/15 Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D0901 County: Edgefield
Dam Name: Kelly Zier Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Jimmy & Dotti Summers

Contact Person (if owner is company): _____

Phone: 803-426-1263 Email: _____

Mailing Address: 50 Stephens Estate

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1345 Stephens Road N. Augusta, SC 29860

Latitude: 33° 37' 15" N Longitude: -81° 56' 45" W Tax map # (list all): 125-00-00-057

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 0903 County: Edgefield

Dam Name: Morgan / McLane Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Nathan A. Lara

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 67 Double Creek Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 67 Double Creek Rd, Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: -81° 59' 15" W Tax map # (list all): 099-00-00-027

099-00-00-039 (McLane)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House ~ 100 yds downstream. Tax map # 099-00-00-050.

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 0903 County: Edgefield

Dam Name: Morgan/McLane Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Terry & Laurie McLane

Contact Person (if owner is company): _____

Phone: 803-637-5407 Email: _____

Mailing Address: 97 Double Creek Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 67 Double Creek Rd, Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: -81° 59' 15" W Tax map # (list all): 099-00-00-039

099-00-00-027 (Lara)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House ~100 yds downstream. Tax map # 099-00-00-050

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4448 County: Edgefield

Dam Name: Samuel M Hair Dam

I. Dam Owner Information

Has ownership changed? ___ Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-275-4550/803-637-4666 Email: _____

Mailing Address: 850 Mims Avenue

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 32 Republican Rd, Edgefield, SC 29824

Latitude: 30° 40' 55" N Longitude: -81° 59' 23" W Tax map # (list all): 099-00-01-001

B. Is there any evidence of new development below the dam? ___ Yes No

C. Do you think the hazard classification should be upgraded? ___ Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard)

___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4369 County: Edgefield

Dam Name: Sam Hair Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mary Ann Hair

Contact Person (if owner is company): _____

Phone: 803-275-4550 Email: _____

Mailing Address: 850 Mims Avenue

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): South of Intersection of Sweetwater Rd + Republican Rd Edgefield, SC 29824

Latitude: 33° 40' 35" N Longitude: -81° 59' 6" W Tax map # (list all): 100-00-00-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 1700 County: Edgefield

Dam Name: Wayne Raiford Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-9508 Email: _____

Mailing Address: 804 Sweetwater Road

City: ~~Clarks Hill~~ North Augusta State: SC Zip: ~~29821~~
29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 804 Sweetwater Rd, Clarks Hill, SC, 29821

Latitude: 33°40'15" N Longitude: -81°59'00" W Tax map # (list all): 100-00-00-003

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4116 County: Edgefield

Dam Name: Tim Campbell Pond Dam I

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803.441.0100 Email: _____

Mailing Address: 436 E. Shoreline Drive

City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N.E. of Intersection of Moore Rd + Sweetwater Rd ^{North Augusta, SC, 29860}

Latitude: 33° 38' 15" N Longitude: -81° 58' 30" W Tax map # (list all): 101-00-00-321

101-00-00-49

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D4504 County: Edgefield

Dam Name: Gary Miller Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803.819.0042 Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 201 Briggs Rd, North Augusta, SC, 29860

Latitude: 33° 37' 45" N Longitude: -81° 59' 00" W Tax map # (list all): 102-00-00-022

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4336 County: Edgefield

Dam Name: Tim Campbell Pond Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Tim Campbell

Contact Person (if owner is company): _____

Phone: 803-441-0100 Email: _____

Mailing Address: 436 E. Shoreline Drive

City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): S.W of 135 Briggs Rd, North Augusta, SC 29860

Latitude: 33° 37' 26" N Longitude: -81° 58' 30" W Tax map # (list all): 102-00-00-010,

102-00-03-004 (McMeans)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4336 County: Edgefield
Dam Name: Tim Campbell Pond Dam 2

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Matthew W. & Jessica J. McMeans Survivorship

Contact Person (if owner is company):

Phone: 803.279.5237 Email:

Mailing Address: 2730 Fairfax Drive

City: Columbus State: Ohio Zip: 43220

II. Site Information

A. Site Location (street address, nearest intersection, etc.): S.W. of 135 Briggs Rd, North Augusta, SC 29840

Latitude: 33° 37' 24" N Longitude: -81° 58' 30" W Tax map # (list all): 102-00-03-004,

102-00-00-010 (Campbell)

B. Is there any evidence of new development below the dam? [checked] Yes ___ No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/10/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 1699 County: Edgefield

Dam Name: F. J. Randall / Randall Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-5571 Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 495 Randall Rd, North Augusta, SC, 29860

Latitude: 33° 36' 45" N Longitude: -81° 58' 45" W Tax map # (list all): 103-00-00-012

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 0875 County: Edgefield

Dam Name: Cheves Creek Farms Dam / Lick Fork Lake Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): US Forest Service

Contact Person (if owner is company): J.R. Kirkaldie, District Ranger

Phone: (803) 637-5396 Email: _____

Mailing Address: 810 Buncombe Street

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Lick Fork Campground, Lick Fork Road, Edgefield, SC

Latitude: 33° 43' 30" N Longitude: -82° 2' 30" W Tax map # (list all): 077-00-00-001 29824

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4391 County: Edgefield

Dam Name: Daniel Reel Dam

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Daniel R Reel + Carolyn Ann Tomlin

Contact Person (if owner is company): _____

Phone: 803-637-0072 ^{C. Tomlin} Email: 770-477-0208

Mailing Address: 12405 Edgewater Drive

City: Hampton State: GA Zip: 30228

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 197 Hunters Run, Edgefield, SC, 29824

Latitude: 33° 46' 15" N Longitude: -81° 59' 45" W Tax map # (list all): 095-00-00-013

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4359 County: Edgefield

Dam Name: David Snodgrass Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Marvin + Doris H. Wheeler

Contact Person (if owner is company):

Phone: 803-637-3056 Email:

Mailing Address: 266 Hunters Run

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 266 Hunters Run, Edgefield, SC 29824

Latitude: 33° 45' 30" N Longitude: - 81° 59' 30" W Tax map # (list all): 096-00-00-010

B. Is there any evidence of new development below the dam? ___ Yes [checked] No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/29/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4370 County: Edgefield

Dam Name: Mitch Blalock Dam 1

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-2523 Email: _____

Mailing Address: 802 N Five Notch Road

City: North Augusta State: SC Zip: 29860

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 191. Horn Creek West, Edgefield, SC, 29824 (East)

Latitude: 33°44'00" N Longitude: -81°59'15" W Tax map # (list all): 097-00-00-019

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4387 County: Edgefield

Dam Name: Mitch Blalock Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-2523 Email: _____

Mailing Address: 802 W. Five Notch Road

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 191 Horn Creek West, Edgefield, SC, 29824 (West)

Latitude: 33° 44' 07" N Longitude: -81° 59' 25" W Tax map # (list all): 097-00-00-019

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4453 County: Edgefield

Dam Name: John Kemp Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Virginia B Kemp

Contact Person (if owner is company): _____

Phone: 803.245.2278 Work Email: 803.637.3364

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Int. of Sweetwater Rd + Mays Way, Edgefield, SC, 29824

Latitude: 33°44'45" N Longitude: -81°57'15" W Tax map # (list all): 118-00-00-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector


Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4334 County: Edgefield

Dam Name: Clayton Boardman Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mitch Blalock

Contact Person (if owner is company): _____

Phone: 803-279-2523 Email: _____

Mailing Address: 802 West Five Notch Road

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Int of Sweetwater Rd + Whitetail Run Edgefield, SC

Latitude: 33° 43' 52" N Longitude: -81° 58' 38" W Tax map # (list all): 097-00-00-013²⁹⁸²⁴

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D4326 County: Edgefield

Dam Name: Blalock Lower Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mitchell A Blalock

Contact Person (if owner is company): _____

Phone: 803-279-2523 Email: _____

Mailing Address: 802 W. Five Notch Road

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): ~ 1 mile from int. of Whitehill Run + Sweetwater Rd Edgefield, SC 29824

Latitude: 33° 43' 33" N Longitude: -81° 59' 5" W Tax map # (list all): 097-00-00-018

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/28/15 SC Dam Inventory Number D 4327 County: Edgefield

Dam Name: Blalock Upper Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mitchell A Blalock

Contact Person (if owner is company): _____

Phone: 803-279-2523 Email: _____

Mailing Address: 802 W Fire Notch Road

City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): ~7 mile from int. of Whitetail Run + Sweetwater Rd Edgefield

Latitude: 33°43'45" N Longitude: -81°59'00" W Tax map # (list all): 097-00-00-018 29824

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/29/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 0879 County: Edgefield

Dam Name: J. H. Satcher Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Phillip E Frew

Contact Person (if owner is company): _____

Phone: 803-649-5950 Email: _____

Mailing Address: PO Box 3609

City: Aiken State: SC Zip: 29802

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 984 Airport Road, Johnston, SC, 29832

Latitude: 33°45'47" N Longitude: -81°46'57" W Tax map # (list all): 192-00-00-052

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 4137 County: Edgefield

Dam Name: L F Holmes Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): L. F. Holmes III Etal

Contact Person (if owner is company):

Phone: 803.275.4779 Email:

Mailing Address: 1137 Charles E Simons Highway

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): E. of 1312 Charles E Simons Hwy, Johnston SC, 29832

Latitude: 33° 46' 10" N Longitude: -81° 45' 50" W Tax map # (list all): 192-00-00-064, 192-00-00-021 (Noel)

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/31/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 4137 County: Edgefield

Dam Name: L F Holmes Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Noel Investments LLC

Contact Person (if owner is company): Everette W. Noel, Jr. (3506 Augustus Road, Aiken SC, 29801)

Phone: 803-649-6824 Email: 803-275-2329

Mailing Address: 595 Yonce Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): E. of 1312 Charles E. Simons Hwy, Johnston SC 29832

Latitude: 33°46'10" N Longitude: -81°45'50" W Tax map # (list all): 192-00-00-021,

192-00-00-0164 (Holmes)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 0895 County: Edgefield

Dam Name: Mason Motes Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Volker E Dube Revocable Trust

Contact Person (if owner is company): Volker Dube

Phone: 910-791-0986/910-679-4019 Email:

Mailing Address: 813 Gull Point Road

City: Wilmington State: NC Zip: 28405

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 111 Rope Horse Road, Johnston, SC 29832

Latitude: 33° 47' 45" N Longitude: -81° 46' 30" W Tax map # (list all): 191-00-00-015

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/31/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 0894 County: Edgefield

Dam Name: Holmes Mitchell Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Wilbur Eugene Jr + Deborah C. Holmes Survivorship

Contact Person (if owner is company):

Phone: 803-275-4596 Email:

Mailing Address: 1739 Luke Bridge Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 514 Yonce Pond Rd, Johnston, SC, 29832

Latitude: 33°47'25" N Longitude: -81°46'15" W Tax map # (list all): 191-00-00-014, 191-00-00-008 (Mitchell)

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/31/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 0894 County: Edgefield

Dam Name: Holmes Mitchell Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Sharon L + Melanie D. Mitchell Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-3888 Email: _____

Mailing Address: 520 Yonce Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 514 Yonce Pond Rd, Johnston, SC, 29832

Latitude: 33° 47' 25" N Longitude: -81° 46' 15" W Tax map # (list all): 191-00-00-008,
191-00-00-014 (Holmes)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 0878 County: Edgefield

Dam Name: Charlie Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Charlie L. D Holmes Etal

Contact Person (if owner is company): Joseph Sowell

Phone: 803-275-0022 Email: _____

Mailing Address: 334 Old Plank Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of 103 Clark Rd, Johnston, SC 29832

Latitude: 33° 47' 30" N Longitude: -81° 45' 15" W Tax map # (list all): 191-00-00-002, 191-00-00-001 (Sowell)

B. Is there any evidence of new development below the dam? ___ Yes [checked] No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

[Signature] Signature

7/31/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D0878 County: Edgefield

Dam Name: Charlie Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Harriet E. + Margaret O. Sowell Etal

Contact Person (if owner is company): _____

Phone: 610-525-3866 Email: _____

Mailing Address: 728 Hamilton Road

City: Bryn Mawr State: PA Zip: 19010

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of 103 Clark Rd, Johnston, SC, 29832

Latitude: 33°47'30" N Longitude: -81°45'15" W Tax map # (list all): 191-00-00-001,

191-00-00-002 (Holmes)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 435.3 County: Edgefield
Dam Name: JO Clark Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): John O. Clark, Jr.

Contact Person (if owner is company): _____

Phone: 803-275-2876 Email: 803-356-1158

Mailing Address: 123 Gibson Road - 15

City: Lexington State: SC Zip: 29072

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Dirt drive near 199 Yorra Pond Road, Johnston SC, 29832

Latitude: 33°49'30" N Longitude: -81°46'15" W Tax map # (list all): 189-00-00-035,
189-00-00-044 (PC Timber)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 4353 County: Edgefield

Dam Name: JO Clark Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): PC Timber, LLC

Contact Person (if owner is company): William Massey (210 Colony Pkwy S.E., Aiken, SC, 29803)

Phone: 803-643-4110 Email: l.massey@smbgm.com

Mailing Address: PO Box 175

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Dirt drive near 199 Yonce Pond Rd, Johnston, SC, 29832

Latitude: 33°49'30" N Longitude: -81°46'15" W Tax map # (list all): 189-00-00-044,

189-00-00-035 (Clark)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/31/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/30/15 SC Dam Inventory Number D 4093 County: Edgefield

Dam Name: Clark Dubose Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Chalmers R Carr III + Lori Anne Carr

Contact Person (if owner is company):

Phone: 803-685-5381/803-685-5929 Email: chalmers@titanfarms.com/lac@titanfarms.com

Mailing Address: 5 RW Dubose Road

City: Ridge Spring State: SC Zip: 29129

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Int. of Mt. Calvary Rd + Rachel Rd, Ridge Spring, SC, 29129

Latitude: 33°48'27" N Longitude: -81°41'20" W Tax map # (list all): 202-00-00-012

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

7/31/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0876 County: Edgefield

Dam Name: Ludington Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Richard K. Allen

Contact Person (if owner is company): _____

Phone: 803-643-0212 Email: _____

Mailing Address: 27 Butternut Court

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1275 Archie Ware Rd Trenton SC 29847

Latitude: 33°43'45" N Longitude: -81°46'00" W Tax map # (list all): 194-00-00-015

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0870 County: Edgefield

Dam Name: Trudy Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Eureka Farms LLC

Contact Person (if owner is company): Dorothea E. Holmes

Phone: 803-275-4257 Email: _____

Mailing Address: 1033 SC Hwy 191

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.7 mi West of 1033 Hwy 191, Trenton, SC 29847

Latitude: 33°44'20" N Longitude: -81°46'00" W Tax map # (list all): 194-00-00-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0913 County: Edgefield

Dam Name: Forestry Commission Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): SC Forestry Commission - Taylor Nursery

Contact Person (if owner is company): Hamp Holmes

Phone: 803-275-3578 Email: taylor@tree@pbtcomm.net

Mailing Address: PO Box 219 - 53 Girl Scout Camp Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 744 Airport Rd Trenton SC 29847

Latitude: 33°44'45" N Longitude: -81°48'30" W Tax map # (list all): 184-00-00-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0868 County: Edgefield

Dam Name: Long Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Paula Virginia Clark

Contact Person (if owner is company): _____

Phone: 803-279-7698 Email: _____

Mailing Address: 1668 Hampton Circle

City: Belvedere State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 802 Airport Rd Trenton SC 29847

Latitude: 33°44'30" N Longitude: -81°48'00" W Tax map # (list all): 184-00-00-058

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House 0.2 miles NW of Girl Scout Camp Rd + Redbird Ln.

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0869 County: Edgefield
Dam Name: Peachtree Investments Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Vaneaton Price Jr + Janet W Price

Contact Person (if owner is company): _____

Phone: 803-648-5939 Email: _____

Mailing Address: 899 Sycamore Drive

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of 759 Airport Rd. Trenton, SC 29847

Latitude: 33°45'00" N Longitude: -81°48'45" W Tax map # (list all): 184-00-00-007

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 1696 County: Edgefield

Dam Name: John L Berry Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): George William Darrow Jr. + Christine A Burns Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-2692 Email: _____

Mailing Address: 23 Murrell Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 23 Murrell Road Trenton, SC 29847

Latitude: 33°45'35" N Longitude: -81°48'40" W Tax map # (list all): 183-00-00-051

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield

Dam Name: Zelene Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joseph Wilbur Yonce, Jr. Etal

Contact Person (if owner is company): _____

Phone: 803-275-2293 Email: _____

Mailing Address: PO Box 86

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi East of Watson Rd + SC 121, Johnston SC 29832

Latitude: 33°47'15" N Longitude: -81°49'00" W Tax map # (list all): 182-00-00-033,
182-00-00-012 (PC), 170-00-00-025+170-00-00-037 (Mulberry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield

Dam Name: Zelene Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): PC Family, LLC

Contact Person (if owner is company): William R. Massey - Agent

Phone: 803-643-4110 Email: rmassey@smbgm.com

Mailing Address: 210 Colony Parkway S.E.

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi. East of Watson Rd + SC-121, Johnston SC, 29832

Latitude: 33°47'15" N Longitude: -81°49'00" W Tax map # (list all): 182-00-00-012,

182-00-00-033 (Yonce), 170-00-00-025 + 170-00-00-037 (Mulberry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield

Dam Name: Zelena Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mulberry Hill Homeplace, LLC

Contact Person (if owner is company): Harrison R Tyler, Jr. + Catherine Tyler

Phone: 703-548-9285 Email: _____

Mailing Address: 506 Lloyds Lane

City: Alexandria State: VA Zip: 22302

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi East of Watson Rd + SC 121, Johnston, SC 29832

Latitude: 33° 47' 15" N Longitude: -81° 49' 00" W Tax map # (list all): 170-00-00-025,
170-00-00-037, 182-00-00-033 (Yonce), 182-00-00-012 (PC)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0885 County: Edgefield

Dam Name: Charles Hughes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Edward E + Terri T. Adkinson Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-0792 Email: _____

Mailing Address: 1088 Watson Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 Peach Orchard Rd Trenton, SC 29847

Latitude: 33°47'05" N Longitude: -81°48'30" W Tax map # (list all): 183-00-00-008,
182-00-00-014 (Hurst)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0885 County: Edgefield

Dam Name: Charles Hughes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Herbert + Merriann Hurst

Contact Person (if owner is company): _____

Phone: 803-593-3200 Email: _____

Mailing Address: 302 Grace Hurst Road

City: Warrenville State: SC Zip: 29851

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 Peach Orchard Road Trenton, SC 29847

Latitude: 33°47'05" N Longitude: -81°48'30" W Tax map # (list all): 182-00-00-014,

183-00-00-008 (Adkinson)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 4542 County: Edgefield

Dam Name: Hutchins/Hurst Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Herbert + Merriam Hurst

Contact Person (if owner is company):

Phone: 803-593-3200 Email:

Mailing Address: 302 Grace Hurst Road

City: Warrenton State: SC Zip: 29851

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Vineyard Road + Holmes Pond Rd, Johnston, SC 29832

Latitude: 33° 47' 05" N Longitude: -81° 48' 05" W Tax map # (list all): 182-00-00-014,

182-00-00-025 (ThreeStar)

B. Is there any evidence of new development below the dam? [checked] Yes ___ No

C. Do you think the hazard classification should be upgraded? ___ Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector

Dani Hallman Signature

8/12/2015 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 4542 County: Edgefield

Dam Name: Hutchins/Hurst Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Three Star Vineyard + Orchard AP Johnston LLC

Contact Person (if owner is company): Kenneth W. Hutchins, Jr.

Phone: 803-275-9200 Email: 803-275-3200

Mailing Address: 172 Holmes Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Vineyard Rd + Holmes Pond Rd, Johnston SC 29832

Latitude: 33°47'05" N Longitude: -81°48'05" W Tax map # (list all): 182-00-00-025,

182-00-00-014 (Hurst)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0881 County: Edgefield

Dam Name: Toney Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): George M. Forsythe Etal

Contact Person (if owner is company): J.W. Yonce + Sons Farm, Inc. (Larry L. Yonce)

Phone: 803-275-3244 Email: _____

Mailing Address: 37 Yonce Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 68 Henry Lane Johnston, SC 29832

Latitude: 33° 47' 30" N Longitude: -81° 48' 45" W Tax map # (list all): 181-00-00-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0889 County: Edgefield

Dam Name: Hamp Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Hamp Jr + Julia E. Holmes - Cotrustees - Holmes Family Trust

Contact Person (if owner is company): _____

Phone: 803-275-3634 Email: _____

Mailing Address: PO Box 40

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of Pine House Rd + James Dr. Trenton, SC, 29847

Latitude: 33°45'15" N Longitude: -81°51'45" W Tax map # (list all): 172-00-02-028

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0498 County: Edgefield

Dam Name: H. Graham Reynolds Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): The Irrevocable Gifting Trust

Contact Person (if owner is company): Grace R. Reynolds - Trustee

Phone: _____ Email: _____

Mailing Address: 15 Reynolds Drive

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 15 Reynolds Dr. Trenton, SC 29847

Latitude: 33° 45' 35" N Longitude: -81° 50' 35" W Tax map # (list all): 172-00-02-029

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield

Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Ridge Agric. Assoc Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 194

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton, SC 29847

Latitude: 33° 45' 25" N Longitude: -81° 50' 25" W Tax map # (list all): 172-00-03-014,
171-00-00-088 (Trotter), 171-00-00-089 (Lott)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector


Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield

Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Christopher L. Trotter

Contact Person (if owner is company): _____

Phone: 803.494.9194 Email: _____

Mailing Address: 4612 Compass Oaks Drive

City: Valrico State: FL Zip: 33596

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton, SC 29847

Latitude: 33°45'25" N Longitude: -81°50'25" W Tax map # (list all): 171-00-00-088,
172-00-03-014 (Ridge), 171-00-00-089 (Lott)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield

Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joe Lott

Contact Person (if owner is company): _____

Phone: 803-648-7276 Email: _____

Mailing Address: 143 Bramble Ridge Road

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton SC 29847

Latitude: 33° 45' 25" N Longitude: -81° 50' 25" W Tax map # (list all): 171-00-00-089,
172-00-03-014 (Ridge), 171-00-00-088 (Trotter)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0882 County: Edgefield

Dam Name: J M Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Michael J + Anita L. Raffield

Contact Person (if owner is company): _____

Phone: 803-275-3008 Email: _____

Mailing Address: 412 Highway 121

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 412 Hwy 121, Johnston SC 29832
(Trenton, SC in Google)

Latitude: 33°46'15" N Longitude: -81°49'52" W Tax-map # (list all): 171-00-00-059

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 8/13/2015 SC Dam Inventory Number D 4395 County: Edgefield

Dam Name: J E McDaniel Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Robert T. + Diane R. Miller Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-0601 Email: _____

Mailing Address: 320 Woodyard Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 320 Woodyard Rd Johnston SC 29832

Latitude: 33°46'45" N Longitude: -81°52'15" W Tax map # (list all): 157-00-00-083

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 4354 County: Edgefield

Dam Name: J.W. Yonce + Sons Dam #7

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Larry L. Yonce - Agent

Phone: 803-275-3244 Email: _____

Mailing Address: 37 Yonce Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 110 Woodyard Rd Johnston SC 29832

Latitude: 33°47'45" N Longitude: -81°51'45" W Tax map # (list all): 170-00-00-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

*House @ 160 Two Mile Drive. Tax Map # 156-00-00-023

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D0497 County: Edgefield

Dam Name: DC Herlong Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Thomas H. Herlong Etal

Contact Person (if owner is company): _____

Phone: 803-275-3388 Email: _____

Mailing Address: 424 Calhoun Street or 165 Bowknight Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 55 Bowknight Rd Johnston SC 29832

Latitude: 33°48'30" N Longitude: -81°50'30" W Tax map # (list all): 1169-00-00-008

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0876 County: Edgefield
Dam Name: Ludington Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Richard K. Allen

Contact Person (if owner is company): _____

Phone: 803-643-0212 Email: _____

Mailing Address: 27 Butternut Court

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1275 Archie Ware Rd Trenton Sc - 29847

Latitude: 33°43'45" N Longitude: -81°46'00" W Tax map # (list all): 194-00-00-015

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0870 County: Edgefield

Dam Name: Trudy Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Eureka Farms LLC

Contact Person (if owner is company): Dorothea E. Holmes

Phone: 803-275-4257 Email: _____

Mailing Address: 1033 SC Hwy 191

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.7 mi West of 1033 Hwy 191, Trenton, SC 29847

Latitude: 33°44'20" N Longitude: -81°46'00" W Tax map # (list all): 194-00-00-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0913 County: Edgefield

Dam Name: Forestry Commission Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): SC Forestry Commission - Taylor Nursery

Contact Person (if owner is company): Hamp Holmes

Phone: 803-275-3578 Email: taylor@pbtcomm.net

Mailing Address: PO Box 219 - 53 Girl Scout Camp Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 744 Airport Rd Trenton SC 29847

Latitude: 33°44'45" N Longitude: -81°48'30" W Tax map # (list all): 184-00-00-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0868 County: Edgefield

Dam Name: Long Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Paula Virginia Clark

Contact Person (if owner is company): _____

Phone: 803-279-7698 Email: _____

Mailing Address: 1668 Hampton Circle

City: Belvedere State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 802 Airport Rd Trenton SC 29847

Latitude: 33°44'30" N Longitude: -81°48'00" W Tax map # (list all): 184-00-00-058

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House 0.2 miles NW of Girl Scout Camp Rd + Redbird Ln.

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0869 County: Edgefield

Dam Name: Peachtree Investments Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Vaneaton Price Jr + Janet W Price

Contact Person (if owner is company): _____

Phone: 803-648-5939 Email: _____

Mailing Address: 899 Sycamore Drive

City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of 759 Airport Rd. Trenton, SC 29847

Latitude: 33°45'00" N Longitude: -81°48'45" W Tax map # (list all): 184-00-00-007

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 116916 County: Edgefield

Dam Name: John L Berry Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): George William Darrow Jr & Christine A Burns Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-2692 Email: _____

Mailing Address: 23 Murrell Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 23 Murrell Road Trenton, SC 29847

Latitude: 33°45'35" N Longitude: -81°48'40" W Tax map # (list all): 183-00-00-051

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield

Dam Name: Zelene Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joseph Wilbur Yonce, Jr. Etal

Contact Person (if owner is company): _____

Phone: 803-275-2293 Email: _____

Mailing Address: PO Box 86

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi. East of Watson Rd + SC 121, Johnston SC 29832

Latitude: 33°47'15" N Longitude: -81°49'00" W Tax map # (list all): 182-00-00-033,

182-00-00-012 (PC), 170-00-00-025+170-00-00-037 (Mulberry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield
Dam Name: Belene Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (if yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): PC Family, LLC
Contact Person (if owner is company): William R. Massey - Agent
Phone: 803-643-4110 Email: rmassey@smbgm.com
Mailing Address: 210 Colony Parkway S.E.
City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi. East of Watson Rd + SC-121, Johnston SC, 29832
Latitude: 33°47'15" N Longitude: -81°49'00" W Tax map # (list all): 182-00-00-012,
182-00-00-033 (Yonce), 170-00-00-025 + 170-00-00-037 (Mulberry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0909 County: Edgefield
Dam Name: Zelena Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mulberry Hill Homeplace LLC
Contact Person (if owner is company): Harrison R Tyler, Jr. + Catherine Tyler
Phone: 703-548-9285 Email: _____
Mailing Address: 506 Lloyds Lane
City: Alexandria State: VA Zip: 22302

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 0.75 mi East of Watson Rd + SC 121, Johnston, SC 29832
Latitude: 33°47'15" N Longitude: -81°49'00" W Tax map # (list all): 170-00-00-025,
170-00-00-037, 182-00-00-033 (Yonce), 182-00-00-012 (PC)

B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No
D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector Danni Hallman Signature 8/12/2015 Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0885 County: Edgefield

Dam Name: Charles Hughes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Edward E + Terri T. Adkinson Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-0792 Email: _____

Mailing Address: 1088 Watson Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 Peach Orchard Rd Trenton SC 29847

Latitude: 33°47'05" N Longitude: -81°48'30" W Tax map # (list all): 183-00-00-008,

182-00-00-014 (Hurst)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0885 County: Edgefield
Dam Name: Charles Hughes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Herbert + Merriann Hurst

Contact Person (if owner is company): _____

Phone: 803-593-3200 Email: _____

Mailing Address: 302 Grace Hurst Road

City: Warrenville State: SC Zip: 29851

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 Peach Orchard Road Trenton, SC 29847

Latitude: 33°47'05" N Longitude: -81°48'30" W Tax map # (list all): 182-00-00-014,
183-00-00-008 (Adkinson)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 4542 County: Edgefield
Dam Name: Hutchins/Hurst Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Herbert + Merriam Hurst

Contact Person (if owner is company): _____

Phone: 803.593.3200 Email: _____

Mailing Address: 302 Grace Hurst Road

City: Warrenville State: SC Zip: 29851

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Vineyard Road + Holmes Pond Rd, Johnston, SC 29832

Latitude: 33°47'05" N Longitude: -81°48'05" W Tax map # (list all): 182-00-00-014,
182-00-00-025 (Three Star)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 4542 County: Edgefield
 Dam Name: Hutchins/Hurst Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Three Star Vineyard Orchard of Johnston LLC
 Contact Person (if owner is company): Kenneth W. Hutchins, Jr.
 Phone: 803-275-9200 Email: 803-275-3200
 Mailing Address: 172 Holmes Pond Road
 City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Vineyard Rd + Holmes Pond Rd, Johnston SC 29832
 Latitude: 33°47'05" N Longitude: -81°48'05" W Tax map # (list all): 182-00-00-025,
182-00-00-014 (Hurst)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>Dani Hallman</u> Printed Name of Regional Inspector	<u>Dani Hallman</u> Signature	<u>8/12/2015</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/11/2015 SC Dam Inventory Number D 0881 County: Edgefield
Dam Name: Toney Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): George M. Forsythe Etal
Contact Person (if owner is company): J.W. Yonce + Sons Farm, Inc. (Lamy L. Yonce)
Phone: 803-275-3244 Email: _____
Mailing Address: 37 Yonce Pond Road
City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 68 Henry Lane Johnston, SC 29832
Latitude: 33°47'30" N Longitude: -81°48'45" W Tax map # (list all): 181-00-00-001

- B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector Dani Hallman Signature 8/12/2015 Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0889 County: Edgefield

Dam Name: Hamp Holmes Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Hamp Jr + Julia E. Holmes - Cotrustees - Holmes Family Trust

Contact Person (if owner is company): _____

Phone: 803-275-3634 Email: _____

Mailing Address: PO Box 40

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N. of Pine House Rd + James Dr. Trenton, SC, 29847

Latitude: 33°45'15" N Longitude: 81°51'05" W Tax map # (list all): 172-00-02-028

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0498 County: Edgefield

Dam Name: H. Graham Reynolds Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): The Irrevocable Gifting Trust

Contact Person (if owner is company): Grace R. Reynolds - Trustee

Phone: _____ Email: _____

Mailing Address: 15 Reynolds Drive

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 15 Reynolds Dr. Trenton, SC 29847

Latitude: 33°45'35" N Longitude: -81°50'35" W Tax map # (list all): 172-00-02-029

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield

Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Ridge Agric. Assoc Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 194

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton, SC 29847

Latitude: 33° 45' 25" N Longitude: -81° 50' 25" W Tax map # (list all): 172-00-03-014,

171-00-00-088 (Tratter), 171-00-00-089 (Lott)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield

Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Christopher L. Trotter

Contact Person (if owner is company): _____

Phone: 803-494-9194 Email: _____

Mailing Address: 4112 Compass Oaks Drive

City: Valrico State: FL Zip: 33596

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton, SC 29847

Latitude: 33°45'25" N Longitude: -81°50'25" W Tax map # (list all): 171-00-00-088,

172-00-03-014 (Ridge), 171-00-00-089 (Lott)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0499 County: Edgefield
 Dam Name: Ridge Ag. Assoc. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joe Lott
 Contact Person (if owner is company): _____
 Phone: 803-648-7276 Email: _____
 Mailing Address: 143 Bramble Ridge Road
 City: Aiken State: SC Zip: 29803

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 79 Salters Pond Rd Trenton SC 29847
 Latitude: 33°45'25" N Longitude: -81°50'25" W Tax map # (list all): 171-00-00-089,
172-00-03-014 (Ridge), 171-00-00-088 (Trotter)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>Dani Hallman</u> Printed Name of Regional Inspector	<u>Dani Hallman</u> Signature	<u>8/14/2015</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0882 County: Edgefield

Dam Name: J M Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Michael J + Anita L. Raffield

Contact Person (if owner is company): _____

Phone: 803-276-3008 Email: _____

Mailing Address: 412 Highway 121

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 412 Hwy 121, Johnston SC 29832
(Trenton, SC in Google)

Latitude: 33°46'15" N Longitude: -81°49'52" W Tax map # (list all): 171-00-00-089

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 4395 County: Edgefield

Dam Name: J.E. McDaniel Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Robert T. + Diane R. Miller Survivorship

Contact Person (if owner is company): _____

Phone: 803-275-0401 Email: _____

Mailing Address: 320 Woodyard Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 320 Woodyard Rd Johnston SC 29832

Latitude: 33° 46' 45" N Longitude: -81° 52' 15" W Tax map # (list all): 157-00-00-083

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 4354 County: Edgefield

Dam Name: J.W. Yonce + Sons Dam #1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Larry L. Yonce - Agent

Phone: 803-275-3244 Email: _____

Mailing Address: 37 Yonce Pond Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 110 Woodyard Rd Johnston SC 29832

Latitude: 33°47'45" N Longitude: -81°51'45" W Tax map # (list all): 170-00-00-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

*House @ 160 Two Mile Drive. Tax Map # 156-00-00-023

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/2015 SC Dam Inventory Number D 0497 County: Edgefield

Dam Name: DC Herlong Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Thomas H. Herlong Etal

Contact Person (if owner is company): _____

Phone: 803-275-3388 Email: _____

Mailing Address: 424 Calhoun Street or 165 Bowknight Road

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 55 Bowknight Rd Johnston SC 29832

Latitude: 33°48'30" N Longitude: -81°50'30" W Tax map # (list all): 1169-00-00-008

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

8/14/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam inventory Number D 0903 County: Edgefield

Dam Name: Morgan / McLane Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Nathan A. Lara

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 67 Double Creek Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 67 Double Creek Rd, Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: - 81° 59' 15" W Tax map # (list all): 099-00-00-027

099-00-00-039 (McLane)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House ~ 100 yds downstream. Tax map # 099-00-00-050.

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 0903 County: Edgefield
Dam Name: Morgan/McLane Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Terry & Laurie McLane

Contact Person (if owner is company): _____

Phone: 803-637-5407 Email: _____

Mailing Address: 97 Double Creek Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 67 Double Creek Rd, Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: -81° 59' 15" W Tax map # (list all): 099-00-00-039

099-00-00-027 (Lara)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

* House ~100 yds downstream. Tax map # 099-00-00-050

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4448 County: Edgefield

Dam Name: Samuel M Hair Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-275-4550/803-637-4166 Email: _____

Mailing Address: 850 Mims Avenue

City: Johnston State: SC Zip: 29832

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 32 Republican Rd, Edgefield, SC 29824

Latitude: 30° 40' 55" N Longitude: -81° 59' 23" W Tax map # (list all): 099-00-01-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4369 County: Edgefield

Dam Name: Sam Hair Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mary Ann Hair

Contact Person (if owner is company): _____

Phone: 803-275-4550 Email: _____

Mailing Address: 850 Mims Avenue

City: Johnston State: SC Zip: 29837

II. Site Information

A. Site Location (street address, nearest intersection, etc.): South of Intersection of Sweetwater Rd & Republican Rd Edgefield, SC 29824

Latitude: 33° 40' 35" N Longitude: - 81° 59' 16" W Tax map # (list all): 100-00-00-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 1700 County: Edgefield
 Dam Name: Wayne Raiford Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-9508 Email: _____

Mailing Address: 804 Sweetwater Road

City: ~~Clarks Hill~~ North Augusta State: SC Zip: ~~29821~~
29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 804 Sweetwater Rd, Clarks Hill, SC, 29821

Latitude: 33°40'15" N Longitude: -81°59'00" W Tax map # (list all): 100-00-00-003

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4116 County: Edgefield
Dam Name: Tim Campbell Pond Dam I

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
Contact Person (if owner is company): _____
Phone: 803.441.0100 Email: _____
Mailing Address: 4316 E. Shoreline Drive
City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): N.E. of Intersection of Moore Rd + Sweetwater Rd
North Augusta, SC, 29840
Latitude: 33° 38' 15" N Longitude: -81° 58' 30" W Tax map # (list all): 101-00-00-321
101-00-00-49

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D4504 County: Edgefield
Dam Name: Gary Miller Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
Contact Person (if owner is company): _____
Phone: 803-819-0042 Email: _____
Mailing Address: _____
City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 201 Briggs Rd, North Augusta, SC, 29860
Latitude: 33° 37' 45" N Longitude: -81° 59' 00" W Tax map # (list all): 102-00-00-022

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 7/9/15 SC Dam Inventory Number D 4336 County: Edgefield

Dam Name: Tim Campbell Pond Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Tim Campbell

Contact Person (if owner is company): _____

Phone: 803-441-0100 Email: _____

Mailing Address: 436 E. Shoreline Drive

City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): S.W. of 135 Briggs Rd., North Augusta, SC 29840

Latitude: 33°37'26" N Longitude: -81°58'30" W Tax map # (list all): 102-00-00-010,

102-00-03-004 (McMeans)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 4336 County: Edgefield
Dam Name: Tim Campbell Pond Dam 2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Matthew W. & Jessica T. McMeans Survivorship
Contact Person (if owner is company): _____
Phone: 803-279-5237 Email: _____
Mailing Address: 2730 Fairfax Drive
City: Columbus State: Ohio Zip: 43220

II. Site Information

A. Site Location (street address, nearest intersection, etc.): S.W. of 135 Briggs Rd, North Augusta, SC 29840
Latitude: 33° 37' 24" N Longitude: -81° 52' 30" W Tax map # (list all): 102-00-03-004,
102-00-00-010 (Campbell)

B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>Dani Hallman</u> Printed Name of Regional Inspector	<u>Dani Hallman</u> Signature	<u>7/10/15</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/9/15 SC Dam Inventory Number D 1699 County: Edgefield

Dam Name: F. J. Randall / Randall Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: 803-279-5571 Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 495 Randall Rd, North Augusta, SC, 29860

Latitude: 33° 36' 45" N Longitude: -81° 58' 45" W Tax map # (list all): 103-00-00-012

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

7/10/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4209 County: Edgefield
Dam Name: LC Mixon Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Lawrence J Nuss

Contact Person (if owner is company): _____

Phone: 803-232-0350 Email: _____

Mailing Address: 200 Rolling Hills Drive

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 200 Rolling Dr. Trenton, SC 29847

Latitude: 33° 38' 15" N Longitude: -81° 56' 30" W Tax map # (list all): 124-00-01-014,
124-00-01-015 (Perry)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4209 County: Edgefield
Dam Name: LC Mixon Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Crystal M Perry
Contact Person (if owner is company): _____
Phone: 803-1663-5233 Email: _____
Mailing Address: 190 Rolling Hills Drive
City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 190 Rolling Hills Dr. Trenton, SC 29847
Latitude: 33° 32' 15" N Longitude: - 81° 56' 30" W Tax map # (list all): 124-00-01-015,
124-00-01-014 (Nuss)

B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Dani Hallman 6/19/15
Printed Name of Regional Inspector Signature Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 1695 County: Edgefield
Dam Name: Clark Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Walter Gamewell Watson Living Trust
Contact Person (if owner is company): Walter G. Watson
Phone: 803-279-8420 Email: _____
Mailing Address: 910 River Oak Drive
City: North Augusta State: SC Zip: 29841

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3755 Augusta Rd Trenton, SC 29847
Latitude: 33° 43' 45" N Longitude: - 81° 50' 30" W Tax map # (list all): 173-00-02-015,
173-00-02-002 (Carr)

- B. Is there any evidence of new development below the dam? Yes No
- C. Do you think the hazard classification should be upgraded? Yes No
- D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 1695 County: Edgefield
Dam Name: Clark Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Chalmers A. Carr III

Contact Person (if owner is company): _____

Phone: 803.685.5929 Email: _____

Mailing Address: 5 RW Dubose Road

City: Ridge Spring State: SC Zip: 29129

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3755 Augusta Rd Trenton, SC 29847

Latitude: 33° 43' 45" N Longitude: - 81° 50' 30" W Tax map # (list all): 173-00-02-002,
173-00-02-015 (Watson)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D4414 County: Edgefield

Dam Name: Rainsford/Martin Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Ricky K & Angela T. Anderson

Contact Person (if owner is company): _____

Phone: 803-637-0091 Email: _____

Mailing Address: 11 New Market Road

City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 11 New Market Rd Trenton, SC 29847

Latitude: 33° 41' 30" N Longitude: -81° 55' 45" W Tax map # (list all): 142-00-01-007,

142-00-00-004 (Wight)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4414 County: Edgefield

Dam Name: Rainsford / Martin Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Sean Wight

Contact Person (if owner is company): _____

Phone: 803.637.9234 Email: _____

Mailing Address: 343 Rainsford Road

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 17 New Market Rd, Trenton, SC 29847

Latitude: 33°41'30" N Longitude: -81°55'45" W Tax map # (list all): 142-00-00-004

142-00-01-007 (Anderson)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4054 County: Edgefield

Dam Name: J.E. McDaniel Dam 1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pamella Kolb

Contact Person (if owner is company): _____

Phone: 803-643-9542 Email: _____

Mailing Address: 1447 Dibble Road SW

City: Aiken State: SC Zip: 29801

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 89 McDaniels Dr. Trenton, SC 29847

Latitude: 33°44'15" N Longitude: -81°52'30" W Tax map # (list all): 159-00-00-040

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4449 County: Edgefield
Dam Name: Michael Wise Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Winston Lee Boddie, II & Diane M. Peterson
Contact Person (if owner is company): _____
Phone: _____ Email: _____
Mailing Address: 456 Vann Road
City: Trenton State: SC Zip: 29847

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 456 Vann Rd, Trenton, SC 29847
Latitude: 33° 41' 30" N Longitude: -81° 55' 00" W Tax map # (list all): 142-00-00-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Printed Name of Regional Inspector Dani Hallman Signature 6/19/15 Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4188 County: Edgefield

Dam Name: John Rainsford Jr. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803-637-6533/803-637-3385 Email: _____

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 607 Old Stage Rd Edgefield, SC 29824

Latitude: 33° 42' 30" N Longitude: -81° 56' 30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D0901 County: Edgefield
Dam Name: Kelly Zier Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Jimmy & Dotti Summers
Contact Person (if owner is company): _____
Phone: 803-426-1263 Email: _____
Mailing Address: 50 Stephens Estate
City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1345 Stephens Road N. Augusta, SC 29860
Latitude: 33° 37' 15" N Longitude: -81° 56' 45" W Tax map # (list all): 125-00-00-057

- B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 4333 County: Edgefield

Dam Name: John Rainsford Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803-637-6533 / 803-637-3385 Email: _____

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 304 Rainsford Rd, Edgefield, SC 29824

Latitude: 33°41'45" N Longitude: -81°56'30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/18/15 SC Dam Inventory Number D 0911 County: Edgefield

Dam Name: Rainsford Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rainsford Residuary Trust

Contact Person (if owner is company): John Rainsford

Phone: 803.637.6533/803.637.3385 Email: _____

Mailing Address: PO Box 486

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 72 Johns Road Edgefield, SC 29824

Latitude: 33° 41' 45" N Longitude: -81° 56' 30" W Tax map # (list all): 121-00-00-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/19/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4415 County: Edgefield

Dam Name: Marvin McKie Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Marvin McKie

Contact Person (if owner is company): _____

Phone: 864-964-0006 Email: _____

Mailing Address: 103 Waterman Way

City: Anderson State: SC Zip: 29621

North Augusta
29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Int. of W. Martintown Rd & Tonnes Rd

Latitude: 33° 33' 45" N Longitude: -82° 1' 15" W Tax map # (list all): 082-00-00-076

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 1691 County: Edgefield

Dam Name: Charles Wall Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Beverly Charles, + Miriam Wall Trust Agreement

Contact Person (if owner is company): _____

Phone: 803-278-1450 Email: _____

Mailing Address: 105 Outback Drive

City: Edgefield State: SC Zip: 29824

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 105 Outback Dr. Edgefield, SC 29824

Latitude: 33° 41' 00" N Longitude: -82° 6' 30" W Tax map # (list all): 035-00-00-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4475 County: Edgefield

Dam Name: Roger Brown Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Shirley D Brown

Contact Person (if owner is company): _____

Phone: 706-854-8585 Email: _____

Mailing Address: 3522 Lost Tree Court

City: Augusta State: GA Zip: 30907

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 505 Garrett Road Edgefield, SC 29824

Latitude: 33°40'45" N Longitude: -82°7'00" W Tax map # (list all): 035-00-00-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4436 County: Edgefield
 Dam Name: Tom Proctor Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Thomas F Proctor III
 Contact Person (if owner is company): _____
 Phone: 803-279-2893 Email: _____
 Mailing Address: 20 White Oak Drive
 City: North Augusta State: SC Zip: 29860

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 516 Vortech Rd, Modoc, SC 29838
 Latitude: 33°42'15" N Longitude: -82°10'15" W Tax map # (list all): 005-00-00-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>Dani Hallman</u> Printed Name of Regional Inspector	<u>Dani Hallman</u> Signature	<u>6/12/2015</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4411 County: Edgefield
Dam Name: Allen Blalock Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JLO Group LP
Contact Person (if owner is company): Bart C O'Quinn
Phone: 706-863-3766 Email: BartOQuinn@gmail.com
Mailing Address: 1109 Medical Center Drive (2B)
City: Augusta State: GA Zip: 30909

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 258 Sprouse Rd Clarks Hill, SC 29821
Latitude: 33° 42' 15" N Longitude: - 82° 16' 30" W Tax map # (list all): 034-00-00-004

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4138 County: Edgefield

Dam Name: Ralph Sapp Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Harry J Taylor, Jr

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 190 Sprouse Road

City: Clarks Hill State: SC Zip: 29821

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Same as mailing address

Latitude: 33°43'00" N Longitude: -82° 7' 15" W Tax map # (list all): 034-00-00-025

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman
Printed Name of Regional Inspector

Dani Hallman
Signature

6/12/2015
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/2015 SC Dam Inventory Number D 4094 County: Edgefield
Dam Name: Sandy Bearer Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JLO Group
Contact Person (if owner is company): Bart C. O'Quinn
Phone: 706-863-3766 Email: Bartoquinn@gmail.com
Mailing Address: 1109 ~~233~~ Medical Center Drive (2B)
City: Augusta State: GA Zip: 30909

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Across from 781 Garrett Rd Clark Hill, SC
Latitude: 33° 41' 45" N Longitude: -82° 7' 45" W Tax map # (list all): 019-00-01-011 29821

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Dani Hallman Dani Hallman 6/11/2015
Printed Name of Regional Inspector Signature Date of Signature

Printed Name of BOW Engineer Signature Date of Signature

Class 3
Low Hazard Dam Classification Check

Dam Number D-0498

County Edgefield

Tax Map No 172-00-03-008

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address change, even if same)

Is there any evidence of new development below the dam?
 Yes No

If yes, do you think the classification should be upgraded?
 Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix 6.15.2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-0871

County Edgefield

Tax Map No 175-01

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

CHD/K - 6-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D- ~~10875~~ 0875

County Edgefield

Tax Map No 76-02

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Ina Kelly 6-15-01
Signature and Date

Recheck by District Engineer

Leave as low hazard. [Class III]

Reclassify to high hazard. [Class I] *Schedule for inspection*

Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix
District Engineer
Upper Savannah EQC

✓

Class 3
Low Hazard Dam Classification Check

Dam Number D-0878

County Edgefield

Tax Map No 191-02

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard. [Class III]

Reclassify to high hazard. [Class I] *Schedule for inspection*

Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix 6-15-2001

Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-0879

County Edgefield

Tax Map No 192.33

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

CHD 6.15.2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-0893

County Edgefield

Tax Map No Ropers Crossroad Quad
162-37

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CHD.H → 6-27-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D- 0894

County Edgefield

Tax Map No Johnston Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?
 Yes No

If yes, do you think the classification should be upgraded?
 Yes No

What is your opinion of what the new classification should be?
 Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ Chad D. Hendrix 6-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D-0895

County Edgefield

Tax Map No 191-15

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CHD.H 8-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D 0912

County: EDGEFIELD Tax Map No. 167-04

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address change, even if same owner.)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

W E DuPre 11-2-2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Note: Copy sent to Columbia office 11-8-2000. WED



Class 3
Low Hazard Dam Classification Check

Dam Number D-1692

County Edgefield

Tax Map No 48-05

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Ina Kelly 6-15-01
Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D-1693

County Edgefield

Tax Map No 174-30

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix 8-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D 1694

County: EDGEFIELD Tax Map No. 179-03-05

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address
change, even if same
owner.)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?

- Class I (High Hazard)
- Class II (Significant Hazard)

W.E. Dnpur 11-2-2000
Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Copy sent to Columbia office 11-8-2000. WED

Class 3
Low Hazard Dam Classification Check

Dam Number D-1697

County Edgefield

Tax Map No 175-07

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address change, even if same)

Is there any evidence of new development below the dam?
 Yes No

If yes, do you think the classification should be upgraded?
 Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ Chad D. Hendrix 6-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-1698

County Edgefield

Tax Map No 162.33

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?
 Yes No

If yes, do you think the classification should be upgraded?
 Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

CHD.H 8-15-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D-4092

County Edgefield

Tax Map No Ropers Crossroad Quad
144-53

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CHD 6-26-2006
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D- 4693

County Edgefield

Tax Map No Ridge Spring Quad

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

CHD.H 6.19.2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC

Class 3
Low Hazard Dam Classification Check

Dam Number D-4137

County Edgefield

Johnston Quad
Tax Map No 192-14

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CHD.H 6-19-2005
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D- 4326

County Edgefield

Tax Map No Roper's Crossroad Quad

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard. [Class III]

Reclassify to high hazard. [Class I] *Schedule for inspection*

Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix 5-11-2001

Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D- 4327

County Edgefield

Tax Map No Ropers Crossroad Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CUD. Hendrix 5-10-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D- 4334

County Edgefield

Tax Map No Ropers Crossroad Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ Chad D. Hendrix 5-10-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D 4342

COUNTY: EDGEFIELD Tax Map No. 90-14

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address
change, even if same
owner.)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

William E. Dupre 11-9-2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

mailed to Columbia office 11-20-2000

Class 3
Low Hazard Dam Classification Check

Dam Number D- 4353

County Edgefield

Tax Map No. 189.35

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

+ C.D. Hendrix 5-10-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D 4359

Country: EDGEFIELD Tax Map No. 95-15

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address change, even if same owner.)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?

- Class I (High Hazard)
- Class II (Significant Hazard)

William E Dupre 11-9-2000
Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

mailed to Columbia office 11-20-2000

Class 3
Low Hazard Dam Classification Check

Dam Number D- 4370

County Edgefield

Tax Map No Ropers Crossroads Quad

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ Chad D. Hendrix 5-11-2001
Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D- 4387

County Edgefield

Tax Map No Ropers Crossroad Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
- Reclassify to high hazard. [Class I] *Schedule for inspection*
- Reclassify to significant hazard. [Class II] *Schedule for inspection*

→ CHD.W 5-11-2001

Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D 4391

County: EDGEFIELD

Tax Map No. 95-13

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address
change, even if same
owner.)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

William E Dupre 11-9-2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

mailed to Columbia office 11-20-2000



Class 3
Low Hazard Dam Classification Check

Dam Number D-4453

County EDGEFIELD

Tax Map No Ropers Crossroads Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)
 Class II (Significant Hazard)

Steve W. Klouch 6.15.01
Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-4461

County Edgefield

Tax Map No Trenton Quad

Has Ownership Changed? Yes No

If yes, New owner and address:
(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

- Class I (High Hazard)
 Class II (Significant Hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard. [Class III]
 Reclassify to high hazard. [Class I] *Schedule for inspection*
 Reclassify to significant hazard. [Class II] *Schedule for inspection*

* CHD.H 8-15-2001

Chad D. Hendrix
District Engineer
Upper Savannah EQC



Class 3
Low Hazard Dam Classification Check

Dam Number D-4466

County EDGEFIELD

Tax Map No Ropers Crossroad Quad

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Steve W. Klauich 6.15.01
Signature and Date

Recheck by District Engineer

Leave as low hazard. [Class III]

Reclassify to high hazard. [Class I] *Schedule for inspection*

Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix
District Engineer
Upper Savannah EQC

✓

Class 3
Low Hazard Dam Classification Check

Dam Number D-4487

County Edgefield

Tax Map No Limestone Quad

Has Ownership Changed? Yes No

If yes, New owner and address:

(Record any address
change, even if same

Is there any evidence of new development below the dam?

Yes No

If yes, do you think the classification should be upgraded?

Yes No

What is your opinion of what the new classification should be?

Class I (High Hazard)

Class II (Significant Hazard)

Ina Kelly 6-15-01
Signature and Date

Recheck by District Engineer

Leave as low hazard. [Class III]

Reclassify to high hazard. [Class I] *Schedule for inspection*

Reclassify to significant hazard. [Class II] *Schedule for inspection*

Chad D. Hendrix
District Engineer
Upper Savannah EQC

✓