

October 28, 2019

*Delivered via Email*

Mr. Jeffery E. Mendenhall  
South Carolina Department of Health and Environmental Control  
Assessment Section, UST Management Division  
Bureau of Land and Waste Management  
2600 Bull Street  
Columbia, South Carolina 29201

**Subject: Lewis Drive – Third Quarter 2019 Draft Data Transmittal  
Plantation Pipe Line Company  
Lewis Drive Remediation Site  
Belton, South Carolina  
Site ID #18693, “Kinder Morgan Belton Pipeline Release”**

Dear Mr. Mendenhall,

On behalf of Plantation Pipe Line Company (Plantation), and as agreed to in our November 1, 2018 meeting with South Carolina Department of Health and Environmental Control, Jacobs is sending this draft data transmittal for the third quarter 2019 groundwater and surface water sampling event, which was conducted between September 16 and 19, 2019. The following preliminary data summary tables are included with this submittal.

- Historical Analytical Results for Groundwater, September 2019 (Table 1)
- Historical Analytical Results for Surface Water, September 2019 (Table 2)

If you have specific questions about this data transmittal, please call Tom Wiley/Jacobs at (404) 751-5690, or Mr. Jerry Aycock/Plantation at (770) 751-4165.

Regards,



William M. Waldron, P.E.  
Program Manager

Copies to: Jerry Aycock, Plantation (Digital, [Jerry\\_Aycock@kindermorgan.com](mailto:Jerry_Aycock@kindermorgan.com))  
Mary Clair Lyons, Esq., Plantation (Digital, [Mary\\_Lyons@kindermorgan.com](mailto:Mary_Lyons@kindermorgan.com))  
Richard Morton, Esq., Womble Bond Dickinson, LLP (Digital, [ric.morton@wbd-us.com](mailto:ric.morton@wbd-us.com))

Attachments:

Table 1 - Historical Analytical Results for Groundwater, September 2019  
Table 2 - Historical Analytical Results for Surface Water, September 2019

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-01	MW-01-072715			7/27/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-01-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-01-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-120517	12/4/2017	9.85	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-030818	3/5/2018	3.80	3/8/2018	µg/L	1.85		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-060518	6/4/2018	3.83	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-091118	9/10/2018	6.72	9/11/2018	µg/L	2.02		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-120518	12/3/2018	3.91	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-030519	3/4/2019	7.55	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-060519	6/3/2019	3.20	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-091919	9/16/2019	12.08	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-01B	MW-01B-080415			8/4/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-01B-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-01B-120116			12/1/2016	µg/L	1	U	1	U	1.4		5.6		1	U	1	U	1.3		--	
	MW-01B-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-062817-FD			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-120517	12/4/2017	10.24	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-030818	3/5/2018	7.40	3/8/2018	µg/L	3.51		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-060518	6/4/2018	6.47	6/5/2018	µg/L	8.96		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-091118	9/10/2018	9.28	9/11/2018	µg/L	11.1		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-120518	12/3/2018	7.62	12/5/2018	µg/L	8.30		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-030519	3/4/2019	4.02	3/5/2019	µg/L	3.32		1	U	1	U	3	U	1	U	1.02		5	U	--	
	MW-01B-060519	6/3/2019	6.55	6/5/2019	µg/L	1.82		1	U	1	U	3	U	1	U	1.00		5	U	--	
	MW-01B-091919	9/16/2019	11.78	9/19/2019	µg/L	1.53		1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-02	MW-02-072715			7/27/2015	µg/L	4,320		625	U	9,670		2,460		5	U <sup>b</sup>	171		74.7		0.02	U
	MW-02-012616			1/26/2016	µg/L	9,500		1,160		25,000		6,310		50	U <sup>b</sup>	285		139		0.019	U
	--			11/28/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-02-062917			6/29/2017	µg/L	8,040		833		27,100		9,890		250	U <sup>b</sup>	250	U <sup>b</sup>	1,250	U <sup>b</sup>	--	
	MW-02-090817			9/8/2017	µg/L	2,340		181		7,120		8,510		50	U <sup>b</sup>	50	U <sup>b</sup>	389		--	
	MW-02-100417	10/3/2017	16.03	10/4/2017	µg/L	3,510		306		11,900		11,200		50	U <sup>b</sup>	53.9		250	U <sup>b</sup>	--	
	MW-02-110817	11/7/2017	4.20	11/8/2017	µg/L	850		100	U	1,370		3,520		100	U <sup>b</sup>	100	U <sup>b</sup>	500	U <sup>b</sup>	--	
	MW-02-120717	12/4/2017	2.54	12/7/2017	µg/L	153		15.1		313		441		1	U	70.9		12.8		--	
	MW-02-010918	1/8/2018	14.26	1/9/2018	µg/L	307		10	U	878		1,300		10	U <sup>b</sup>	61.8		63.7		--	
	MW-02-020618	2/5/2018	0.00	2/6/2018	µg/L	30.5		1.09		29.6		88		1	U	32.0		5	U	--	
	MW-02-030718	3/5/2018	3.00	3/7/2018	µg/L	131		34.1		594		442		1	U	27.6		34.5		--	
	MW-02-040618	4/5/2018	4.79	4/6/2018	µg/L	72.5		8.96		94.7		501		1	U	18.4		5	U	--	
	MW-02-050318	5/2/2018	10.85	5/3/2018	µg/L	35.4		7.50		14.9		163		1	U	8.0		5	U	--	
	MW-02-060618	6/4/2018	0.00	6/6/2018	µg/L	1	U	1	U	3.19		3.7		1	U	1.25		5	U	--	
	MW-02-071218	7/11/2018	15.25	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-02-091218	9/11/2018	12.1	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-02	MW-02-120618	12/3/2018	3.58	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-030719	3/4/2019	0	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-060419	6/3/2019	3.20	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-091819	9/16/2019	14.63	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-02B	MW-02B-080415			8/4/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-02B-D-080415			8/4/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	--			1/19/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-02B-030116			3/1/2016	µg/L	1	U	1	U	4.8		4.6		1	U	1	U	1	U	0.019	U
	MW-02B-D-030116			3/1/2016	µg/L	1	U	1	U	4.8		5.3		1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-02B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-120717	12/4/2017	24.56	12/7/2017	µg/L	1	U	1	U	1.11		3	U	1	U	1	U	5	U	--	
	MW-02B-030718	3/5/2018	1.50	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-060618	6/4/2018	4.23	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-091218	9/11/2018	18.65	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-120618	12/3/2018	12.92	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-030719	3/4/2019	3.74	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-060419	6/3/2019	5.48	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-091819	9/16/2019	22.23	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-03	MW-03-072715			7/27/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-03-012516			1/25/2016	µg/L	108		20.1		958		598		1	U	1	U	11.1		0.02	U
	MW-03-120616			12/6/2016	µg/L	61.1		25.1		229		330		2	U	2	U	3.6		--	
	MW-03-062917			6/29/2017	µg/L	10.9		1	U	24.6		6.98		1	U	2.34		5	U	--	
	--			9/5/2017	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	--	10/3/2017	19.87	10/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-03-110817	11/7/2017	--*	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-120517	12/4/2017	18.00	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	1/8/2018	19.98	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-03-020618	2/5/2018	--*	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-030718	3/5/2018	4.12	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-040618	4/5/2018	15.40	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-050318	5/2/2018	0	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-060618	6/4/2018	16.5	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-071218	7/11/2018	0	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-091318	9/11/2018	17.3	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-120618	12/3/2018	14	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-030719	3/4/2019	6.7	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-060419	6/3/2019	7.00	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	9/16/2019	19.89	9/16/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-04	MW-04-072815			7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	MW-04-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-04-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-04-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-090817-DUP			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-120717	12/4/2017	10.07	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-030718	3/5/2018	10.70	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-060618	6/4/2018	6.23	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-091318	9/11/2018	13.31	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-120618	12/3/2018	7.55	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-030719	3/4/2019	6.23	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-060419	6/3/2019	7.17	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-091819	9/16/2019	14.48	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-05	MW-05-072815			7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	MW-05-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-05-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-100417	10/3/2017	17.03	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-110817	11/7/2017	17.18	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-120717	12/4/2017	16.55	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-010918	1/8/2018	16.57	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-020618	2/5/2018	15.87	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-030718	3/5/2018	13.06	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-040618	4/5/2018	11.80	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-050318	5/2/2018	11.13	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-060718	6/4/2018	10.47	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-071318	7/11/2018	11.7	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-091318	9/11/2018	14.18	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-120618	12/3/2018	12.39	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-030719	3/4/2019	2.91	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-060419	6/3/2019	9.89	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-091819	9/16/2019	16.50	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-06	MW-06-072815			7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-06-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-06-120216			12/2/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-06-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-06-120717	12/4/2017	15.45	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-030718	3/5/2018	13.25	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-060718	6/4/2018	10.32	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-091318	9/11/2018	12.69	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-120618	12/3/2018	11.24	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-030719	3/4/2019	3.57	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-060419	6/3/2019	8.84	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-091819	9/16/2019	13.73	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-06B	MW-06B-120717	12/4/2017	16.14	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06B-D-120717	12/4/2017	16.14	12/7/2017	µg/L	1	U	1	U	1.82		3	U	1	U	1	U	5	U	--	
	MW-06B-030718	3/5/2018	4.12	3/7/2018	µg/L	1	U	1	U	3.63		3	U	1	U	1	U	5	U	--	
	MW-06B-060718	6/4/2018	10.15	6/7/2018	µg/L	1	U	1	U	4.69		3	U	1	U	1	U	5	U	--	
	MW-06B-091318	9/11/2018	12.5	9/13/2018	µg/L	1	U	1	U	1.17		3	U	1	U	1	U	5	U	--	
	MW-06B-120618	12/3/2018	11.39	12/6/2018	µg/L	1	U	1	U	1.89		3	U	1	U	1	U	5	U	--	
	MW-06B-030719	3/4/2019	3.99	3/7/2019	µg/L	1	U	1	U	1.42		3	U	1	U	1	U	5	U	--	
	MW-06B-060419	6/3/2019	8.54	6/4/2019	µg/L	1	U	1	U	4.53		3	U	1	U	1	U	5	U	--	
	MW-06B-091819	9/16/2019	13.52	9/18/2019	µg/L	1	U	1	U	3.52		3	U	1	U	1	U	5	U	--	
MW-07	--			7/27/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-07-012116			1/21/2016	µg/L	1,060		389		5,210		2,620		40	U <sup>b</sup>	40	U <sup>b</sup>	40	U <sup>b</sup>	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-07-062917			6/29/2017	µg/L	4,290		629		17,700		4,990		250	U <sup>b</sup>	250	U <sup>b</sup>	1,250	U <sup>b</sup>	--	
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/3/2017	13.20	10/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/7/2017	13.20	11/7/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	13.21	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/8/2018	13.21	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/5/2018	13.19	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-07-030818	3/5/2018	11.77	3/8/2018	µg/L	4,550		802		14,100		7,520		50	U <sup>b</sup>	50	U <sup>b</sup>	250	U <sup>b</sup>	--	
	--	4/5/2018	11.39	4/6/2018	µg/L	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-07-050318	5/2/2018	10.35	5/3/2018	µg/L	6,330		662		16,500		9,060		250	U <sup>b</sup>	250	U <sup>b</sup>	1,250	U <sup>b</sup>	--	
	--	6/4/2018	9.44	6/4/2018	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-07-091218	9/11/2018	11.4	9/12/2018	µg/L	4,620		639		13,600		6,180		1	U	1	U	82.5		--	
	MW-07-120618	12/3/2018	10.99	12/6/2018	µg/L	4,850		574		13,400		9,890		100	U <sup>b</sup>	100	U <sup>b</sup>	500	U <sup>b</sup>	--	
	MW-07-021919	2/18/2019	6.15	2/19/2019	µg/L	5,360		516		12,400		7,280		1	U	1	U	6.32		--	
	MW-07-030719	3/4/2019	4.72	3/7/2019	µg/L	3,110		147		5,780		4,110		1	U	1	U	5	U	--	
	MW-07-D-030719	3/4/2019	4.72	3/7/2019	µg/L	2,990		150		5,390		3,750		1	U	1	U	5	U	--	
	MW-07-051519	5/13/2019	6.9	5/15/2019	µg/L	2,030		169		3,440		3,110		1	U	1	U	9.44		--	
	MW-07-060419	6/3/2019	7.99	6/4/2019	µg/L	1,940		168		3,390		2,740		1	U	1	U	6.90		--	
	MW-07-082019	8/19/2019	11.61	8/20/2019	µg/L	2,120		340		4,750		3,650		50	U <sup>b</sup>	50	U <sup>b</sup>	250	U <sup>b</sup>	--	
	MW-07-D-082019	8/19/2019	11.61	8/20/2019	µg/L	2,050		416		5,720		4,280		1	U	1	U	34.5		--	
	MW-07-091919	9/16/2019	12.81	9/19/2019	µg/L	1,580		148		2,550		2,160		50	U <sup>b</sup>	50	U <sup>b</sup>	250	U <sup>b</sup>	--	
MW-08				7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-08-012616			1/26/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-08-120616			12/6/2016	µg/L	1	U	1	U	14.4		7.1		1	U	1	U	1	U	--	
	MW-08-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-120717	12/4/2017	10.47	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-030718	3/5/2018	7.50	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-060618	6/4/2018	5.63	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-091318	9/11/2018	16.85	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	12/3/2018	19.18	12/3/2018	--	NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS	
	MW-08-030719	3/4/2019	7.45	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-060419	6/3/2019	9.15	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-08-091819	9/16/2019	17.16	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-09	--			7/27/2015	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	--			1/19/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	--			11/28/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-09-062917			6/29/2017	µg/L	3,860		517		13,000		8,680		200	U <sup>b</sup>	200	U <sup>b</sup>	1,000	U <sup>b</sup>	--	
	--			9/5/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-09-120717	12/4/2017	3.05	12/7/2017	µg/L	54.3		3.44		19.6		64.8		1	U	27.5		5	U	--	
	MW-09-030718	3/5/2018	0.50	3/7/2018	µg/L	3.3		1	U	11.0		3.92		1	U	8.74		5	U	--	
	MW-09D-030718	3/5/2018	0.50	3/7/2018	µg/L	1	U	1	U	1.32		3	U	1	U	8.74		5	U	--	
	MW-09-060618	6/4/2018	uld not og	6/6/2018	µg/L	2.25		1	U	6.06		4.75		1	U	3.65		5	U	--	
	MW-09-091318	9/11/2018	10.56	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.14		5	U	--	
	MW-09-D-091318	9/11/2018	10.56	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.00		5	U	--	
	MW-09-120618	12/3/2018	0	12/6/2018	µg/L	6.39		2.61		48.3		39.8		1	U	5.68		6.79		--	
	MW-09-030719	3/4/2019	8.00	3/7/2019	µg/L	6.24		3.80		64.3		52.7		1	U	5.90		5	U	--	
	MW-09-060419	6/3/2019	8.08	6/4/2019	µg/L	1	U	1	U	1.66		3	U	1	U	3.95		5	U	--	
	MW-09-091819	9/16/2019	13.30	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.48		5	U	--	
MW-09B	MW-09B-120717	12/4/2017	9.15	12/7/2017	µg/L	21.8		24.7		82.1		179		1	U	4.72		11.9		--	
	MW-09B-030718	3/5/2018	0.00	3/7/2018	µg/L	4.36		4.5		18.1		33.3		1	U	1.37		5	U	--	
	MW-09B-060618	6/4/2018	5.7	6/6/2018	µg/L	17.1		16.5		66.5		139		1	U	3.61		8.09		--	
	MW-09B-091318	9/11/2018	18.5	9/13/2018	µg/L	1	U	1	U	5.90		4.44		1	U	1	U	5	U	--	
	MW-09B-120618	12/3/2018	3.9	12/6/2018	µg/L	2.19		2.14		8.22		16.8		1	U	1	U	5	U	--	
	MW-09B-030719	3/4/2019	4.07	3/7/2019	µg/L	13.2		13.7		51.1		110		1	U	2.46		6.54		--	
	MW-09B-060419	6/3/2019	5.22	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-09B-091819	9/16/2019	15.49	9/18/2019	µg/L	3.08		3.04		11.4		22.6		1	U	1	U	5	U	--	
MW-10	MW-10-072815			7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	MW-10-012616			1/26/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-10-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-10-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-10-050317-FD			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-10-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-10-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte																
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB									
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05		
	MW-10-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-100417	10/3/2017	17.33	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-110817	11/7/2017	12.64	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-120717	12/4/2017	10.85	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-010918	1/8/2018	15.08	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-020618	2/5/2018	6.81	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-D-020618	2/5/2018	6.81	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-030718	3/5/2018	5.11	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-040618	4/5/2018	8.21	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-050318	5/2/2018	6.97	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-060618	6/4/2018	6.43	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-071318	7/11/2018	10.75	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-D-071318	7/11/2018	10.75	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-091218	9/11/2018	16.41	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-120618	12/3/2018	7.35	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-030719	3/4/2019	2.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-060419	6/3/2019	11.56	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-10-091819	9/16/2019	19.95	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--		
MW-11	--			7/27/2015	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	MW-11-012616			1/26/2016	µg/L	10,600		948		24,400		4,700		10	U <sup>b</sup>	432		123		0.019	U	
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		
	MW-11-062817			6/28/2017	µg/L	10,900		2,140		29,600		11,700		100	U <sup>b</sup>	147		500		U <sup>b</sup>	--	
	--			9/5/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--	12/4/2017	29.86	12/4/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--	3/5/2018	28.10	3/5/2018	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--	6/4/2018	26.29	6/4/2018	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--	9/10/2018	29.03	9/10/2018	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--	12/3/2018	28.17	12/3/2018	--	NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		NS-PS		
	MW-11-030619	3/4/2019	23.01	3/6/2019	µg/L	8,260		1,990		30,300		11,900		200	U <sup>b</sup>	200	U <sup>b</sup>	1,000		U <sup>b</sup>	--	
	MW-11-060519	6/3/2019	24.69	6/5/2019	µg/L	6,940		1,660		22,500		9,020		200	U <sup>b</sup>	200	U <sup>b</sup>	1,000		U <sup>b</sup>	--	
	MW-11-D-060519	6/3/2019	24.69	6/5/2019	µg/L	9,620		2,220		30,500		12,800		1	U	54.2		189		--		
	MW-11-091919	9/16/2019	29.82	9/19/2019	µg/L	7,950		2,570		33,700		14,300		500	U <sup>b</sup>	500	U <sup>b</sup>	2,500		U <sup>b</sup>	--	
MW-12	MW-12-072815			7/28/2015	µg/L	51.3		5	U	22.9		39.2		5	U <sup>b</sup>	5	U	5		U	0.02	U
	--			1/19/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--			11/28/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--			3/13/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--			3/20/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--			3/31/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	--			4/6/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		
	MW-12-062817			6/28/2017	µg/L	1,190		467		7,910		5,100		50	U <sup>b</sup>	50	U <sup>b</sup>	250		U <sup>b</sup>	--	
	MW-12-090817			9/8/2017	µg/L	648		436		3,470		4,440		100	U <sup>b</sup>	100	U <sup>b</sup>	500		U <sup>b</sup>	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte												
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB					
RBSL <sup>a</sup> :					µg/L	5.0	700	1,000	10,000	5.0		40		25		0.05		
	MW-12-120617	12/4/2017	15.55	12/6/2017	µg/L	367	137	1,540	4,660	10	U <sup>b</sup>	10	U	54.4		--		
	MW-12-030818	3/5/2018	12.83	3/8/2018	µg/L	486	25.2	1,880	1,980	10	U <sup>b</sup>	10	U	50	U <sup>b</sup>	--		
	MW-12-060518	6/4/2018	9.2	6/5/2018	µg/L	16.3	2.51	181	249	1	U	1	U	5	U	--		
	MW-12-091118	9/10/2018	13.19	9/11/2018	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12-120518	12/3/2018	12.02	12/5/2018	µg/L	5.81	2.75	9.08	72.0	1	U	1	U	5	U	--		
	MW-12-030619	3/4/2019	5.05	3/6/2019	µg/L	1	U	1	U	3.94		1	U	5	U	--		
	MW-12-060519	6/3/2019	10.43	6/5/2019	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12-091919	9/16/2019	14.67	9/19/2019	µg/L	1	U	1	U	3	U	1	U	5	U	--		
MW-12B	MW-12B-012616			1/26/2016	µg/L	228	31.4	193	532	1	U	5.4		14.6		0.019	U	
	MW-12B-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	1	U	--		
	MW-12B-031417			3/14/2017	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12B-031417-FD			3/14/2017	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12B-032017			3/20/2017	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12B-033117			3/31/2017	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12B-040617			4/6/2017	µg/L	1	U	1	U	3	U	1	U	5	U	--		
	MW-12B-062817			6/28/2017	µg/L	30.1	1	U	7.28	14.3		1	U	11.8		5	U	--
	MW-12B-090817			9/8/2017	µg/L	126	3.81	16.8	256	1	U	1	U	12		--		
	MW-12B-120617	12/4/2017	16.12	12/6/2017	µg/L	1.01	1	U	3	U	1	U	1	U	5	U	--	
	MW-12B-030818	3/5/2018	12.92	3/8/2018	µg/L	3.06	1	U	3	U	1	U	1	U	5	U	--	
	MW-12B-060518	6/4/2018	9.83	6/5/2018	µg/L	275	58.7	20.9	171	1	U	1	U	22.5		--		
	MW-12B-091118	9/10/2018	14.07	9/11/2018	µg/L	246	39.8	2.87	68.0	1	U	1	U	18.7		--		
	MW-12B-120518	12/3/2018	12.49	12/5/2018	µg/L	240	57.7	29.5	160	1	U	1	U	17.7		--		
	MW-12B-030619	3/4/2019	7.05	3/6/2019	µg/L	309	70.4	19.6	201	1	U	1	U	36.7		--		
	MW-12B-060519	6/3/2019	11.57	6/5/2019	µg/L	88.4	38.0	5	U	15.2		5	U	5	U	25	U	--
	MW-12B-082219	8/19/2019	12.07	8/22/2019	µg/L	27.0	3.54	1	U	3	U	1	U	5.94		--		
	MW-12B-091919	9/16/2019	14.59	9/19/2019	µg/L	23.1	2.33	1	U	3	U	1	U	5	U	--		
MW-13	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-13-012816			1/28/2016	µg/L	2	1	U	12.5	6.9	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-13-062917			6/29/2017	µg/L	1.18	1	U	3.39	3	U	1	U	5	U	--		
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	--	12/4/2017	21.87	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-13-030618	3/5/2018	20.40	3/6/2018	µg/L	6.98	1.14	15.3	4.55	1	U	1	U	5	U	--		
	MW-13-060618	6/4/2018	18.8	6/6/2018	µg/L	44.2	4.25	86.2	19.9	1	U	1	U	5	U	--		
	--	9/10/2018	21.85	9/10/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-13-120718	12/3/2018	20.87	12/7/2018	µg/L	83.4	9.62	158	23.6	1	U	1	U	5	U	--		
	MW-13-030619	3/4/2019	15.23	3/6/2019	µg/L	326	10.9	132	120	1	U	1	U	5	U	--		
	MW-13-060519	6/3/2019	13.52	6/5/2019	µg/L	35.2	5	U	19.6	5	U	5	U	25	U	--		
	--	9/16/2019	9.98	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
MW-13B	MW-13B-012816			1/28/2016	µg/L	367	1	U	5.6	59.5	1	U	119	1	U	0.02	U	
	MW-13B-D-012816			1/28/2016	µg/L	405	1	U	6.1	59.1	1	U	108	1	U	0.02	U	
	MW-13B-113016			11/30/2016	µg/L	550	5.1	21.2	140	5	U <sup>b</sup>	158	7.9		--			
	MW-13B-062817			6/28/2017	µg/L	308	3.09	10.3	103	1	U	121	5.13		--			



**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-13B-090817			9/8/2017	--	NS-SL		NS-SL		NS-SL		NS-SL		NS-SL		NS-SL		NS-SL		NS-SL	
	MW-13B-110817	11/7/2017	23.08	11/8/2017	µg/L	325		3.42		19		91.6		1	U	173		5.55		--	
	MW-13B-D-110817	11/7/2017	23.08	11/8/2017	µg/L	356		3.85		20.8		100		1	U	168		6.61		--	
	MW-13B-120617	12/4/2017	22.66	12/6/2017	µg/L	269		3.97		24.4		100		1	U	140		8.83		--	
	MW-13B-030718	3/5/2018	21.00	3/7/2018	µg/L	252		3.13		12.1		60.2		1	U	175		6.44		--	
	MW-13B-060618	6/4/2018	19.56	6/6/2018	µg/L	498		47.7		469		282		1	U	148		8.47		--	
	MW-13B-091218	9/10/2018	21.81	9/12/2018	µg/L	402		42.5		503		271		1	U	141		5	U	--	
	MW-13B-120618	12/3/2018	21.69	12/6/2018	µg/L	614		93.5		823		516		1	U	139		10.8		--	
	MW-13B-030619	3/4/2019	16.37	3/6/2019	µg/L	445		53.1		679		383		1	U	143		8.60		--	
	MW-13B-060519	6/3/2019	14.28	6/5/2019	µg/L	195		25.3		302		194		5	U	140		25	U	--	
	MW-13B-091819	9/16/2019	23.23	9/18/2019	µg/L	408		71.2		325		446		1	U	142		14.0		--	
MW-14	MW-14-072815			7/28/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-14-012816			1/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-14-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-14-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-120617	12/4/2017	17.62	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-030718	3/5/2018	15.11	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-060618	6/4/2018	17.48	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-091218	9/10/2018	16.64	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-120618	12/3/2018	14.88	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-030619	3/4/2019	9.49	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-060519	6/3/2019	17.53	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-091819	9/16/2019	17.45	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.02		5	U	--	
MW-14B	MW-14B-052516			5/25/2016	µg/L	5		1	U	1	U	4.4		1	U	17.2		1	U	0.02	U
	MW-14B-052516-FD			5/25/2016	µg/L	4.6		1	U	1	U	4.1		1	U	23.6		1	U	0.02	U
	MW-14B-113016			11/30/2016	µg/L	10.5		1	U	1.1		5.5		1	U	19.7		1	U	--	
	MW-14B-062817			6/28/2017	µg/L	38.1		1.34		2.56		19.1		1	U	36.2		5	U	--	
	MW-14B-090817			9/8/2017	µg/L	6.81		1	U	1	U	6.67		1	U	18.7		5	U	--	
	MW-14B-120617	12/4/2017	19.22	12/6/2017	µg/L	8.82		1	U	1	U	6.91		1	U	24.4		5	U	--	
	MW-14B-030718	3/5/2018	16.95	3/7/2018	µg/L	3.57		1	U	1	U	5.6		1	U	9.28		5	U	--	
	MW-14B-0604B18	6/4/2018	15.09	6/6/2018	µg/L	8.63		1	U	1	U	5.77		1	U	22.1		5	U	--	
	MW-14B-091218	9/10/2018	17.59	9/12/2018	µg/L	3.32		1	U	1	U	3.61		1	U	7.86		5	U	--	
	MW-14B-120618	12/3/2018	16.6	12/6/2018	µg/L	3.56		1	U	1.40		6.34		1	U	6.56		5	U	--	
	MW-14B-030619	3/4/2019	11.53	3/6/2019	µg/L	2.70		1	U	1	U	3	U	1	U	8.83		5	U	--	
	MW-14B-060519	6/3/2019	18.33	6/5/2019	µg/L	9.13		1	U	1.01		6.57		1	U	17.7		5	U	--	
	MW-14B-091819	9/16/2019	18.26	9/18/2019	µg/L	1.74		1	U	1	U	4.57		1	U	11.1		5	U	--	
MW-15	MW-15-080415			8/4/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	MW-15-012816			1/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-15-120716			12/7/2016	µg/L	3,680		139		422		2,280		25	U <sup>b</sup>	188		43.8		--	
	MW-15-031417			3/14/2017	µg/L	1,960		72		324		1,320		25	U <sup>b</sup>	161		125	U <sup>b</sup>	--	
	MW-15-031417-FD			3/14/2017	µg/L	1,820		61		286		1,120		25	U <sup>b</sup>	153		125	U <sup>b</sup>	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-15-032017			3/20/2017	µg/L	3,390		103		505		2,460		50	U <sup>b</sup>	194		250	U <sup>b</sup>	--	
	MW-15-033117			3/31/2017	µg/L	2,850		65.4		444		1,860		20	U <sup>b</sup>	221		100	U <sup>b</sup>	--	
	MW-15-040617			4/6/2017	µg/L	1,790		60.6		465		886		25	U <sup>b</sup>	181		125	U <sup>b</sup>	--	
	MW-15-062817			6/28/2017	µg/L	73		25	U	29		110		25	U <sup>b</sup>	91.8		125	U <sup>b</sup>	--	
	MW-15-090817			9/8/2017	µg/L	454		24		567		338		5	U <sup>b</sup>	193		25	U <sup>b</sup>	--	
	MW-15-120617	12/4/2017	13.66	12/6/2017	µg/L	1	U	1	U	2		5		1	U	140		5	U	--	
	MW-15-030818	3/5/2018	10.04	3/8/2018	µg/L	53.1		2.75		89.9		53.1		1	U	85		5	U	--	
	MW-15-060618	6/4/2018	Skimmer	6/6/2018	µg/L	52.2		4.11		81.4		46.5		1	U	63.8		5	U	--	
	MW-15-091218	9/10/2018	11.35	9/12/2018	µg/L	14.6		1	U	27.9		16.0		1	U	72.2		5	U	--	
	MW-15-120618	12/3/2018	10.37	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	15.9		5	U	--	
	MW-15-030619	3/4/2019	7.07	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.57		5	U	--	
	MW-15-060519	6/3/2019	4.84	6/5/2019	µg/L	1.03		1	U	1	U	3	U	1	U	4.33		5	U	--	
	MW-15-091919	9/16/2019	11.56	9/19/2019	µg/L	1.25		1	U	1	U	3	U	1	U	4.73		5	U	--	
MW-15B	MW-15B-080415			8/4/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.019	U
	MW-15B-012816			1/28/2016	µg/L	4.8		1	U	2		3.9		1	U	1	U	1	U	0.02	U
	MW-15B-113016			11/30/2016	µg/L	337		34		565		194		5	U <sup>b</sup>	26.7		5		--	
	MW-15B-031417			3/14/2017	µg/L	2,160		248		4,580		1,500		100	U <sup>b</sup>	118		500	U <sup>b</sup>	--	
	MW-15B-032017			3/20/2017	µg/L	615		88.6		1,270		555		25	U <sup>b</sup>	67.5		125	U <sup>b</sup>	--	
	MW-15B-033117			3/31/2017	µg/L	1,630		205		3,240		1,180		50	U <sup>b</sup>	115		250	U <sup>b</sup>	--	
	MW-15B-040617			4/6/2017	µg/L	1,020		132		2,020		789		25	U <sup>b</sup>	84.7		125	U <sup>b</sup>	--	
	MW-15B-040617-FD			4/6/2017	µg/L	973		124		1,910		742		25	U <sup>b</sup>	82.9		125	U <sup>b</sup>	--	
	MW-15B-062817			6/28/2017	µg/L	1,510		145		3,520		1,280		100	U <sup>b</sup>	100	U <sup>b</sup>	500	U <sup>b</sup>	--	
	MW-15B-090817			9/8/2017	µg/L	1,820		164		3,560		1,210		50	U <sup>b</sup>	133		250	U <sup>b</sup>	--	
	MW-15B-120617	12/4/2017	16.25	12/6/2017	µg/L	1,760		239		3,630		1,380		1	U	135		37.6		--	
	MW-15B-D-120617	12/4/2017	16.25	12/6/2017	µg/L	491		56		1,050		408		1	U	117		35.4		--	
	MW-15B-030818	3/5/2018	14.66	3/8/2018	µg/L	1,290		151		3,140		1,070		25	U <sup>b</sup>	93.2		125	U <sup>b</sup>	--	
	MW-15B-060618	6/4/2018	13.84	6/6/2018	µg/L	968		82.8		1,990		791		1	U	109		12.8		--	
	MW-15B-091218	9/10/2018	15.19	9/12/2018	µg/L	947		122		2,270		820		1	U	111		15.9		--	
	MW-15B-120618	12/3/2018	14.44	12/6/2018	µg/L	725		96.4		1,890		777		1	U	71.8		11.7		--	
	MW-15B-021919	2/18/2019	8.81	2/19/2019	µg/L	686		71.2		1,420		621		1	U	92.3		12.6		--	
	MW-15B-030619	3/4/2019	13.14	3/6/2019	µg/L	729		78.3		1,580		649		1	U	91.2		15.4		--	
	MW-15B-D-030619	3/4/2019	13.14	3/6/2019	µg/L	817		81.0		1,710		718		1	U	110		16.2		--	
	MW-15B-051519	5/13/2019	13.42	5/15/2019	µg/L	721		118		1,180		526		1	U	96.6		19.5		--	
	MW-15B-060519	6/3/2019	13.45	6/5/2019	µg/L	590		48.4		1,090		492		10	U <sup>b</sup>	98.0		50	U <sup>b</sup>	--	
	MW-15B-082219	8/19/2019	15.52	8/22/2019	µg/L	2,340		200	U	3,060		1,440		1	U	139		33.5		--	
	MW-15B-091919	9/16/2019	15.68	9/19/2019	µg/L	3,870		260		3,920		2,720		100	U <sup>b</sup>	188		500	U <sup>b</sup>	--	
MW-16	--			7/27/2015	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	--			1/19/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	--			11/28/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-16-062917			6/29/2017	µg/L	12,900		1,770		36,400		12,500		500	U <sup>b</sup>	1,740		2,500	U <sup>b</sup>	--	
	--			9/5/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	--	12/4/2017	7.00	12/7/2017	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte									
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB		
RBSL <sup>a</sup> :					µg/L	5.0	700	1,000	10,000	5.0		40	25		0.05
	MW-16-030718	3/5/2018	3.00	3/7/2018	µg/L	130	295	1,370	2,470	10	U <sup>b</sup>	132	618		--
	--	6/4/2018	--	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP	NS-FP		NS-FP
	MW-16-091318	9/11/2018	12.35	9/13/2018	µg/L	150	200	2,100	2,730	1	U	21.5	635		--
	MW-16-120618	12/3/2018	4.98	12/6/2018	µg/L	10.3	38.7	132	398	5	U	5	460		--
	MW-16-030719	3/4/2019	2.00	3/7/2019	µg/L	9.06	15.7	74.1	186	1	U	1.02	398		--
	MW-16-060419	6/3/2019	5.50	6/4/2019	µg/L	9.56	15.4	78.9	162	1.06		1	192		--
	MW-16-091819	9/16/2019	14.97	9/18/2019	µg/L	8.36	5.8	73.9	118	1	U	1	132		--
MW-17	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP	NS-FP		NS-FP
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			4/6/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			6/26/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--	12/4/2017	10.85	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--	3/5/2018	10.85	3/5/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--	6/4/2018	10.80	6/4/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--	9/10/2018	10.86	9/10/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	--	12/3/2018	10.85	12/3/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
	MW-17-030519	3/4/2019	6.81	3/5/2019	µg/L	173	19.9	118	474	1	U	27.9	5	U	--
	MW-17-060519	6/3/2019	9.73	6/5/2019	µg/L	44.9	5	10.7	87.1	5	U	16.1	25	U	--
	--	9/16/2019	9.98	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW
MW-17B	MW-17B-030116			3/1/2016	µg/L	6,480	488	11,900	2,870	5		742	104		0.019
	MW-17B-120116			12/1/2016	µg/L	9,370	761	16,900	4,500	100	U <sup>b</sup>	954	112		--
	MW-17B-031317			3/13/2017	µg/L	7,350	770	14,100	4,510	200	U <sup>b</sup>	944	1,000	U <sup>b</sup>	--
	MW-17B-032017			3/20/2017	µg/L	10,700	1,360	21,400	7,910	323	U <sup>b</sup>	1,210	1,000	U <sup>b</sup>	--
	MW-17B-033117			3/31/2017	µg/L	9,190	900	17,500	5,910	100	U <sup>b</sup>	1,200	500	U <sup>b</sup>	--
	MW-17B-033117FD			3/31/2017	µg/L	9,190	956	18,200	6,330	100	U <sup>b</sup>	1,210	500	U <sup>b</sup>	--
	MW-17B-040617			4/6/2017	µg/L	7,780	833	14,900	5,330	200	U <sup>b</sup>	991	1,000	U <sup>b</sup>	--
	MW-17B-062817			6/28/2017	µg/L	11,200	704	21,600	5,650	200	U <sup>b</sup>	1,150	1,000	U <sup>b</sup>	--
	MW-17B-090817			9/8/2017	µg/L	11,400	1,240	23,900	8,460	20	U <sup>b</sup>	1,330	201		--
	MW-17B-120717	12/4/2017	17.05	12/7/2017	µg/L	10,600	1,060	14,900	9,210	10	U <sup>b</sup>	1,140	178		--
	MW-17B-030718	3/5/2018	14.80	3/7/2018	µg/L	8,830	1,110	20,200	8,220	50	U <sup>b</sup>	960	250	U <sup>b</sup>	--
	MW-17BD-030718	3/5/2018	14.80	3/7/2018	µg/L	8,700	1,080	19,400	7,770	50	U <sup>b</sup>	983	250	U <sup>b</sup>	--
	MW-17B-060718	6/4/2018	12.05	6/7/2018	µg/L	8,910	1,250	20,200	9,130	20	U <sup>b</sup>	1,230	206		--
	MW-17B-D-060718	6/4/2018	12.05	6/7/2018	µg/L	9,630	1,200	21,000	8,850	20	U <sup>b</sup>	1,230	223		--
	MW-17B-080218	8/1/2018	12.56	8/2/2018	µg/L	9,470	1,190	23,200	8,530	200	U <sup>b</sup>	863	1,000	U <sup>b</sup>	--
	MW-17B-D-080218	8/1/2018	12.56	8/2/2018	µg/L	9,530	1,230	23,900	8,630	200	U <sup>b</sup>	864	1,000	U <sup>b</sup>	--
	MW-17B-091118	9/10/2018	13.74	9/11/2018	µg/L	8,180	1,370	20,200	9,660	50	U <sup>b</sup>	832	250	U <sup>b</sup>	--
	MW-17B-110218	11/2/2018	14.67	11/2/2018	µg/L	7,770	1,080	12,700	7,380	20	U <sup>b</sup>	841	113		--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte												
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB					
RBSL <sup>a</sup> :					µg/L	5.0	700	1,000	10,000	5.0		40	25		0.05			
	MW-17B-D-110218	11/2/2018	14.67	11/2/2018	µg/L	7,670	1,070	12,900	5,130	10	U <sup>b</sup>	888	126		--			
	MW-17B-120518	12/3/2018	13.22	12/5/2018	µg/L	6,860	1,010	24,400	8,550	50	U <sup>b</sup>	690	250	U <sup>b</sup>	--			
	MW-17B-021919	2/18/2019	8.8	2/19/2019	µg/L	7,810	1,140	20,200	8,330	1	U	410	181		--			
	MW-17B-D-021919	2/18/2019	8.8	2/19/2019	µg/L	7,910	1,210	20,700	8,910	1	U	401	250	U <sup>b</sup>	--			
	MW-17B-030519	3/4/2019	7.18	3/5/2019	µg/L	8,360	1,370	22,400	9,180	50	U <sup>b</sup>	308	261		--			
	MW-17B-051419	5/13/2019	9.59	5/14/2019	µg/L	7,320	1,040	18,500	8,370	25	U <sup>b</sup>	256	201		--			
	MW-17B-060519	6/3/2019	10.65	6/5/2019	µg/L	7,390	1,220	16,600	8,370	200	U <sup>b</sup>	312	1,000	U <sup>b</sup>	--			
	MW-17B-082219	8/19/2019	13.97	8/22/2019	µg/L	7,700	1,570	17,600	9,110	5	U	335	201		--			
	MW-17B-091919	9/16/2019	15.31	9/19/2019	µg/L	7,700	833	12,000	8,740	10	U <sup>b</sup>	665	195		--			
MW-18	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--			6/26/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--	12/4/2017	11.64	12/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--	3/5/2018	18.25	3/5/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--	6/4/2018	12.12	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--	9/11/2018	19.56	9/11/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--	12/3/2018	17.85	12/3/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	MW-18-030719	3/4/2019	15.9	3/7/2019	µg/L	2.47	8.16	60.4	141	1	U	13.5	72.7		--			
	MW-18-060419	6/3/2019	14.7	6/4/2019	µg/L	1.46	2.92	20.9	42.0	2.36		13.6	87.5		--			
	MW-18-091819	9/16/2019	15.78	9/18/2019	µg/L	1	1.3	10.7	37.4	1	U	15.4	48.7		--			
MW-19	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	MW-19-012116			1/21/2016	µg/L	22.8	18.5	256	437	1	U	1	U	10.7	0.02	U		
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	MW-19-040617			4/6/2017	µg/L	9,810	1,030	25,000	10,300	250	U <sup>b</sup>	250	U <sup>b</sup>	1,250	U <sup>b</sup>	--		
	MW-19-062917			6/29/2017	µg/L	9,410	683	27,200	9,580	200	U <sup>b</sup>	320		1,000	U <sup>b</sup>	--		
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--	12/4/2017	11.77	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--	3/5/2018	11.75	3/5/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	MW-19-060618	6/4/2018	7.81	6/6/2018	µg/L	8.15	149	385	1260	1.53		1	U	250	U <sup>b</sup>	--		
	MW-19-071318	7/11/2018	10.5	7/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-19-091318	9/10/2018	10.05	9/13/2018	µg/L	3.31		3.53	16.0			1	U	1	U	6.55		--
	MW-19-120518	12/3/2018	9.94	12/5/2018	µg/L	5	U	8.23	13.7			5	U	5	U	25	U	--
	MW-19-030519	3/4/2019	5.67	3/5/2019	µg/L	5	U	33.1	19.4			5	U	5	U	294		--
	MW-19-060519	6/3/2019	8.3	6/5/2019	µg/L	5	U	5	U	5	U	5	U	5	U	25	U	--
	--	9/16/2019	9.98	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
MW-20	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP			

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05								
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			3/13/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			3/20/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			3/31/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			4/6/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			5/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			6/26/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			7/17/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			8/1/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	10/3/2017	13.79	10/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	11/7/2017	13.61	11/8/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	12/4/2017	14.64	12/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	1/8/2018	14.04	1/8/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	2/5/2018	12.57	2/6/2018	µg/L	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL								
	--	3/5/2018	10.90	3/6/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	4/5/2018	9.37	4/6/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	5/2/2018	9.7	5/3/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	6/4/2018	8.5	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	MW-20-071218	7/11/2018	8.83	7/12/2018	µg/L	5,740	1350	18100	14500	100	U <sup>b</sup>	351	500	U <sup>b</sup>	--						
	--	9/10/2018	10.59	9/10/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP							
	--	12/3/2018	9.99	12/3/2018	--	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS								
	MW-20-021919	2/18/2019	6.39	2/19/2019	µg/L	6,650	1080	13900	11700	5	U	128	341	--							
	MW-20-030519	3/4/2019	5.94	3/5/2019	µg/L	9,480	1320	19200	10800	100	U <sup>b</sup>	187	500	U <sup>b</sup>	--						
	MW-20-051519	5/13/2019	7.08	5/15/2019	µg/L	4,180	758	8970	7620	100	U <sup>b</sup>	105	636	--							
	MW-20-060519	6/3/2019	8.14	6/5/2019	µg/L	11,200	1460	22800	10200	50	U <sup>b</sup>	174	437	--							
	MW-20-082019	8/19/2019	11.66	8/20/2019	µg/L	7,920	1160	15900	10300	100	U <sup>b</sup>	238	500	U <sup>b</sup>	--						
MW-21	MW-21-072715			7/27/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-21-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-21-D-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-21-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-21-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-032117			3/21/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-062817-FD			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-120717	12/4/2017	17.42	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-030718	3/5/2018	8.05	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-060718	6/4/2018	12.43	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-21-091118	9/10/2018	14.51	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-21-120518	12/3/2018	13.41	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-21-030519	3/4/2019	8.84	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-21-060519	6/3/2019	12.21	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-21-091919	9/16/2019	16.11	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-22	--			7/27/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-22-012116			1/21/2016	µg/L	19.8		3.4		47.2		37.4		1	U	1	U	1	U	0.02
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			5/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-22-062917			6/29/2017	µg/L	234		10	U	125		30	U	10	U <sup>b</sup>	10	U	50	U <sup>b</sup>	--
	--			7/17/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			8/1/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	10/3/2017	9.94	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	11/7/2017	9.96	11/8/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	12/4/2017	9.99	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	1/8/2018	10.01	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	2/5/2018	9.81	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-22-030618	3/5/2018	8.05	3/6/2018	µg/L	1	U	1	U	1.03		3	U	1	U	1	U	5	U	--
	MW-22-040618	4/5/2018	7.27	4/6/2018	µg/L	1	U	1	U	1.76		46.6		1	U	1	U	5	U	--
	MW-22-050318	5/2/2018	7.19	5/3/2018	µg/L	1.43		1.79		33.1		426		1	U	1	U	1	U	--
	MW-22-060518	6/4/2018	5.72	6/5/2018	µg/L	1	U	1	U	4.27		41.6		1	U	1	U	5	U	--
	MW-22-071218	7/11/2018	7.9	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-22-091318	9/10/2018	9.57	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-22-120518	12/3/2018	7.37	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-22-030519	3/4/2019	3.41	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-22-060519	6/3/2019	7.72	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	--	9/16/2019	9.98	9/16/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
MW-23	MW-23-072715			7/27/2015	µg/L	5	U <sup>b</sup>	5	U	7.5		10	U	5	U <sup>b</sup>	5	U	5	U	0.02
	MW-23D-072715			7/27/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02
	MW-23-012016			1/20/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019
	MW-23-120216			12/2/2016	µg/L	450		5	U	14.6		336		5	U <sup>b</sup>	46.4		5.9		--
	MW-23-031317			3/13/2017	µg/L	709		5	U	23.1		548		5	U <sup>b</sup>	127		25	U <sup>b</sup>	--
	MW-23-032017			3/20/2017	µg/L	642		10	U	12.7		579		10	U <sup>b</sup>	108		50	U <sup>b</sup>	--
	MW-23-032017-FD			3/20/2017	µg/L	620		10	U	12.0		548		10	U <sup>b</sup>	110		50	U <sup>b</sup>	--
	MW-23-033117			3/31/2017	µg/L	685		10	U	16.5		624		10	U <sup>b</sup>	130		50	U <sup>b</sup>	--
	MW-23-040617			4/6/2017	µg/L	432		1	U	6.6		254		1	U	76.5		5	U	--
	MW-23-062817			6/28/2017	µg/L	131		10	U	10	U	117		10	U <sup>b</sup>	19.1		5	U	--
	MW-23-071717			7/17/2017	µg/L	1.2		1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-23-080117			8/1/2017	µg/L	132		1	U	6.2		252		1	U	48.1		5	U	--
	MW-23-090717			9/7/2017	µg/L	1,110		9.25		43.1		999		5	U <sup>b</sup>	141		25	U <sup>b</sup>	--
	MW-23-100417	10/3/2017	11.52	10/4/2017	µg/L	703		10	U	17.5		515		10	U <sup>b</sup>	90.1		50	U <sup>b</sup>	--
	MW-23-100417-DUP	10/3/2017	11.52	10/4/2017	µg/L	543		2.65		11.5		424		1	U	69.2		5	U	--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-23-110817	11/7/2017	11.10	11/8/2017	µg/L	788		10	U	21.5		580		10	U <sup>b</sup>	118		50	U <sup>b</sup>	--	
	MW-23-120617	12/4/2017	11.13	12/6/2017	µg/L	693		10	U	17.0		408		10	U <sup>b</sup>	99.5		50	U <sup>b</sup>	--	
	MW-23-010918	1/8/2018	11.02	1/9/2018	µg/L	127		10	U	10	U	137		10	U <sup>b</sup>	69.6		50	U <sup>b</sup>	--	
	MW-23-020618	2/5/2018	9.76	2/6/2018	µg/L	1.1		1	U	1	U	3	U	1	U	33.8		5	U	--	
	MW-23-030618	3/5/2018	8.27	3/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	17.5		5	U	--	
	MW-23-040618	4/5/2018	7.52	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	32		5	U	--	
	MW-23-050318	5/2/2018	7.12	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	19.1		5	U	--	
	MW-23-D-050318	5/2/2018	7.12	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	16.9		5	U	--	
	MW-23-060518	6/4/2018	6.33	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5.28		5	U	--	
	MW-23-071218	7/11/2018	7.15	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	7.05		5	U	--	
	MW-23-080218	8/1/2018	7.56	8/2/2018	µg/L	17.9		1	U	1	U	10.4		1	U	5.01		5	U	--	
	MW-23-091118	9/10/2018	5.94	9/11/2018	µg/L	2.30		1	U	1	U	3	U	1	U	11.0		5	U	--	
	MW-23-110218	11/2/2018	9.19	11/2/2018	µg/L	11.1		1	U	2.48		4.85		1	U	8.35		5	U	--	
	MW-23-120518	12/3/2018	6.97	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.08		5	U	--	
	MW-23-D-120518	12/3/2018	6.97	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.03		5	U	--	
	MW-23-022019	2/18/2019	4.42	2/20/2019	µg/L	5.34		1	U	2.16		3	U	1	U	7.24		5	U	--	
	MW-23-D-022019	2/18/2019	4.42	2/20/2019	µg/L	7.09		1	U	3.22		3.57		1	U	7.77		5	U	--	
	MW-23-030519	3/4/2019	2.83	3/5/2019	µg/L	87.7		1.16		1.35		46.2		1	U	16.5		5	U	--	
	MW-23-D-030519	3/4/2019	2.83	3/5/2019	µg/L	81.6		1.21		1.26		42.1		1	U	15.9		5	U	--	
	MW-23-051419	5/15/2019	5.37	5/14/2019	µg/L	412		5.37		20.7		190		1	U	28.0		10.9		--	
	MW-23-D-051419	5/15/2019	5.37	5/14/2019	µg/L	779		7.09		25.0		242		1	U	34.4		12.5		--	
	MW-23-060519	6/3/2019	6.63	6/5/2019	µg/L	520		5	U	5.77		211		5	U	27.7		25	U	--	
	MW-23-D-060519	6/3/2019	6.63	6/5/2019	µg/L	457		5	U	5.96		178		5	U	24.2		25	U	--	
	MW-23-082119	8/19/2019	9.51	8/21/2019	µg/L	1,860		82.8		507		1190		10	U <sup>b</sup>	88.7		50	U <sup>b</sup>	--	
	MW-23-091919	9/16/2019	10.27	9/19/2019	µg/L	2,950		192		1060		2210		5	U	99.9		38.4		--	
	MW-23-D-091919	9/16/2019	10.27	9/19/2019	µg/L	2,640		154		999		1990		10	U <sup>b</sup>	91.5		50	U <sup>b</sup>	--	
MW-23B	MW-23B-080515			8/5/2015	µg/L	5	U <sup>b</sup>	5	U	7.0		10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-23B-012016			1/20/2016	µg/L	1	U	1	U	3.9		7.1		1	U	1	U	1	U	0.02	U
	MW-23B-120216			12/2/2016	µg/L	1	U	1.4		3.5		11.0		1	U	1	U	1.3		--	
	MW-23B-031317			3/13/2017	µg/L	1	U	1.11		2.63		8.86		1	U	1	U	5	U	--	
	MW-23B-032017			3/20/2017	µg/L	1	U	1.55		2.98		11.7		1	U	1	U	5	U	--	
	MW-23B-033117			3/31/2017	µg/L	1	U	1.24		2.41		8.86		1	U	1	U	5	U	--	
	MW-23B-040617			4/6/2017	µg/L	1	U	1.21		2.41		9.23		1	U	1	U	5	U	--	
	MW-23B-062817			6/28/2017	µg/L	1	U	1	U	1.73		6.20		1	U	1	U	5	U	--	
	MW-23B-090717			9/7/2017	µg/L	1	U	1	U	1.65		5.40		1	U	1	U	5	U	--	
	MW-23B-120617	12/4/2017	11.45	12/6/2017	µg/L	1	U	1.2		2.48		7.93		1	U	1	U	5	U	--	
	MW-23B-030618	3/5/2018	10.88	3/6/2018	µg/L	1	U	1.2		4.57		9.14		1	U	1	U	5	U	--	
	MW-23B-060518	6/4/2018	6.06	6/5/2018	µg/L	1	U	1	U	1.08		4.21		1	U	1	U	5	U	--	
	MW-23B-091118	9/10/2018	5.4	9/11/2018	µg/L	1	U	1	U	1.24		3	U	1	U	1	U	5	U	--	
	MW-23B-120518	12/3/2018	8.73	12/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-23B-030519	3/4/2019	6.69	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-23B-060519	6/3/2019	5.79	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-23B-091919	9/16/2019	7.65	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-24	MW-24-080515			8/5/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-24-012616			1/26/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-24-120716			12/7/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-24-062817			6/28/2017	µg/L	<b>28.8</b>		<b>3.96</b>		<b>1.7</b>		<b>22.2</b>		1	U	1	U	5	U	--	
	MW-24-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-120617	12/4/2017	4.51	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-030818	3/5/2018	4.15	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-060618	6/4/2018	4.45	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-091218	9/10/2018	5.22	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-120618	12/3/2018	4.78	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-030619	3/4/2019	5.07	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-060519	6/3/2019	4.94	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-091719	9/16/2019	5.28	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-24B	MW-24B-080515			8/5/2015	µg/L	5	U <sup>b</sup>	5	U	5	U	10	U	5	U <sup>b</sup>	5	U	5	U	0.02	U
	MW-24B-012616			1/26/2016	µg/L	1	U	1	U	<b>3.3</b>		<b>6.8</b>		1	U	1	U	1	U	0.019	U
	MW-24B-120716			12/7/2016	µg/L	1	U	1	U	<b>2.9</b>		<b>1.6</b>		1	U	1	U	1	U	--	
	MW-24B-062817			6/28/2017	µg/L	<b>28.9</b>		<b>3.89</b>		<b>1.77</b>		<b>20.7</b>		1	U	1	U	5	U	--	
	MW-24B-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-120617	12/4/2017	5.69	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-030818	3/5/2018	5.03	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-060618	6/4/2018	5.12	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-091218	9/10/2018	5.85	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-120618	12/3/2018	5.59	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-030619	3/4/2019	5.7	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-060519	6/3/2019	5.44	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-091719	9/16/2019	5.84	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-25	MW-25-012716			1/27/2016	µg/L	<b>101</b>		<b>1</b>		<b>1</b>		<b>115</b>		<b>1</b>	U	<b>1</b>	U	<b>1.8</b>		<b>0.02</b>	U
	MW-25-012716			12/1/2016	µg/L	<b>675</b>		<b>30.2</b>		<b>15.3</b>		<b>619</b>		<b>5</b>	U <sup>b</sup>	<b>5.9</b>		<b>29.7</b>		--	
	MW-25-031417			3/14/2017	µg/L	<b>627</b>		<b>28.6</b>		<b>10.1</b>		<b>668</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-032017			3/20/2017	µg/L	<b>604</b>		<b>20.4</b>		<b>20</b>	U	<b>680</b>		<b>20</b>	U <sup>b</sup>	<b>20</b>	U	<b>100</b>	U <sup>b</sup>	--	
	MW-25-033117			3/31/2017	µg/L	<b>673</b>		<b>30.1</b>		<b>12</b>		<b>736</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-033117FD			3/31/2017	µg/L	<b>790</b>		<b>35.4</b>		<b>12.5</b>		<b>861</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-040617			4/6/2017	µg/L	<b>558</b>		<b>24.3</b>		<b>10</b>	U	<b>682</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-050317			5/3/2017	µg/L	<b>519</b>		<b>49.3</b>		<b>10.1</b>		<b>614</b>		<b>1</b>	U	<b>1</b>	U	<b>43.2</b>		--	
	MW-25-062817			6/28/2017	µg/L	<b>431</b>		<b>34.8</b>		<b>10</b>	U	<b>520</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-071717			7/17/2017	µg/L	<b>230</b>		<b>13.4</b>		<b>10</b>	U	<b>264</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-080117			8/1/2017	µg/L	<b>234</b>		<b>14.4</b>		<b>10</b>	U	<b>277</b>		<b>10</b>	U <sup>b</sup>	<b>10</b>	U	<b>50</b>	U <sup>b</sup>	--	
	MW-25-090817			9/8/2017	µg/L	<b>200</b>		<b>12.2</b>		<b>1.27</b>		<b>214</b>		<b>1</b>	U	<b>1</b>	U	<b>10.6</b>		--	
	MW-25-100417	10/3/2017	8.52	10/4/2017	µg/L	<b>173</b>		<b>16.2</b>		<b>1.73</b>		<b>276</b>		<b>1</b>	U	<b>1.1</b>		<b>6.77</b>		--	
	MW-25-110817	11/7/2017	8.35	11/8/2017	µg/L	<b>82.9</b>		<b>7.21</b>		<b>1</b>	U	<b>143</b>		<b>1</b>	U	<b>1</b>	U	<b>7.74</b>		--	
	MW-25-120617	12/4/2017	7.10	12/6/2017	µg/L	<b>23.8</b>		<b>1.84</b>		<b>1</b>	U	<b>60.5</b>		<b>1</b>	U	<b>1</b>	U	<b>5</b>	U	--	



**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-25-010918	1/8/2018	8.80	1/9/2018	µg/L	72		2.74		1	U	111		1	U	1	U	5	U	--	
	MW-25-020618	2/5/2018	8.15	2/6/2018	µg/L	10.8		1	U	1	U	19.3		1	U	1	U	5	U	--	
	MW-25-030818	3/5/2018	7.84	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-040618	4/5/2018	7.46	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-050318	5/2/2018	7.02	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-060518	6/4/2018	6.73	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-071218	7/11/2018	7.7	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-091218	9/10/2018	7.88	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-120518	12/3/2018	7.13	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-030619	3/4/2019	5.03	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-060519	6/3/2019	6.49	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-091919	9/16/2019	8.47	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-25B	MW-25B-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-25B-120116			12/1/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-25B-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-090817-DUP			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-120617	12/4/2017	5.30	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-030818	3/5/2018	4.12	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-060518	6/4/2018	3.41	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-091218	9/10/2018	4.76	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-120518	12/3/2018	3.7	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-030619	3/4/2019	2.72	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-D-030619	3/4/2019	2.72	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-060519	6/3/2019	3.11	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-091919	9/16/2019	4.46	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-26	MW-26-012016			1/20/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-26-120116			12/1/2016	µg/L	1	U	1	U	2.3		1	U	1	U	1	U	1	U	--	
	MW-26-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-040617-FD			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-26-100417	10/3/2017	7.71	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-110817	11/7/2017	6.56	11/8/2017	µg/L	1	U	1	U	1.17		3	U	1	U	1	U	5	U	--	
	MW-26-120617	12/4/2017	6.83	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-010918	1/8/2018	6.68	1/9/2018	µg/L	1	U	1.79		6.2		13.8		1	U	1	U	5	U	--	
	MW-26-020618	2/5/2018	4.37	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-030618	3/5/2018	2.94	3/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-040618	4/5/2018	2.88	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-050318	5/2/2018	2.71	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-060518	6/4/2018	2.01	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-071218	7/11/2018	3.67	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-091118	9/10/2018	2.65	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-120518	12/3/2018	2.36	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-021919	2/18/2019	1.21	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-030519	3/4/2019	0.61	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-051519	5/13/2019	2.07	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-060519	6/3/2019	4.13	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-081919	8/19/2019	6.46	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-091919	9/16/2019	7.23	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-26B	MW-26B-012016			1/20/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-26B-120116			12/1/2016	µg/L	1	U	1	U	1	U	1.3		1	U	1	U	1	U	--	
	MW-26B-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-090717-DUP			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-120617	12/4/2017	9.17	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-030618	3/5/2018	6.30	3/6/2018	µg/L	1	U	1	U	1.03		3	U	1	U	1	U	5	U	--	
	MW-26B-060518	6/4/2018	3.66	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-091118	9/10/2018	4.55	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-D-091118	9/10/2018	4.55	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-120518	12/3/2018	5.55	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-030519	3/4/2019	0.00	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-060519	6/3/2019	3.74	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-091919	9/16/2019	8.67	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-27	MW-27-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-27-062817			6/28/2017	µg/L	2.69		4.06		3.88		35.9		1	U	1	U	5	U	--	
	MW-27-090817			9/8/2017	µg/L	4.96		5.75		2.13		14.8		1	U	1	U	5	U	--	
	MW-27-120517	12/4/2017	27.46	12/5/2017	µg/L	6.48		8.23		12.5		20.5		1	U	1	U	5	U	--	
	MW-27-030818	3/5/2018	25.29	3/8/2018	µg/L	14.5		29.7		62.3		227		1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-27-060518	6/4/2018	22.55	6/5/2018	µg/L	5.74		7.74		22.6		70.3		1	U	1	U	5	U	--	
	MW-27-091118	9/10/2018	25.17	9/11/2018	µg/L	2.06		2.94		7.44		25.6		1	U	1	U	5	U	--	
	MW-27-120518	12/3/2018	24.96	12/5/2018	µg/L	2.96		9.03		23.1		50.3		1	U	1	U	5	U	--	
	MW-27-030519	3/4/2019	18.01	3/5/2019	µg/L	1	U	1	U	4.05		9.95		1	U	1	U	5	U	--	
	MW-27-D-030519	3/4/2019	18.01	3/5/2019	µg/L	1.01		1	U	4.73		12.0		1	U	1	U	5	U	--	
	MW-27-060519	6/3/2019	21.14	6/5/2019	µg/L	1.33		1	U	5.04		11.0		1	U	1	U	5	U	--	
	MW-27-091919	9/16/2019	26.95	9/19/2019	µg/L	1.04		1	U	1.09		5.00		1	U	1	U	5	U	--	
MW-27B	MW-27B-051216			5/12/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-27B-120216			12/2/2016	µg/L	1	U	5.3		9.1		45.7		1	U	1	U	8.9		--	
	MW-27B-062817			6/28/2017	µg/L	1	U	4.04		4.04		32.7		1	U	1	U	6.09		--	
	MW-27B-090717			9/7/2017	µg/L	1	U	3.73		6.35		30.3		1	U	1	U	7.54		--	
	MW-27B-120517	12/4/2017	30.70	12/5/2017	µg/L	1	U	3.1		5.91		24.8		1	U	1	U	5.81		--	
	MW-27B-D-120517	12/4/2017	30.70	12/5/2017	µg/L	1	U	3.96		7.24		31.6		1	U	1	U	7.09		--	
	MW-27B-030818	3/5/2018	3.20	3/8/2018	µg/L	1	U	3.44		6.82		28.8		1	U	1	U	5	U	--	
	MW-27BD-030818	3/5/2018	3.20	3/8/2018	µg/L	1	U	4.02		7.97		30.7		1	U	1	U	5	U	--	
	MW-27B-060518	6/4/2018	28.42	6/5/2018	µg/L	1	U	3.38		6.18		26.8		1	U	1	U	5.1		--	
	MW-27B-091118	9/10/2018	28.49	9/11/2018	µg/L	1	U	2.98		5.65		25.0		1	U	1	U	5	U	--	
	MW-27B-120518	12/3/2018	29.34	12/5/2018	µg/L	1	U	2.47		4.97		21.1		1	U	1	U	5	U	--	
	MW-27B-030519	3/4/2019	24.49	3/5/2019	µg/L	1	U	2.40		4.76		20.0		1	U	1	U	5	U	--	
	MW-27B-060519	6/3/2019	24.8	6/5/2019	µg/L	1	U	1.85		3.59		14.7		1	U	1	U	5	U	--	
	MW-27B-091919	9/16/2019	26.33	9/19/2019	µg/L	1	U	2.05		3.87		16.2		1	U	1	U	5	U	--	
MW-28	MW-28-012716			1/27/2016	µg/L	542		430		3,850		3,370		1	U	4.8		96.3		0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-28-031517			3/15/2017	µg/L	1,120		68.9		3,350		1,370		50	U <sup>b</sup>	50	U <sup>b</sup>	250	U	--	
	--			3/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			3/31/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			4/6/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-28-050317			5/3/2017	µg/L	65.9		14.5		263		1,010		1	U	2.94		9.33		--	
	MW-28-062817			6/28/2017	µg/L	199		55		108		546		1	U	1	U	10.1		--	
	MW-28-071717			7/17/2017	µg/L	219		64.2		85.8		422		1	U	1	U	14.7		--	
	MW-28-080217			8/2/2017	µg/L	219		48.7		52.7		187		1	U	3.46		11.9		--	
	MW-28-090817			9/8/2017	µg/L	130		16.2		175		388		1	U	4.77		13.6		--	
	--	10/3/2017	23.80	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/7/2017	23.78	11/7/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	23.94	12/7/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/8/2018	24.15	1/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-28-020618	2/5/2018	22.60	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-030818	3/5/2018	21.65	3/8/2018	µg/L	10.1		9.92		5.27		21.2		1	U	1	U	5	U	--	
	MW-28-040618	4/5/2018	20.68	4/6/2018	µg/L	16.1		11.6		4		23.4		1	U	1	U	5	U	--	
	MW-28-050318	5/2/2018	20.81	5/3/2018	µg/L	8.25		8.8		1.55		24.5		1	U	1	U	5	U	--	
	MW-28-060518	6/4/2018	19.82	6/5/2018	µg/L	3.81		3.8		1.01		16.0		1	U	1	U	5	U	--	
	MW-28-071218	7/11/2018	20.92	7/12/2018	µg/L	3.91		5.19		1.05		8.82		1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-28-091118	9/10/2018	22	9/11/2018	µg/L	28.0		25.2		3.66		4.89		1	U	1	U	5	U	--	
	MW-28-120518	12/3/2018	21.17	12/5/2018	µg/L	13.7		8.04		1.47		3	U	1	U	1	U	5	U	--	
	MW-28-030619	3/4/2019	16.42	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-060519	6/3/2019	19.14	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-091719	9/16/2019	22.95	9/17/2019	µg/L	1.68		1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-29	MW-29-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-29-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-29-031317			3/13/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-100417	10/3/2017	10.85	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-110817	11/7/2017	10.06	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-120617	12/4/2017	10.39	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-010918	1/8/2018	10.36	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-020618	2/5/2018	7.80	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-030718	3/5/2018	4.20	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-040618	4/5/2018	5.28	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-D-040618	4/5/2018	5.28	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-050318	5/2/2018	4.72	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-060518	6/4/2018	3.23	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-071218	7/11/2018	6.35	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-091118	9/10/2018	8.36	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-120518	12/3/2018	3.11	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-030519	3/4/2019	0.71	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-060519	6/3/2019	6.33	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-091919	9/16/2019	10.35	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-30	MW-30-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-30-050417			5/4/2017	µg/L	104		3.98		341		161		1	U	1	U	5	U	--	
	MW-30-062917			6/29/2017	µg/L	646		25	U	1,630		736		25	U <sup>b</sup>	25	U	125	U <sup>b</sup>	--	
	MW-30-071717			7/17/2017	µg/L	922		25	U	2,050		1,320		25	U <sup>b</sup>	25	U	125	U <sup>b</sup>	--	
	MW-30-080217			8/2/2017	µg/L	1,240		25.9		1,020		2,230		25	U <sup>b</sup>	25	U	125	U <sup>b</sup>	--	
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/3/2017	14.58	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/7/2017	14.60	11/8/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	14.47	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	--	1/8/2018	14.59	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-30-020518	2/5/2018	13.11	2/5/2018	µg/L	2.2		1	U	1.86		4.1		1	U	1	U	5	U	--	
	MW-30-030718	3/5/2018	11.43	3/7/2018	µg/L	22.1		1	U	8.94		19.1		1	U	2.25		5	U	--	
	MW-30-040618	4/5/2018	11.92	4/6/2018	µg/L	1.9		1	U	7.38		5.95		1	U	2.22		5	U	--	
	MW-30-050318	5/2/2018	11.49	5/3/2018	µg/L	1.19		1	U	3.7		3	U	1	U	2.29		5	U	--	
	MW-30-060618	6/4/2018	10.47	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.58		5	U	--	
	MW-30-071218	7/11/2018	12.26	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.79		5	U	--	
	--	9/11/2018	14.60	9/11/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-30-120718	12/3/2018	12.77	12/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1.94		9.22		--	
	MW-30-D-120718	12/3/2018	12.77	12/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.05		5	U	--	
	MW-30-030719	3/4/2019	6.16	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-30-060419	6/3/2019	10.64	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	9/16/2019	14.56	9/16/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
MW-31	MW-31-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-31-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-31-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-100417	10/3/2017	22.70	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-110817	11/7/2017	20.81	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-120617	12/4/2017	20.05	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-010918	1/8/2018	22.55	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-020618	2/5/2018	18.90	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-030718	3/5/2018	18.01	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-040618	4/5/2018	18.59	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-050318	5/2/2018	17.35	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-050318	5/2/2018	17.35	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-060618	6/4/2018	17.25	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-071318	7/11/2018	18.37	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-091218	9/10/2018	21.88	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-091218	9/10/2018	21.88	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-120618	12/3/2018	19.47	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-030619	3/4/2019	13.42	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-060519	6/3/2019	15.86	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-091819	9/16/2019	21.63	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-31B	MW-31B-051116			5/11/2016	µg/L	1	U	1	U	2.70		1	U	1	U	1	U	1	U	0.02	U
MW-32	MW-32-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-32-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-32-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-32-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-120717	12/4/2017	10.02	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-030718	3/5/2018	6.82	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-060618	6/4/2018	7.16	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-091218	9/10/2018	21.07	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-120618	12/3/2018	11.85	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-030719	3/4/2019	5.22	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-060419	6/3/2019	13.55	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-32-091819	9/16/2019	21.05	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-33	MW-33-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
MW-33T	MW-33T-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-33T-120617	12/4/2017	27.12	12/6/2017	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-33T-030718	3/5/2018	25.23	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-060618	6/4/2018	23.56	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-091218	9/10/2018	25.91	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-120618	12/3/2018	26.29	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-030619	3/4/2019	20.72	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-060519	6/3/2019	21.81	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-33T-091819	9/16/2019	37.90	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-34	MW-34-031517			3/15/2017	--	978		33.0		143		218		10	U <sup>b</sup>	157		50	U <sup>b</sup>	--	
	MW-34-032017			3/20/2017	µg/L	801		10.0	U	113		305		10	U <sup>b</sup>	149		50	U <sup>b</sup>	--	
	MW-34-033117			3/31/2017	µg/L	728		10.0	U	81.4		224		10	U <sup>b</sup>	152		50	U <sup>b</sup>	--	
	MW-34-040617			4/6/2017	µg/L	860		1.7		58.6		181		1	U	123		5	U	--	
	MW-34-050317			5/3/2017	µg/L	287		2.62		27.2		130		1	U	124		5	U	--	
	MW-34-062817			6/28/2017	µg/L	167		4.59		9.3		39.2		1	U	68.3		5	U	--	
	MW-34-071717			7/17/2017	µg/L	137		5.83		19.8		69.5		1	U	73.8		5	U	--	
	MW-34-080117			8/1/2017	µg/L	517		10	U	31.7		110		10	U <sup>b</sup>	98.3		50	U <sup>b</sup>	--	
	MW-34-090817			9/8/2017	µg/L	1,430		6.01		98.0		264		1	U	191		7.33		--	
	MW-34-100417	10/3/2017	2.76	10/4/2017	µg/L	919		10	U	36.8		157		10	U <sup>b</sup>	151		50	U <sup>b</sup>	--	
	MW-34-100417-DUP	10/3/2017	2.76	10/4/2017	µg/L	846		1.49		40.8		186		1	U	148		5	U	--	
	MW-34-110817	11/7/2017	2.48	11/8/2017	µg/L	338		10	U	15.3		140		10	U <sup>b</sup>	266		50	U <sup>b</sup>	--	
	MW-34-120617	12/4/2017	2.52	12/6/2017	µg/L	169		10	U	29.7		69.9		10	U <sup>b</sup>	218		50	U <sup>b</sup>	--	
	MW-34-010918	1/8/2018	2.48	1/9/2018	µg/L	147		10	U	13.1		79.8		10	U <sup>b</sup>	246		50	U <sup>b</sup>	--	
	MW-34-020618	2/5/2018	2.27	2/6/2018	µg/L	249		10	U	19.2		88.3		10	U <sup>b</sup>	191		50	U <sup>b</sup>	--	
	MW-34-030818	3/5/2018	2.23	3/8/2018	µg/L	696		7.35		51.6		180		1	U	229		5.84		--	
	MW-34-040618	4/5/2018	2.25	4/6/2018	µg/L	619		2.22		31.9		150		1	U	281		7.77		--	
	MW-34-050318	5/2/2018	2.31	5/3/2018	µg/L	342		10	U	18.1		99.7		10	U <sup>b</sup>	278		50	U <sup>b</sup>	--	
	MW-34-060518	6/4/2018	2.34	6/5/2018	µg/L	63.1		1	U	3.28		19.2		1	U	247		5	U	--	
	MW-34-071218	7/11/2018	2.6	7/12/2018	µg/L	186		2.41		9.34		33.7		1	U	153		5	U	--	
	MW-34-D-071218	7/11/2018	2.6	7/12/2018	µg/L	303		3.82		14.9		51.3		1	U	199		5	U	--	
	MW-34-080218	8/1/2018	2.48	8/2/2018	µg/L	414		5.27		32.6		53.6		1	U	147		5	U	--	
	MW-34-091218	9/10/2018	3.18	9/12/2018	µg/L	21.8		1	U	1	U	3	U	1	U	209		5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-34-110218	11/2/2018	2.9	11/2/2018	µg/L	75.1		1	U	1.53		8.16		1	U	302		5	U	--	
	MW-34-120618	12/3/2018	2.87	12/6/2018	µg/L	1	U	1	U	1	U	6.63		1	U	271		5	U	--	
	MW-34-022019	2/18/2019	2.83	2/20/2019	µg/L	124		1.13		3.82		15	U	1	U	303		5	U	--	
	MW-34-030619	3/4/2019	2.66	3/6/2019	µg/L	42.4		1	U	1	U	5.32		1	U	242		5	U	--	
	MW-34-051519	5/13/2019	2.58	5/15/2019	µg/L	162		2.18		2.63		14.9		1	U	163		5	U	--	
	MW-34-060519	6/3/2019	3.07	6/5/2019	µg/L	36.6		5	U	5	U	15	U	5	U	148		25	U	--	
	MW-34-082219	8/19/2019	3.28	8/22/2019	µg/L	102		5	U	5	U	15	U	1	U	207		5.05		--	
	MW-34-091919	9/16/2019	3.36	9/19/2019	µg/L	12.9		1	U	1	U	3	U	1	U	109		5	U	--	
MW-35	MW-35-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-35-120116			12/1/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-35-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-100417	10/3/2017	10.34	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-110817	11/7/2017	8.94	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-120617	12/4/2017	10.41	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-010918	1/8/2018	10.57	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-D-010918	1/8/2018	10.57	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-020618	2/5/2018	9.00	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-030818	3/5/2018	8.33	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-040618	4/5/2018	8.39	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-050318	5/2/2018	8.37	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-060618	6/4/2018	8.15	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-071218	7/11/2018	7.22	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-091118	9/10/2018	9.14	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-120518	12/3/2018	7.45	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-030619	3/4/2019	5.39	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-060519	6/3/2019	7.86	6/5/2019	µg/L	1	U	1	U	4.52		3	U	1	U	1	U	5	U	--	
	MW-35-091719	9/16/2019	10.07	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-36	MW-36-051116			5/11/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-36-112916			11/29/2016	µg/L	1.3		1	U	6.5		1.1		1	U	1	U	1	U	--	
	MW-36-D-112916			11/29/2016	µg/L	1	U	1	U	5.4		1	U	1	U	1	U	1	U	--	
	MW-36-062917			6/29/2017	µg/L	2.11		1	U	2.28		3	U	1	U	1	U	5	U	--	
	MW-36-090817			9/8/2017	µg/L	4.75		1	U	6.16		4.62		1	U	1	U	5	U	--	
	MW-36-120717	12/4/2017	20.14	12/7/2017	µg/L	17.5		1	U	30.2		14.4		1	U	1	U	5	U	--	
	MW-36-030718	3/5/2018	18.11	3/7/2018	µg/L	44.2		10	U	75.2		38.4		10	U <sup>b</sup>	10	U	50	U <sup>b</sup>	--	
	MW-36-060718	6/4/2018	15.21	6/7/2018	µg/L	184		1	U	208		134		1	U	2.06		5	U	--	

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
	MW-36-091318	9/11/2018	16.68	9/13/2018	µg/L	238		1	U	326		238		1	U	1	U	5	U	--	
	MW-36-120618	12/3/2018	16.65	12/6/2018	µg/L	146		1	U	181		142		1	U	1	U	5	U	--	
	MW-36-D-120618	12/3/2018	16.65	12/6/2018	µg/L	143		1	U	175		134		1	U	1	U	5	U	--	
	MW-36-021919	2/18/2019	11.97	2/19/2019	µg/L	708		1	U	186		152		1	U	1	U	5	U	--	
	MW-36-030719	3/4/2019	10.4	3/7/2019	µg/L	223		1	U	210		161		1	U	2.67		5	U	--	
	MW-36-051519	5/13/2019	13.86	5/15/2019	µg/L	1160		5	U	78.4		482		5	U	292		228		--	
	MW-36-D-051519	5/13/2019	13.86	5/15/2019	µg/L	1060		1	U	61.3		381		1	U	1	U	5	U	--	
	MW-36-060419	6/3/2019	14.87	6/4/2019	µg/L	1100		1	U	48.1		428		1	U	1	U	5	U	--	
	MW-36-D-060419	6/3/2019	14.87	6/4/2019	µg/L	1170		1	U	49.3		467		1	U	1	U	5	U	--	
	MW-36-081919	8/19/2019	17.2	8/19/2019	µg/L	484		20	U	27.5		197		20	U <sup>b</sup>	20	U	100	U <sup>b</sup>	--	
	MW-36-091919	9/16/2019	18.22	9/19/2019	µg/L	360		10	U	46.0		188		10	U <sup>b</sup>	10	U	50	U <sup>b</sup>	--	
	MW-36-D-091919	9/16/2019	18.22	9/19/2019	µg/L	344		5	U	46.0		190		5	U	5	U	25	U	--	
MW-36B	MW-36B-051116			5/11/2016	µg/L	1	U	1	U	7.2		1	U	1	U	1	U	1	U	0.02	U
	MW-36B-112916			11/29/2016	µg/L	1	U	1	U	1.6		1	U	1	U	1	U	1	U	--	
	MW-36B-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-062917-FD			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-120717	12/4/2017	20.90	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-030718	3/5/2018	17.81	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	7W-36B-060618	6/4/2018	14.84	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-091318	9/11/2018	16.39	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-120618	12/3/2018	16.32	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-030719	3/4/2019	10.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-D-030719	3/4/2019	10.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-060419	6/3/2019	13.56	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-36B-091919	9/16/2019	17.94	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-37	MW-37-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-37-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1.44		5	U	--	
	MW-37-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1.5		5	U	--	
	MW-37-120617	12/4/2017	3.47	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	2.93		5	U	--	
	MW-37-030818	3/5/2018	3.28	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	3.71		5	U	--	
	MW-37-060518	6/4/2018	3.26	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5.06		5	U	--	
	MW-37-091218	9/10/2018	3.29	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	4.30		5	U	--	
	MW-37-120618	12/3/2018	3.01	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-021919	2/18/2019	3.08	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-030619	3/4/2019	2.9	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-051519	5/13/2019	3.1	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-060519	6/3/2019	3.19	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-071819	7/17/2019	3.2	7/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-082019	8/19/2019	3.32	8/20/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-091719	9/16/2019	3.79	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-38	MW-38-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	1	U	5.5		1	U	--	



**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-38-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	9.14		5	U	--
	MW-38-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	7.55		5	U	--
	MW-38-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	10.2		5	U	--
	MW-38-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	8.06		5	U	--
	MW-38-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	9.08		5	U	--
	MW-38-062817			6/28/2017	µg/L	9.71		1.17		1	U	6.63		1	U	1	U	5	U	--
	MW-38-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	8.59		5	U	--
	MW-38-071717-FD			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	9.78		5	U	--
	MW-38-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	7.25		5	U	--
	MW-38-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	12.9		5	U	--
	MW-38-100417	10/3/2017	2.23	10/4/2017	µg/L	1.75		1	U	1	U	3	U	1	U	11.2		5	U	--
	MW-38-110817	11/7/2017	1.88	11/8/2017	µg/L	4.48		1	U	1	U	12.4		1	U	29.2		5	U	--
	MW-38-120617	12/4/2017	2.01	12/6/2017	µg/L	102		1	U	1	U	86.1		1	U	38		5	U	--
	MW-38-010918	1/8/2018	1.95	1/9/2018	µg/L	311		1	U	2.31		158		1	U	49.4		5	U	--
	MW-38-020618	2/5/2018	1.58	2/6/2018	µg/L	389		5	U	5	U	208		5	U	48.8		25	U	--
	MW-38-030818	3/5/2018	1.25	3/8/2018	µg/L	364		5	U	5	U	202		5	U	54.8		25	U	--
	MW-38-040618	4/5/2018	1.50	4/6/2018	µg/L	347		1	U	2.95		221		1	U	68.8		10.4		--
	MW-38-D-040618	4/5/2018	1.50	4/6/2018	µg/L	371		1	U	2.61		190		1	U	67.6		9.46		--
	MW-38-050318	5/2/2018	1.7	5/3/2018	µg/L	378		10	U	10	U	212		10	U <sup>b</sup>	62.1		50	U <sup>b</sup>	--
	MW-38-060518	6/4/2018	1.2	6/5/2018	µg/L	373		1	U	2.49		222		1	U	75.5		9		--
	MW-38-071218	7/11/2018	1.45	7/12/2018	µg/L	268		1	U	1.27		138		1	U	52.5		7.26		--
	MW-38-091218	9/10/2018	2.17	9/12/2018	µg/L	157		1	U	1.19		66.5		1	U	38.8		5	U	--
	MW-38-120618	12/3/2018	1.12	12/6/2018	µg/L	412		1	U	1.90		236		1	U	89.7		13.7		--
	MW-38-021919	2/18/2019	1.27	2/19/2019	µg/L	887		1	U	10	U	331		1	U	87.1		14.3		--
	MW-38-030619	3/4/2019	0.72	3/6/2019	µg/L	849		1	U	2.55		278		1	U	96.7		18.0		--
	MW-38-051519	5/13/2019	1.12	5/15/2019	µg/L	614		1	U	1.42		178		1	U	95.6		10.1		--
	MW-38-060519	6/3/2019	1.36	6/5/2019	µg/L	950		100	U	100	U	300	U	100	U <sup>b</sup>	118		500	U <sup>b</sup>	--
	MW-38-071819	7/17/2019	1.44	7/18/2019	µg/L	1260		1	U	3.27		308		1	U	104		16.2		--
	MW-38-082019	8/19/2019	1.6	8/20/2019	µg/L	1030		10	U	10	U	279		10	U <sup>b</sup>	116		50	U <sup>b</sup>	--
	MW-38-091719	9/16/2019	1.89	9/17/2019	µg/L	40.2		10	U	10	U	30	U	10	U <sup>b</sup>	88.2		50	U <sup>b</sup>	--
MW-39	MW-39-120716			12/7/2016	µg/L	6,320		682		1,290		3,650		50	U <sup>b</sup>	311		86		--
	MW-39-031417			3/14/2017	µg/L	6,370		431		2,200		3,700		10	U <sup>b</sup>	199		117		--
	MW-39-032017			3/20/2017	µg/L	7,340		704		2,990		4,050		100	U <sup>b</sup>	248		500	U <sup>b</sup>	--
	MW-39-033117			3/31/2017	µg/L	7,540		899		3,140		4,400		50	U <sup>b</sup>	272		250	U <sup>b</sup>	--
	MW-39-040617			4/6/2017	µg/L	6,180		754		3,280		3,860		50	U <sup>b</sup>	257		250	U <sup>b</sup>	--
	MW-39-062817			6/28/2017	µg/L	5,470		58		3,360		3,900		20	U <sup>b</sup>	239		100	U <sup>b</sup>	--
	MW-39-071717			7/17/2017	µg/L	4,690		100	U	3,760		4,580		100	U <sup>b</sup>	344		500	U <sup>b</sup>	--
	MW-39-080117			8/1/2017	µg/L	4,630		100	U	2,880		4,740		100	U <sup>b</sup>	348		500	U <sup>b</sup>	--
	MW-39-090817			9/8/2017	µg/L	3,380		10.7		1,040		2,740		1	U	376		15.6		--
	MW-39-100417	10/3/2017	3.75	10/4/2017	µg/L	1,560		50	U	365		1,350		50	U <sup>b</sup>	305		250	U <sup>b</sup>	--
	MW-39-110817	11/7/2017	4.89	11/8/2017	µg/L	878		50	U	123		368		50	U <sup>b</sup>	442		250	U <sup>b</sup>	--
	MW-39-120617	12/4/2017	5.72	12/6/2017	µg/L	345		50	U	69		150		50	U <sup>b</sup>	355		250	U <sup>b</sup>	--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-39-D-120617	12/4/2017	5.72	12/6/2017	µg/L	286		1	U	31		131		1	U	353		5	U	--
	MW-39-010918	1/8/2018	4.86	1/9/2018	µg/L	23.8		5	U	5	U	15	U	5	U	370		25	U	--
	MW-39-020618	2/5/2018	4.85	2/6/2018	µg/L	46.9		5	U	5	U	15	U	5	U	263		25	U	--
	MW-39-030818	3/5/2018	4.66	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	304		5	U	--
	MW-39-040618	4/5/2018	4.54	4/6/2018	µg/L	1.00		1	U	1	U	3	U	1	U	297		5	U	--
	MW-39-050318	5/2/2018	4.48	5/3/2018	µg/L	10	U	10	U	10	U	30	U	10	U <sup>b</sup>	287		50	U <sup>b</sup>	--
	MW-39-060518	6/4/2018	4.34	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	322		5	U	--
	MW-39-071218	7/11/2018	4.75	7/12/2018	µg/L	1.00		1	U	1	U	3	U	1	U	244		5	U	--
	MW-39-091218	9/10/2018	5.12	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	176		5	U	--
	MW-39-D-091218	9/10/2018	5.12	9/12/2018	µg/L	1.84		1	U	1	U	3	U	1	U	187		5	U	--
	MW-39-120618	12/3/2018	4.45	12/6/2018	µg/L	30.6		1	U	7.49		29.3		1	U	156		5	U	--
	MW-39-021919	2/18/2019	4.42	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	53.8		5	U	--
	MW-39-030619	3/4/2019	3.99	3/6/2019	µg/L	1.91		1	U	1.01		3	U	1	U	61.0		5	U	--
	MW-39-051519	5/13/2019	4.07	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	89.4		5	U	--
	MW-39-060519	6/3/2019	4.54	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	156		5	U	--
	MW-39-081919	8/19/2019	4.13	8/19/2019	µg/L	10.9		1	U	1	U	5.35		1	U	162		5	U	--
	MW-39-091919	9/16/2019	5.21	9/19/2019	µg/L	1.67		1	U	1	U	3	U	1	U	121		5	U	--
MW-40	MW-40-120716			12/7/2016	µg/L	6,730		588		7,460		3,390		50	U <sup>b</sup>	373		64.8		--
	MW-40-031417			3/14/2017	µg/L	11,600		1,280		16,100		7,260		50	U <sup>b</sup>	691		250	U <sup>b</sup>	--
	MW-40-032017			3/20/2017	µg/L	12,300		1,330		19,600		7,500		200	U <sup>b</sup>	654		1,000	U <sup>b</sup>	--
	MW-40-033117			3/31/2017	µg/L	13,300		1,500		19,500		8,070		100	U <sup>b</sup>	727		500	U <sup>b</sup>	--
	MW-40-040617			4/6/2017	µg/L	10,400		1,180		16,200		6,570		200	U <sup>b</sup>	650		1,000	U <sup>b</sup>	--
	MW-40-062817			6/28/2017	µg/L	9,250		1,030		19,200		6,540		500	U <sup>b</sup>	590		2,500	U <sup>b</sup>	--
	MW-40-071717			7/17/2017	µg/L	11,400		1,210		25,300		7,430		500	U <sup>b</sup>	727		2,500	U <sup>b</sup>	--
	MW-40-080117			8/1/2017	µg/L	12,000		1,120		23,200		8,070		500	U <sup>b</sup>	631		2,500	U <sup>b</sup>	--
	MW-40-090817			9/8/2017	µg/L	14,300		1,250		28,700		9,250		20	U <sup>b</sup>	716		219		--
	MW-40-100417	10/3/2017	1.95	10/4/2017	µg/L	13,800		1,000	U <sup>b</sup>	28,800		9,530		1,000	U <sup>b</sup>	1,000	U <sup>b</sup>	5,000	U <sup>b</sup>	--
	MW-40-110817	11/7/2017	2.11	11/8/2017	µg/L	13,500		1,000	U <sup>b</sup>	23,000		9,290		1,000	U <sup>b</sup>	1,000	U <sup>b</sup>	5,000	U <sup>b</sup>	--
	MW-40-120617	12/4/2017	3.43	12/6/2017	µg/L	14,300		1,000	U <sup>b</sup>	22,300		10,100		1,000	U <sup>b</sup>	1,000	U <sup>b</sup>	5,000	U <sup>b</sup>	--
	MW-40-010918	1/8/2018	2.72	1/9/2018	µg/L	12,400		773		22,300		10,200		200	U <sup>b</sup>	497		1,000	U <sup>b</sup>	--
	MW-40-020618	2/5/2018	2.75	2/6/2018	µg/L	11,100		777		20,300		9,350		200	U <sup>b</sup>	373		1,000	U <sup>b</sup>	--
	MW-40-030818	3/5/2018	2.44	3/8/2018	µg/L	8,450		498		14,500		7,580		50	U <sup>b</sup>	337		250	U <sup>b</sup>	--
	MW-40-040618	4/5/2018	2.32	4/6/2018	µg/L	6,710		212		8,350		5,460		100	U <sup>b</sup>	423		500	U <sup>b</sup>	--
	MW-40-050318	5/2/2018	2.23	5/3/2018	µg/L	2,890		100	U	3,490		3,350		100	U <sup>b</sup>	288		500	U <sup>b</sup>	--
	MW-40-060518	6/4/2018	1.98	6/5/2018	µg/L	472		16.8		514		1,490		1	U	255		20.4		--
	MW-40-071218	7/11/2018	2.44	7/12/2018	µg/L	148		6.85		28.7		197		1	U	152		8.62		--
	MW-40-080218	8/1/2018	2.38	8/2/2018	µg/L	123		4.46		9.67		93.2		1	U	183		5	U	--
	MW-40-091218	9/10/2018	2.77	9/12/2018	µg/L	28.2		1.67		15.3		14.0		1	U	112		5	U	--
	MW-40-110218	11/2/2018	2.64	11/2/2018	µg/L	6.40		1	U	2.05		3	U	1	U	76.7		5	U	--
	MW-40-120618	12/3/2018	2.27	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	36.2		5	U	--
	MW-40-022019	2/18/2019	2.21	2/20/2019	µg/L	2.68		1	U	1	U	3	U	1	U	7.34		5	U	--
	MW-40-030619	3/4/2019	1.82	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	3.73		5	U	--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-40-051419	5/13/2019	1.72	5/14/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.12		5	U	--
	MW-40-060519	6/3/2019	2.33	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.81		5	U	--
	MW-40-082119	8/19/2019	2.27	8/21/2019	µg/L	2.56		1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-40-091919	9/16/2019	2.72	9/19/2019	µg/L	4.50		1	U	3.17		3	U	1	U	1	U	5	U	--
MW-41	MW-41-120716			12/7/2016	µg/L	212		2	U	2	U	155		2	U	6.7		5.6		--
	MW-41-031417			3/14/2017	µg/L	469		1.78		1	U	275		1	U	4.34		18.1		--
	MW-41-032017			3/20/2017	µg/L	424		2.62		1	U	342		1	U	1	U	16.9		--
	MW-41-033117			3/31/2017	µg/L	449		5	U	5	U	343		5	U <sup>b</sup>	5	U	25	U <sup>b</sup>	--
	MW-41-040617			4/6/2017	µg/L	470		2.06		1	U	258		1	U	3.84		10.6		--
	MW-41-062817			6/28/2017	µg/L	292		8.83		2.09		271		1	U	3.36		13.3		--
	MW-41-071717			7/17/2017	µg/L	487		15.8		3.09		366		1	U	3.62		27.9		--
	MW-41-080117			8/1/2017	µg/L	371		10	U	10	U	260		10	U <sup>b</sup>	10	U	50	U <sup>b</sup>	--
	MW-41-090817			9/8/2017	µg/L	189		1.51		1	U	90		1	U	3.74		5	U	--
	MW-41-100417	10/3/2017	4.37	10/4/2017	µg/L	93.5		1	U	1	U	59.9		1	U	1.84		5	U	--
	MW-41-110817	11/7/2017	4.39	11/8/2017	µg/L	99.6		1	U	1	U	56.6		1	U	2.46		5.68		--
	MW-41-120617	12/4/2017	5.55	12/6/2017	µg/L	27.6		1	U	1	U	11.1		1	U	1.62		5	U	--
	MW-41-010918	1/8/2018	4.40	1/9/2018	µg/L	2.06		1	U	1	U	3	U	1	U	1.43		5	U	--
	MW-41-020618	2/5/2018	3.82	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-030818	3/5/2018	3.94	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-040618	4/5/2018	4.00	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-050318	5/2/2018	3.8	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-060518	6/4/2018	3.69	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-071218	7/11/2018	4.07	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-091218	9/10/2018	4.25	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-120618	12/3/2018	3.66	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-D-120618	12/3/2018	3.66	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-021919	2/18/2019	3.58	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-030619	3/4/2019	3.33	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-051519	5/13/2019	3.28	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-D-051519	5/13/2019	3.28	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-060519	6/3/2019	3.07	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-D-060519	6/3/2019	3.07	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-081919	8/19/2019	4.2	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-091919	9/16/2019	4.45	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-D-091919	9/16/2019	4.45	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-42	MW-42-120716			12/7/2016	µg/L	3.8		1	U	1	U	2.7		1	U	1	U	1	U	--
	MW-42-031417			3/14/2017	µg/L	19.3		1	U	1	U	3	U	1	U	1.12		5	U	--
	MW-42-032017			3/20/2017	µg/L	59.6		1	U	1	U	16.9		1	U	1.24		5	U	--
	MW-42-033117			3/31/2017	µg/L	135		1	U	1	U	73.8		1	U	1	U	5.19		--
	MW-42-040617			4/6/2017	µg/L	93.5		1	U	1	U	53.3		1	U	1.18		5	U	--
	MW-42-062817			6/28/2017	µg/L	15.1		1	U	1	U	11.7		1	U	1.25		5	U	--
	MW-42-090817			9/8/2017	µg/L	143		1	U	1	U	100		1	U	1.51		5.52		--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-42-120617	12/4/2017	5.26	12/6/2017	µg/L	9.82		1	U	1	U	45		1	U	1.24		5	U	--
	MW-42-030818	3/5/2018	4.86	3/8/2018	µg/L	1.02		1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-060518	6/4/2018	5.37	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-091218	9/10/2018	4.96	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-120618	12/3/2018	4.37	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-030619	3/4/2019	4.06	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-060519	6/3/2019	4.52	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-091919	9/16/2019	4.44	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-43	MW-43-110817	11/7/2017	4.45	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-120617	12/4/2017	4.50	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-010918	1/8/2018	4.35	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-020618	2/5/2018	3.70	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-030818	3/5/2018	3.90	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-040618	4/5/2018	4.18	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-050318	5/2/2018	4.26	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-060618	6/4/2018	4.28	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-071218	7/11/2018	4.74	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	4.42		5	U	--
	MW-43-091218	9/10/2018	5.24	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-120618	12/3/2018	4.24	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-030619	3/4/2019	4.36	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-060519	6/3/2019	5.03	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-091719	9/16/2019	5.29	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-43B	MW-43B-120617	12/4/2017	4.08	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-030818	3/5/2018	1.21	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-060618	6/4/2018	0.9	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-091218	9/10/2018	1.88	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-120618	12/3/2018	2.3	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-030619	3/4/2019	0.97	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-060519	6/3/2019	1.45	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-091719	9/16/2019	2.64	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-44	--			3/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-44-062917			6/29/2017	µg/L	1.06		1	U	7.12		3.11		1	U	1	U	5	U	--
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	12/4/2017	9.40	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-44-030818	3/5/2018	4.00	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44D-030818	3/5/2018	4.00	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44-060518	6/4/2018	3.16	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44-091318	9/10/2018	8.65	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44-120518	12/3/2018	3.22	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44-030519	3/4/2019	1.41	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44-060419	6/3/2019	6.89	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	--	9/16/2019	9.43	9/16/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
MW-44B	MW-44B-031317			3/13/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-062817			6/28/2017	µg/L	1	U	1	U	2.39		3	U	1	U	1	U	5	U	--
	MW-44B-090717			9/7/2017	µg/L	1	U	1	U	3.07		3	U	1	U	1	U	5	U	--
	MW-44B-120517	12/4/2017	14.32	12/5/2017	µg/L	1	U	1	U	2.27		3	U	1	U	1	U	5	U	--
	MW-44B-030818	3/5/2018	12.10	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-060518	6/4/2018	9.5	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-D-060518	6/4/2018	9.5	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-091118	9/10/2018	12.35	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-120518	12/3/2018	11.36	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-030519	3/4/2019	5.97	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-060419	6/3/2019	8.57	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-44B-091919	9/16/2019	13.6	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-45	--			3/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			3/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			3/31/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			4/6/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--			5/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-45-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45-080217			8/2/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	10/3/2017	14.25	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	11/7/2017	14.24	11/8/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	12/4/2017	14.22	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	1/8/2018	14.25	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	--	2/5/2018	13.95	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW
	MW-45-030618	3/5/2018	12.31	3/6/2018	µg/L	24.3		6.11		28.9		41.2		1	U	1	U	5	U	--
	MW-45-040618	4/5/2018	11.30	4/6/2018	µg/L	21.9		3.08		19.6		36.6		1	U	1	U	5	U	--
	MW-45-050318	5/2/2018	10.74	5/3/2018	µg/L	2.65		1	U	1	U	1	U	1	U	3.35		5	U	--
	MW-45-060718	6/4/2018	24.15	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45-071318	7/11/2018	10.66	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45-091318	9/10/2018	12	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	46.3		5	U	--
	MW-45-120518	12/3/2018	10.94	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	3.67		5	U	--
	MW-45-030519	3/4/2019	5.64	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45-060519	6/3/2019	9.88	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	47.7		5	U	--
	MW-45-091719	9/16/2019	13.5	9/17/2019	µg/L	5.24		1	U	1	U	1	U	1	U	103		5	U	--
MW-45B	MW-45B-031317			3/13/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-062817			6/28/2017	µg/L	1	U	1	U	1.73		3	U	1	U	1	U	5	U	--
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-45B-120717	12/4/2017	15.93	12/7/2017	µg/L	1	U	1	U	3.26		3	U	1	U	1	U	5	U	--
	MW-45B-030618	3/5/2018	14.65	3/6/2018	µg/L	1	U	1	U	2.75		3	U	1	U	1	U	5	U	--
	MW-45B-060718	6/4/2018	25.13	6/7/2018	µg/L	1	U	1	U	1.94		3	U	1	U	1	U	5	U	--
	MW-45B-091118	9/10/2018	12.84	9/11/2018	µg/L	1	U	1	U	1.16		3	U	1	U	1	U	5	U	--
	MW-45B-120518	12/3/2018	13.13	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-030519	3/4/2019	9.17	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-060519	6/3/2019	10.52	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-45B-091919	9/16/2019	14.01	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-46	MW-46-120617	12/4/2017	9.48	12/6/2017	µg/L	4.97		1	U	1	U	7.74		1	U	85.5		5	U	--
	MW-46-030618	3/5/2018	6.33	3/6/2018	µg/L	173		1.76		16.5		29.5		1	U	129		7.21		--
	MW-46-060518	6/4/2018	5.2	6/5/2018	µg/L	294		1	U	11.8		147		1	U	184		5	U	--
	MW-46-080218	8/1/2018	6.67	8/2/2018	µg/L	1520		4.24		92.1		763		1	U	200		20.7		--
	MW-46-091118	9/10/2018	7.88	9/11/2018	µg/L	1510		6.81		64		597		1	U	311		23.4		--
	MW-46-110218	11/2/2018	7.95	11/2/2018	µg/L	1790		7.1		120		740		1	U	299		16.6		--
	MW-46-120518	12/3/2018	5.25	12/5/2018	µg/L	1250		3.07		46.7		521		1.90		290		7.38		--
	MW-46-022019	2/18/2019	3.83	2/20/2019	µg/L	2380		2.97		82.4		799		1	U	346		22.4		--
	MW-46-030519	3/4/2019	2.67	3/5/2019	µg/L	2350		4.01		73.7		701		1	U	406		32.8		--
	MW-46-051419	5/14/2019	4.98	5/14/2019	µg/L	1300		2.27		54.8		412		1	U	174		28.9		--
	MW-46-060519	6/3/2019	6.32	6/5/2019	µg/L	1300		10	U	19.5		400		10	U <sup>b</sup>	278		50	U <sup>b</sup>	--
	MW-46-071719	7/17/2019	7.5	7/17/2019	µg/L	976		1	U	29.1		237		1	U	198		15.5		--
	MW-46-D-071719	7/17/2019	7.5	7/17/2019	µg/L	945		1.05		36.7		290		1	U	175		20.6		--
	MW-46-082119	8/19/2019	8.56	8/21/2019	µg/L	874		25	U	25	U	226		25	U <sup>b</sup>	191		125	U <sup>b</sup>	--
	MW-46-091719	9/16/2019	9.32	9/17/2019	µg/L	705		25	U	26.1		150		25	U <sup>b</sup>	175		125	U <sup>b</sup>	--
MW-47	MW-47-120617	12/4/2017	17.75	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-030718	3/5/2018	14.74	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-060618	6/4/2018	13.92	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-091218	9/10/2018	19.42	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-120618	12/3/2018	18.88	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-030619	3/4/2019	10.27	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-060519	6/3/2019	13.64	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-47-091819	9/16/2019	19.29	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-48B	MW-48B-120617	12/4/2017	18.22	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	2.92		5	U	--
	MW-48B-030718	3/5/2018	16.70	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.97		5	U	--
	MW-48B-060618	6/4/2018	15.91	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.12		5	U	--
	MW-48B-D-060618	6/4/2018	15.91	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.11		5	U	--
	MW-48B-091218	9/10/2018	17.45	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1.80		5	U	--
	MW-48B-120618	12/3/2018	16.4	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1.56		5	U	--
	MW-48B-030619	3/4/2019	13.75	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.64		5	U	--
	MW-48B-060519	6/3/2019	15.82	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.45		5	U	--
	MW-48B-091819	9/16/2019	18.02	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.14		5	U	--
MW-49	MW-49-120617	12/4/2017	20.29	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-030818	3/5/2018	17.68	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL <sup>a</sup> :					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
	MW-49-060518	6/4/2018	14.95	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-091118	9/10/2018	18.28	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-120518	12/3/2018	17.49	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-D-120518	12/3/2018	17.49	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-030619	3/4/2019	9.88	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-060519	6/3/2019	14.68	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-49-091719	9/16/2019	19.45	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-50B	MW-50B-120617	12/4/2017	21.37	12/6/2017	µg/L	1.37		1	U	1	U	3	U	1	U	35.5		5	U	--
	MW-50B-030718	3/5/2018	19.10	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	26.7		5	U	--
	MW-50B-060618	6/4/2018	18.36	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	21.8		5	U	--
	MW-50B-091218	9/10/2018	23.28	9/12/2018	µg/L	150		1.20		57.9		47.8		1	U	87.9		5	U	--
	MW-50B-120618	12/3/2018	26.06	12/6/2018	µg/L	27.4		1	U	3.21		3	U	1	U	40.6		5	U	--
	MW-50B-030619	3/4/2019	15.33	3/6/2019	µg/L	1.18		1	U	1	U	3	U	1	U	43.9		5	U	--
	MW-50B-060519	6/3/2019	17.75	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	44.1		5	U	--
	MW-50B-091819	9/16/2019	23.59	9/18/2019	µg/L	25.6		1	U	1.20		3	U	1	U	43.1		5	U	--
MW-51	MW-51-100518	10/5/2018	18.84	10/5/2018	µg/L	1	U	1	U	1.88		3	U	1	U	1	U	5	U	--
	MW-51-120618	12/3/2018	17.38	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-51-030619	3/4/2019	15.86	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-51-051519	5/13/2019	17.29	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-51-081919	8/19/2019	18.76	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-52	MW-52-100518	10/5/2018	16.9	10/5/2018	µg/L	1	U	1	U	1.25		3	U	1	U	3.12		5	U	--
	MW-52-120618	12/3/2018	15.8	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-52-030619	3/4/2019	14.43	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.32		5	U	--
	MW-52-051519	5/13/2019	15.46	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-52-081919	8/19/2019	16.92	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.01		5	U	--
MW-53	MW-53-100518	10/5/2018	11.54	10/5/2018	µg/L	1	U	1	U	5.43		3	U	1	U	1	U	5	U	--
	MW-53-D-100518	10/5/2018	11.54	10/5/2018	µg/L	1	U	1	U	2.11		3	U	1	U	1	U	5	U	--
	MW-53-120618	12/3/2018	6.81	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-030719	3/4/2019	2.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-051519	5/13/2019	5.84	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-081919	8/19/2019	11.8	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-54	MW-54-100518	10/5/2018	11.57	10/5/2018	µg/L	1	U	1	U	1.72		3	U	1	U	1.35		5	U	--
	MW-54-120618	12/3/2018	12.95	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-030719	3/4/2019	5.50	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-051519	5/13/2019	8.12	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-081919	8/19/2019	15.87	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-55	MW-55-040919	4/8/2019	13.15	4/9/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-55-051519	5/13/2019	14.6	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-55-081919	8/19/2019	18.89	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-56	MW-56-040919	4/8/2019	3.27	4/9/2019	µg/L	209		1	U	2.57		93.9		1	U	79.9		5	U	--
	MW-56-051519	5/13/2019	4.02	5/15/2019	µg/L	299		1	U	4.11		119		1	U	86.2		5.33		--
	MW-56-071719	7/17/2019	6.46	7/17/2019	µg/L	549		1	U	8.90		205		1	U	146		8.18		--

**Table 1. Historical Analytical Results for Groundwater, September 2019**

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte												
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB					
RBSL <sup>a</sup> :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05					
	MW-56-082119	8/19/2019	7.46	8/21/2019	µg/L	<b>391</b>	10	U	10	U	<b>91.1</b>	10	U <sup>b</sup>	<b>134</b>	50	U <sup>b</sup>	--	
	MW-56-091719	9/16/2019	8.18	9/17/2019	µg/L	<b>30.1</b>	1	U	1	U	<b>8.51</b>	1	U	<b>137</b>	5	U	--	
MW-57	MW-57-040919	4/8/2019	4.78	4/9/2019	µg/L	<b>1340</b>	<b>2.81</b>		<b>42</b>		<b>406</b>	1	U	<b>198</b>	<b>20.5</b>		--	
	MW-57-D-040919	4/8/2019	4.78	4/9/2019	µg/L	<b>1320</b>	<b>1.9</b>		<b>40</b>		<b>419</b>	1	U	<b>190</b>	<b>17.8</b>		--	
	MW-57-051519	5/13/2019	5.67	5/15/2019	µg/L	<b>535</b>	<b>1.36</b>		<b>11.1</b>		<b>178</b>	1	U	<b>169</b>	<b>8.65</b>		--	
	MW-57-D-051519	5/13/2019	5.67	5/15/2019	µg/L	<b>716</b>	<b>3.25</b>		<b>23.3</b>		<b>332</b>	1	U	<b>180</b>	<b>20.0</b>		--	
	MW-57-071719	7/17/2019	8.08	7/17/2019	µg/L	<b>1330</b>	<b>3.63</b>		<b>22.9</b>		<b>341</b>	1	U	<b>186</b>	<b>19.8</b>		--	
	MW-57-082119	8/19/2019	8.99	8/21/2019	µg/L	<b>584</b>	10	U	10	U	<b>76.2</b>	10	U <sup>b</sup>	<b>183</b>	50	U <sup>b</sup>	--	
	MW-57-D-082119	8/19/2019	8.99	8/21/2019	µg/L	<b>631</b>	10	U	10	U	<b>95.2</b>	10	U <sup>b</sup>	<b>168</b>	50	U <sup>b</sup>	--	
	MW-57-091719	9/16/2019	9.76	9/17/2019	µg/L	<b>71.8</b>	10	U	10	U	30	U	10	U <sup>b</sup>	<b>74.6</b>	50	U <sup>b</sup>	--
	MW-57-D-091719	9/16/2019	9.76	9/17/2019	µg/L	<b>144</b>	10	U	10	U	30	U	10	U <sup>b</sup>	<b>94.1</b>	50	U <sup>b</sup>	--

Notes:

<sup>a</sup> RBSL = Risk-based screening levels identified in South Carolina Underground Storage Tank Management Division Programmatic Quality Assurance Program Plan, Revision 3.1, Table D1 "RBSLs for Groundwater", February 2016

<sup>b</sup> The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria. The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit can not be determined.

\*Unable to collect depth to water due to fluctuation of the well from air bubbling.

Samples analyzed by EPA Methods SW 8260B and 8011

**Bold** indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded RBSLs.

U = analyte was not detected above the reported sample quantitation limit

MTBE = methyl tertiary butyl ether

1,2-DCA = 1,2-dichloroethane

EDB = 1,2-dibromoethane

ID = identification

NS-FP = sample not collected due to the presence of free product in the well

NS-HS = sample not collected due to health and safety concerns

NS-IW = sample not collected due to insufficient volume of water in well

µg/L = microgram(s) per liter

NS-OL = sample not collected because it was overlooked in the field

NS-SL = sample not analyzed due to sample being lost in transit to laboratory

NS-PS = sample not collected due to the observation of product sheet in well



**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
SW-RELEASE	SW-RELEASE	1/20/2015	µg/L	330		490		2,400		2,100		940		140		5.7	J
SW-01	SW01-121114	12/11/2014	µg/L	0.5	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW01-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	17.6		10	U	5	U	5	U	NA	
	SW01-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	14.9		10	U	5	U	5	U	NA	
	SW01-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	7.0		10	U	5	U	5	U	NA	
	SW01-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	8.8		10.6		6.4		5	U	NA	
	SW01-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-112415	11/24/2015	µg/L	7.8		1.5		13.0		9.3		4.6		1	U	NA	
	SW01-122215	12/22/2015	µg/L	4.6		1	U	8.8		5.5		3.1		1	U	NA	
	SW01-012516	1/25/2016	µg/L	17.6		2.3		36.0		11.3		6.3		1	U	NA	
	SW01-021816	2/18/2016	µg/L	23.4		3.0		55.6		15.0		9.1		1	U	NA	
	SW01-031616	3/16/2016	µg/L	20.1		2.4		42.3		13.3		7.6		1	U	NA	
	SW01-042716	4/27/2016	µg/L	20.8		1	U	30.6		2.9		2.0		1	U	NA	
	SW01-050916	5/9/2016	µg/L	16.5		1.4		16.3		7.0		4.8		1	U	NA	
	SW01-062716	6/27/2016	µg/L	9		1	U	3.3		2	U	1	U	1	U	NA	
	SW01-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-112816	11/28/2016	µg/L	5.0		1	U	10.4		4.9		8.3		1	U	NA	
	SW01-122916	12/29/2016	µg/L	12.6		1	U	22.1		11.2		13.5		1	U	NA	
	SW01-012017	1/20/2017	µg/L	1.0		1	U	2.3		2	U	3.5		1	U	NA	
	SW01-022817	2/28/2017	µg/L	18.5		1.93		37.0		13.8		10.2		5	U	NA	
	SW01-031517	3/15/2017	µg/L	3.02		1	U	5.13		2.16		1.74		5	U	NA	
	SW01-032117	3/21/2017	µg/L	1	U	1	U	1.57		2	U	1	U	5	U	NA	
	SW01-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-040517	4/5/2017	µg/L	1	U	1	U	2.25		2	U	1	U	5	U	NA	
	SW01-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW01-061317	6/13/2017	µg/L	1	U	1	U	1.90		2	U	1	U	5	U	NA	
	SW01-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-120517	12/5/2017	µg/L	1.5		1	U	1.15		2	U	2.14		5	U	NA	
	SW01-121417	12/14/2017	µg/L	4.52		1	U	4.52		3.48		3.2		5	U	NA	
	SW01-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1.15		5	U	NA	
	SW01-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-030918	3/9/2018	µg/L	1.15		1	U	1	U	2	U	1	U	5	U	1	U
	SW01-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.1	
	SW01-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.43	
	SW01-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.09	
	SW01-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.51	
	SW01-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW01-051519	5/15/2019	µg/L	2.39		1	U	1	U	2	U	1	U	5	U	1.56	
	SW01-060619	6/6/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.93	
	SW01-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.30	
	SW01-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.31	
	SW01-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-02	SW02-121114	12/11/2014	µg/L	0.5	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW02-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	6.0		10	U	5	U	5	U	NA	
	SW02-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	13.0		10	U	5	U	5	U	NA	
	SW02-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW02-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-112415	11/24/2015	µg/L	6		1.3		10.0		7.8		4.0		1	U	NA	
	SW02-122215	12/22/2015	µg/L	4.1		1	U	7.6		5.1		3.1		1	U	NA	
	SW02-012516	1/25/2016	µg/L	12		1.5		25.0		8.4		4.6		1	U	NA	
	SW02-021816	2/18/2016	µg/L	15.5		1.8		35.3		10.1		5.9		1	U	NA	
	SW02-031616	3/16/2016	µg/L	8		1.0		17.5		5.8		3.9		1	U	NA	
	SW02-042716	4/27/2016	µg/L	5.6		1	U	7.1		2	U	1	U	1	U	NA	
	SW02-050916	5/9/2016	µg/L	7.1		1	U	4.5		2.2		1.6		1	U	NA	
	SW02-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-112816	11/28/2016	µg/L	5.4		1	U	1.6		2.6		4.8		1	U	NA	
	SW02-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1.4		1	U	NA	
	SW02-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-022817	2/28/2017	µg/L	10.7		1	U	11.0		4.14		4.23		5	U	NA	
	SW02-031517	3/15/2017	µg/L	11.4		1	U	8.6		4.45		3.6		5	U	NA	
	SW02-032117	3/21/2017	µg/L	8.42		1	U	2.45		2.48		2.68		5	U	NA	
	SW02-033017	3/30/2017	µg/L	2.18		1	U	1	U	2	U	1	U	5	U	NA	
	SW02-040517	4/5/2017	µg/L	2.87		1	U	1.12		2	U	1.14		5	U	NA	
	SW02-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-120517	12/5/2017	µg/L	26.6		1.8		8.39		10.2		7.17		5	U	NA	
	SW02-121417	12/14/2017	µg/L	21.1		1.53		9.4		9.74		7.32		5	U	NA	
	SW02-010918	1/9/2018	µg/L	25.0		1.56		12.4		11		8.24		5	U	NA	
	SW02-020618	2/6/2018	µg/L	6.69		1	U	2.65		2.75		1.87		5	U	1	U
	SW02-030918	3/9/2018	µg/L	3.19		1	U	1.39		2	U	1.11		5	U	1	U
	SW02-040618	4/6/2018	µg/L	2.23		1	U	1	U	2	U	1	U	5	U	2.13	
	SW02-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.25	
	SW02-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.92	
	SW02-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.15	
	SW02-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.94	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE							
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b		
	SW02-120418	12/4/2018	µg/L	11.9		1	U	1.32		4.40		3.75		5	U	2.23	
	SW02-021919	2/19/2019	µg/L	19.7		1	U	2.67		4.60		4.44		5	U	2.12	
	SW02-030719	3/7/2019	µg/L	22.3		1	U	3.58		4.71		4.32		5	U	2.46	
	SW02-040919	4/9/2019	µg/L	2.8		1	U	1	U	2	U	1	U	5	U	1	U
	SW02-051519	5/15/2019	µg/L	3.47		1	U	1	U	2	U	1	U	5	U	2.36	
	SW02-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.02	
	SW02-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.11	
	SW02-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.35	
	SW02-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.96	
SW-03	SW-UPGRADIENT	1/20/2015	µg/L	0.5	U	1	U	0.23 J		2	U	1	U	1	U	1	U
	SW03-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
 Plantation Pipe Line Company  
 Lewis Drive Remediation Site, Belton, South Carolina  
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW03-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	1/9/2018	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	SW03-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/4/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-04	W-DOWNGRADIEN	1/20/2015	µg/L	95		27		310		110		63		94		2.7	
	SW04-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW04-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-112415	11/24/2015	µg/L	1.7		1	U	2.7		2.9		1.6		1	U	NA	
	SW04-122215	12/22/2015	µg/L	3.3		1	U	7.3		5.2		2.7		1	U	NA	
	SW04-012516	1/25/2016	µg/L	6.9		1	U	14.0		4.9		2.8		1	U	NA	
	SW04-021816	2/18/2016	µg/L	10.9		1.1		25.4		7.0		4.3		1	U	NA	
	SW04-031616	3/16/2016	µg/L	1	U	1	U	2.0		2	U	1.8		1	U	NA	
	SW04-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-062716	6/27/2016	µg/L	1	U	1	U	1.1		2	U	1	U	1	U	NA	
	SW04-072816	7/28/2016	µg/L	1	U	1	U	23.5		2	U	1	U	1	U	NA	
	SW04-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-022817	2/28/2017	µg/L	1	U	1	U	1.13		2	U	1	U	5	U	NA	
	SW04-031517	3/15/2017	µg/L	1	U	1	U	2.90		2	U	1	U	5	U	NA	
	SW04-032117	3/21/2017	µg/L	1	U	1	U	3.28		2	U	1	U	5	U	NA	
	SW04-033017	3/30/2017	µg/L	1	U	1	U	6.15		2	U	1	U	5	U	NA	
	SW04-040517	4/5/2017	µg/L	1	U	1	U	9.47		2	U	1	U	5	U	NA	
	SW04-050417	5/4/2017	µg/L	1	U	1	U	13.8		2	U	1	U	5	U	NA	
	SW04-061317	6/13/2017	µg/L	1	U	1	U	1.37		2	U	1	U	5	U	NA	
	SW04-071817	7/18/2017	µg/L	1	U	1	U	1.92		2	U	1	U	5	U	NA	
	SW04-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-120517	12/5/2017	µg/L	1	U	1	U	5.53		2	U	1	U	5	U	NA	
	SW04-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-010918	1/9/2018	µg/L	1	U	1	U	4.09		2	U	1	U	5	U	NA	
	SW04-020618	2/6/2018	µg/L	3.04		1	U	1.73		2	U	1.12		5	U	1	U

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW04-030918	3/9/2018	µg/L	1	U	1	U	1.37		2	U	1	U	5	U	1	U
	SW04-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.2	
	SW04-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.31	
	SW04-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.13	
	SW04-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-021919	2/19/2019	µg/L	1.47		1	U	1	U	2	U	1	U	5	U	1	U
	SW04-030719	3/7/2019	µg/L	3.11		1	U	1	U	2	U	1	U	5	U	1	U
	SW04-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.27	
	SW04-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.36	
	SW04-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.12	
	SW04-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-05	SW05-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	--	5/19/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/3/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/18/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/15/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/22/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	4/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/9/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
 Plantation Pipe Line Company  
 Lewis Drive Remediation Site, Belton, South Carolina  
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/15/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/21/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/30/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/14/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	4/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/7/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/12/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/4/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/20/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-06	SW06-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW06-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW06-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	



**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			<b>Screening Value (µg/L):</b>	<b>2.2</b>	<sup>a</sup>	<b>530</b>	<sup>a</sup>	<b>1,000</b>	<sup>a</sup>	<b>NA</b>	<sup>b</sup>	<b>NA</b>	<sup>b</sup>	<b>NA</b>	<sup>b</sup>	<b>NA</b>	<sup>b</sup>
	SW06-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	--	3/31/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW06-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	--	5/7/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/19/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/3/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/18/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/15/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/22/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW06-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW06-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW06-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	3/16/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/9/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/15/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/21/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/30/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	--	12/14/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/3/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/7/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/12/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-07	SW07-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	SW07-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	5	U
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW07-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-060619	6/6/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	7/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/20/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-08	SW08-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW08-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-122215	12/22/2015	µg/L	1.6		1	U	3.8		2.5		1.6		1	U	NA	
	SW08-012516	1/25/2016	µg/L	2.4		1	U	5.6		2		1.3		1	U	NA	
	SW08-021816	2/18/2016	µg/L	2.9		1	U	7.6		2.3		1.5		1	U	NA	
	SW08-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-010918	1/9/2018	µg/L	1.16		1	U	1	U	2	U	1.87		5	U	NA	
	SW08-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW08-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-030719	3/7/2019	µg/L	2.45		1	U	1	U	2	U	1	U	5	U	1.17	
	SW08-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-09	SW09-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-122215	12/22/2015	µg/L	2.1		1	U	4.8		3.3		2.1		1	U	NA	
	SW09-012516	1/25/2016	µg/L	3.3		1	U	7.1		2.4		1.5		1	U	NA	
	SW09-021816	2/18/2016	µg/L	2.2		1	U	5.9		2	U	1.2		1	U	NA	
	SW09-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW09-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-030719	3/7/2019	µg/L	1.88		1	U	1	U	2	U	1	U	5	U	1.07	
	SW09-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-10	SW10-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW10-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	SW10-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-11	SW11-022515	2/25/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-030215	3/2/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-031115	3/11/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-031815	3/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-033115	3/31/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-042215	4/22/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-050715	5/7/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-051915	5/19/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-060315	6/3/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-061815	6/18/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-071515	7/15/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-081315	8/13/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-092415	9/24/2015	µg/L	5	U <sup>c</sup>	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	



**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW11-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-12	SW12-081916	8/19/2016	µg/L	6,430		764		15,400		3,360		1,730		128		NA	
	SW12-092916	9/29/2016	µg/L	7,850		1,030		19,000		3,910		1,940		143		NA	
	SW12-103116	10/31/2016	µg/L	165		17.7		302		103		58.2		4.7		NA	
	SW12-112816	11/28/2016	µg/L	486		59.6		976		351		181		14.2		NA	
	SW12-122916	12/29/2016	µg/L	707		97.3		1,790		408		213		16.8		NA	
	SW12-012017	1/20/2017	µg/L	212		19.8		396		104		58		3.8		NA	
	SW12-022817	2/28/2017	µg/L	26.1		4.04		62.3		18.0		9.73		5	U	NA	
	SW12-031517	3/15/2017	µg/L	125		15.3		185		67.9		35.5		5	U	NA	
	SW12-032117	3/21/2017	µg/L	134		12.1		45.0		60.8		33.6		5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE							
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b		
	SW12-033017	3/30/2017	µg/L	48.5		5.69		86.3		27.7		15.8		5	U	NA	
	SW12-040517	4/5/2017	µg/L	67.1		9.24		127.0		43.6		23.7		5	U	NA	
	SW12-050417	5/4/2017	µg/L	52.8		7.96		91.7		42		23.2		5	U	NA	
	SW12-061317	6/13/2017	µg/L	102		16.6		166		85.1		46.2		5	U	NA	
	SW12-071817	7/18/2017	µg/L	65		5.8		116		43.3		24.8		5	U	NA	
	SW12-080217	8/2/2017	µg/L	125		14.7		204		102		67		5	U	NA	
	SW12-090517	9/5/2017	µg/L	46.7		4.72		72		39		26.2		5	U	NA	
	SW12-120517	12/5/2017	µg/L	16.6		2.91		12.6		20.1		13.3		5	U	NA	
	SW12-121417	12/14/2017	µg/L	9.19		2.66		8.26		18		12.1		5	U	NA	
	SW12-010918	1/9/2018	µg/L	12.3		2.16		5.65		14.6		11.1		5	U	NA	
	SW12-020618	2/6/2018	µg/L	2.53		1	U	1.20		4.04		2.44		5	U	1	U
	SW12-030918	3/9/2018	µg/L	3.24		1.79		12.2		9.75		4.28		5	U	1	U
	SW12-040618	4/6/2018	µg/L	1.88		1	U	1	U	5.05		2.82		5	U	1	U
	SW12-050318	5/3/2018	µg/L	1	U	1	U	1	U	4.18		2.72		5	U	1	U
	SW12-060718	6/7/2018	µg/L	1.85		1	U	1	U	3.24		1.64		5	U	1	U
	SW12-071218	7/12/2018	µg/L	1.79		1	U	1	U	3.81		2.15		5	U	1	U
	SW12-091418	9/14/2018	µg/L	1.34		1	U	1	U	3.20		2.00		5	U	1	U
	SW12-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW12-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-060419	6/4/2019	µg/L	1.19		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-071819	7/18/2019	µg/L	1.09		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-082219	8/22/2019	µg/L	3.33		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-13	SW13-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-103116	10/31/2016	µg/L	1	U	1	U	2.0		2	U	1	U	1	U	NA	
	SW13-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-040517	4/5/2017	µg/L	1	U	1	U	1.21		2	U	1	U	5	U	NA	
	SW13-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW13-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-020618	2/6/2018	µg/L	1.78		1	U	1	U	2	U	1	U	5	U	4.26	
	SW13-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.07	
	SW13-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.4	
	SW13-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	3.67	
	SW13-060718	6/7/2018	µg/L	2.99		1	U	2.48		2	U	1	U	5	U	8.08	
	SW13-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-081318	8/13/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-120418	12/4/2018	µg/L	1	U	1	U	1.84		2	U	1	U	5	U	3.49	
	SW13-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	11.0	
	SW13-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.30	
	SW13-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.11	
	SW13-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-091819	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-14	SW14-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	12/14/2017	--	NS-DW		NS-DW		NS-DW		NS-DW		NS-DW		NS-DW		NS-DW	
	SW14-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-040618	4/6/2018	µg/L	1	U	1	U	1.43		2	U	1	U	5	U	1	U
	SW14-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.18	
	SW14-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.33	
	SW14-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.62	
	SW14-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.19	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	a	530	a	1,000	a	NA	b	NA	b	NA	b	NA	b
	SW14-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.68	
	SW14-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.50	
	SW14-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-01	FP01-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-02	FP02-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
*Plantation Pipe Line Company*  
*Lewis Drive Remediation Site, Belton, South Carolina*  
*Site ID #18693 "Kinder Morgan Belton Pipeline Release"*

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	FP02-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-03	FP03-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	8/19/2016	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	FP03-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

**Table 2. Historical Analytical Results for Surface Water, September 2019**  
 Plantation Pipe Line Company  
 Lewis Drive Remediation Site, Belton, South Carolina  
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	<sup>a</sup>	530	<sup>a</sup>	1,000	<sup>a</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>	NA	<sup>b</sup>
	FP03-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	4/5/2017	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	FP-03-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

Notes:

<sup>a</sup> South Carolina Department of Health and Environmental Control (SC DHEC) R.61-68, Water Classifications and Standards, Human Health for consumption of water and organism, June 27, 2014.

<sup>b</sup> Screening levels for these analytes are not specified in SC DHEC R. 61-68.

<sup>c</sup> The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria. The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit can not be determined.

Samples analyzed by EPA Methods SW 8260B

**Bold** indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded its screening value.

J = estimated

U = analyte was not detected above the reported sample quantitation limit

µg/L = microgram(s) per liter

NS-HS = sample not collected due to health and safety concerns

FP = free product

NA = not applicable

NS-IW = sample not collected due to insufficient volume of water in well

ID = identification sample not collected due to location being in a different watershed

SW = surface water