



SOURCE: USGS 7.5' QUADRANGLE MAP 2020, WATERLOO, SC

ENVIROSOUTH
Environmental Consultants

SITE VICINITY MAP

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

JOB NO.: 1872	CHECKED BY: MAM	FIGURE: 1
SCALE: NOT SHOWN	DRAWN BY: BD	DATE: 06/14/2024



0 50 100 150

EXPLANATION

S-1 = 2024 LIMITED SOIL ASSESSMENT SOIL BORING LOCATION

S-5 = TIER I SOIL BORING LOCATION

S-16 = TIER II SOIL BORING LOCATION

—— = UNDERGROUND PRODUCT LINES

—— = GIS PROPERTY LINE

NOTE 1: Soil samples S-43, S-44, and S-45 were submitted for analysis of grain size by hydrometer only.


NOTE 2: Soil sample S-42 was submitted for analysis of total organic carbon only.

DWG: CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
	08/05/2025	BD	KM	AS SHOWN	1872	2

ENVIROSOUTH Environmental Consultants

SITE MAP WITH SOIL BORING LOCATIONS

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043



EXPLANATION

S-5 = TIER I SOIL BORING LOCATION

S-27 = TIER II SOIL BORING LOCATION

———————— = UNDERGROUND PRODUCT LINES

— — — — — — = GIS PROPERTY LINE

NOTE 1: Soil samples S-1, S-2, and S-3 (not depicted) were installed as part of Limited Soil Assessment in July 2024. The Limited Soil Assessment was submitted to the SCDES on August 13, 2024.

NOTE 2: Soil samples S-43, S-44, and S-45 were submitted for analysis of grain size by hydrometer only.


NOTE 3: Soil sample S-42 was submitted for analysis of total organic carbon only.

DWG: CONSTRUCTION SUPPORT SERVICES 2024 SURVEY	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
	05/27/2025	BD	KM	AS SHOWN	1872	3

ENVIROSOUTH Environmental Consultants

SITE MAP WITH SOIL BORING LOCATIONS

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043



EXPLANATION

TW-1
TW-1I
TW-1D = FIELD SCREENING TRIPLET LOCATION (SHALLOW, INTERMEDIATE, AND DEEP)

TW-7 = SHALLOW FIELD SCREENING LOCATION

—— = UNDERGROUND PRODUCT LINES

—— = GIS PROPERTY LINE

NOTE: Field screening triplet points are shown on map as one (1) location. The field screening triplet points were installed as three (3) separate points to an approximate depth of 15 feet each for shallow, 35 feet each for intermediate, and 55 feet each for deep.


DWG:	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	08/05/2025	BD	KM	AS SHOWN	1872	4

ENVIROSOUTH Environmental Consultants

SITE MAP WITH FIELD SCREENING LOCATIONS

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043

WELL NO.	DATE SAMPLED	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE
TW-1	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-1I	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-1D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-2	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-3	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4I	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4D	4/21/2025	**11.9**	<1.0	<1.0	<1.0	1.3	<1.0
TW-5	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-6	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-6I	4/21/2025	0.80 J	<1.0	<1.0	<1.0	1.6	<1.0
TW-6D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-7	4/21/2025	0.40 J	<1.0	0.39 J	1.0	3.7	<1.0
TW-8	4/21/2025	**14.0**	<1.0	1.7	3.2	<1.0	<1.0
TW-8I	4/21/2025	2.1	<1.0	<1.0	<1.0	0.68 J	<1.0
TW-8D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-9	4/22/2025	<1.0	1.7	0.31 J	1.1	<1.0	<1.0
TW-9I	4/22/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-9D	4/22/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-10	4/22/2025	<50.0	280	**1,580**	4,030	<50.0	**59.9**
TW-11	4/22/2025	**3,100**	**32,700**	**4,370**	**24,600**	<250	**622**
TW-12	4/22/2025	1.7	15.6	1.6	7.8	<1.0	<1.0
TW-12I	4/22/2025	**47.8**	30.2	4.5	26.3	10.7	2.6
TW-12D	4/22/2025	**5.0**	58.7	6.9	30.1	7.1	0.96 J
TW-13	4/22/2025	0.61 J	14.2	2.1	11.3	0.93 J	0.69 J
TW-14	4/22/2025	<1.0	7.6	1.4	7.4	<1.0	<1.0
TW-14I	4/22/2025	<1.0	2.4	0.46 J	2.2	0.48 J	<1.0
TW-14D	4/22/2025	<1.0	3.9	0.67 J	3.5	4.3	<1.0
TW-15	4/23/2025	<1.0	<1.0	<1.0	<1.0	0.42 J	<1.0
TW-15I	4/23/2025	<1.0	<1.0	<1.0	<1.0	11.3	<1.0
TW-15D	4/23/2025	<1.0	<1.0	0.38 J	3.1	4.8	0.94 J
TW-16	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-16I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-16D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-17	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-17I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-17D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-18	4/23/2025	**15.7**	3.8	1.5	29.6	2.5	<1.0
TW-19	4/23/2025	**2,930**	245	90.7	776	<25.0	**60.3**
TW-20	4/23/2025	**6,560**	**59,600**	**4,280**	**25,700**	<500	**485 J**
TW-21	4/23/2025	**2,940**	**5,500**	**1,070**	5,260	<50.0	**311**
TW-22	4/23/2025	**1,010**	63.0	36.2	1,380	4.4 J	**199**
TW-23	4/23/2025	**1,260**	**6,240**	**3,320**	**15,200**	<50.0	**627**
TW-24	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-24I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	0.75 J
TW-24D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-25	4/24/2025	<1.0	6.0	13.2	71.6	<1.0	24.3
TW-26	4/24/2025	<1.0	2.7	0.87 J	4.9	<1.0	<1.0
TW-27	4/24/2025	<1.0	1.1	0.44 J	2.9	<1.0	1.0
TW-28	4/24/2025	<1.0	0.87 J	<1.0	1.7	<1.0	0.66 J
TW-29	4/24/2025	<1.0	0.64 J	0.31 J	0.92 J	<1.0	<1.0
TW-30	4/24/2025	**1,010**	**43,600**	**5,200**	**32,500**	<400	**652**
TW-31	4/24/2025	**1,110**	**26,500**	**3,010**	**17,900**	<250	**478**
TW-32	4/24/2025	**1,210**	95.1	332	287	<10.0	**130**
TW-33	4/24/2025	3.6	66.7	12.2	73.1	0.59 J	16.8
TW-34	4/24/2025	**65.7**	33.9	12.2	66.9	0.70 J	8.1
TW-35	4/24/2025	**1,550**	96.3	61.8	2,000	<12.5	**135**
TW-36	4/24/2025	**113**	24.9	4.8	321	<1.0	**44.7**
TW-37	4/24/2025	2.4	16.8	2.8	18.2	2.3	2.7
SCDES MCL / RBSL		**5.0**	**1,000**	**700**	**10,000**	**40.0**	**25.0**



0 50 100 150

EXPLANATION

TW-1, TW-1I, TW-1D = FIELD SCREENING TRIPLET LOCATION (SHALLOW, INTERMEDIATE, AND DEEP)

TW-7 = SHALLOW FIELD SCREENING LOCATION

BOLDED VALUES EXCEED SCDES MCLs/RBSLs

= ESTIMATED EXTENT OF HYDROCARBON CONTAMINATION ABOVE MCLS/RBSLs

= UNDERGROUND PRODUCT LINES

= GIS PROPERTY LINE


NOTE: Field screening triplet points are shown on map as one (1) location. The field screening triplet points were installed as three (3) separate points to an approximate depth of 15 feet each for shallow, 35 feet each for intermediate, and 55 feet each for deep.

DWG: CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	DATE 08/05/2025	DRAWN BY BD	CHECKED BY KM	SCALE AS SHOWN	JOB NO. 1872	FIGURE 5

ENVIROSOUTH Environmental Consultants

FIELD SCREENING CONCENTRATIONS

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043




DWG: CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
	08/05/2025	BD	KM	AS SHOWN	1872	6

ENVIROSOUTH Environmental Consultants

SITE MAP

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043



EXPLANATION


- MW-9 438.50 = SHALLOW AQUIFER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET
- MW-9D = DEEP AQUIFER MONITORING WELL
- = GROUNDWATER CONTOUR LINE (CONTOUR INTERVAL = 0.10 FEET
- = ESTIMATE GROUNDWATER FLOW DIRECTION
- = UNDERGROUND PRODUCT LINES
- = GIS PROPERTY LINE

DWG:	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	08/06/2025	BD	KM	AS SHOWN	1872	7

ENVIROSOUTH Environmental Consultants

GROUNDWATER ELEVATION MAP - SHALLOW AQUIFER
(Measured on June 17 and 18, 2025)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043




DWG:	DATE	DRAWN BY	CHECKED BY	SCALE	JOB NO.	FIGURE
CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	08/06/2025	BD	KM	AS SHOWN	1872	8

ENVIROSOUTH Environmental Consultants

GROUNDWATER ELEVATION MAP - DEEP AQUIFER
(Measured on June 17 and 18, 2025)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043



EXPLANATION

- MW-9 = SHALLOW AQUIFER MONITORING WELL WITH GROUNDWATER CONCENTRATIONS IN MICROGRAMS PER LITER
- MW-9D = DEEP AQUIFER MONITORING WELL WITH GROUNDWATER CONCENTRATIONS IN MICROGRAMS PER LITER
- SW-1 = SURFACE WATER SAMPLE LOCATION WITH GROUNDWATER CONCENTRATIONS IN MICROGRAMS PER LITER
- WSW-1 = WATER-SUPPLY WELL SAMPLE LOCATION WITH GROUNDWATER CONCENTRATIONS IN MICROGRAMS PER LITER

B = BENZENE
T = TOLUENE
E = ETHYLBENZENE
X = XYLENE
M = METHYL-TERT-BUTYL ETHER
N = NAPHTHALENE
D = 1,2-DIBROMOETHANE
C = 1,2-DICHLOROETHANE

J = ESTIMATED VALUE

BRL = BELOW REPORTING LIMITS

= ESTIMATED EXTENT OF HYDROCARBON CONTAMINATION

BOLDED VALUES EXCEED SCDES MCLs/RBSLs

= UNDERGROUND PRODUCT LINES

= GIS PROPERTY LINE

DWG: CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	DATE 08/06/2025	DRAWN BY BD	CHECKED BY KM	SCALE AS SHOWN	JOB NO. 1872	FIGURE 9

ENVIROSOUTH Environmental Consultants

GROUNDWATER CONCENTRATION MAP
(Sampled on June 17 and 18, 2025)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043

EXPLANATION

MW-9 = SHALLOW AQUIFER MONITORING WELL

MW-9D = DEEP AQUIFER MONITORING WELL

SW-1 = SURFACE WATER SAMPLE LOCATION

WSW-1 = WATER SUPPLY WELL LOCATION

= CROSS SECTION TRANSECT

= UNDERGROUND PRODUCT LINES

= GIS PROPERTY LINE

LAKE GREENWOOD

LAKE GREENWOOD

BRIDGE

OLD LAURENS ROAD

HARRIS ROAD

LAKE DRIVE

DOCK

DOCK

DOCK

MARINA FUEL DISPENSER

BOAT RAMP

GRASS

ONE STOP MARINA

ASPHALT

CONCRETE

DISPENSER ISLAND

CONCRETE

GRASS

ASPHALT

USTF (x2)

GRASS

GRASS

GRAVEL

GRASS

GRASS

MW-14

MW-10D

MW-10

MW-7

MW-3

MW-8D

MW-8

WSW-1

MW-5

MW-13D

MW-13

MW-4

MW-11

MW-1

MW-9

MW-9D

SW-1

MW-2

MW-12

MW-12D

WSW-2

X

X'

Y

Y'

0 50 100 150

DWG: CONSTRUCTION SUPPORT SERVICES 2025 SURVEY	DATE 08/05/2025	DRAWN BY BD	CHECKED BY KM	SCALE AS SHOWN	JOB NO. 1872	FIGURE 10

ENVIROSOUTH Environmental Consultants

CROSS SECTION TRANSECT

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID #17043

CROSS-SECTION X-X'

SOUTHEAST
X

NORTHWEST
X'

OLD LAURENS ROAD

MW-12D
MW-12
MW-4
MW-5
MW-3
MW-6
SW-2

BOAT FUEL DISPENSER

LAKE GREENWOOD

SAPROLITE

?? BEDROCK ??

MW-12
B = <1.0
T = <1.0
E = 2.4
X = 2.6
M = <1.0
N = 1.8
D = <0.020
C = <1.0

MW-4
B = **200**
T = **19,500**
E = **3,500**
X = **20,800**
M = <125
N = **541**
D = <0.021
C = <125

MW-5
B = **983**
T = **21,300**
E = **3,450**
X = **22,300**
M = <200
N = **634**
D = <0.021
C = <200

MW-3
B = **1,400**
T = **14,500**
E = **2,890**
X = **16,500**
M = <100
N = **799**
D = <0.020
C = <100

MW-6
B = **6,580**
T = **65,000**
E = **4,510**
X = **26,600**
M = <500
N = **328 J**
D = <0.021
C = <500

SW-2
B = 0.43 J
T = 2.6
E = <1.0
X = 2.8
M = <1.0
N = <1.0
D = <0.020
C = <1.0

MW-12D
B = <1.0
T = <1.0
E = <1.0
X = 0.77 J
M = <1.0
N = <1.0
D = **0.077**
C = <1.0

Elevation (ft amsl)

448 446 444 442 440 438 436 434 432 430 428 426 424 422 420 418 416 414 412 410

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290

Distance (feet)

Well Depth
Ground Elevation
Water Level Elevation
Screen Interval

B = Benzene (ug/L)
T = Toluene (ug/L)
E = Ethylbenzene (ug/L)
X = Xylene (ug/L)
M = Methyl-tert-butyl ether (ug/L)
N = Naphthalene (ug/L)
D = 1,2-Dibromoethane (ug/L)
C = 1,2-Dichloroethane (ug/L)

Bolded values exceed MCLs

J = Estimated value detected below reporting limit


ENVIROSOUTH
Environmental Consultants

SOUTHEAST-NORTHWEST HYDROGEOLOGIC CROSS-SECTION (X-X')

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID NO. 17043

JOB NO.: 1872	CHECKED BY: TFD	FIGURE: 11
SCALE: AS SHOWN	DRAWN BY: BD	DATE: 08/08/2025

CROSS-SECTION Y-Y'



Well Depth

Ground Elevation

Water Level Elevation

Screen Interval

B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylene
M = Methyl-Tert-Butyl Ether
N = Naphthalene
D = 1,2-Dibromoethane (EDB)
C = 1,2-Dichloroethane

BDL = Below Detection Limit

J = Estimated value detected below reporting limit

All values reported in micrograms per liter (ug/l)

Bolded values exceed MCLs

ENVIROSOUTH
Environmental Consultants

SOUTH-NORTH HYDROGEOLOGIC CROSS-SECTION (Y-Y')

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA
SCDES UST ID NO. 17043

JOB NO.: 1872	CHECKED BY: TFD	FIGURE: 12
SCALE: AS SHOWN	DRAWN BY: BD	DATE: 08/08/2025

TABLES

TABLE 1

SOIL LABORATORY DATA

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

SAMPLE ID NO	DATE SAMPLED	TOTAL DEPTH (FEET)	SAMPLE COLLECTION DEPTH (FEET)	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE (8260)	ACENAPHTHENE	ACENAPHTHYLENE	ANTHRACENE	BENZO(A)ANTHRACENE	BENZO(A)PYRENE	BENZO(B)FLUORANTHENE	BENZO(G,H,I)PERYLENE	BENZO(K)FLUORANTHENE	CHRYSENE	DIBENZ(A,H)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-CD)PYRENE	1-METHYLNAPHTHALENE	2-METHYLNAPHTHALENE	NAPHTHALENE (8270)	PHENANTHRENE	PYRENE	DIESEL RANGE ORGANICS(C10-C28)	MEAN TOTAL ORGANIC CARBON
S-1 (1 FEET)	7/25/2024	NA	NA	3.6 J	<5.8	<5.8	<11.6	<5.8	<5.8	NA	NA	NA	<360	NA	<360	NA	<360	<360	<360	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-1 (5 FEET)	7/25/2024	NA	NA	**11.6**	<9.5	<9.5	663	<9.5	12.9	NA	NA	NA	<402	NA	<402	NA	<402	<402	<402	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-1 (10 FEET)	7/25/2024	NA	NA	<115	**9,050**	**20,500**	**127,000**	<115	**4,080**	NA	NA	NA	<386	NA	<386	NA	<386	<386	<386	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-2 (1 FEET)	7/25/2024	NA	NA	**7.8 J**	11.7	59.7	49.8	<8.2	<8.2	NA	NA	NA	<363	NA	<363	NA	<363	<363	<363	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-2 (5 FEET)	7/25/2024	NA	NA	**136**	268	665	3,430	<6.3	**142**	NA	NA	NA	<399	NA	<399	NA	<399	<399	<399	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-2 (10 FEET)	7/25/2024	NA	NA	**497**	**4,500**	**24,800**	**139,000**	<167	**5,630**	NA	NA	NA	<380	NA	<380	NA	<380	<380	<380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-3 (1 FEET)	7/25/2024	NA	NA	**71.7**	53	<8.5	759	<8.5	33.6	NA	NA	NA	<379	NA	<379	NA	<379	<379	<379	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-3 (5 FEET)	7/25/2024	NA	NA	**152**	492	<13.1	1,920	<13.1	**105**	NA	NA	NA	<400	NA	<400	NA	<400	<400	<400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-3 (10 FEET)	7/25/2024	NA	NA	**1,000**	**22,200**	**29,500**	**185,000**	<157	**7,620**	NA	NA	NA	<397	NA	<397	NA	<397	<397	<397	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-4	11/27/2024	15.0	10.0	**17.0**	250	55	286	<6.9	<6.9	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	NA	NA
S-5	11/27/2024	15.0	12.0	**2,170**	**330,000**	**212,000**	**1,330,000**	<753	**35,800**	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	293 J	<401	5,730	12,800	**24,500**	313 J	<401	NA	NA
S-6	11/27/2024	15.0	10.0	**5,120**	**128,000**	**63,100**	**352,000**	<179	**10,600**	<396	<396	<396	<396	<396	<396	<396	<396	<396	<396	<396	<396	<396	<396	392 J	734	**758**	<396	<396	NA	NA
S-7	11/27/2024	15.0	10.0	**285**	**4,190**	**7,830**	**46,800**	<71.5	**3,410**	<379	<379	<379	<379	<379	<379	<379	<379	<379	<379	<379	<379	<379	<379	323 J	673	**523**	<379	<379	NA	NA
S-8	11/27/2024	15.0	10.0	**503**	**17,100**	**19,900**	**134,000**	<99.3	**6,470**	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	1,010	2,100	**3,860**	<392	<392	NA	NA
S-9	11/27/2024	15.0	12.0	**7,010**	**481,000**	**166,000**	**981,000**	<663	**29,700**	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	534	1,130	**1,920**	<400	<400	86,800	NA
S-10	11/27/2024	15.0	4.0	**330**	**30,400**	**29,400**	**260,000**	<211	**13,000**	<423	<423	<423	<423	<423	<423	<423	<423	<423	<423	<423	155 J	<423	<423	2,230	3,900	**6,140**	<423	<423	NA	NA
S-11	11/27/2024	15.0	10.0	**967**	**25,600**	**64,700**	**398,000**	<372	**15,400**	<388	<388	<388	<388	<388	<388	<388	<388	<388	<388	<388	<388	<388	<388	845	1,870	**3,690**	<388	<388	NA	NA
S-12	11/27/2024	15.0	14.0	**529**	**91,300**	**72,900**	**408,000**	<273	**17,200**	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	953	2,030	**3,070**	<375	<375	NA	NA
S-13	11/27/2024	10.0	2.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3,900,000
S-14	11/27/2024	2.0	2.0	**36,800**	630,000	**123,000**	**1,030,000**	<826	**28,400**	<412	<412	<412	<412	<412	<412	<412	<412	<412	<412	<412	<412	<412	<412	1,660	2,880	**3,930**	<412	<412	NA	NA
S-15	4/21/2025	15.0	6.0	**159**	6.2	270	760	<5.9	**159**	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	<404	NA	NA
S-16	4/21/2025	15.0	8.0	**68.9 J**	**2,850**	**15,200**	**97,600**	<72.5	**3,350**	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	<401	486	1,010	**1,770**	<401	<401	NA	NA
S-17	4/21/2025	15.0	10.0	**3,240**	**50,800**	**149,000**	**844,000**	<369	**23,600**	<417	<417	<417	<417	<417	<417	<417	<417	<417	<417	<417	<417	<417	<417	862	1,830	**3,670**	<417	<417	NA	NA
S-18	4/21/2025	20.0	8.0	**23,000**	**487,000**	**161,000**	**949,000**	<821	**25,700**	<422	<422	<422	<422	<422	<422	<422	<422	<422	<422	<422	267 J	<422	<422	536	1,130	**2,410**	<422	217 J	NA	NA
S-19	4/21/2025	13.5	4.0	**617**	37.6	15.6	51.4	<5.7	18.8	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	NA	NA
S-20	4/21/2025	15.0	6.0	**7,170**	**307,000**	**130,000**	**774,000**	<335	**17,700**	<377	<377	<377	<377	<377	<377	<377	<377	<377	<377	<377	<377	<377	<377	307 J	652	**1,200**	<377	<377	NA	NA
S-21	4/21/2025	15.0	8.0	**197**	127	564	3,160	<5.7	**119**	<367	<367	<367	<367	<367	<367	<367	<367	<367	<367	<367	<367	<367	<367	1,640	3,460	**4,870**	<367	<367	NA	NA
S-22	4/21/2025	15.0	8.0	**636**	**5,880**	**1,640**	9,510	<6.3	**264**	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	1,780	3,800	**5,740**	<381	<381	NA	NA
S-23	4/21/2025	15.0	8.0	**13,400**	**724,000**	**163,000**	**1,050,000**	<1060	**38,300**	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	<374	166 J	<374	1,880	3,470	**5,730**	153 J	<374	NA	NA
S-24	4/21/2025	15.0	10.0	**956**	89.8	**1,690**	962	<8.7	**948**	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	<444	**388 J**	<444	<444	NA	NA
S-25	4/21/2025	15.0	10.0	**15,300**	**578,000**	**149,000**	**914,000**	<710	**24,700**	<384	<384	<384	<384	<384	<384	<384	<384	<384	<384	<384	<384	161 J	<384	2,410	5,210	**8,770**	<384	<384	NA	NA
S-26	4/21/2025	15.0	12.0	**350**	**5,830**	**5,000**	**27,300**	<23.9	**1,230**	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	**185 J**	<387	<387	NA	NA
S-27	4/21/2025	15.0	12.0	**8,210**	**627,000**	**252,000**	**1,530,000**	<809	**56,600**	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	2,390	5,060	**8,880**	<378	<378	NA	NA
S-28	4/21/2025	15.0	8.0	**463**	167	45.3	53.0	<6.5	23.6	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	<402	NA	NA

TABLE 1

SOIL LABORATORY DATA

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

SAMPLE ID NO	DATE SAMPLED	TOTAL DEPTH (FEET)	SAMPLE COLLECTION DEPTH (FEET)	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE (8260)	ACENAPHTHENE	ACENAPHTHYLENE	ANTHRACENE	BENZO(A)ANTHRACENE	BENZO(A)PYRENE	BENZO(B)FLUORANTHENE	BENZO(G,H,I)PERYLENE	BENZO(K)FLUORANTHENE	CHRYSENE	DIBENZ(A,H)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-CD)PYRENE	1-METHYLNAPHTHALENE	2-METHYLNAPHTHALENE	NAPHTHALENE (8270)	PHENANTHRENE	PYRENE	DIESEL RANGE ORGANICS(C10-C28)	MEAN TOTAL ORGANIC CARBON
S-29	4/21/2025	15.0	10.0	**909**	143	518	1,030	<6.9	**70.7**	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	<419	NA	NA
S-30	4/22/2025	20.0	10.0	**718**	**54,100**	**16,400**	**104,000**	<77.6	**3,650**	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	415	908	**1,650**	<383	<383	NA	NA
S-31	4/22/2025	15.0	10.0	**833**	**56,300**	**22,700**	**146,000**	<80.3	**4,710**	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	<394	182 J	396	**864**	<394	<394	NA	NA
S-32	4/22/2025	15.0	4.0	**3,960**	**175,000**	**71,800**	**415,000**	<271	**9,740**	<380	<380	<380	<380	<380	<380	<380	<380	<380	<380	<380	<380	<380	1,030	1,810	**2,230**	<380	<380	NA	NA
S-33	4/22/2025	15.0	8.0	**1,160**	**60,100**	**37,000**	**234,000**	<151	**9,680**	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	163 J	**312 J**	<392	<392	NA	NA
S-34	4/22/2025	15.0	10.0	**108**	**18,500**	**15,800**	**102,000**	<73.6	**3,340**	<386	<386	<386	<386	<386	<386	<386	<386	<386	<386	<386	<386	<386	372 J	808	**1,480**	<386	<386	NA	NA
S-35	4/22/2025	15.0	10.0	**192**	**7,690**	**6,600**	**52,000**	<65.8	**2,550**	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	<383	176 J	366 J	**384**	<383	<383	NA	NA
S-36	4/22/2025	15.0	10.0	**8.4**	7.1	38.5	111	<6.2	<6.2	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	<392	NA	NA
S-37	4/22/2025	15.0	10.0	<6.1	<6.1	<6.1	<12.3	<6.1	<6.1	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	NA	NA
S-38	4/22/2025	15.0	4.0	**285**	13.0	97	2,060	<5.6	**269**	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	<375	**237 J**	<375	<375	NA	NA
S-39	4/22/2025	15.0	10.0	**106**	10.6	134	600	<5.8	23.5	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	<389	NA	NA
S-40	4/22/2025	15.0	6.0	**38.9**	6.7	19.9	114	<5.6	<5.6	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	<387	NA	NA
S-41	4/22/2025	15.0	6.0	6.6	<5.3	5.8	37.1	<5.3	<5.3	<379	<379	<379	<379	273 J	385	269 J	**150 J**	<379	<379	322 J	<379	198 J	<379	<379	<379	209 J	299 J	NA	NA
S-42	4/22/2025	10.0	4.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	997,000
S-46	6/5/2025	10.0	6.0	<5.8	<5.8	<5.8	<11.7	<5.8	<5.8	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	<405	NA	NA
S-47	6/5/2025	10.0	6.0	<8.2	9.9	<8.2	<16.4	<8.2	<8.2	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	<421	NA	NA
S-48	6/5/2025	10.0	4.0	<6.0	<6.0	<6.0	<12.0	<6.0	<6.0	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	NA	NA
S-49	6/5/2025	10.0	8.0	<8.8	6.3 J	4.9 J	<17.6	<8.8	<8.8	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	<453	NA	NA
S-50	6/5/2025	10.0	8.0	<9.9	<9.9	<9.9	<19.9	<9.9	<9.9	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	<470	NA	NA
S-51	6/5/2025	10.0	10.0	<8.9	<8.9	<8.9	<17.8	<8.9	<8.9	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	<477	NA	NA
S-52	6/5/2025	10.0	8.0	<5.3	5.2 J	<5.3	<10.5	<5.3	<5.3	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	<382	NA	NA
S-53	6/5/2025	10.0	10.0	<5.8	<5.8	<5.8	<11.6	<5.8	<5.8	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	<381	NA	NA
S-54	6/5/2025	10.0	10.0	<6.8	<6.8	<6.8	<13.6	<6.8	<6.8	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	<415	NA	NA
SCDES RBSL				**7.0**	**1,450**	**1,150**	**14,500**	**--**	**36.0**	**--**	**--**	**--**	**66.0**	**--**	**66.0**	**--**	**66.0**	**66.0**	**66.0**	**--**	**--**	**--**	**--**	**--**	**36.0**	**--**	**--**	**--**	**--**

Notes:

1) All sample results are reported in micrograms per kilogram (ug/kg)
2) NA = Not Analyzed
3) RBSL = Risk based screening level for petroleum compounds for sandy soil per SCDES QAPP 4.0 Table D3
5) Bolded values exceed SCDES RBSLs
6) J = Estimated value below method detection limit but above laboratory reporting limit
7) -- = No RBSL established
8) Samples S-1, S-2, and S-3 were collected as part of a Limited Soil Assessment dated August 13, 2024. Samples S-4 through S-14 were collected as part of the Tier I Assessment submitted on January 31, 2025. Samples S-15 through S-54 were collected as part of the Tier II Assessment.

ENVIROSOUTH Environmental Consultants

TABLE 2

GROUNDWATER FIELD SCREENING RESULTS
(HEADSPACE P.I.D. READINGS)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

SAMPLE ID NO.	DATE MEASURED	DEPTH INTERVAL (FEET)	PID READING (PPM)
TW-1	4/21/2025	8 - 12	0.7
TW-1I	4/21/2025	21 - 25	0.5
TW-1D	4/21/2025	31 - 35	0.2
TW-2	4/21/2025	8 - 12	0.1
TW-3	4/21/2025	8 - 12	15.6
TW-4	4/21/2025	8 - 12	6.3
TW-4I	4/21/2025	21 - 25	1.2
TW-4D	4/21/2025	34 - 38	2.5
TW-5	4/21/2025	8 - 12	0.8
TW-6	4/21/2025	8 - 12	1.9
TW-6I	4/21/2025	21 - 25	1.8
TW-6D	4/21/2025	33 - 37	0.6
TW-7	4/21/2025	11 - 15	1.5
TW-8	4/21/2025	8 - 12	73.5
TW-8I	4/21/2025	21 - 25	1.6
TW-8D	4/21/2025	33 - 37	0.7
TW-9	4/22/2025	8 - 12	15.3
TW-9I	4/22/2025	21 - 24	2.3
TW-9D	4/22/2025	33 - 37	0.9
TW-10	4/22/2025	8 - 12	585.3
TW-11	4/22/2025	8 - 12	1,435
TW-12	4/22/2025	8 - 12	3.2
TW-12I	4/22/2025	31 - 35	9.8
TW-12D	4/22/2025	51 - 55	9.3
TW-13	4/22/2025	9 - 15	0.8
TW-14	4/22/2025	8 - 12	0.1
TW-14I	4/22/2025	21 - 25	0.4
TW-14D	4/22/2025	34 - 38	1.1
TW-15	4/23/2025	8 - 12	0.0
TW-15I	4/23/2025	21 - 25	1.2
TW-15D	4/23/2025	28 - 32	1.6
TW-16	4/23/2025	11 - 15	2.5
TW-16I	4/23/2025	21 - 25	0.3
TW-16D	4/23/2025	34 - 39	0.2
TW-17	4/23/2025	8 - 12	1.3
TW-17I	4/23/2025	21 - 25	0.1
TW-17D	4/23/2025	35 - 39	0.3

TABLE 2

GROUNDWATER FIELD SCREENING RESULTS
(HEADSPACE P.I.D. READINGS)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

SAMPLE ID NO.	DATE MEASURED	DEPTH INTERVAL (FEET)	PID READING (PPM)
TW-18	4/23/2025	8 - 12	4.9
TW-19	4/23/2025	8 - 12	145.4
TW-20	4/23/2025	8 - 12	1,366
TW-21	4/23/2025	8 - 12	328.4
TW-22	4/23/2025	8 - 12	100.6
TW-23	4/23/2025	8 - 12	495.0
TW-24	4/23/2025	8 - 12	1.5
TW-24I	4/23/2025	24 - 28	0.7
TW-24D	4/23/2025	36 - 40	0.1
TW-25	4/24/2025	11 - 15	17.1
TW-26	4/24/2025	11 - 15	2.6
TW-27	4/24/2025	11 - 15	0.1
TW-28	4/24/2025	11 - 15	1.0
TW-29	4/24/2025	11 - 15	25.3
TW-30	4/24/2025	11 - 15	3,974
TW-31	4/24/2025	11 - 15	3,280
TW-32	4/24/2025	11 - 15	3,582
TW-33	4/24/2025	11 - 15	21.2
TW-34	4/24/2025	11 - 15	58.3
TW-35	4/24/2025	11 - 15	351.0
TW-36	4/24/2025	11 - 15	34.1
TW-37	4/24/2025	11 - 15	2.1

Notes:
1) PPM = parts per million
2) P.I.D. readings based on headspace of a resealable bag containing approximately 50 milliliters of groundwater

ENVIROSOUTH Environmental Consultants

TABLE 3

GROUNDWATER FIELD SCREENING RESULTS
(LABORATORY DATA)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST ID NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE
TW-1	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-1I	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-1D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-2	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-3	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4I	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-4D	4/21/2025	**11.9**	<1.0	<1.0	<1.0	1.3	<1.0
TW-5	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-6	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-6I	4/21/2025	0.80 J	<1.0	<1.0	<1.0	1.6	<1.0
TW-6D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-7	4/21/2025	0.40 J	<1.0	0.39 J	1.0	3.7	<1.0
TW-8	4/21/2025	**14.0**	<1.0	1.7	3.2	<1.0	<1.0
TW-8I	4/21/2025	2.1	<1.0	<1.0	<1.0	0.68 J	<1.0
TW-8D	4/21/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-9	4/22/2025	<1.0	1.7	0.31 J	1.1	<1.0	<1.0
TW-9I	4/22/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-9D	4/22/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-10	4/22/2025	<50.0	280	**1,580**	4,030	<50.0	**59.9**
TW-11	4/22/2025	**3,100**	**32,700**	**4,370**	**24,600**	<250	**622**
TW-12	4/22/2025	1.7	15.6	1.6	7.8	<1.0	<1.0
TW-12I	4/22/2025	**47.8**	30.2	4.5	26.3	10.7	2.6
TW-12D	4/22/2025	**5.0**	58.7	6.9	30.1	7.1	0.96 J
TW-13	4/22/2025	0.61 J	14.2	2.1	11.3	0.93 J	0.69 J
TW-14	4/22/2025	<1.0	7.6	1.4	7.4	<1.0	<1.0
TW-14I	4/22/2025	<1.0	2.4	0.46 J	2.2	0.48 J	<1.0
TW-14D	4/22/2025	<1.0	3.9	0.67 J	3.5	4.3	<1.0
TW-15	4/23/2025	<1.0	<1.0	<1.0	<1.0	0.42 J	<1.0
TW-15I	4/23/2025	<1.0	<1.0	<1.0	<1.0	11.3	<1.0
TW-15D	4/23/2025	<1.0	<1.0	0.38 J	3.1	4.8	0.94 J
TW-16	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-16I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-16D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

TABLE 3

GROUNDWATER FIELD SCREENING RESULTS
(LABORATORY DATA)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST ID NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE
TW-17	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-17I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-17D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-18	4/23/2025	**15.7**	3.8	1.5	29.6	2.5	<1.0
TW-19	4/23/2025	**2,930**	245	90.7	776	<25.0	**60.3**
TW-20	4/23/2025	**6,560**	**59,600**	**4,280**	**25,700**	<500	**485 J**
TW-21	4/23/2025	**2,940**	**5,500**	**1,070**	5,260	<50.0	**311**
TW-22	4/23/2025	**1,010**	63.0	36.2	1,380	4.4 J	**199**
TW-23	4/23/2025	**1,260**	**6,240**	**3,320**	**15,200**	<50.0	**627**
TW-24	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-24I	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	0.75 J
TW-24D	4/23/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TW-25	4/24/2025	<1.0	6.0	13.2	71.6	<1.0	24.3
TW-26	4/24/2025	<1.0	2.7	0.87 J	4.9	<1.0	<1.0
TW-27	4/24/2025	<1.0	1.1	0.44 J	2.9	<1.0	1.0
TW-28	4/24/2025	<1.0	0.87 J	<1.0	1.7	<1.0	0.66 J
TW-29	4/24/2025	<1.0	0.64 J	0.31 J	0.92 J	<1.0	<1.0
TW-30	4/24/2025	**1,010**	**43,600**	**5,200**	**32,500**	<400	**652**
TW-31	4/24/2025	**1,110**	**26,500**	**3,010**	**17,900**	<250	**478**
TW-32	4/24/2025	**1,210**	95.1	332	287	<10.0	**130**
TW-33	4/24/2025	3.6	66.7	12.2	73.1	0.59 J	16.8
TW-34	4/24/2025	**65.7**	33.9	12.2	66.9	0.70 J	8.1
TW-35	4/24/2025	**1,550**	96.3	61.8	2,000	<12.5	**135**
TW-36	4/24/2025	**113**	24.9	4.8	321	<1.0	**44.7**
TW-37	4/24/2025	2.4	16.8	2.8	18.2	2.3	2.7
SCDES MCL / RBSL		**5.0**	**1,000**	**700**	**10,000**	**40.0**	**25.0**

Notes:

1) *All sample results are reported in micrograms per liter (ug/L)*
2) *MCL = Maximum Contaminant Level*
3) *RBSL = Risk based screening level for petroleum compounds in South Carolina*
4) *Bolded values exceed SCES MCLs/RBSLs*
5) *J = Estimated value below method detection limit but above laboratory reporting limit*

ENVIROSOUTH Environmental Consultants

TABLE 4

GROUNDWATER ELEVATION DATA

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST ID NO. 17043
ENVIROSOUTH JOB NO. 1872

Well No.	Date Measured	Top of Casing Elevation	Screen Interval (btoc)	Depth to Product (btoc)	Product Thickness	Depth to Groundwater (btoc)	Groundwater Elevation
MW-1	12/4/2024	444.40	5.00 - 15.00	--	--	8.22	436.18
	6/18/2025			--	--	5.95	438.45
MW-2	12/4/2024	444.79	5.00 - 15.00	--	--	8.40	436.39
	6/17/2025			--	--	6.31	438.48
MW-3	12/4/2024	444.12	5.00 - 15.00	--	--	7.87	436.25
	6/18/2025			--	--	6.69	437.43
MW-4	12/4/2024	445.97	5.00 - 15.00	--	--	9.71	436.26
	6/18/2025			--	--	7.55	438.42
MW-5	6/18/2025	444.12	5.00 - 15.00	--	--	6.56	437.56
MW-6	6/18/2025	442.75	5.00 - 15.00	--	--	4.41	438.34
MW-7	6/18/2025	442.30	5.00 - 15.00	--	--	3.84	438.46
MW-8	6/17/2025	444.66	5.00 - 15.00	--	--	6.19	438.47
MW-8D	6/17/2025	444.39	30.00 - 35.00	--	--	7.35	437.04
MW-9	6/17/2025	443.35	5.00 - 15.00	--	--	4.85	438.50
MW-9D	6/17/2025	443.36	30.00 - 35.00	--	--	10.30	433.06
MW-10	6/17/2025	444.35	5.00 - 15.00	--	--	5.95	438.40
MW-10D	6/17/2025	444.15	30.00 - 35.00	--	--	5.72	438.43
MW-11	6/17/2025	444.37	5.00 - 15.00	--	--	5.90	438.47
MW-12	6/17/2025	446.52	5.00 - 15.00	--	--	8.06	438.46
MW-12D	6/17/2025	446.57	30.00 - 35.00	--	--	8.00	438.57
MW-13	6/17/2025	444.46	5.00 - 15.00	--	--	6.02	438.44
MW-13D	6/17/2025	444.49	30.00 - 35.00	--	--	9.40	435.09
MW-14	6/17/2025	446.82	5.00 - 15.00	--	--	8.45	438.37

Notes:

1) *Units in feet.*
2) *btoc = below top of casing*
3) *-- = Not detected*
4) *Corrected Groundwater Elevation = Top of Casing - [Depth to Groundwater+(Product Thickness X0.75)]*
5) *Water levels recorded by EnviroSouth, Inc. personnel*

ENVIROSOUTH Environmental Consultants

TABLE 5

GROUNDWATER LABORATORY DATA (ORGANICS)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE (8260)	1,2-DIBROMOETHANE (EDB)	1,2-DICHLOROETHANE
MW-1	12/4/2024	**199**	**4,610**	**1,730**	**10,500**	<50.0	**275**	<0.021	<50.0
Duplicate	12/4/2024	**193**	**4,610**	**1,770**	**10,600**	<50.0	**234**	<0.022	<50.0
	6/18/2025	**98.7**	**1,230**	**867**	4,160	<12.5	**322**	<0.021	<12.5
Duplicate 1	6/18/2025	**91.3**	**1,190**	**800**	3,880	<12.5	**101**	<0.020	<12.5
MW-2	12/4/2024	<1.0	<1.0	<1.0	1.8	<1.0	<1.0	<0.021	<1.0
	6/17/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.022	<1.0
MW-3	12/4/2024	**1,940**	**43,600**	**3,790**	**22,900**	<200	**379**	<0.021	<200
	6/18/2025	**1,400**	**14,500**	**2,890**	**16,500**	<100	**799**	<0.020	<100
MW-4	12/4/2024	**122**	**25,000**	**3,810**	**23,500**	<100	**475**	<0.021	<100
	6/18/2025	**200**	**19,500**	**3,500**	**20,800**	<125	**541**	<0.021	<125
MW-5	6/18/2025	**983**	**21,300**	**3,450**	**22,200**	<200	**449**	<0.020	<200
Duplicate 2	6/18/2025	**916**	**21,100**	**3,360**	**22,300**	<200	**634**	<0.021	<200
MW-6	6/18/2025	**6,580**	**65,000**	**4,510**	**26,600**	<500	**328 J**	<0.021	<500
MW-7	6/18/2025	**283**	596	**3,680**	**18,100**	<50.0	**744**	<0.021	<50.0
MW-8	6/17/2025	**29.3**	6.4	2.1	19.4	<1.0	4.4	<0.021	<1.0
MW-8D	6/17/2025	1.6	10.0	3.1	19.4	0.99 J	1.3	<0.021	<1.0
MW-9	6/17/2025	<1.0	2.6	0.96 J	5.1	<1.0	<1.0	<0.021	<1.0
MW-9D	6/17/2025	<1.0	0.49 J	<1.0	<1.0	<1.0	<1.0	<0.022	<1.0
MW-10	6/17/2025	0.35 J	<1.0	<1.0	<1.0	0.79 J	<1.0	**0.068**	<1.0
MW-10D	6/17/2025	**36.3**	1.2	<1.0	2.7	11.3	1.6	**1.6**	<1.0
MW-11	6/17/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.020	<1.0
MW-12	6/17/2025	<1.0	<1.0	2.4	2.6	<1.0	1.8	<0.020	<1.0
MW-12D	6/17/2025	<1.0	<1.0	<1.0	0.77 J	<1.0	<1.0	**0.077**	<1.0
MW-13	6/17/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.020	<1.0
MW-13D	6/17/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	**0.060**	<1.0
MW-14	6/17/2025	<1.0	0.65 J	<1.0	1.2	<1.0	<1.0	<0.022	<1.0
WSW-1	6/18/2025	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.020	<0.50
WSW-Duplicate	6/18/2025	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.019	<0.50
WSW-2	6/18/2025	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.019	<0.50
SW-1	12/4/2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.021	<1.0
	6/18/2025	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.020	<1.0

TABLE 5

GROUNDWATER LABORATORY DATA (ORGANICS)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE (TOTAL)	METHYL-TERT-BUTYL ETHER	NAPHTHALENE (8260)	1,2-DIBROMOETHANE (EDB)	1,2-DICHLOROETHANE
SW-2	12/4/2024	<1.0	<1.0	<1.0	1.3	<1.0	<1.0	<0.021	<1.0
	6/18/2025	0.43 J	2.6	<1.0	2.8	<1.0	<1.0	<0.020	<1.0
SCDES MCL/RBSL		**5.0**	**1,000**	**700**	**10,000**	**40.0**	**25.0**	**0.05**	**5.0**

Notes:

1) *All sample results are reported in micrograms per liter (ug/l)*
2) *NA = Not Analyzed*
3) *MCL = Maximum Contaminant Level*
4) *RBSL = Risk based screening level for petroleum compounds in South Carolina*
5) *Bolded values exceed SCDES MCLs or RBSLs*
6) *J = Estimated value below method detection limit but above laboratory reporting limit*

ENVIROSOUTH Environmental Consultants

TABLE 6

GROUNDWATER LABORATORY DATA (OXYGENATES)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	TERT-AMYL ALCOHOL	TERT-AMYLMETHYL ETHER	3,3-DIMETHYL-1-BUTANOL	TERT-BUTYL ALCOHOL	TERT-BUTYL FORMATE	DIISOPROPYL ETHER	ETHANOL	ETHYL-TERT-BUTYL ETHER
MW-1	12/4/2024	<5,000	<500	<5,000	<5,000	<2,500	<50.0	<10,000	<500
Duplicate	12/4/2024	<5,000	<500	<5,000	<5,000	<2,500	<50.0	<10,000	<500
	6/18/2025	<1,250	<125	<1,250	<1,250	<625	9.1 J	<2,500	<125
Duplicate 1	6/18/2025	<1,250	<125	<1,250	<1,250	<625	8.5 J	<2,500	<125
MW-2	12/4/2024	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-3	12/4/2024	<20,000	<2,000	<20,000	<20,000	<10,000	<200	<40,000	<2,000
	6/18/2025	<10,000	<1,000	<10,000	<10,000	<5,000	<100	<20,000	<1,000
MW-4	12/4/2024	<10,000	<1,000	<10,000	<10,000	<5,000	<100	<20,000	<1,000
	6/18/2025	<12,500	<1,250	<12,500	<12,500	<6,250	<125	<25,000	<1,250
MW-5	6/18/2025	<20,000	<2,000	<20,000	<20,000	<10,000	<200	<40,000	<2,000
Duplicate 2	6/18/2025	<20,000	<2,000	<20,000	<20,000	<10,000	<200	<40,000	<2,000
MW-6	6/18/2025	<50,000	<5,000	<50,000	<50,000	<25,000	<500	<100,000	<5,000
MW-7	6/18/2025	<5,000	<500	<5,000	<5,000	<2,500	<50.0	<10,000	<500
MW-8	6/17/2025	49.6 J	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-8D	6/17/2025	<100	<10.0	<100	<100	<50.0	2.4	<200	<10.0
MW-9	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-9D	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-10	6/17/2025	<100	<10.0	<100	<100	<50.0	1.3	<200	<10.0
MW-10D	6/17/2025	**287**	<10.0	<100	104	<50.0	22.9	<200	<10.0
MW-11	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-12	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-12D	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-13	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
MW-13D	6/17/2025	<100	<10.0	64.6 J	<100	<50.0	<1.0	<200	<10.0
MW-14	6/17/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
WSW-1	6/18/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
WSW-Duplicate	6/18/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
WSW-2	6/18/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0

TABLE 6

GROUNDWATER LABORATORY DATA (OXYGENATES)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	TERT-AMYL ALCOHOL	TERT-AMYLMETHYL ETHER	3,3-DIMETHYL-1-BUTANOL	TERT-BUTYL ALCOHOL	TERT-BUTYL FORMATE	DIISOPROPYL ETHER	ETHANOL	ETHYL-TERT-BUTYL ETHER
SW-1	12/4/2024	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
	6/18/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
SW-2	12/4/2024	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
	6/18/2025	<100	<10.0	<100	<100	<50.0	<1.0	<200	<10.0
SCDES ACTION LEVELS		**240**	**128**	**--**	**1,400**	**--**	**150**	**10,000**	**47.0**

Notes:

1) *All sample results are reported in micrograms per liter (ug/l)*
2) *SCDES Action Levels - South Carolina Department of Environmental Services (SCDES) Action Levels for oxygenates as defined in Table D2 of QAPP 4.0.*
3) *Bolded values exceed SCDES Action Levels*
4) *J = Estimated value above method detection limit but below laboratory reporting limit*

ENVIROSOUTH Environmental Consultants

TABLE 7

GROUNDWATER LABORATORY DATA (POLYNUCLEAR AROMATIC HYDROCARBONS AND LEAD)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	ACENAPHTHENE	ACENAPHTHYLENE	ANTHRACENE	BENZO(A)ANTHRACENE	BENZO(A)PYRENE	BENZO(B)FLUORANTHENE	BENZO(G,H,I)PERYLENE	BENZO(K)FLUORANTHENE	CHRYSENE	DIBENZ(A,H)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-CD)PYRENE	1-METHYLNAPHTHALENE	2-METHYLNAPHTHALENE	NAPHTHALENE (8270)	PHENANTHRENE	PYRENE	LEAD
MW-1	12/4/2024	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	14.4	24.7	**249**	<10.1	<10.1	<5.0
Duplicate	12/4/2024	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	15.8	**25.4**	**248**	<10.0	<10.0	<5.0
	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	8.8 J	15.4	**110**	<10.0	<10.0	8.8
Duplicate 1	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	8.7 J	16.7	**115**	<10.0	<10.0	7.4
MW-2	12/4/2024	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<5.0
	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	3.25 J
MW-3	12/4/2024	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**28.4**	**56.2**	**410**	<10.0	<10.0	**13.8**
	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**36.6**	**71.2**	**493**	<10.0	<10.0	**12.4**
MW-4	12/4/2024	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**29.6**	**52.1**	**479**	<10.0	<10.0	<5.0
	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**25.8**	**51.0**	**461**	<10.0	<10.0	**10.1**
MW-5	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**34.7**	**64.7**	**476**	<10.0	<10.0	8.5
Duplicate 2	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**36.6**	**71.5**	**522**	<10.0	<10.0	5.16 J
MW-6	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**38.9**	**81.8**	**433**	<10.0	<10.0	**12.9**
MW-7	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**61.8**	**122**	**585**	<10.0	<10.0	**18.4**
MW-8	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	5.25 J
MW-8D	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00
MW-9	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	2.66 J
MW-9D	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00
MW-10	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	9.3
MW-10D	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00
MW-11	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**21.1**
MW-12	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	4.9 J	5.6 J	<10.0	<10.0	<10.0	5.83 J
MW-12D	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	2.95 J
MW-13	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	2.88 J
MW-13D	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**74.6**
MW-14	6/17/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	**45.3**
SW-1	12/4/2024	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	2.0 J
	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00

TABLE 7

GROUNDWATER LABORATORY DATA (POLYNUCLEAR AROMATIC HYDROCARBONS AND LEAD)

ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, SOUTH CAROLINA

SCDES UST NO. 17043
ENVIROSOUTH JOB NO. 1872

WELL NO.	DATE SAMPLED	ACENAPHTHENE	ACENAPHTHYLENE	ANTHRACENE	BENZO(A)ANTHRACENE	BENZO(A)PYRENE	BENZO(B)FLUORANTHENE	BENZO(G,H,I)PERYLENE	BENZO(K)FLUORANTHENE	CHRYSENE	DIBENZ(A,H)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-CD)PYRENE	1-METHYLNAPHTHALENE	2-METHYLNAPHTHALENE	NAPHTHALENE (8270)	PHENANTHRENE	PYRENE	LEAD
SW-2	12/4/2024	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	<10.1	2.5 J
	6/18/2025	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	3.53 J
SCDES MCL/RBSL		**25^**	**25^**	**25^**	**10***	**25^**	**10***	**25^**	**10***	**10***	**10***	**25***	**25***	**25***	**25***	**25***	**25***	**25***	**25***	**10.0**

Notes:
1) All sample results are reported in micrograms per liter (ug/l)
2) SCDES MCLs = South Carolina Department of Environmental Services (SCDES) Maximum Contaminant Levels
3) SCDES RBSLs = South Carolina Department of Environmental Services (SCDES) Risk-Based Screening Levels for petroleum compounds
4) J = Estimated values above method detection limits but below laboratory reporting limits
5) ^ = Per SCDES UST QAPP 4.0 Table D1, 25 ug/L is the RBSL for total polynuclear aromatic hydrocarbons
*6) * = Per SCDES UST QAPP 4.0 Table D1, 10 ug/L is the RBSL for benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, and dibenz(a,h)anthracene*
7) Bolded values exceed corresponding SCDES MCL/RBSL
8) Pind shaded values exceed the corresponding RBSL of 25 ug.L for total polynuclear armoatic hydrocarbons

ENVIROSOUTH Environmental Consultants


SC STATE PLANE
COORDINATE SYSTEM
NAD 83 / NAVD 88
GRID NORTH

UST PERMIT #17043 MONITOR WELLS (SURVEYED 01-20-2025)				
WELL	SCSP NORTH	SCSP EAST	RIM ELEV.	TOC ELEV.
MW-1	901521.36	1664831.25	444.77	444.40
MW-2	901455.49	1664796.94	445.07	444.79
MW-3	901603.43	1664827.75	444.36	444.12
MW-4	901540.40	1664882.52	446.27	445.97

WSW-1	TOC EL = 446.24
WSW-1	ADJ CONC EL = 445.27

LEGEND AND ABBREVIATIONS:

- MW = MONITORING WELL
- BM = BENCHMARK
- SW = SURFACE WATER SAMPLE POINT
- WSW = WATER SUPPLY WELL
- USTF = UNDERGROUND STORAGE TANK FILL
- SIGN = SIGN
- ECAB = ELECTRIC CABINET
- FD = FUEL DISPENSER
- CATV = UNDERGROUND CABLE TV LINE
- UGP = UNDERGROUND POWER LINE
- PL = UNDERGROUND PRODUCT LINE
- GIS = GIS PROPERTY LINE
- RIM = RIM OF WELL STRUCTURE
- TOC = TOP OF CASING
- SCSP = SOUTH CAROLINA STATE PLANE



UST PERMIT #17043 MONITOR WELLS (SURVEYED 07-18-2025)				
WELL	SCSP NORTH	SCSP EAST	RIM ELEV.	TOC ELEV.
MW-5	901576.13	1664857.19	444.40	444.12
MW-6	901627.56	1664792.16	443.02	442.75
MW-7	901619.29	1664751.25	442.61	442.30
MW-8	901591.12	1664769.85	444.94	444.66
MW-8D	901591.48	1664766.96	444.87	444.39
MW-9	901510.32	1664734.08	443.73	443.35
MW-9D	901508.41	1664733.68	443.71	443.36
MW-10	901642.31	1664854.78	444.93	444.35
MW-10D	901645.13	1664855.30	444.91	444.15
MW-11	901534.37	1664926.41	444.82	444.37
MW-12	901456.79	1664918.43	447.02	446.52
MW-12D	901453.32	1664918.06	447.11	446.57
MW-13	901593.83	1664925.77	444.82	444.46
MW-13D	901597.19	1664925.55	444.89	444.49
MW-14	901738.42	1664869.98	447.38	446.82

NOTE:
NOT FOR THE PURPOSE OF RECORDATION AT COUNTY, COURTHOUSE OR THE CONVEYANCE OF PROPERTY. THE PROPERTY DATA SHOWN HEREON IS A GRAPHIC REPRESENTATION OF GIS DATA AS SHOWN BY GREENWOOD COUNTY.

THIS PARCEL MAY BE SUBJECT TO EASEMENT AND/OR RIGHT-OF-WAYS NOT SHOWN. FINAL RESULTS, CONCLUSIVE OF TITLE SEARCH

I HEREBY CERTIFY THAT THE FIELD WORK, CALCULATIONS, AND DRAFTING WERE DONE UNDER MY DIRECT SUPERVISION.

BENCHMARK IS A MAGNAIL
NAVD 88 ELEV.= 447.18'

GRAPHIC SCALE 1"=50'

0 50 100 150

SOUTH CAROLINA REGISTERED LAND SURVEYOR No. 14811 JAY S. JOSHI

SOUTH CAROLINA CONSTRUCTION SUPPORT SERVICES No. C02425 CERTIFICATE OF AUTHORIZATION

COMPREHENSIVE SITE SKETCH OF
ONE STOP MARINA
5121 OLD LAURENS ROAD
GREENWOOD, GREENWOOD COUNTY, SC
SCDHEC SITE ID #17043
PREPARED FOR
ENVIROSOUTH

Jay S. Joshi
JAY S. JOSHI PLS # 14811
P.O. BOX 90408, COLUMBIA, SC, 29290 803-776-9909

DATE: JULY 29, 2025 JOB #071825L sub of: #012025L

LABORATORY REPORTS

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

May 12, 2025

Tom Donn
EnviroSouth, Inc.
3440 Augusta Rd.
Greenville, SC 29605

RE: Project: One Stop Marina- Soils
Pace Project No.: 92792443

Dear Tom Donn:

Enclosed are the analytical results for sample(s) received by the laboratory on April 23, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Charlotte
- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Angela M. Baioni

Angela Baioni for
Matthew Brainard
matthew.brainard@pacelabs.com
704-977-0942
Project Manager

Enclosures

cc: Beth Dalke, EnviroSouth
Trevor Hudson, Envirosouth
Jennifer Lezcano, EnviroSouth
William Lyons, EnviroSouth
Allen Meadows, EnviroSouth
Keigan Mennetti, EnviroSouth
Annette St. Pierre, Envirosouth

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Pace Analytical Services Green Bay
1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

Pace Analytical Services Charlotte
South Carolina Laboratory ID: 99006
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Laboratory ID: 99006
South Carolina Certification #: 99006001
South Carolina Drinking Water Cert. #: 99006003
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Louisiana DoH Drinking Water #: LA029
Virginia/VELAP Certification #: 460221

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92792443001	**S-15**	Solid	04/21/25 10:15	04/23/25 09:40
92792443002	**S-16**	Solid	04/21/25 10:30	04/23/25 09:40
92792443003	**S-17**	Solid	04/21/25 10:45	04/23/25 09:40
92792443004	**S-18**	Solid	04/21/25 11:15	04/23/25 09:40
92792443005	**S-19**	Solid	04/21/25 11:30	04/23/25 09:40
92792443006	**S-20**	Solid	04/21/25 12:00	04/23/25 09:40
92792443007	**S-21**	Solid	04/21/25 12:20	04/23/25 09:40
92792443008	**S-22**	Solid	04/21/25 12:40	04/23/25 09:40
92792443009	**S-23**	Solid	04/21/25 13:00	04/23/25 09:40
92792443010	**S-24**	Solid	04/21/25 14:00	04/23/25 09:40
92792443011	**S-25**	Solid	04/21/25 14:30	04/23/25 09:40
92792443012	**S-26**	Solid	04/21/25 15:15	04/23/25 09:40
92792443013	**S-27**	Solid	04/21/25 15:45	04/23/25 09:40
92792443014	**S-28**	Solid	04/21/25 16:15	04/23/25 09:40
92792443015	**S-29**	Solid	04/21/25 16:45	04/23/25 09:40
92792443016	**S-30**	Solid	04/22/25 08:00	04/23/25 09:40
92792443017	**S-31**	Solid	04/22/25 08:20	04/23/25 09:40
92792443018	**S-32**	Solid	04/22/25 08:55	04/23/25 09:40
92792443019	**S-33**	Solid	04/22/25 09:45	04/23/25 09:40
92792443020	**S-34**	Solid	04/22/25 10:15	04/23/25 09:40
92792443021	**S-35**	Solid	04/22/25 10:45	04/23/25 09:40
92792443022	**S-36**	Solid	04/22/25 11:15	04/23/25 09:40
92792443023	**S-37**	Solid	04/22/25 11:45	04/23/25 09:40
92792443024	**S-38**	Solid	04/22/25 12:45	04/23/25 09:40
92792443025	**S-39**	Solid	04/22/25 13:15	04/23/25 09:40
92792443026	**S-40**	Solid	04/22/25 14:00	04/23/25 09:40
92792443027	**S-41**	Solid	04/22/25 14:20	04/23/25 09:40
92792443028	**S-42**	Solid	04/22/25 14:40	04/23/25 09:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92792443001	**S-15**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443002	**S-16**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443003	**S-17**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443004	**S-18**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443005	**S-19**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443006	**S-20**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443007	**S-21**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443008	**S-22**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443009	**S-23**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443010	**S-24**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	MCR1	1	PASI-C
92792443011	**S-25**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443012	**S-26**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443013	**S-27**	EPA 8270E	SEM	21	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443014	**S-28**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443015	**S-29**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443016	**S-30**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443017	**S-31**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443018	**S-32**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443019	**S-33**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443020	**S-34**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443021	**S-35**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443022	**S-36**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443023	**S-37**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443024	**S-38**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	LMB	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443025	**S-39**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SW-846	KDF	1	PASI-C
92792443026	**S-40**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443027	**S-41**	EPA 8270E	SEM	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	KDF	1	PASI-C
92792443028	**S-42**	ASTM D2974-87	YXH	1	PASI-G
		EPA 9060	TJJ	6	PASI-G

PASI-C = Pace Analytical Services - Charlotte
PASI-G = Pace Analytical Services - Green Bay

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443001	**S-15**					
EPA 8260D	Benzene	159	ug/kg	5.9	04/25/25 05:33	
EPA 8260D	Ethylbenzene	270	ug/kg	5.9	04/25/25 05:33	
EPA 8260D	Naphthalene	159	ug/kg	5.9	04/25/25 05:33	
EPA 8260D	Toluene	6.2	ug/kg	5.9	04/25/25 05:33	
EPA 8260D	Xylene (Total)	760	ug/kg	11.9	04/25/25 05:33	
EPA 8260D	m&p-Xylene	747	ug/kg	11.9	04/25/25 05:33	
EPA 8260D	o-Xylene	12.5	ug/kg	5.9	04/25/25 05:33	
SW-846	Percent Moisture	19.5	%	0.10	04/24/25 11:03	N2
92792443002	**S-16**					
EPA 8270E	1-Methylnaphthalene	486	ug/kg	401	04/28/25 10:00	
EPA 8270E	2-Methylnaphthalene	1010	ug/kg	401	04/28/25 10:00	
EPA 8270E	Naphthalene	1770	ug/kg	401	04/28/25 10:00	
EPA 8260D	Benzene	68.9J	ug/kg	72.5	04/29/25 06:21	
EPA 8260D	Ethylbenzene	15200	ug/kg	72.5	04/29/25 06:21	
EPA 8260D	Naphthalene	3350	ug/kg	72.5	04/29/25 06:21	
EPA 8260D	Toluene	2850	ug/kg	72.5	04/29/25 06:21	
EPA 8260D	Xylene (Total)	97600	ug/kg	145	04/29/25 06:21	
EPA 8260D	m&p-Xylene	68900	ug/kg	145	04/29/25 06:21	
EPA 8260D	o-Xylene	28700	ug/kg	72.5	04/29/25 06:21	
SW-846	Percent Moisture	16.8	%	0.10	04/24/25 11:04	N2
92792443003	**S-17**					
EPA 8270E	1-Methylnaphthalene	862	ug/kg	417	04/28/25 10:27	
EPA 8270E	2-Methylnaphthalene	1830	ug/kg	417	04/28/25 10:27	
EPA 8270E	Naphthalene	3670	ug/kg	417	04/28/25 10:27	
EPA 8260D	Benzene	3240	ug/kg	369	04/25/25 07:37	
EPA 8260D	Ethylbenzene	149000	ug/kg	369	04/25/25 07:37	
EPA 8260D	Naphthalene	23600	ug/kg	369	04/25/25 07:37	
EPA 8260D	Toluene	50800	ug/kg	369	04/25/25 07:37	
EPA 8260D	Xylene (Total)	844000	ug/kg	737	04/25/25 07:37	
EPA 8260D	m&p-Xylene	617000	ug/kg	737	04/25/25 07:37	
EPA 8260D	o-Xylene	227000	ug/kg	369	04/25/25 07:37	
SW-846	Percent Moisture	20.7	%	0.10	04/24/25 11:04	N2
92792443004	**S-18**					
EPA 8270E	Fluoranthene	267J	ug/kg	422	04/28/25 10:54	
EPA 8270E	1-Methylnaphthalene	536	ug/kg	422	04/28/25 10:54	
EPA 8270E	2-Methylnaphthalene	1130	ug/kg	422	04/28/25 10:54	
EPA 8270E	Naphthalene	2410	ug/kg	422	04/28/25 10:54	
EPA 8270E	Pyrene	217J	ug/kg	422	04/28/25 10:54	
EPA 8260D	Benzene	23000	ug/kg	821	04/29/25 06:39	
EPA 8260D	Ethylbenzene	161000	ug/kg	821	04/29/25 06:39	
EPA 8260D	Naphthalene	25700	ug/kg	821	04/29/25 06:39	
EPA 8260D	Toluene	487000	ug/kg	821	04/29/25 06:39	
EPA 8260D	Xylene (Total)	949000	ug/kg	1640	04/29/25 06:39	
EPA 8260D	m&p-Xylene	666000	ug/kg	1640	04/29/25 06:39	
EPA 8260D	o-Xylene	282000	ug/kg	821	04/29/25 06:39	
SW-846	Percent Moisture	21.8	%	0.10	04/24/25 11:04	N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443005	**S-19**					
EPA 8260D	Benzene	617	ug/kg	5.7	04/25/25 05:51	
EPA 8260D	Ethylbenzene	15.6	ug/kg	5.7	04/25/25 05:51	
EPA 8260D	Naphthalene	18.8	ug/kg	5.7	04/25/25 05:51	
EPA 8260D	Toluene	37.6	ug/kg	5.7	04/25/25 05:51	
EPA 8260D	Xylene (Total)	51.4	ug/kg	11.5	04/25/25 05:51	
EPA 8260D	m&p-Xylene	51.4	ug/kg	11.5	04/25/25 05:51	
SW-846	Percent Moisture	15.4	%	0.10	04/24/25 11:04	N2
92792443006	**S-20**					
EPA 8270E	1-Methylnaphthalene	307J	ug/kg	377	04/28/25 11:48	
EPA 8270E	2-Methylnaphthalene	652	ug/kg	377	04/28/25 11:48	
EPA 8270E	Naphthalene	1200	ug/kg	377	04/28/25 11:48	
EPA 8260D	Benzene	7170	ug/kg	335	04/25/25 08:13	
EPA 8260D	Ethylbenzene	130000	ug/kg	335	04/25/25 08:13	
EPA 8260D	Naphthalene	17700	ug/kg	335	04/25/25 08:13	
EPA 8260D	Toluene	307000	ug/kg	335	04/25/25 08:13	
EPA 8260D	Xylene (Total)	774000	ug/kg	671	04/25/25 08:13	
EPA 8260D	m&p-Xylene	550000	ug/kg	671	04/25/25 08:13	
EPA 8260D	o-Xylene	224000	ug/kg	335	04/25/25 08:13	
SW-846	Percent Moisture	11.8	%	0.10	04/24/25 11:04	N2
92792443007	**S-21**					
EPA 8270E	1-Methylnaphthalene	1640	ug/kg	367	04/28/25 12:15	
EPA 8270E	2-Methylnaphthalene	3460	ug/kg	367	04/28/25 12:15	
EPA 8270E	Naphthalene	4870	ug/kg	735	04/28/25 18:06	
EPA 8260D	Benzene	197	ug/kg	5.7	04/25/25 06:27	
EPA 8260D	Ethylbenzene	564	ug/kg	5.7	04/25/25 06:27	
EPA 8260D	Naphthalene	119	ug/kg	5.7	04/25/25 06:27	
EPA 8260D	Toluene	127	ug/kg	5.7	04/25/25 06:27	
EPA 8260D	Xylene (Total)	3160	ug/kg	11.4	04/25/25 06:27	
EPA 8260D	m&p-Xylene	2530	ug/kg	11.4	04/25/25 06:27	
EPA 8260D	o-Xylene	635	ug/kg	5.7	04/25/25 06:27	
SW-846	Percent Moisture	10.2	%	0.10	04/24/25 11:04	N2
92792443008	**S-22**					
EPA 8270E	1-Methylnaphthalene	1780	ug/kg	381	04/28/25 12:42	
EPA 8270E	2-Methylnaphthalene	3800	ug/kg	381	04/28/25 12:42	
EPA 8270E	Naphthalene	5740	ug/kg	763	04/28/25 17:46	
EPA 8260D	Benzene	636	ug/kg	6.3	04/25/25 07:02	
EPA 8260D	Ethylbenzene	1640	ug/kg	6.3	04/25/25 07:02	
EPA 8260D	Naphthalene	264	ug/kg	6.3	04/25/25 07:02	
EPA 8260D	Toluene	5880	ug/kg	6.3	04/25/25 07:02	
EPA 8260D	Xylene (Total)	9510	ug/kg	12.7	04/25/25 07:02	
EPA 8260D	m&p-Xylene	6830	ug/kg	12.7	04/25/25 07:02	
EPA 8260D	o-Xylene	2680	ug/kg	6.3	04/25/25 07:02	
SW-846	Percent Moisture	13.5	%	0.10	04/24/25 11:05	N2
92792443009	**S-23**					
EPA 8270E	Fluorene	166J	ug/kg	374	04/28/25 13:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443009	**S-23**					
EPA 8270E	1-Methylnaphthalene	1880	ug/kg	374	04/28/25 13:09	
EPA 8270E	2-Methylnaphthalene	3470	ug/kg	1500	04/28/25 18:13	
EPA 8270E	Naphthalene	5730	ug/kg	1500	04/28/25 18:13	
EPA 8270E	Phenanthrene	153J	ug/kg	374	04/28/25 13:09	
EPA 8260D	Benzene	13400	ug/kg	1060	04/29/25 06:57	
EPA 8260D	Ethylbenzene	163000	ug/kg	1060	04/29/25 06:57	
EPA 8260D	Naphthalene	38300	ug/kg	1060	04/29/25 06:57	
EPA 8260D	Toluene	724000	ug/kg	1060	04/29/25 06:57	
EPA 8260D	Xylene (Total)	1050000	ug/kg	2130	04/29/25 06:57	
EPA 8260D	m&p-Xylene	726000	ug/kg	2130	04/29/25 06:57	
EPA 8260D	o-Xylene	320000	ug/kg	1060	04/29/25 06:57	
SW-846	Percent Moisture	11.4	%	0.10	04/24/25 11:05	N2
92792443010	**S-24**					
EPA 8270E	Naphthalene	388J	ug/kg	444	04/28/25 13:36	
EPA 8260D	Benzene	956	ug/kg	8.7	04/25/25 06:44	
EPA 8260D	Ethylbenzene	1690	ug/kg	8.7	04/25/25 06:44	
EPA 8260D	Naphthalene	948	ug/kg	8.7	04/25/25 06:44	
EPA 8260D	Toluene	89.8	ug/kg	8.7	04/25/25 06:44	
EPA 8260D	Xylene (Total)	962	ug/kg	17.4	04/25/25 06:44	
EPA 8260D	m&p-Xylene	922	ug/kg	17.4	04/25/25 06:44	
EPA 8260D	o-Xylene	40.2	ug/kg	8.7	04/25/25 06:44	
SW-846	Percent Moisture	25.2	%	0.10	04/24/25 11:05	N2
92792443011	**S-25**					
EPA 8270E	Fluorene	161J	ug/kg	384	04/28/25 14:03	
EPA 8270E	1-Methylnaphthalene	2410	ug/kg	384	04/28/25 14:03	
EPA 8270E	2-Methylnaphthalene	5210	ug/kg	1540	04/29/25 12:14	
EPA 8270E	Naphthalene	8770	ug/kg	1540	04/29/25 12:14	
EPA 8260D	Benzene	15300	ug/kg	710	04/29/25 07:14	
EPA 8260D	Ethylbenzene	149000	ug/kg	710	04/29/25 07:14	
EPA 8260D	Naphthalene	24700	ug/kg	710	04/29/25 07:14	
EPA 8260D	Toluene	578000	ug/kg	710	04/29/25 07:14	
EPA 8260D	Xylene (Total)	914000	ug/kg	1420	04/29/25 07:14	
EPA 8260D	m&p-Xylene	641000	ug/kg	1420	04/29/25 07:14	
EPA 8260D	o-Xylene	274000	ug/kg	710	04/29/25 07:14	
SW-846	Percent Moisture	13.0	%	0.10	04/24/25 13:14	N2
92792443012	**S-26**					
EPA 8270E	Naphthalene	185J	ug/kg	387	04/28/25 14:30	
EPA 8260D	Benzene	350	ug/kg	23.9	04/29/25 06:04	
EPA 8260D	Ethylbenzene	5000	ug/kg	23.9	04/29/25 06:04	
EPA 8260D	Naphthalene	1230	ug/kg	23.9	04/29/25 06:04	
EPA 8260D	Toluene	5830	ug/kg	23.9	04/29/25 06:04	
EPA 8260D	Xylene (Total)	27300	ug/kg	47.8	04/29/25 06:04	
EPA 8260D	m&p-Xylene	20100	ug/kg	47.8	04/29/25 06:04	
EPA 8260D	o-Xylene	7160	ug/kg	23.9	04/29/25 06:04	
SW-846	Percent Moisture	14.8	%	0.10	04/24/25 13:14	N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443013	**S-27**					
EPA 8270E	1-Methylnaphthalene	2390	ug/kg	378	04/28/25 14:57	
EPA 8270E	2-Methylnaphthalene	5060	ug/kg	1510	04/29/25 12:41	
EPA 8270E	Naphthalene	8880	ug/kg	1510	04/29/25 12:41	
EPA 8260D	Benzene	8210	ug/kg	809	04/29/25 07:50	
EPA 8260D	Ethylbenzene	252000	ug/kg	809	04/29/25 07:50	
EPA 8260D	Naphthalene	56600	ug/kg	809	04/29/25 07:50	
EPA 8260D	Toluene	627000	ug/kg	809	04/29/25 07:50	
EPA 8260D	Xylene (Total)	1530000	ug/kg	1620	04/29/25 07:50	
EPA 8260D	m&p-Xylene	1070000	ug/kg	1620	04/29/25 07:50	
EPA 8260D	o-Xylene	455000	ug/kg	809	04/29/25 07:50	
SW-846	Percent Moisture	13.6	%	0.10	04/24/25 13:14	N2
92792443014	**S-28**					
EPA 8260D	Benzene	463	ug/kg	6.5	04/26/25 18:21	
EPA 8260D	Ethylbenzene	45.3	ug/kg	6.5	04/26/25 18:21	
EPA 8260D	Naphthalene	23.6	ug/kg	6.5	04/26/25 18:21	
EPA 8260D	Toluene	167	ug/kg	6.5	04/26/25 18:21	
EPA 8260D	Xylene (Total)	53.0	ug/kg	13.1	04/26/25 18:21	
EPA 8260D	m&p-Xylene	48.9	ug/kg	13.1	04/26/25 18:21	
EPA 8260D	o-Xylene	4.1J	ug/kg	6.5	04/26/25 18:21	
SW-846	Percent Moisture	18.0	%	0.10	04/24/25 13:14	N2
92792443015	**S-29**					
EPA 8260D	Benzene	909	ug/kg	6.9	04/26/25 18:39	
EPA 8260D	Ethylbenzene	518	ug/kg	6.9	04/26/25 18:39	
EPA 8260D	Naphthalene	70.7	ug/kg	6.9	04/26/25 18:39	
EPA 8260D	Toluene	143	ug/kg	6.9	04/26/25 18:39	
EPA 8260D	Xylene (Total)	1030	ug/kg	13.9	04/26/25 18:39	
EPA 8260D	m&p-Xylene	989	ug/kg	13.9	04/26/25 18:39	
EPA 8260D	o-Xylene	42.0	ug/kg	6.9	04/26/25 18:39	
SW-846	Percent Moisture	20.7	%	0.10	04/24/25 13:15	N2
92792443016	**S-30**					
EPA 8270E	1-Methylnaphthalene	415	ug/kg	383	04/28/25 16:18	
EPA 8270E	2-Methylnaphthalene	908	ug/kg	383	04/28/25 16:18	
EPA 8270E	Naphthalene	1650	ug/kg	383	04/28/25 16:18	
EPA 8260D	Benzene	718	ug/kg	77.6	05/02/25 00:11	
EPA 8260D	Ethylbenzene	16400	ug/kg	77.6	05/02/25 00:11	
EPA 8260D	Naphthalene	3650	ug/kg	77.6	05/02/25 00:11	
EPA 8260D	Toluene	54100	ug/kg	77.6	05/02/25 00:11	
EPA 8260D	Xylene (Total)	104000	ug/kg	155	05/02/25 00:11	
EPA 8260D	m&p-Xylene	71000	ug/kg	155	05/02/25 00:11	
EPA 8260D	o-Xylene	33000	ug/kg	77.6	05/02/25 00:11	
SW-846	Percent Moisture	14.4	%	0.10	04/24/25 13:15	N2
92792443017	**S-31**					
EPA 8270E	1-Methylnaphthalene	182J	ug/kg	394	04/28/25 16:45	
EPA 8270E	2-Methylnaphthalene	396	ug/kg	394	04/28/25 16:45	
EPA 8270E	Naphthalene	864	ug/kg	394	04/28/25 16:45	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443017	**S-31**					
EPA 8260D	Benzene	833	ug/kg	80.3	04/30/25 07:06	
EPA 8260D	Ethylbenzene	22700	ug/kg	80.3	04/30/25 07:06	
EPA 8260D	Naphthalene	4710	ug/kg	80.3	04/30/25 07:06	
EPA 8260D	Toluene	56300	ug/kg	80.3	04/30/25 07:06	
EPA 8260D	Xylene (Total)	146000	ug/kg	161	04/30/25 07:06	
EPA 8260D	m&p-Xylene	101000	ug/kg	161	04/30/25 07:06	
EPA 8260D	o-Xylene	45100	ug/kg	80.3	04/30/25 07:06	
SW-846	Percent Moisture	15.1	%	0.10	04/24/25 13:15	N2
92792443018	**S-32**					
EPA 8270E	1-Methylnaphthalene	1030	ug/kg	380	04/28/25 17:12	
EPA 8270E	2-Methylnaphthalene	1810	ug/kg	380	04/28/25 17:12	
EPA 8270E	Naphthalene	2230	ug/kg	380	04/28/25 17:12	
EPA 8260D	Benzene	3960	ug/kg	271	04/26/25 19:49	
EPA 8260D	Ethylbenzene	71800	ug/kg	271	04/26/25 19:49	
EPA 8260D	Naphthalene	9740	ug/kg	271	04/26/25 19:49	
EPA 8260D	Toluene	175000	ug/kg	271	04/26/25 19:49	
EPA 8260D	Xylene (Total)	415000	ug/kg	541	04/26/25 19:49	
EPA 8260D	m&p-Xylene	305000	ug/kg	541	04/26/25 19:49	
EPA 8260D	o-Xylene	110000	ug/kg	271	04/26/25 19:49	
SW-846	Percent Moisture	14.3	%	0.10	04/24/25 13:15	N2
92792443019	**S-33**					
EPA 8270E	2-Methylnaphthalene	163J	ug/kg	392	04/29/25 17:16	
EPA 8270E	Naphthalene	312J	ug/kg	392	04/29/25 17:16	
EPA 8260D	Benzene	1160	ug/kg	151	04/30/25 07:41	
EPA 8260D	Ethylbenzene	37000	ug/kg	151	04/30/25 07:41	
EPA 8260D	Naphthalene	9680	ug/kg	151	04/30/25 07:41	
EPA 8260D	Toluene	60100	ug/kg	151	04/30/25 07:41	
EPA 8260D	Xylene (Total)	234000	ug/kg	302	04/30/25 07:41	
EPA 8260D	m&p-Xylene	169000	ug/kg	302	04/30/25 07:41	
EPA 8260D	o-Xylene	64900	ug/kg	151	04/30/25 07:41	
SW-846	Percent Moisture	16.4	%	0.10	04/24/25 13:15	N2
92792443020	**S-34**					
EPA 8270E	1-Methylnaphthalene	372J	ug/kg	386	04/29/25 07:46	
EPA 8270E	2-Methylnaphthalene	808	ug/kg	386	04/29/25 07:46	
EPA 8270E	Naphthalene	1480	ug/kg	386	04/29/25 07:46	
EPA 8260D	Benzene	108	ug/kg	73.6	05/01/25 23:36	
EPA 8260D	Ethylbenzene	15800	ug/kg	73.6	05/01/25 23:36	
EPA 8260D	Naphthalene	3340	ug/kg	73.6	05/01/25 23:36	
EPA 8260D	Toluene	18500	ug/kg	73.6	05/01/25 23:36	
EPA 8260D	Xylene (Total)	102000	ug/kg	147	05/01/25 23:36	
EPA 8260D	m&p-Xylene	71700	ug/kg	147	05/01/25 23:36	
EPA 8260D	o-Xylene	30100	ug/kg	73.6	05/01/25 23:36	
SW-846	Percent Moisture	11.8	%	0.10	04/24/25 13:15	N2
92792443021	**S-35**					
EPA 8270E	1-Methylnaphthalene	176J	ug/kg	383	04/29/25 08:40	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443021	**S-35**					
EPA 8270E	2-Methylnaphthalene	366J	ug/kg	383	04/29/25 08:40	
EPA 8270E	Naphthalene	384	ug/kg	383	04/29/25 08:40	
EPA 8260D	Benzene	192	ug/kg	65.8	05/01/25 23:01	
EPA 8260D	Ethylbenzene	6600	ug/kg	65.8	05/01/25 23:01	
EPA 8260D	Naphthalene	2550	ug/kg	65.8	05/01/25 23:01	
EPA 8260D	Toluene	7690	ug/kg	65.8	05/01/25 23:01	
EPA 8260D	Xylene (Total)	52000	ug/kg	132	05/01/25 23:01	
EPA 8260D	m&p-Xylene	36600	ug/kg	132	05/01/25 23:01	
EPA 8260D	o-Xylene	15300	ug/kg	65.8	05/01/25 23:01	
SW-846	Percent Moisture	13.6	%	0.10	04/24/25 13:15	N2
92792443022	**S-36**					
EPA 8260D	Benzene	8.4	ug/kg	6.2	04/30/25 05:02	
EPA 8260D	Ethylbenzene	38.5	ug/kg	6.2	04/30/25 05:02	
EPA 8260D	Toluene	7.1	ug/kg	6.2	04/30/25 05:02	
EPA 8260D	Xylene (Total)	111	ug/kg	12.4	04/30/25 05:02	
EPA 8260D	m&p-Xylene	111	ug/kg	12.4	04/30/25 05:02	
SW-846	Percent Moisture	14.4	%	0.10	04/24/25 13:15	N2
92792443023	**S-37**					
SW-846	Percent Moisture	14.6	%	0.10	04/24/25 13:15	N2
92792443024	**S-38**					
EPA 8270E	Naphthalene	237J	ug/kg	375	04/29/25 10:27	
EPA 8260D	Benzene	285	ug/kg	5.6	04/30/25 05:55	
EPA 8260D	Ethylbenzene	97.3	ug/kg	5.6	04/30/25 05:55	
EPA 8260D	Naphthalene	269	ug/kg	5.6	04/30/25 05:55	
EPA 8260D	Toluene	13.0	ug/kg	5.6	04/30/25 05:55	
EPA 8260D	Xylene (Total)	2060	ug/kg	11.3	04/30/25 05:55	
EPA 8260D	m&p-Xylene	2040	ug/kg	11.3	04/30/25 05:55	
EPA 8260D	o-Xylene	12.5	ug/kg	5.6	04/30/25 05:55	
SW-846	Percent Moisture	13.1	%	0.10	04/24/25 13:15	N2
92792443025	**S-39**					
EPA 8260D	Benzene	106	ug/kg	5.8	05/01/25 07:14	
EPA 8260D	Ethylbenzene	134	ug/kg	5.8	05/01/25 07:14	
EPA 8260D	Naphthalene	23.5	ug/kg	5.8	05/01/25 07:14	
EPA 8260D	Toluene	10.6	ug/kg	5.8	05/01/25 07:14	
EPA 8260D	Xylene (Total)	600	ug/kg	11.6	05/01/25 07:14	
EPA 8260D	m&p-Xylene	588	ug/kg	11.6	05/01/25 07:14	
EPA 8260D	o-Xylene	11.8	ug/kg	5.8	05/01/25 07:14	
SW-846	Percent Moisture	13.6	%	0.10	04/24/25 13:16	N2
92792443026	**S-40**					
EPA 8260D	Benzene	38.9	ug/kg	5.6	05/01/25 08:43	
EPA 8260D	Ethylbenzene	19.9	ug/kg	5.6	05/01/25 08:43	
EPA 8260D	Toluene	6.7	ug/kg	5.6	05/01/25 08:43	
EPA 8260D	Xylene (Total)	114	ug/kg	11.2	05/01/25 08:43	
EPA 8260D	m&p-Xylene	88.0	ug/kg	11.2	05/01/25 08:43	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792443026	**S-40**					
EPA 8260D	o-Xylene	25.6	ug/kg	5.6	05/01/25 08:43	
SW-846	Percent Moisture	15.8	%	0.10	04/24/25 14:05	N2
92792443027	**S-41**					
EPA 8270E	Benzo(a)pyrene	273J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Benzo(b)fluoranthene	385	ug/kg	379	04/29/25 11:47	
EPA 8270E	Benzo(g,h,i)perylene	269J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Benzo(k)fluoranthene	150J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Fluoranthene	322J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Indeno(1,2,3-cd)pyrene	198J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Phenanthrene	209J	ug/kg	379	04/29/25 11:47	
EPA 8270E	Pyrene	299J	ug/kg	379	04/29/25 11:47	
EPA 8260D	Benzene	6.6	ug/kg	5.3	05/01/25 07:32	
EPA 8260D	Ethylbenzene	5.8	ug/kg	5.3	05/01/25 07:32	
EPA 8260D	Xylene (Total)	37.1	ug/kg	10.6	05/01/25 07:32	
EPA 8260D	m&p-Xylene	27.6	ug/kg	10.6	05/01/25 07:32	
EPA 8260D	o-Xylene	9.5	ug/kg	5.3	05/01/25 07:32	
SW-846	Percent Moisture	12.9	%	0.10	04/24/25 14:05	N2
92792443028	**S-42**					
ASTM D2974-87	Percent Moisture	15.1	%	0.10	04/30/25 06:51	
EPA 9060	Total Organic Carbon	984	mg/kg	712	05/08/25 10:41	
EPA 9060	Total Organic Carbon	989	mg/kg	713	05/08/25 10:46	
EPA 9060	Total Organic Carbon	968	mg/kg	708	05/08/25 10:51	
EPA 9060	Total Organic Carbon	1040	mg/kg	708	05/08/25 10:56	
EPA 9060	Mean Total Organic Carbon	997	mg/kg	710	05/08/25 10:41	
EPA 9060	RSD%	3.4	%		05/08/25 10:41	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-15 **Lab ID: 92792443001** Collected: 04/21/25 10:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	404	142	1	04/25/25 15:30	04/28/25 09:06	83-32-9	
Acenaphthylene	ND	ug/kg	404	142	1	04/25/25 15:30	04/28/25 09:06	208-96-8	
Anthracene	ND	ug/kg	404	132	1	04/25/25 15:30	04/28/25 09:06	120-12-7	
Benzo(a)anthracene	ND	ug/kg	404	135	1	04/25/25 15:30	04/28/25 09:06	56-55-3	
Benzo(a)pyrene	ND	ug/kg	404	140	1	04/25/25 15:30	04/28/25 09:06	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	404	135	1	04/25/25 15:30	04/28/25 09:06	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	404	157	1	04/25/25 15:30	04/28/25 09:06	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	404	142	1	04/25/25 15:30	04/28/25 09:06	207-08-9	
Chrysene	ND	ug/kg	404	147	1	04/25/25 15:30	04/28/25 09:06	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	404	156	1	04/25/25 15:30	04/28/25 09:06	53-70-3	
Fluoranthene	ND	ug/kg	404	139	1	04/25/25 15:30	04/28/25 09:06	206-44-0	
Fluorene	ND	ug/kg	404	142	1	04/25/25 15:30	04/28/25 09:06	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	404	159	1	04/25/25 15:30	04/28/25 09:06	193-39-5	
1-Methylnaphthalene	ND	ug/kg	404	142	1	04/25/25 15:30	04/28/25 09:06	90-12-0	
2-Methylnaphthalene	ND	ug/kg	404	162	1	04/25/25 15:30	04/28/25 09:06	91-57-6	
Naphthalene	ND	ug/kg	404	137	1	04/25/25 15:30	04/28/25 09:06	91-20-3	
Phenanthrene	ND	ug/kg	404	132	1	04/25/25 15:30	04/28/25 09:06	85-01-8	
Pyrene	ND	ug/kg	404	164	1	04/25/25 15:30	04/28/25 09:06	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	60	%	10-130		1	04/25/25 15:30	04/28/25 09:06	4165-60-0	
2-Fluorobiphenyl (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 09:06	321-60-8	
Terphenyl-d14 (S)	76	%	10-130		1	04/25/25 15:30	04/28/25 09:06	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**159**	ug/kg	5.9	2.4	1	04/24/25 22:27	04/25/25 05:33	71-43-2	
Ethylbenzene	**270**	ug/kg	5.9	2.8	1	04/24/25 22:27	04/25/25 05:33	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.9	2.2	1	04/24/25 22:27	04/25/25 05:33	1634-04-4	
Naphthalene	**159**	ug/kg	5.9	3.1	1	04/24/25 22:27	04/25/25 05:33	91-20-3	
Toluene	**6.2**	ug/kg	5.9	4.1	1	04/24/25 22:27	04/25/25 05:33	108-88-3	
Xylene (Total)	**760**	ug/kg	11.9	3.4	1	04/24/25 22:27	04/25/25 05:33	1330-20-7	
m&p-Xylene	**747**	ug/kg	11.9	4.1	1	04/24/25 22:27	04/25/25 05:33	179601-23-1	
o-Xylene	**12.5**	ug/kg	5.9	2.6	1	04/24/25 22:27	04/25/25 05:33	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/24/25 22:27	04/25/25 05:33	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1	04/24/25 22:27	04/25/25 05:33	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		1	04/24/25 22:27	04/25/25 05:33	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**19.5**	%	0.10	0.10	1		04/24/25 11:03		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-16 **Lab ID: 92792443002** Collected: 04/21/25 10:30 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	401	141	1	04/25/25 15:30	04/28/25 10:00	83-32-9	
Acenaphthylene	ND	ug/kg	401	141	1	04/25/25 15:30	04/28/25 10:00	208-96-8	
Anthracene	ND	ug/kg	401	131	1	04/25/25 15:30	04/28/25 10:00	120-12-7	
Benzo(a)anthracene	ND	ug/kg	401	134	1	04/25/25 15:30	04/28/25 10:00	56-55-3	
Benzo(a)pyrene	ND	ug/kg	401	138	1	04/25/25 15:30	04/28/25 10:00	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	401	134	1	04/25/25 15:30	04/28/25 10:00	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	401	155	1	04/25/25 15:30	04/28/25 10:00	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	401	141	1	04/25/25 15:30	04/28/25 10:00	207-08-9	
Chrysene	ND	ug/kg	401	146	1	04/25/25 15:30	04/28/25 10:00	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	401	154	1	04/25/25 15:30	04/28/25 10:00	53-70-3	
Fluoranthene	ND	ug/kg	401	137	1	04/25/25 15:30	04/28/25 10:00	206-44-0	
Fluorene	ND	ug/kg	401	141	1	04/25/25 15:30	04/28/25 10:00	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	401	158	1	04/25/25 15:30	04/28/25 10:00	193-39-5	
1-Methylnaphthalene	**486**	ug/kg	401	141	1	04/25/25 15:30	04/28/25 10:00	90-12-0	
2-Methylnaphthalene	**1010**	ug/kg	401	160	1	04/25/25 15:30	04/28/25 10:00	91-57-6	
Naphthalene	**1770**	ug/kg	401	136	1	04/25/25 15:30	04/28/25 10:00	91-20-3	
Phenanthrene	ND	ug/kg	401	131	1	04/25/25 15:30	04/28/25 10:00	85-01-8	
Pyrene	ND	ug/kg	401	163	1	04/25/25 15:30	04/28/25 10:00	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-130		1	04/25/25 15:30	04/28/25 10:00	4165-60-0	
2-Fluorobiphenyl (S)	61	%	10-130		1	04/25/25 15:30	04/28/25 10:00	321-60-8	
Terphenyl-d14 (S)	64	%	10-130		1	04/25/25 15:30	04/28/25 10:00	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**68.9J**	ug/kg	72.5	28.9	12.5	04/28/25 21:25	04/29/25 06:21	71-43-2	
Ethylbenzene	**15200**	ug/kg	72.5	33.8	12.5	04/28/25 21:25	04/29/25 06:21	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	72.5	27.1	12.5	04/28/25 21:25	04/29/25 06:21	1634-04-4	
Naphthalene	**3350**	ug/kg	72.5	38.1	12.5	04/28/25 21:25	04/29/25 06:21	91-20-3	
Toluene	**2850**	ug/kg	72.5	50.0	12.5	04/28/25 21:25	04/29/25 06:21	108-88-3	
Xylene (Total)	**97600**	ug/kg	145	41.3	12.5	04/28/25 21:25	04/29/25 06:21	1330-20-7	
m&p-Xylene	**68900**	ug/kg	145	49.6	12.5	04/28/25 21:25	04/29/25 06:21	179601-23-1	
o-Xylene	**28700**	ug/kg	72.5	32.1	12.5	04/28/25 21:25	04/29/25 06:21	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		12.5	04/28/25 21:25	04/29/25 06:21	2037-26-5	D3
4-Bromofluorobenzene (S)	100	%	70-130		12.5	04/28/25 21:25	04/29/25 06:21	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-135		12.5	04/28/25 21:25	04/29/25 06:21	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**16.8**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-17 **Lab ID: 92792443003** Collected: 04/21/25 10:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	417	147	1	04/25/25 15:30	04/28/25 10:27	83-32-9	
Acenaphthylene	ND	ug/kg	417	147	1	04/25/25 15:30	04/28/25 10:27	208-96-8	
Anthracene	ND	ug/kg	417	137	1	04/25/25 15:30	04/28/25 10:27	120-12-7	
Benzo(a)anthracene	ND	ug/kg	417	139	1	04/25/25 15:30	04/28/25 10:27	56-55-3	
Benzo(a)pyrene	ND	ug/kg	417	144	1	04/25/25 15:30	04/28/25 10:27	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	417	139	1	04/25/25 15:30	04/28/25 10:27	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	417	162	1	04/25/25 15:30	04/28/25 10:27	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	417	147	1	04/25/25 15:30	04/28/25 10:27	207-08-9	
Chrysene	ND	ug/kg	417	152	1	04/25/25 15:30	04/28/25 10:27	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	417	161	1	04/25/25 15:30	04/28/25 10:27	53-70-3	
Fluoranthene	ND	ug/kg	417	143	1	04/25/25 15:30	04/28/25 10:27	206-44-0	
Fluorene	ND	ug/kg	417	147	1	04/25/25 15:30	04/28/25 10:27	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	417	164	1	04/25/25 15:30	04/28/25 10:27	193-39-5	
1-Methylnaphthalene	**862**	ug/kg	417	147	1	04/25/25 15:30	04/28/25 10:27	90-12-0	
2-Methylnaphthalene	**1830**	ug/kg	417	167	1	04/25/25 15:30	04/28/25 10:27	91-57-6	
Naphthalene	**3670**	ug/kg	417	142	1	04/25/25 15:30	04/28/25 10:27	91-20-3	
Phenanthrene	ND	ug/kg	417	137	1	04/25/25 15:30	04/28/25 10:27	85-01-8	
Pyrene	ND	ug/kg	417	169	1	04/25/25 15:30	04/28/25 10:27	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 10:27	4165-60-0	
2-Fluorobiphenyl (S)	67	%	10-130		1	04/25/25 15:30	04/28/25 10:27	321-60-8	
Terphenyl-d14 (S)	76	%	10-130		1	04/25/25 15:30	04/28/25 10:27	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**3240**	ug/kg	369	147	50	04/24/25 22:27	04/25/25 07:37	71-43-2	
Ethylbenzene	**149000**	ug/kg	369	172	50	04/24/25 22:27	04/25/25 07:37	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	369	138	50	04/24/25 22:27	04/25/25 07:37	1634-04-4	
Naphthalene	**23600**	ug/kg	369	194	50	04/24/25 22:27	04/25/25 07:37	91-20-3	
Toluene	**50800**	ug/kg	369	254	50	04/24/25 22:27	04/25/25 07:37	108-88-3	
Xylene (Total)	**844000**	ug/kg	737	210	50	04/24/25 22:27	04/25/25 07:37	1330-20-7	
m&p-Xylene	**617000**	ug/kg	737	252	50	04/24/25 22:27	04/25/25 07:37	179601-23-1	
o-Xylene	**227000**	ug/kg	369	163	50	04/24/25 22:27	04/25/25 07:37	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		50	04/24/25 22:27	04/25/25 07:37	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		50	04/24/25 22:27	04/25/25 07:37	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-135		50	04/24/25 22:27	04/25/25 07:37	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**20.7**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-18 **Lab ID: 92792443004** Collected: 04/21/25 11:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	422	148	1	04/25/25 15:30	04/28/25 10:54	83-32-9	
Acenaphthylene	ND	ug/kg	422	148	1	04/25/25 15:30	04/28/25 10:54	208-96-8	
Anthracene	ND	ug/kg	422	138	1	04/25/25 15:30	04/28/25 10:54	120-12-7	
Benzo(a)anthracene	ND	ug/kg	422	141	1	04/25/25 15:30	04/28/25 10:54	56-55-3	
Benzo(a)pyrene	ND	ug/kg	422	146	1	04/25/25 15:30	04/28/25 10:54	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	422	141	1	04/25/25 15:30	04/28/25 10:54	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	422	164	1	04/25/25 15:30	04/28/25 10:54	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	422	148	1	04/25/25 15:30	04/28/25 10:54	207-08-9	
Chrysene	ND	ug/kg	422	154	1	04/25/25 15:30	04/28/25 10:54	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	422	163	1	04/25/25 15:30	04/28/25 10:54	53-70-3	
Fluoranthene	**267J**	ug/kg	422	145	1	04/25/25 15:30	04/28/25 10:54	206-44-0	
Fluorene	ND	ug/kg	422	148	1	04/25/25 15:30	04/28/25 10:54	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	422	166	1	04/25/25 15:30	04/28/25 10:54	193-39-5	
1-Methylnaphthalene	**536**	ug/kg	422	148	1	04/25/25 15:30	04/28/25 10:54	90-12-0	
2-Methylnaphthalene	**1130**	ug/kg	422	169	1	04/25/25 15:30	04/28/25 10:54	91-57-6	
Naphthalene	**2410**	ug/kg	422	143	1	04/25/25 15:30	04/28/25 10:54	91-20-3	
Phenanthrene	ND	ug/kg	422	138	1	04/25/25 15:30	04/28/25 10:54	85-01-8	
Pyrene	**217J**	ug/kg	422	171	1	04/25/25 15:30	04/28/25 10:54	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-130		1	04/25/25 15:30	04/28/25 10:54	4165-60-0	
2-Fluorobiphenyl (S)	64	%	10-130		1	04/25/25 15:30	04/28/25 10:54	321-60-8	
Terphenyl-d14 (S)	69	%	10-130		1	04/25/25 15:30	04/28/25 10:54	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**23000**	ug/kg	821	327	125	04/28/25 21:25	04/29/25 06:39	71-43-2	
Ethylbenzene	**161000**	ug/kg	821	383	125	04/28/25 21:25	04/29/25 06:39	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	821	307	125	04/28/25 21:25	04/29/25 06:39	1634-04-4	
Naphthalene	**25700**	ug/kg	821	432	125	04/28/25 21:25	04/29/25 06:39	91-20-3	
Toluene	**487000**	ug/kg	821	567	125	04/28/25 21:25	04/29/25 06:39	108-88-3	
Xylene (Total)	**949000**	ug/kg	1640	468	125	04/28/25 21:25	04/29/25 06:39	1330-20-7	
m&p-Xylene	**666000**	ug/kg	1640	562	125	04/28/25 21:25	04/29/25 06:39	179601-23-1	
o-Xylene	**282000**	ug/kg	821	363	125	04/28/25 21:25	04/29/25 06:39	95-47-6	
Surrogates									
Toluene-d8 (S)	103	%	70-130		125	04/28/25 21:25	04/29/25 06:39	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		125	04/28/25 21:25	04/29/25 06:39	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-135		125	04/28/25 21:25	04/29/25 06:39	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**21.8**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-19 **Lab ID: 92792443005** Collected: 04/21/25 11:30 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	394	138	1	04/25/25 15:30	04/28/25 11:21	83-32-9	
Acenaphthylene	ND	ug/kg	394	138	1	04/25/25 15:30	04/28/25 11:21	208-96-8	
Anthracene	ND	ug/kg	394	129	1	04/25/25 15:30	04/28/25 11:21	120-12-7	
Benzo(a)anthracene	ND	ug/kg	394	131	1	04/25/25 15:30	04/28/25 11:21	56-55-3	
Benzo(a)pyrene	ND	ug/kg	394	136	1	04/25/25 15:30	04/28/25 11:21	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	394	131	1	04/25/25 15:30	04/28/25 11:21	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	394	153	1	04/25/25 15:30	04/28/25 11:21	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	394	138	1	04/25/25 15:30	04/28/25 11:21	207-08-9	
Chrysene	ND	ug/kg	394	143	1	04/25/25 15:30	04/28/25 11:21	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	394	152	1	04/25/25 15:30	04/28/25 11:21	53-70-3	
Fluoranthene	ND	ug/kg	394	135	1	04/25/25 15:30	04/28/25 11:21	206-44-0	
Fluorene	ND	ug/kg	394	138	1	04/25/25 15:30	04/28/25 11:21	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	394	155	1	04/25/25 15:30	04/28/25 11:21	193-39-5	
1-Methylnaphthalene	ND	ug/kg	394	138	1	04/25/25 15:30	04/28/25 11:21	90-12-0	
2-Methylnaphthalene	ND	ug/kg	394	158	1	04/25/25 15:30	04/28/25 11:21	91-57-6	
Naphthalene	ND	ug/kg	394	134	1	04/25/25 15:30	04/28/25 11:21	91-20-3	
Phenanthrene	ND	ug/kg	394	129	1	04/25/25 15:30	04/28/25 11:21	85-01-8	
Pyrene	ND	ug/kg	394	160	1	04/25/25 15:30	04/28/25 11:21	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-130		1	04/25/25 15:30	04/28/25 11:21	4165-60-0	
2-Fluorobiphenyl (S)	65	%	10-130		1	04/25/25 15:30	04/28/25 11:21	321-60-8	
Terphenyl-d14 (S)	67	%	10-130		1	04/25/25 15:30	04/28/25 11:21	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**617**	ug/kg	5.7	2.3	1	04/24/25 22:27	04/25/25 05:51	71-43-2	
Ethylbenzene	**15.6**	ug/kg	5.7	2.7	1	04/24/25 22:27	04/25/25 05:51	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.7	2.1	1	04/24/25 22:27	04/25/25 05:51	1634-04-4	
Naphthalene	**18.8**	ug/kg	5.7	3.0	1	04/24/25 22:27	04/25/25 05:51	91-20-3	
Toluene	**37.6**	ug/kg	5.7	4.0	1	04/24/25 22:27	04/25/25 05:51	108-88-3	
Xylene (Total)	**51.4**	ug/kg	11.5	3.3	1	04/24/25 22:27	04/25/25 05:51	1330-20-7	
m&p-Xylene	**51.4**	ug/kg	11.5	3.9	1	04/24/25 22:27	04/25/25 05:51	179601-23-1	
o-Xylene	ND	ug/kg	5.7	2.5	1	04/24/25 22:27	04/25/25 05:51	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/24/25 22:27	04/25/25 05:51	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1	04/24/25 22:27	04/25/25 05:51	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		1	04/24/25 22:27	04/25/25 05:51	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**15.4**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-20 **Lab ID: 92792443006** Collected: 04/21/25 12:00 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	377	132	1	04/25/25 15:30	04/28/25 11:48	83-32-9	
Acenaphthylene	ND	ug/kg	377	132	1	04/25/25 15:30	04/28/25 11:48	208-96-8	
Anthracene	ND	ug/kg	377	123	1	04/25/25 15:30	04/28/25 11:48	120-12-7	
Benzo(a)anthracene	ND	ug/kg	377	126	1	04/25/25 15:30	04/28/25 11:48	56-55-3	
Benzo(a)pyrene	ND	ug/kg	377	130	1	04/25/25 15:30	04/28/25 11:48	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	377	126	1	04/25/25 15:30	04/28/25 11:48	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	377	146	1	04/25/25 15:30	04/28/25 11:48	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	377	132	1	04/25/25 15:30	04/28/25 11:48	207-08-9	
Chrysene	ND	ug/kg	377	137	1	04/25/25 15:30	04/28/25 11:48	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	377	145	1	04/25/25 15:30	04/28/25 11:48	53-70-3	
Fluoranthene	ND	ug/kg	377	129	1	04/25/25 15:30	04/28/25 11:48	206-44-0	
Fluorene	ND	ug/kg	377	132	1	04/25/25 15:30	04/28/25 11:48	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	377	148	1	04/25/25 15:30	04/28/25 11:48	193-39-5	
1-Methylnaphthalene	**307J**	ug/kg	377	132	1	04/25/25 15:30	04/28/25 11:48	90-12-0	
2-Methylnaphthalene	**652**	ug/kg	377	151	1	04/25/25 15:30	04/28/25 11:48	91-57-6	
Naphthalene	**1200**	ug/kg	377	128	1	04/25/25 15:30	04/28/25 11:48	91-20-3	
Phenanthrene	ND	ug/kg	377	123	1	04/25/25 15:30	04/28/25 11:48	85-01-8	
Pyrene	ND	ug/kg	377	153	1	04/25/25 15:30	04/28/25 11:48	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-130		1	04/25/25 15:30	04/28/25 11:48	4165-60-0	
2-Fluorobiphenyl (S)	50	%	10-130		1	04/25/25 15:30	04/28/25 11:48	321-60-8	
Terphenyl-d14 (S)	57	%	10-130		1	04/25/25 15:30	04/28/25 11:48	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**7170**	ug/kg	335	133	50	04/24/25 22:27	04/25/25 08:13	71-43-2	
Ethylbenzene	**130000**	ug/kg	335	156	50	04/24/25 22:27	04/25/25 08:13	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	335	125	50	04/24/25 22:27	04/25/25 08:13	1634-04-4	
Naphthalene	**17700**	ug/kg	335	176	50	04/24/25 22:27	04/25/25 08:13	91-20-3	
Toluene	**307000**	ug/kg	335	231	50	04/24/25 22:27	04/25/25 08:13	108-88-3	
Xylene (Total)	**774000**	ug/kg	671	191	50	04/24/25 22:27	04/25/25 08:13	1330-20-7	
m&p-Xylene	**550000**	ug/kg	671	229	50	04/24/25 22:27	04/25/25 08:13	179601-23-1	
o-Xylene	**224000**	ug/kg	335	148	50	04/24/25 22:27	04/25/25 08:13	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		50	04/24/25 22:27	04/25/25 08:13	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		50	04/24/25 22:27	04/25/25 08:13	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-135		50	04/24/25 22:27	04/25/25 08:13	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**11.8**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-21 **Lab ID: 92792443007** Collected: 04/21/25 12:20 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	367	129	1	04/25/25 15:30	04/28/25 12:15	83-32-9	
Acenaphthylene	ND	ug/kg	367	129	1	04/25/25 15:30	04/28/25 12:15	208-96-8	
Anthracene	ND	ug/kg	367	120	1	04/25/25 15:30	04/28/25 12:15	120-12-7	
Benzo(a)anthracene	ND	ug/kg	367	122	1	04/25/25 15:30	04/28/25 12:15	56-55-3	
Benzo(a)pyrene	ND	ug/kg	367	127	1	04/25/25 15:30	04/28/25 12:15	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	367	122	1	04/25/25 15:30	04/28/25 12:15	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	367	142	1	04/25/25 15:30	04/28/25 12:15	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	367	129	1	04/25/25 15:30	04/28/25 12:15	207-08-9	
Chrysene	ND	ug/kg	367	134	1	04/25/25 15:30	04/28/25 12:15	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	367	141	1	04/25/25 15:30	04/28/25 12:15	53-70-3	
Fluoranthene	ND	ug/kg	367	126	1	04/25/25 15:30	04/28/25 12:15	206-44-0	
Fluorene	ND	ug/kg	367	129	1	04/25/25 15:30	04/28/25 12:15	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	367	145	1	04/25/25 15:30	04/28/25 12:15	193-39-5	
1-Methylnaphthalene	**1640**	ug/kg	367	129	1	04/25/25 15:30	04/28/25 12:15	90-12-0	
2-Methylnaphthalene	**3460**	ug/kg	367	147	1	04/25/25 15:30	04/28/25 12:15	91-57-6	
Naphthalene	**4870**	ug/kg	735	249	2	04/25/25 15:30	04/28/25 18:06	91-20-3	
Phenanthrene	ND	ug/kg	367	120	1	04/25/25 15:30	04/28/25 12:15	85-01-8	
Pyrene	ND	ug/kg	367	149	1	04/25/25 15:30	04/28/25 12:15	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	61	%	10-130		1	04/25/25 15:30	04/28/25 12:15	4165-60-0	
2-Fluorobiphenyl (S)	60	%	10-130		1	04/25/25 15:30	04/28/25 12:15	321-60-8	
Terphenyl-d14 (S)	66	%	10-130		1	04/25/25 15:30	04/28/25 12:15	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**197**	ug/kg	5.7	2.3	1	04/24/25 22:27	04/25/25 06:27	71-43-2	
Ethylbenzene	**564**	ug/kg	5.7	2.7	1	04/24/25 22:27	04/25/25 06:27	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.7	2.1	1	04/24/25 22:27	04/25/25 06:27	1634-04-4	
Naphthalene	**119**	ug/kg	5.7	3.0	1	04/24/25 22:27	04/25/25 06:27	91-20-3	
Toluene	**127**	ug/kg	5.7	3.9	1	04/24/25 22:27	04/25/25 06:27	108-88-3	
Xylene (Total)	**3160**	ug/kg	11.4	3.3	1	04/24/25 22:27	04/25/25 06:27	1330-20-7	
m&p-Xylene	**2530**	ug/kg	11.4	3.9	1	04/24/25 22:27	04/25/25 06:27	179601-23-1	
o-Xylene	**635**	ug/kg	5.7	2.5	1	04/24/25 22:27	04/25/25 06:27	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/24/25 22:27	04/25/25 06:27	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1	04/24/25 22:27	04/25/25 06:27	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	04/24/25 22:27	04/25/25 06:27	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**10.2**	%	0.10	0.10	1		04/24/25 11:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-22 **Lab ID: 92792443008** Collected: 04/21/25 12:40 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	381	134	1	04/25/25 15:30	04/28/25 12:42	83-32-9	
Acenaphthylene	ND	ug/kg	381	134	1	04/25/25 15:30	04/28/25 12:42	208-96-8	
Anthracene	ND	ug/kg	381	125	1	04/25/25 15:30	04/28/25 12:42	120-12-7	
Benzo(a)anthracene	ND	ug/kg	381	127	1	04/25/25 15:30	04/28/25 12:42	56-55-3	
Benzo(a)pyrene	ND	ug/kg	381	132	1	04/25/25 15:30	04/28/25 12:42	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	381	127	1	04/25/25 15:30	04/28/25 12:42	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	381	148	1	04/25/25 15:30	04/28/25 12:42	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	381	134	1	04/25/25 15:30	04/28/25 12:42	207-08-9	
Chrysene	ND	ug/kg	381	139	1	04/25/25 15:30	04/28/25 12:42	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	381	147	1	04/25/25 15:30	04/28/25 12:42	53-70-3	
Fluoranthene	ND	ug/kg	381	131	1	04/25/25 15:30	04/28/25 12:42	206-44-0	
Fluorene	ND	ug/kg	381	134	1	04/25/25 15:30	04/28/25 12:42	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	381	150	1	04/25/25 15:30	04/28/25 12:42	193-39-5	
1-Methylnaphthalene	**1780**	ug/kg	381	134	1	04/25/25 15:30	04/28/25 12:42	90-12-0	
2-Methylnaphthalene	**3800**	ug/kg	381	153	1	04/25/25 15:30	04/28/25 12:42	91-57-6	
Naphthalene	**5740**	ug/kg	763	259	2	04/25/25 15:30	04/28/25 17:46	91-20-3	
Phenanthrene	ND	ug/kg	381	125	1	04/25/25 15:30	04/28/25 12:42	85-01-8	
Pyrene	ND	ug/kg	381	155	1	04/25/25 15:30	04/28/25 12:42	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	69	%	10-130		1	04/25/25 15:30	04/28/25 12:42	4165-60-0	
2-Fluorobiphenyl (S)	53	%	10-130		1	04/25/25 15:30	04/28/25 12:42	321-60-8	
Terphenyl-d14 (S)	58	%	10-130		1	04/25/25 15:30	04/28/25 12:42	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**636**	ug/kg	6.3	2.5	1	04/24/25 22:27	04/25/25 07:02	71-43-2	
Ethylbenzene	**1640**	ug/kg	6.3	3.0	1	04/24/25 22:27	04/25/25 07:02	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.3	2.4	1	04/24/25 22:27	04/25/25 07:02	1634-04-4	
Naphthalene	**264**	ug/kg	6.3	3.3	1	04/24/25 22:27	04/25/25 07:02	91-20-3	
Toluene	**5880**	ug/kg	6.3	4.4	1	04/24/25 22:27	04/25/25 07:02	108-88-3	
Xylene (Total)	**9510**	ug/kg	12.7	3.6	1	04/24/25 22:27	04/25/25 07:02	1330-20-7	
m&p-Xylene	**6830**	ug/kg	12.7	4.3	1	04/24/25 22:27	04/25/25 07:02	179601-23-1	
o-Xylene	**2680**	ug/kg	6.3	2.8	1	04/24/25 22:27	04/25/25 07:02	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1	04/24/25 22:27	04/25/25 07:02	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1	04/24/25 22:27	04/25/25 07:02	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-135		1	04/24/25 22:27	04/25/25 07:02	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.5**	%	0.10	0.10	1		04/24/25 11:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-23 **Lab ID: 92792443009** Collected: 04/21/25 13:00 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	374	131	1	04/25/25 15:30	04/28/25 13:09	83-32-9	
Acenaphthylene	ND	ug/kg	374	131	1	04/25/25 15:30	04/28/25 13:09	208-96-8	
Anthracene	ND	ug/kg	374	122	1	04/25/25 15:30	04/28/25 13:09	120-12-7	
Benzo(a)anthracene	ND	ug/kg	374	125	1	04/25/25 15:30	04/28/25 13:09	56-55-3	
Benzo(a)pyrene	ND	ug/kg	374	129	1	04/25/25 15:30	04/28/25 13:09	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	374	125	1	04/25/25 15:30	04/28/25 13:09	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	374	145	1	04/25/25 15:30	04/28/25 13:09	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	374	131	1	04/25/25 15:30	04/28/25 13:09	207-08-9	
Chrysene	ND	ug/kg	374	136	1	04/25/25 15:30	04/28/25 13:09	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	374	144	1	04/25/25 15:30	04/28/25 13:09	53-70-3	
Fluoranthene	ND	ug/kg	374	128	1	04/25/25 15:30	04/28/25 13:09	206-44-0	
Fluorene	**166J**	ug/kg	374	131	1	04/25/25 15:30	04/28/25 13:09	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	374	147	1	04/25/25 15:30	04/28/25 13:09	193-39-5	
1-Methylnaphthalene	**1880**	ug/kg	374	131	1	04/25/25 15:30	04/28/25 13:09	90-12-0	
2-Methylnaphthalene	**3470**	ug/kg	1500	598	4	04/25/25 15:30	04/28/25 18:13	91-57-6	
Naphthalene	**5730**	ug/kg	1500	507	4	04/25/25 15:30	04/28/25 18:13	91-20-3	
Phenanthrene	**153J**	ug/kg	374	122	1	04/25/25 15:30	04/28/25 13:09	85-01-8	
Pyrene	ND	ug/kg	374	152	1	04/25/25 15:30	04/28/25 13:09	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 13:09	4165-60-0	
2-Fluorobiphenyl (S)	58	%	10-130		1	04/25/25 15:30	04/28/25 13:09	321-60-8	
Terphenyl-d14 (S)	72	%	10-130		1	04/25/25 15:30	04/28/25 13:09	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**13400**	ug/kg	1060	424	200	04/28/25 21:25	04/29/25 06:57	71-43-2	
Ethylbenzene	**163000**	ug/kg	1060	496	200	04/28/25 21:25	04/29/25 06:57	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	1060	398	200	04/28/25 21:25	04/29/25 06:57	1634-04-4	
Naphthalene	**38300**	ug/kg	1060	560	200	04/28/25 21:25	04/29/25 06:57	91-20-3	
Toluene	**724000**	ug/kg	1060	734	200	04/28/25 21:25	04/29/25 06:57	108-88-3	
Xylene (Total)	**1050000**	ug/kg	2130	607	200	04/28/25 21:25	04/29/25 06:57	1330-20-7	
m&p-Xylene	**726000**	ug/kg	2130	728	200	04/28/25 21:25	04/29/25 06:57	179601-23-1	
o-Xylene	**320000**	ug/kg	1060	470	200	04/28/25 21:25	04/29/25 06:57	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		200	04/28/25 21:25	04/29/25 06:57	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		200	04/28/25 21:25	04/29/25 06:57	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-135		200	04/28/25 21:25	04/29/25 06:57	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**11.4**	%	0.10	0.10	1		04/24/25 11:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-24 **Lab ID: 92792443010** Collected: 04/21/25 14:00 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	444	156	1	04/25/25 15:30	04/28/25 13:36	83-32-9	
Acenaphthylene	ND	ug/kg	444	156	1	04/25/25 15:30	04/28/25 13:36	208-96-8	
Anthracene	ND	ug/kg	444	145	1	04/25/25 15:30	04/28/25 13:36	120-12-7	
Benzo(a)anthracene	ND	ug/kg	444	148	1	04/25/25 15:30	04/28/25 13:36	56-55-3	
Benzo(a)pyrene	ND	ug/kg	444	154	1	04/25/25 15:30	04/28/25 13:36	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	444	148	1	04/25/25 15:30	04/28/25 13:36	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	444	172	1	04/25/25 15:30	04/28/25 13:36	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	444	156	1	04/25/25 15:30	04/28/25 13:36	207-08-9	
Chrysene	ND	ug/kg	444	162	1	04/25/25 15:30	04/28/25 13:36	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	444	171	1	04/25/25 15:30	04/28/25 13:36	53-70-3	
Fluoranthene	ND	ug/kg	444	152	1	04/25/25 15:30	04/28/25 13:36	206-44-0	
Fluorene	ND	ug/kg	444	156	1	04/25/25 15:30	04/28/25 13:36	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	444	175	1	04/25/25 15:30	04/28/25 13:36	193-39-5	
1-Methylnaphthalene	ND	ug/kg	444	156	1	04/25/25 15:30	04/28/25 13:36	90-12-0	
2-Methylnaphthalene	ND	ug/kg	444	178	1	04/25/25 15:30	04/28/25 13:36	91-57-6	
Naphthalene	**388J**	ug/kg	444	151	1	04/25/25 15:30	04/28/25 13:36	91-20-3	
Phenanthrene	ND	ug/kg	444	145	1	04/25/25 15:30	04/28/25 13:36	85-01-8	
Pyrene	ND	ug/kg	444	180	1	04/25/25 15:30	04/28/25 13:36	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	51	%	10-130		1	04/25/25 15:30	04/28/25 13:36	4165-60-0	
2-Fluorobiphenyl (S)	60	%	10-130		1	04/25/25 15:30	04/28/25 13:36	321-60-8	
Terphenyl-d14 (S)	72	%	10-130		1	04/25/25 15:30	04/28/25 13:36	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**956**	ug/kg	8.7	3.5	1	04/24/25 22:27	04/25/25 06:44	71-43-2	
Ethylbenzene	**1690**	ug/kg	8.7	4.1	1	04/24/25 22:27	04/25/25 06:44	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	8.7	3.3	1	04/24/25 22:27	04/25/25 06:44	1634-04-4	
Naphthalene	**948**	ug/kg	8.7	4.6	1	04/24/25 22:27	04/25/25 06:44	91-20-3	
Toluene	**89.8**	ug/kg	8.7	6.0	1	04/24/25 22:27	04/25/25 06:44	108-88-3	
Xylene (Total)	**962**	ug/kg	17.4	5.0	1	04/24/25 22:27	04/25/25 06:44	1330-20-7	
m&p-Xylene	**922**	ug/kg	17.4	5.9	1	04/24/25 22:27	04/25/25 06:44	179601-23-1	
o-Xylene	**40.2**	ug/kg	8.7	3.8	1	04/24/25 22:27	04/25/25 06:44	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/24/25 22:27	04/25/25 06:44	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1	04/24/25 22:27	04/25/25 06:44	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		1	04/24/25 22:27	04/25/25 06:44	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**25.2**	%	0.10	0.10	1		04/24/25 11:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-25 **Lab ID: 92792443011** Collected: 04/21/25 14:30 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	384	135	1	04/25/25 15:30	04/28/25 14:03	83-32-9	
Acenaphthylene	ND	ug/kg	384	135	1	04/25/25 15:30	04/28/25 14:03	208-96-8	
Anthracene	ND	ug/kg	384	126	1	04/25/25 15:30	04/28/25 14:03	120-12-7	
Benzo(a)anthracene	ND	ug/kg	384	128	1	04/25/25 15:30	04/28/25 14:03	56-55-3	
Benzo(a)pyrene	ND	ug/kg	384	133	1	04/25/25 15:30	04/28/25 14:03	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	384	128	1	04/25/25 15:30	04/28/25 14:03	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	384	149	1	04/25/25 15:30	04/28/25 14:03	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	384	135	1	04/25/25 15:30	04/28/25 14:03	207-08-9	
Chrysene	ND	ug/kg	384	140	1	04/25/25 15:30	04/28/25 14:03	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	384	148	1	04/25/25 15:30	04/28/25 14:03	53-70-3	
Fluoranthene	ND	ug/kg	384	132	1	04/25/25 15:30	04/28/25 14:03	206-44-0	
Fluorene	**161J**	ug/kg	384	135	1	04/25/25 15:30	04/28/25 14:03	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	384	151	1	04/25/25 15:30	04/28/25 14:03	193-39-5	
1-Methylnaphthalene	**2410**	ug/kg	384	135	1	04/25/25 15:30	04/28/25 14:03	90-12-0	
2-Methylnaphthalene	**5210**	ug/kg	1540	615	4	04/25/25 15:30	04/29/25 12:14	91-57-6	
Naphthalene	**8770**	ug/kg	1540	522	4	04/25/25 15:30	04/29/25 12:14	91-20-3	
Phenanthrene	ND	ug/kg	384	126	1	04/25/25 15:30	04/28/25 14:03	85-01-8	
Pyrene	ND	ug/kg	384	156	1	04/25/25 15:30	04/28/25 14:03	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	71	%	10-130		1	04/25/25 15:30	04/28/25 14:03	4165-60-0	
2-Fluorobiphenyl (S)	70	%	10-130		1	04/25/25 15:30	04/28/25 14:03	321-60-8	
Terphenyl-d14 (S)	68	%	10-130		1	04/25/25 15:30	04/28/25 14:03	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**15300**	ug/kg	710	283	125	04/28/25 21:25	04/29/25 07:14	71-43-2	
Ethylbenzene	**149000**	ug/kg	710	331	125	04/28/25 21:25	04/29/25 07:14	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	710	265	125	04/28/25 21:25	04/29/25 07:14	1634-04-4	
Naphthalene	**24700**	ug/kg	710	373	125	04/28/25 21:25	04/29/25 07:14	91-20-3	
Toluene	**578000**	ug/kg	710	490	125	04/28/25 21:25	04/29/25 07:14	108-88-3	
Xylene (Total)	**914000**	ug/kg	1420	405	125	04/28/25 21:25	04/29/25 07:14	1330-20-7	
m&p-Xylene	**641000**	ug/kg	1420	486	125	04/28/25 21:25	04/29/25 07:14	179601-23-1	
o-Xylene	**274000**	ug/kg	710	314	125	04/28/25 21:25	04/29/25 07:14	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		125	04/28/25 21:25	04/29/25 07:14	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		125	04/28/25 21:25	04/29/25 07:14	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-135		125	04/28/25 21:25	04/29/25 07:14	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.0**	%	0.10	0.10	1		04/24/25 13:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-26 **Lab ID: 92792443012** Collected: 04/21/25 15:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	387	136	1	04/25/25 15:30	04/28/25 14:30	83-32-9	
Acenaphthylene	ND	ug/kg	387	136	1	04/25/25 15:30	04/28/25 14:30	208-96-8	
Anthracene	ND	ug/kg	387	127	1	04/25/25 15:30	04/28/25 14:30	120-12-7	
Benzo(a)anthracene	ND	ug/kg	387	129	1	04/25/25 15:30	04/28/25 14:30	56-55-3	
Benzo(a)pyrene	ND	ug/kg	387	134	1	04/25/25 15:30	04/28/25 14:30	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	387	129	1	04/25/25 15:30	04/28/25 14:30	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	387	150	1	04/25/25 15:30	04/28/25 14:30	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	387	136	1	04/25/25 15:30	04/28/25 14:30	207-08-9	
Chrysene	ND	ug/kg	387	141	1	04/25/25 15:30	04/28/25 14:30	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	387	149	1	04/25/25 15:30	04/28/25 14:30	53-70-3	
Fluoranthene	ND	ug/kg	387	133	1	04/25/25 15:30	04/28/25 14:30	206-44-0	
Fluorene	ND	ug/kg	387	136	1	04/25/25 15:30	04/28/25 14:30	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	387	153	1	04/25/25 15:30	04/28/25 14:30	193-39-5	
1-Methylnaphthalene	ND	ug/kg	387	136	1	04/25/25 15:30	04/28/25 14:30	90-12-0	
2-Methylnaphthalene	ND	ug/kg	387	155	1	04/25/25 15:30	04/28/25 14:30	91-57-6	
Naphthalene	**185J**	ug/kg	387	131	1	04/25/25 15:30	04/28/25 14:30	91-20-3	
Phenanthrene	ND	ug/kg	387	127	1	04/25/25 15:30	04/28/25 14:30	85-01-8	
Pyrene	ND	ug/kg	387	157	1	04/25/25 15:30	04/28/25 14:30	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 14:30	4165-60-0	
2-Fluorobiphenyl (S)	44	%	10-130		1	04/25/25 15:30	04/28/25 14:30	321-60-8	
Terphenyl-d14 (S)	45	%	10-130		1	04/25/25 15:30	04/28/25 14:30	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**350**	ug/kg	23.9	9.5	4	04/28/25 21:25	04/29/25 06:04	71-43-2	
Ethylbenzene	**5000**	ug/kg	23.9	11.1	4	04/28/25 21:25	04/29/25 06:04	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	23.9	8.9	4	04/28/25 21:25	04/29/25 06:04	1634-04-4	
Naphthalene	**1230**	ug/kg	23.9	12.6	4	04/28/25 21:25	04/29/25 06:04	91-20-3	
Toluene	**5830**	ug/kg	23.9	16.5	4	04/28/25 21:25	04/29/25 06:04	108-88-3	
Xylene (Total)	**27300**	ug/kg	47.8	13.6	4	04/28/25 21:25	04/29/25 06:04	1330-20-7	
m&p-Xylene	**20100**	ug/kg	47.8	16.4	4	04/28/25 21:25	04/29/25 06:04	179601-23-1	
o-Xylene	**7160**	ug/kg	23.9	10.6	4	04/28/25 21:25	04/29/25 06:04	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		4	04/28/25 21:25	04/29/25 06:04	2037-26-5	D3
4-Bromofluorobenzene (S)	100	%	70-130		4	04/28/25 21:25	04/29/25 06:04	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-135		4	04/28/25 21:25	04/29/25 06:04	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.8**	%	0.10	0.10	1		04/24/25 13:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-27 **Lab ID: 92792443013** Collected: 04/21/25 15:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	378	133	1	04/25/25 15:30	04/28/25 14:57	83-32-9	
Acenaphthylene	ND	ug/kg	378	133	1	04/25/25 15:30	04/28/25 14:57	208-96-8	
Anthracene	ND	ug/kg	378	124	1	04/25/25 15:30	04/28/25 14:57	120-12-7	
Benzo(a)anthracene	ND	ug/kg	378	126	1	04/25/25 15:30	04/28/25 14:57	56-55-3	
Benzo(a)pyrene	ND	ug/kg	378	131	1	04/25/25 15:30	04/28/25 14:57	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	378	126	1	04/25/25 15:30	04/28/25 14:57	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	378	147	1	04/25/25 15:30	04/28/25 14:57	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	378	133	1	04/25/25 15:30	04/28/25 14:57	207-08-9	
Chrysene	ND	ug/kg	378	137	1	04/25/25 15:30	04/28/25 14:57	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	378	145	1	04/25/25 15:30	04/28/25 14:57	53-70-3	
Fluoranthene	ND	ug/kg	378	129	1	04/25/25 15:30	04/28/25 14:57	206-44-0	
Fluorene	ND	ug/kg	378	133	1	04/25/25 15:30	04/28/25 14:57	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	378	149	1	04/25/25 15:30	04/28/25 14:57	193-39-5	
1-Methylnaphthalene	**2390**	ug/kg	378	133	1	04/25/25 15:30	04/28/25 14:57	90-12-0	
2-Methylnaphthalene	**5060**	ug/kg	1510	605	4	04/25/25 15:30	04/29/25 12:41	91-57-6	
Naphthalene	**8880**	ug/kg	1510	513	4	04/25/25 15:30	04/29/25 12:41	91-20-3	
Phenanthrene	ND	ug/kg	378	124	1	04/25/25 15:30	04/28/25 14:57	85-01-8	
Pyrene	ND	ug/kg	378	154	1	04/25/25 15:30	04/28/25 14:57	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-130		1	04/25/25 15:30	04/28/25 14:57	4165-60-0	
2-Fluorobiphenyl (S)	48	%	10-130		1	04/25/25 15:30	04/28/25 14:57	321-60-8	
Terphenyl-d14 (S)	50	%	10-130		1	04/25/25 15:30	04/28/25 14:57	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**8210**	ug/kg	809	322	125	04/28/25 21:25	04/29/25 07:50	71-43-2	
Ethylbenzene	**252000**	ug/kg	809	377	125	04/28/25 21:25	04/29/25 07:50	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	809	302	125	04/28/25 21:25	04/29/25 07:50	1634-04-4	
Naphthalene	**56600**	ug/kg	809	425	125	04/28/25 21:25	04/29/25 07:50	91-20-3	
Toluene	**627000**	ug/kg	809	558	125	04/28/25 21:25	04/29/25 07:50	108-88-3	
Xylene (Total)	**1530000**	ug/kg	1620	461	125	04/28/25 21:25	04/29/25 07:50	1330-20-7	
m&p-Xylene	**1070000**	ug/kg	1620	553	125	04/28/25 21:25	04/29/25 07:50	179601-23-1	
o-Xylene	**455000**	ug/kg	809	357	125	04/28/25 21:25	04/29/25 07:50	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		125	04/28/25 21:25	04/29/25 07:50	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		125	04/28/25 21:25	04/29/25 07:50	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-135		125	04/28/25 21:25	04/29/25 07:50	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.6**	%	0.10	0.10	1		04/24/25 13:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-28 **Lab ID: 92792443014** Collected: 04/21/25 16:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	402	141	1	04/25/25 15:30	04/28/25 15:24	83-32-9	
Acenaphthylene	ND	ug/kg	402	141	1	04/25/25 15:30	04/28/25 15:24	208-96-8	
Anthracene	ND	ug/kg	402	132	1	04/25/25 15:30	04/28/25 15:24	120-12-7	
Benzo(a)anthracene	ND	ug/kg	402	134	1	04/25/25 15:30	04/28/25 15:24	56-55-3	
Benzo(a)pyrene	ND	ug/kg	402	139	1	04/25/25 15:30	04/28/25 15:24	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	402	134	1	04/25/25 15:30	04/28/25 15:24	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	402	156	1	04/25/25 15:30	04/28/25 15:24	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	402	141	1	04/25/25 15:30	04/28/25 15:24	207-08-9	
Chrysene	ND	ug/kg	402	146	1	04/25/25 15:30	04/28/25 15:24	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	402	155	1	04/25/25 15:30	04/28/25 15:24	53-70-3	
Fluoranthene	ND	ug/kg	402	138	1	04/25/25 15:30	04/28/25 15:24	206-44-0	
Fluorene	ND	ug/kg	402	141	1	04/25/25 15:30	04/28/25 15:24	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	402	159	1	04/25/25 15:30	04/28/25 15:24	193-39-5	
1-Methylnaphthalene	ND	ug/kg	402	141	1	04/25/25 15:30	04/28/25 15:24	90-12-0	
2-Methylnaphthalene	ND	ug/kg	402	161	1	04/25/25 15:30	04/28/25 15:24	91-57-6	
Naphthalene	ND	ug/kg	402	137	1	04/25/25 15:30	04/28/25 15:24	91-20-3	
Phenanthrene	ND	ug/kg	402	132	1	04/25/25 15:30	04/28/25 15:24	85-01-8	
Pyrene	ND	ug/kg	402	163	1	04/25/25 15:30	04/28/25 15:24	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	56	%	10-130		1	04/25/25 15:30	04/28/25 15:24	4165-60-0	
2-Fluorobiphenyl (S)	52	%	10-130		1	04/25/25 15:30	04/28/25 15:24	321-60-8	
Terphenyl-d14 (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 15:24	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**463**	ug/kg	6.5	2.6	1	04/26/25 15:25	04/26/25 18:21	71-43-2	
Ethylbenzene	**45.3**	ug/kg	6.5	3.0	1	04/26/25 15:25	04/26/25 18:21	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.5	2.4	1	04/26/25 15:25	04/26/25 18:21	1634-04-4	
Naphthalene	**23.6**	ug/kg	6.5	3.4	1	04/26/25 15:25	04/26/25 18:21	91-20-3	
Toluene	**167**	ug/kg	6.5	4.5	1	04/26/25 15:25	04/26/25 18:21	108-88-3	
Xylene (Total)	**53.0**	ug/kg	13.1	3.7	1	04/26/25 15:25	04/26/25 18:21	1330-20-7	
m&p-Xylene	**48.9**	ug/kg	13.1	4.5	1	04/26/25 15:25	04/26/25 18:21	179601-23-1	
o-Xylene	**4.1J**	ug/kg	6.5	2.9	1	04/26/25 15:25	04/26/25 18:21	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/26/25 15:25	04/26/25 18:21	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1	04/26/25 15:25	04/26/25 18:21	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	04/26/25 15:25	04/26/25 18:21	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**18.0**	%	0.10	0.10	1		04/24/25 13:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-29 **Lab ID: 92792443015** Collected: 04/21/25 16:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	419	147	1	04/25/25 15:30	04/28/25 15:51	83-32-9	
Acenaphthylene	ND	ug/kg	419	147	1	04/25/25 15:30	04/28/25 15:51	208-96-8	
Anthracene	ND	ug/kg	419	137	1	04/25/25 15:30	04/28/25 15:51	120-12-7	
Benzo(a)anthracene	ND	ug/kg	419	140	1	04/25/25 15:30	04/28/25 15:51	56-55-3	
Benzo(a)pyrene	ND	ug/kg	419	145	1	04/25/25 15:30	04/28/25 15:51	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	419	140	1	04/25/25 15:30	04/28/25 15:51	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	419	162	1	04/25/25 15:30	04/28/25 15:51	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	419	147	1	04/25/25 15:30	04/28/25 15:51	207-08-9	
Chrysene	ND	ug/kg	419	152	1	04/25/25 15:30	04/28/25 15:51	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	419	161	1	04/25/25 15:30	04/28/25 15:51	53-70-3	
Fluoranthene	ND	ug/kg	419	143	1	04/25/25 15:30	04/28/25 15:51	206-44-0	
Fluorene	ND	ug/kg	419	147	1	04/25/25 15:30	04/28/25 15:51	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	419	165	1	04/25/25 15:30	04/28/25 15:51	193-39-5	
1-Methylnaphthalene	ND	ug/kg	419	147	1	04/25/25 15:30	04/28/25 15:51	90-12-0	
2-Methylnaphthalene	ND	ug/kg	419	168	1	04/25/25 15:30	04/28/25 15:51	91-57-6	
Naphthalene	ND	ug/kg	419	142	1	04/25/25 15:30	04/28/25 15:51	91-20-3	
Phenanthrene	ND	ug/kg	419	137	1	04/25/25 15:30	04/28/25 15:51	85-01-8	
Pyrene	ND	ug/kg	419	170	1	04/25/25 15:30	04/28/25 15:51	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-130		1	04/25/25 15:30	04/28/25 15:51	4165-60-0	
2-Fluorobiphenyl (S)	56	%	10-130		1	04/25/25 15:30	04/28/25 15:51	321-60-8	
Terphenyl-d14 (S)	59	%	10-130		1	04/25/25 15:30	04/28/25 15:51	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**909**	ug/kg	6.9	2.8	1	04/26/25 15:25	04/26/25 18:39	71-43-2	
Ethylbenzene	**518**	ug/kg	6.9	3.2	1	04/26/25 15:25	04/26/25 18:39	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.9	2.6	1	04/26/25 15:25	04/26/25 18:39	1634-04-4	
Naphthalene	**70.7**	ug/kg	6.9	3.7	1	04/26/25 15:25	04/26/25 18:39	91-20-3	
Toluene	**143**	ug/kg	6.9	4.8	1	04/26/25 15:25	04/26/25 18:39	108-88-3	
Xylene (Total)	**1030**	ug/kg	13.9	4.0	1	04/26/25 15:25	04/26/25 18:39	1330-20-7	
m&p-Xylene	**989**	ug/kg	13.9	4.8	1	04/26/25 15:25	04/26/25 18:39	179601-23-1	
o-Xylene	**42.0**	ug/kg	6.9	3.1	1	04/26/25 15:25	04/26/25 18:39	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/26/25 15:25	04/26/25 18:39	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/26/25 15:25	04/26/25 18:39	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-135		1	04/26/25 15:25	04/26/25 18:39	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**20.7**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-30 **Lab ID: 92792443016** Collected: 04/22/25 08:00 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	383	135	1	04/25/25 15:30	04/28/25 16:18	83-32-9	
Acenaphthylene	ND	ug/kg	383	135	1	04/25/25 15:30	04/28/25 16:18	208-96-8	
Anthracene	ND	ug/kg	383	125	1	04/25/25 15:30	04/28/25 16:18	120-12-7	
Benzo(a)anthracene	ND	ug/kg	383	128	1	04/25/25 15:30	04/28/25 16:18	56-55-3	
Benzo(a)pyrene	ND	ug/kg	383	132	1	04/25/25 15:30	04/28/25 16:18	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	383	128	1	04/25/25 15:30	04/28/25 16:18	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	383	148	1	04/25/25 15:30	04/28/25 16:18	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	383	135	1	04/25/25 15:30	04/28/25 16:18	207-08-9	
Chrysene	ND	ug/kg	383	139	1	04/25/25 15:30	04/28/25 16:18	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	383	147	1	04/25/25 15:30	04/28/25 16:18	53-70-3	
Fluoranthene	ND	ug/kg	383	131	1	04/25/25 15:30	04/28/25 16:18	206-44-0	
Fluorene	ND	ug/kg	383	135	1	04/25/25 15:30	04/28/25 16:18	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	383	151	1	04/25/25 15:30	04/28/25 16:18	193-39-5	
1-Methylnaphthalene	**415**	ug/kg	383	135	1	04/25/25 15:30	04/28/25 16:18	90-12-0	
2-Methylnaphthalene	**908**	ug/kg	383	153	1	04/25/25 15:30	04/28/25 16:18	91-57-6	
Naphthalene	**1650**	ug/kg	383	130	1	04/25/25 15:30	04/28/25 16:18	91-20-3	
Phenanthrene	ND	ug/kg	383	125	1	04/25/25 15:30	04/28/25 16:18	85-01-8	
Pyrene	ND	ug/kg	383	155	1	04/25/25 15:30	04/28/25 16:18	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	70	%	10-130		1	04/25/25 15:30	04/28/25 16:18	4165-60-0	
2-Fluorobiphenyl (S)	62	%	10-130		1	04/25/25 15:30	04/28/25 16:18	321-60-8	
Terphenyl-d14 (S)	76	%	10-130		1	04/25/25 15:30	04/28/25 16:18	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**718**	ug/kg	77.6	30.9	12.5	05/01/25 18:04	05/02/25 00:11	71-43-2	
Ethylbenzene	**16400**	ug/kg	77.6	36.2	12.5	05/01/25 18:04	05/02/25 00:11	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	77.6	29.0	12.5	05/01/25 18:04	05/02/25 00:11	1634-04-4	
Naphthalene	**3650**	ug/kg	77.6	40.8	12.5	05/01/25 18:04	05/02/25 00:11	91-20-3	
Toluene	**54100**	ug/kg	77.6	53.6	12.5	05/01/25 18:04	05/02/25 00:11	108-88-3	
Xylene (Total)	**104000**	ug/kg	155	44.2	12.5	05/01/25 18:04	05/02/25 00:11	1330-20-7	
m&p-Xylene	**71000**	ug/kg	155	53.1	12.5	05/01/25 18:04	05/02/25 00:11	179601-23-1	
o-Xylene	**33000**	ug/kg	77.6	34.3	12.5	05/01/25 18:04	05/02/25 00:11	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		12.5	05/01/25 18:04	05/02/25 00:11	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		12.5	05/01/25 18:04	05/02/25 00:11	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-135		12.5	05/01/25 18:04	05/02/25 00:11	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.4**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-31 **Lab ID: 92792443017** Collected: 04/22/25 08:20 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	394	139	1	04/25/25 15:30	04/28/25 16:45	83-32-9	
Acenaphthylene	ND	ug/kg	394	139	1	04/25/25 15:30	04/28/25 16:45	208-96-8	
Anthracene	ND	ug/kg	394	129	1	04/25/25 15:30	04/28/25 16:45	120-12-7	
Benzo(a)anthracene	ND	ug/kg	394	131	1	04/25/25 15:30	04/28/25 16:45	56-55-3	
Benzo(a)pyrene	ND	ug/kg	394	136	1	04/25/25 15:30	04/28/25 16:45	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	394	131	1	04/25/25 15:30	04/28/25 16:45	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	394	153	1	04/25/25 15:30	04/28/25 16:45	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	394	139	1	04/25/25 15:30	04/28/25 16:45	207-08-9	
Chrysene	ND	ug/kg	394	143	1	04/25/25 15:30	04/28/25 16:45	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	394	152	1	04/25/25 15:30	04/28/25 16:45	53-70-3	
Fluoranthene	ND	ug/kg	394	135	1	04/25/25 15:30	04/28/25 16:45	206-44-0	
Fluorene	ND	ug/kg	394	139	1	04/25/25 15:30	04/28/25 16:45	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	394	155	1	04/25/25 15:30	04/28/25 16:45	193-39-5	
1-Methylnaphthalene	**182J**	ug/kg	394	139	1	04/25/25 15:30	04/28/25 16:45	90-12-0	
2-Methylnaphthalene	**396**	ug/kg	394	158	1	04/25/25 15:30	04/28/25 16:45	91-57-6	
Naphthalene	**864**	ug/kg	394	134	1	04/25/25 15:30	04/28/25 16:45	91-20-3	
Phenanthrene	ND	ug/kg	394	129	1	04/25/25 15:30	04/28/25 16:45	85-01-8	
Pyrene	ND	ug/kg	394	160	1	04/25/25 15:30	04/28/25 16:45	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	59	%	10-130		1	04/25/25 15:30	04/28/25 16:45	4165-60-0	
2-Fluorobiphenyl (S)	34	%	10-130		1	04/25/25 15:30	04/28/25 16:45	321-60-8	
Terphenyl-d14 (S)	38	%	10-130		1	04/25/25 15:30	04/28/25 16:45	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**833**	ug/kg	80.3	32.0	12.5	04/29/25 22:44	04/30/25 07:06	71-43-2	
Ethylbenzene	**22700**	ug/kg	80.3	37.4	12.5	04/29/25 22:44	04/30/25 07:06	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	80.3	30.0	12.5	04/29/25 22:44	04/30/25 07:06	1634-04-4	
Naphthalene	**4710**	ug/kg	80.3	42.2	12.5	04/29/25 22:44	04/30/25 07:06	91-20-3	
Toluene	**56300**	ug/kg	80.3	55.4	12.5	04/29/25 22:44	04/30/25 07:06	108-88-3	
Xylene (Total)	**146000**	ug/kg	161	45.8	12.5	04/29/25 22:44	04/30/25 07:06	1330-20-7	
m&p-Xylene	**101000**	ug/kg	161	54.9	12.5	04/29/25 22:44	04/30/25 07:06	179601-23-1	
o-Xylene	**45100**	ug/kg	80.3	35.5	12.5	04/29/25 22:44	04/30/25 07:06	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		12.5	04/29/25 22:44	04/30/25 07:06	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		12.5	04/29/25 22:44	04/30/25 07:06	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		12.5	04/29/25 22:44	04/30/25 07:06	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**15.1**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-32 **Lab ID: 92792443018** Collected: 04/22/25 08:55 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	380	134	1	04/25/25 15:30	04/28/25 17:12	83-32-9	
Acenaphthylene	ND	ug/kg	380	134	1	04/25/25 15:30	04/28/25 17:12	208-96-8	
Anthracene	ND	ug/kg	380	124	1	04/25/25 15:30	04/28/25 17:12	120-12-7	
Benzo(a)anthracene	ND	ug/kg	380	127	1	04/25/25 15:30	04/28/25 17:12	56-55-3	
Benzo(a)pyrene	ND	ug/kg	380	131	1	04/25/25 15:30	04/28/25 17:12	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	380	127	1	04/25/25 15:30	04/28/25 17:12	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	380	147	1	04/25/25 15:30	04/28/25 17:12	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	380	134	1	04/25/25 15:30	04/28/25 17:12	207-08-9	
Chrysene	ND	ug/kg	380	138	1	04/25/25 15:30	04/28/25 17:12	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	380	146	1	04/25/25 15:30	04/28/25 17:12	53-70-3	
Fluoranthene	ND	ug/kg	380	130	1	04/25/25 15:30	04/28/25 17:12	206-44-0	
Fluorene	ND	ug/kg	380	134	1	04/25/25 15:30	04/28/25 17:12	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	380	150	1	04/25/25 15:30	04/28/25 17:12	193-39-5	
1-Methylnaphthalene	**1030**	ug/kg	380	134	1	04/25/25 15:30	04/28/25 17:12	90-12-0	
2-Methylnaphthalene	**1810**	ug/kg	380	152	1	04/25/25 15:30	04/28/25 17:12	91-57-6	
Naphthalene	**2230**	ug/kg	380	129	1	04/25/25 15:30	04/28/25 17:12	91-20-3	
Phenanthrene	ND	ug/kg	380	124	1	04/25/25 15:30	04/28/25 17:12	85-01-8	
Pyrene	ND	ug/kg	380	154	1	04/25/25 15:30	04/28/25 17:12	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	52	%	10-130		1	04/25/25 15:30	04/28/25 17:12	4165-60-0	
2-Fluorobiphenyl (S)	57	%	10-130		1	04/25/25 15:30	04/28/25 17:12	321-60-8	
Terphenyl-d14 (S)	64	%	10-130		1	04/25/25 15:30	04/28/25 17:12	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**3960**	ug/kg	271	108	50	04/26/25 15:25	04/26/25 19:49	71-43-2	
Ethylbenzene	**71800**	ug/kg	271	126	50	04/26/25 15:25	04/26/25 19:49	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	271	101	50	04/26/25 15:25	04/26/25 19:49	1634-04-4	
Naphthalene	**9740**	ug/kg	271	142	50	04/26/25 15:25	04/26/25 19:49	91-20-3	
Toluene	**175000**	ug/kg	271	187	50	04/26/25 15:25	04/26/25 19:49	108-88-3	
Xylene (Total)	**415000**	ug/kg	541	154	50	04/26/25 15:25	04/26/25 19:49	1330-20-7	
m&p-Xylene	**305000**	ug/kg	541	185	50	04/26/25 15:25	04/26/25 19:49	179601-23-1	
o-Xylene	**110000**	ug/kg	271	120	50	04/26/25 15:25	04/26/25 19:49	95-47-6	
Surrogates									
Toluene-d8 (S)	97	%	70-130		50	04/26/25 15:25	04/26/25 19:49	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		50	04/26/25 15:25	04/26/25 19:49	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-135		50	04/26/25 15:25	04/26/25 19:49	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.3**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-33 **Lab ID: 92792443019** Collected: 04/22/25 09:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	392	138	1	04/29/25 11:27	04/29/25 17:16	83-32-9	
Acenaphthylene	ND	ug/kg	392	138	1	04/29/25 11:27	04/29/25 17:16	208-96-8	
Anthracene	ND	ug/kg	392	128	1	04/29/25 11:27	04/29/25 17:16	120-12-7	
Benzo(a)anthracene	ND	ug/kg	392	131	1	04/29/25 11:27	04/29/25 17:16	56-55-3	
Benzo(a)pyrene	ND	ug/kg	392	135	1	04/29/25 11:27	04/29/25 17:16	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	392	131	1	04/29/25 11:27	04/29/25 17:16	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	392	152	1	04/29/25 11:27	04/29/25 17:16	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	392	138	1	04/29/25 11:27	04/29/25 17:16	207-08-9	
Chrysene	ND	ug/kg	392	143	1	04/29/25 11:27	04/29/25 17:16	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	392	151	1	04/29/25 11:27	04/29/25 17:16	53-70-3	
Fluoranthene	ND	ug/kg	392	134	1	04/29/25 11:27	04/29/25 17:16	206-44-0	
Fluorene	ND	ug/kg	392	138	1	04/29/25 11:27	04/29/25 17:16	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	392	154	1	04/29/25 11:27	04/29/25 17:16	193-39-5	
1-Methylnaphthalene	ND	ug/kg	392	138	1	04/29/25 11:27	04/29/25 17:16	90-12-0	
2-Methylnaphthalene	**163J**	ug/kg	392	157	1	04/29/25 11:27	04/29/25 17:16	91-57-6	
Naphthalene	**312J**	ug/kg	392	133	1	04/29/25 11:27	04/29/25 17:16	91-20-3	
Phenanthrene	ND	ug/kg	392	128	1	04/29/25 11:27	04/29/25 17:16	85-01-8	
Pyrene	ND	ug/kg	392	159	1	04/29/25 11:27	04/29/25 17:16	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	61	%	10-130		1	04/29/25 11:27	04/29/25 17:16	4165-60-0	
2-Fluorobiphenyl (S)	41	%	10-130		1	04/29/25 11:27	04/29/25 17:16	321-60-8	
Terphenyl-d14 (S)	50	%	10-130		1	04/29/25 11:27	04/29/25 17:16	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**1160**	ug/kg	151	60.1	25	04/29/25 22:44	04/30/25 07:41	71-43-2	
Ethylbenzene	**37000**	ug/kg	151	70.4	25	04/29/25 22:44	04/30/25 07:41	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	151	56.5	25	04/29/25 22:44	04/30/25 07:41	1634-04-4	
Naphthalene	**9680**	ug/kg	151	79.4	25	04/29/25 22:44	04/30/25 07:41	91-20-3	
Toluene	**60100**	ug/kg	151	104	25	04/29/25 22:44	04/30/25 07:41	108-88-3	
Xylene (Total)	**234000**	ug/kg	302	86.1	25	04/29/25 22:44	04/30/25 07:41	1330-20-7	
m&p-Xylene	**169000**	ug/kg	302	103	25	04/29/25 22:44	04/30/25 07:41	179601-23-1	
o-Xylene	**64900**	ug/kg	151	66.7	25	04/29/25 22:44	04/30/25 07:41	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		25	04/29/25 22:44	04/30/25 07:41	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		25	04/29/25 22:44	04/30/25 07:41	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		25	04/29/25 22:44	04/30/25 07:41	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**16.4**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-34 **Lab ID: 92792443020** Collected: 04/22/25 10:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	386	136	1	04/28/25 09:22	04/29/25 07:46	83-32-9	
Acenaphthylene	ND	ug/kg	386	136	1	04/28/25 09:22	04/29/25 07:46	208-96-8	
Anthracene	ND	ug/kg	386	126	1	04/28/25 09:22	04/29/25 07:46	120-12-7	
Benzo(a)anthracene	ND	ug/kg	386	129	1	04/28/25 09:22	04/29/25 07:46	56-55-3	
Benzo(a)pyrene	ND	ug/kg	386	133	1	04/28/25 09:22	04/29/25 07:46	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	386	129	1	04/28/25 09:22	04/29/25 07:46	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	386	150	1	04/28/25 09:22	04/29/25 07:46	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	386	136	1	04/28/25 09:22	04/29/25 07:46	207-08-9	
Chrysene	ND	ug/kg	386	140	1	04/28/25 09:22	04/29/25 07:46	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	386	148	1	04/28/25 09:22	04/29/25 07:46	53-70-3	
Fluoranthene	ND	ug/kg	386	132	1	04/28/25 09:22	04/29/25 07:46	206-44-0	
Fluorene	ND	ug/kg	386	136	1	04/28/25 09:22	04/29/25 07:46	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	386	152	1	04/28/25 09:22	04/29/25 07:46	193-39-5	
1-Methylnaphthalene	**372J**	ug/kg	386	136	1	04/28/25 09:22	04/29/25 07:46	90-12-0	
2-Methylnaphthalene	**808**	ug/kg	386	154	1	04/28/25 09:22	04/29/25 07:46	91-57-6	
Naphthalene	**1480**	ug/kg	386	131	1	04/28/25 09:22	04/29/25 07:46	91-20-3	
Phenanthrene	ND	ug/kg	386	126	1	04/28/25 09:22	04/29/25 07:46	85-01-8	
Pyrene	ND	ug/kg	386	157	1	04/28/25 09:22	04/29/25 07:46	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-130		1	04/28/25 09:22	04/29/25 07:46	4165-60-0	
2-Fluorobiphenyl (S)	56	%	10-130		1	04/28/25 09:22	04/29/25 07:46	321-60-8	
Terphenyl-d14 (S)	62	%	10-130		1	04/28/25 09:22	04/29/25 07:46	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**108**	ug/kg	73.6	29.3	12.5	05/01/25 18:04	05/01/25 23:36	71-43-2	
Ethylbenzene	**15800**	ug/kg	73.6	34.3	12.5	05/01/25 18:04	05/01/25 23:36	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	73.6	27.5	12.5	05/01/25 18:04	05/01/25 23:36	1634-04-4	
Naphthalene	**3340**	ug/kg	73.6	38.7	12.5	05/01/25 18:04	05/01/25 23:36	91-20-3	
Toluene	**18500**	ug/kg	73.6	50.8	12.5	05/01/25 18:04	05/01/25 23:36	108-88-3	
Xylene (Total)	**102000**	ug/kg	147	42.0	12.5	05/01/25 18:04	05/01/25 23:36	1330-20-7	
m&p-Xylene	**71700**	ug/kg	147	50.4	12.5	05/01/25 18:04	05/01/25 23:36	179601-23-1	
o-Xylene	**30100**	ug/kg	73.6	32.5	12.5	05/01/25 18:04	05/01/25 23:36	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		12.5	05/01/25 18:04	05/01/25 23:36	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		12.5	05/01/25 18:04	05/01/25 23:36	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-135		12.5	05/01/25 18:04	05/01/25 23:36	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**11.8**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-35 **Lab ID: 92792443021** Collected: 04/22/25 10:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	383	135	1	04/28/25 09:22	04/29/25 08:40	83-32-9	
Acenaphthylene	ND	ug/kg	383	135	1	04/28/25 09:22	04/29/25 08:40	208-96-8	
Anthracene	ND	ug/kg	383	125	1	04/28/25 09:22	04/29/25 08:40	120-12-7	
Benzo(a)anthracene	ND	ug/kg	383	128	1	04/28/25 09:22	04/29/25 08:40	56-55-3	
Benzo(a)pyrene	ND	ug/kg	383	132	1	04/28/25 09:22	04/29/25 08:40	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	383	128	1	04/28/25 09:22	04/29/25 08:40	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	383	149	1	04/28/25 09:22	04/29/25 08:40	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	383	135	1	04/28/25 09:22	04/29/25 08:40	207-08-9	
Chrysene	ND	ug/kg	383	139	1	04/28/25 09:22	04/29/25 08:40	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	383	148	1	04/28/25 09:22	04/29/25 08:40	53-70-3	
Fluoranthene	ND	ug/kg	383	131	1	04/28/25 09:22	04/29/25 08:40	206-44-0	
Fluorene	ND	ug/kg	383	135	1	04/28/25 09:22	04/29/25 08:40	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	383	151	1	04/28/25 09:22	04/29/25 08:40	193-39-5	
1-Methylnaphthalene	**176J**	ug/kg	383	135	1	04/28/25 09:22	04/29/25 08:40	90-12-0	
2-Methylnaphthalene	**366J**	ug/kg	383	153	1	04/28/25 09:22	04/29/25 08:40	91-57-6	
Naphthalene	**384**	ug/kg	383	130	1	04/28/25 09:22	04/29/25 08:40	91-20-3	
Phenanthrene	ND	ug/kg	383	125	1	04/28/25 09:22	04/29/25 08:40	85-01-8	
Pyrene	ND	ug/kg	383	156	1	04/28/25 09:22	04/29/25 08:40	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-130		1	04/28/25 09:22	04/29/25 08:40	4165-60-0	
2-Fluorobiphenyl (S)	55	%	10-130		1	04/28/25 09:22	04/29/25 08:40	321-60-8	
Terphenyl-d14 (S)	61	%	10-130		1	04/28/25 09:22	04/29/25 08:40	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**192**	ug/kg	65.8	26.2	10	05/01/25 18:04	05/01/25 23:01	71-43-2	
Ethylbenzene	**6600**	ug/kg	65.8	30.7	10	05/01/25 18:04	05/01/25 23:01	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	65.8	24.6	10	05/01/25 18:04	05/01/25 23:01	1634-04-4	
Naphthalene	**2550**	ug/kg	65.8	34.6	10	05/01/25 18:04	05/01/25 23:01	91-20-3	
Toluene	**7690**	ug/kg	65.8	45.4	10	05/01/25 18:04	05/01/25 23:01	108-88-3	
Xylene (Total)	**52000**	ug/kg	132	37.5	10	05/01/25 18:04	05/01/25 23:01	1330-20-7	
m&p-Xylene	**36600**	ug/kg	132	45.0	10	05/01/25 18:04	05/01/25 23:01	179601-23-1	
o-Xylene	**15300**	ug/kg	65.8	29.1	10	05/01/25 18:04	05/01/25 23:01	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		10	05/01/25 18:04	05/01/25 23:01	2037-26-5	D3
4-Bromofluorobenzene (S)	98	%	70-130		10	05/01/25 18:04	05/01/25 23:01	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		10	05/01/25 18:04	05/01/25 23:01	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.6**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-36 **Lab ID: 92792443022** Collected: 04/22/25 11:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	392	138	1	04/28/25 09:22	04/29/25 09:33	83-32-9	
Acenaphthylene	ND	ug/kg	392	138	1	04/28/25 09:22	04/29/25 09:33	208-96-8	
Anthracene	ND	ug/kg	392	128	1	04/28/25 09:22	04/29/25 09:33	120-12-7	
Benzo(a)anthracene	ND	ug/kg	392	131	1	04/28/25 09:22	04/29/25 09:33	56-55-3	
Benzo(a)pyrene	ND	ug/kg	392	135	1	04/28/25 09:22	04/29/25 09:33	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	392	131	1	04/28/25 09:22	04/29/25 09:33	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	392	152	1	04/28/25 09:22	04/29/25 09:33	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	392	138	1	04/28/25 09:22	04/29/25 09:33	207-08-9	
Chrysene	ND	ug/kg	392	143	1	04/28/25 09:22	04/29/25 09:33	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	392	151	1	04/28/25 09:22	04/29/25 09:33	53-70-3	
Fluoranthene	ND	ug/kg	392	134	1	04/28/25 09:22	04/29/25 09:33	206-44-0	
Fluorene	ND	ug/kg	392	138	1	04/28/25 09:22	04/29/25 09:33	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	392	154	1	04/28/25 09:22	04/29/25 09:33	193-39-5	
1-Methylnaphthalene	ND	ug/kg	392	138	1	04/28/25 09:22	04/29/25 09:33	90-12-0	
2-Methylnaphthalene	ND	ug/kg	392	157	1	04/28/25 09:22	04/29/25 09:33	91-57-6	
Naphthalene	ND	ug/kg	392	133	1	04/28/25 09:22	04/29/25 09:33	91-20-3	
Phenanthrene	ND	ug/kg	392	128	1	04/28/25 09:22	04/29/25 09:33	85-01-8	
Pyrene	ND	ug/kg	392	159	1	04/28/25 09:22	04/29/25 09:33	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-130		1	04/28/25 09:22	04/29/25 09:33	4165-60-0	
2-Fluorobiphenyl (S)	41	%	10-130		1	04/28/25 09:22	04/29/25 09:33	321-60-8	
Terphenyl-d14 (S)	50	%	10-130		1	04/28/25 09:22	04/29/25 09:33	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**8.4**	ug/kg	6.2	2.5	1	04/29/25 22:44	04/30/25 05:02	71-43-2	
Ethylbenzene	**38.5**	ug/kg	6.2	2.9	1	04/29/25 22:44	04/30/25 05:02	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.2	2.3	1	04/29/25 22:44	04/30/25 05:02	1634-04-4	
Naphthalene	ND	ug/kg	6.2	3.3	1	04/29/25 22:44	04/30/25 05:02	91-20-3	
Toluene	**7.1**	ug/kg	6.2	4.3	1	04/29/25 22:44	04/30/25 05:02	108-88-3	
Xylene (Total)	**111**	ug/kg	12.4	3.5	1	04/29/25 22:44	04/30/25 05:02	1330-20-7	
m&p-Xylene	**111**	ug/kg	12.4	4.2	1	04/29/25 22:44	04/30/25 05:02	179601-23-1	
o-Xylene	ND	ug/kg	6.2	2.7	1	04/29/25 22:44	04/30/25 05:02	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1	04/29/25 22:44	04/30/25 05:02	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1	04/29/25 22:44	04/30/25 05:02	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		1	04/29/25 22:44	04/30/25 05:02	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.4**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-37 **Lab ID: 92792443023** Collected: 04/22/25 11:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	382	134	1	04/28/25 09:22	04/29/25 10:00	83-32-9	
Acenaphthylene	ND	ug/kg	382	134	1	04/28/25 09:22	04/29/25 10:00	208-96-8	
Anthracene	ND	ug/kg	382	125	1	04/28/25 09:22	04/29/25 10:00	120-12-7	
Benzo(a)anthracene	ND	ug/kg	382	127	1	04/28/25 09:22	04/29/25 10:00	56-55-3	
Benzo(a)pyrene	ND	ug/kg	382	132	1	04/28/25 09:22	04/29/25 10:00	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	382	127	1	04/28/25 09:22	04/29/25 10:00	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	382	148	1	04/28/25 09:22	04/29/25 10:00	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	382	134	1	04/28/25 09:22	04/29/25 10:00	207-08-9	
Chrysene	ND	ug/kg	382	139	1	04/28/25 09:22	04/29/25 10:00	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	382	147	1	04/28/25 09:22	04/29/25 10:00	53-70-3	
Fluoranthene	ND	ug/kg	382	131	1	04/28/25 09:22	04/29/25 10:00	206-44-0	
Fluorene	ND	ug/kg	382	134	1	04/28/25 09:22	04/29/25 10:00	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	382	151	1	04/28/25 09:22	04/29/25 10:00	193-39-5	
1-Methylnaphthalene	ND	ug/kg	382	134	1	04/28/25 09:22	04/29/25 10:00	90-12-0	
2-Methylnaphthalene	ND	ug/kg	382	153	1	04/28/25 09:22	04/29/25 10:00	91-57-6	
Naphthalene	ND	ug/kg	382	130	1	04/28/25 09:22	04/29/25 10:00	91-20-3	
Phenanthrene	ND	ug/kg	382	125	1	04/28/25 09:22	04/29/25 10:00	85-01-8	
Pyrene	ND	ug/kg	382	155	1	04/28/25 09:22	04/29/25 10:00	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-130		1	04/28/25 09:22	04/29/25 10:00	4165-60-0	
2-Fluorobiphenyl (S)	38	%	10-130		1	04/28/25 09:22	04/29/25 10:00	321-60-8	
Terphenyl-d14 (S)	47	%	10-130		1	04/28/25 09:22	04/29/25 10:00	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	6.1	2.4	1	04/29/25 22:44	04/30/25 05:20	71-43-2	
Ethylbenzene	ND	ug/kg	6.1	2.9	1	04/29/25 22:44	04/30/25 05:20	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.1	2.3	1	04/29/25 22:44	04/30/25 05:20	1634-04-4	
Naphthalene	ND	ug/kg	6.1	3.2	1	04/29/25 22:44	04/30/25 05:20	91-20-3	
Toluene	ND	ug/kg	6.1	4.2	1	04/29/25 22:44	04/30/25 05:20	108-88-3	
Xylene (Total)	ND	ug/kg	12.3	3.5	1	04/29/25 22:44	04/30/25 05:20	1330-20-7	
m&p-Xylene	ND	ug/kg	12.3	4.2	1	04/29/25 22:44	04/30/25 05:20	179601-23-1	
o-Xylene	ND	ug/kg	6.1	2.7	1	04/29/25 22:44	04/30/25 05:20	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1	04/29/25 22:44	04/30/25 05:20	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/29/25 22:44	04/30/25 05:20	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-135		1	04/29/25 22:44	04/30/25 05:20	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.6**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-38 **Lab ID: 92792443024** Collected: 04/22/25 12:45 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	375	132	1	04/28/25 09:22	04/29/25 10:27	83-32-9	
Acenaphthylene	ND	ug/kg	375	132	1	04/28/25 09:22	04/29/25 10:27	208-96-8	
Anthracene	ND	ug/kg	375	123	1	04/28/25 09:22	04/29/25 10:27	120-12-7	
Benzo(a)anthracene	ND	ug/kg	375	125	1	04/28/25 09:22	04/29/25 10:27	56-55-3	
Benzo(a)pyrene	ND	ug/kg	375	129	1	04/28/25 09:22	04/29/25 10:27	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	375	125	1	04/28/25 09:22	04/29/25 10:27	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	375	145	1	04/28/25 09:22	04/29/25 10:27	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	375	132	1	04/28/25 09:22	04/29/25 10:27	207-08-9	
Chrysene	ND	ug/kg	375	136	1	04/28/25 09:22	04/29/25 10:27	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	375	144	1	04/28/25 09:22	04/29/25 10:27	53-70-3	
Fluoranthene	ND	ug/kg	375	128	1	04/28/25 09:22	04/29/25 10:27	206-44-0	
Fluorene	ND	ug/kg	375	132	1	04/28/25 09:22	04/29/25 10:27	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	375	148	1	04/28/25 09:22	04/29/25 10:27	193-39-5	
1-Methylnaphthalene	ND	ug/kg	375	132	1	04/28/25 09:22	04/29/25 10:27	90-12-0	
2-Methylnaphthalene	ND	ug/kg	375	150	1	04/28/25 09:22	04/29/25 10:27	91-57-6	
Naphthalene	**237J**	ug/kg	375	127	1	04/28/25 09:22	04/29/25 10:27	91-20-3	
Phenanthrene	ND	ug/kg	375	123	1	04/28/25 09:22	04/29/25 10:27	85-01-8	
Pyrene	ND	ug/kg	375	152	1	04/28/25 09:22	04/29/25 10:27	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-130		1	04/28/25 09:22	04/29/25 10:27	4165-60-0	
2-Fluorobiphenyl (S)	52	%	10-130		1	04/28/25 09:22	04/29/25 10:27	321-60-8	
Terphenyl-d14 (S)	65	%	10-130		1	04/28/25 09:22	04/29/25 10:27	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**285**	ug/kg	5.6	2.2	1	04/29/25 22:44	04/30/25 05:55	71-43-2	
Ethylbenzene	**97.3**	ug/kg	5.6	2.6	1	04/29/25 22:44	04/30/25 05:55	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.6	2.1	1	04/29/25 22:44	04/30/25 05:55	1634-04-4	
Naphthalene	**269**	ug/kg	5.6	3.0	1	04/29/25 22:44	04/30/25 05:55	91-20-3	
Toluene	**13.0**	ug/kg	5.6	3.9	1	04/29/25 22:44	04/30/25 05:55	108-88-3	
Xylene (Total)	**2060**	ug/kg	11.3	3.2	1	04/29/25 22:44	04/30/25 05:55	1330-20-7	
m&p-Xylene	**2040**	ug/kg	11.3	3.9	1	04/29/25 22:44	04/30/25 05:55	179601-23-1	
o-Xylene	**12.5**	ug/kg	5.6	2.5	1	04/29/25 22:44	04/30/25 05:55	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	04/29/25 22:44	04/30/25 05:55	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/29/25 22:44	04/30/25 05:55	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	04/29/25 22:44	04/30/25 05:55	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.1**	%	0.10	0.10	1		04/24/25 13:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-39 **Lab ID: 92792443025** Collected: 04/22/25 13:15 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	389	137	1	04/28/25 09:22	04/29/25 10:54	83-32-9	
Acenaphthylene	ND	ug/kg	389	137	1	04/28/25 09:22	04/29/25 10:54	208-96-8	
Anthracene	ND	ug/kg	389	127	1	04/28/25 09:22	04/29/25 10:54	120-12-7	
Benzo(a)anthracene	ND	ug/kg	389	130	1	04/28/25 09:22	04/29/25 10:54	56-55-3	
Benzo(a)pyrene	ND	ug/kg	389	134	1	04/28/25 09:22	04/29/25 10:54	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	389	130	1	04/28/25 09:22	04/29/25 10:54	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	389	151	1	04/28/25 09:22	04/29/25 10:54	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	389	137	1	04/28/25 09:22	04/29/25 10:54	207-08-9	
Chrysene	ND	ug/kg	389	141	1	04/28/25 09:22	04/29/25 10:54	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	389	150	1	04/28/25 09:22	04/29/25 10:54	53-70-3	
Fluoranthene	ND	ug/kg	389	133	1	04/28/25 09:22	04/29/25 10:54	206-44-0	
Fluorene	ND	ug/kg	389	137	1	04/28/25 09:22	04/29/25 10:54	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	389	153	1	04/28/25 09:22	04/29/25 10:54	193-39-5	
1-Methylnaphthalene	ND	ug/kg	389	137	1	04/28/25 09:22	04/29/25 10:54	90-12-0	
2-Methylnaphthalene	ND	ug/kg	389	155	1	04/28/25 09:22	04/29/25 10:54	91-57-6	
Naphthalene	ND	ug/kg	389	132	1	04/28/25 09:22	04/29/25 10:54	91-20-3	
Phenanthrene	ND	ug/kg	389	127	1	04/28/25 09:22	04/29/25 10:54	85-01-8	
Pyrene	ND	ug/kg	389	158	1	04/28/25 09:22	04/29/25 10:54	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	136	%	10-130		1	04/28/25 09:22	04/29/25 10:54	4165-60-0	S3
2-Fluorobiphenyl (S)	91	%	10-130		1	04/28/25 09:22	04/29/25 10:54	321-60-8	
Terphenyl-d14 (S)	104	%	10-130		1	04/28/25 09:22	04/29/25 10:54	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**106**	ug/kg	5.8	2.3	1	04/30/25 16:24	05/01/25 07:14	71-43-2	
Ethylbenzene	**134**	ug/kg	5.8	2.7	1	04/30/25 16:24	05/01/25 07:14	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.8	2.2	1	04/30/25 16:24	05/01/25 07:14	1634-04-4	
Naphthalene	**23.5**	ug/kg	5.8	3.1	1	04/30/25 16:24	05/01/25 07:14	91-20-3	
Toluene	**10.6**	ug/kg	5.8	4.0	1	04/30/25 16:24	05/01/25 07:14	108-88-3	
Xylene (Total)	**600**	ug/kg	11.6	3.3	1	04/30/25 16:24	05/01/25 07:14	1330-20-7	
m&p-Xylene	**588**	ug/kg	11.6	4.0	1	04/30/25 16:24	05/01/25 07:14	179601-23-1	
o-Xylene	**11.8**	ug/kg	5.8	2.6	1	04/30/25 16:24	05/01/25 07:14	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1	04/30/25 16:24	05/01/25 07:14	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/30/25 16:24	05/01/25 07:14	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-135		1	04/30/25 16:24	05/01/25 07:14	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.6**	%	0.10	0.10	1		04/24/25 13:16		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-40 **Lab ID: 92792443026** Collected: 04/22/25 14:00 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	387	136	1	04/28/25 09:22	04/29/25 11:21	83-32-9	
Acenaphthylene	ND	ug/kg	387	136	1	04/28/25 09:22	04/29/25 11:21	208-96-8	
Anthracene	ND	ug/kg	387	127	1	04/28/25 09:22	04/29/25 11:21	120-12-7	
Benzo(a)anthracene	ND	ug/kg	387	129	1	04/28/25 09:22	04/29/25 11:21	56-55-3	
Benzo(a)pyrene	ND	ug/kg	387	134	1	04/28/25 09:22	04/29/25 11:21	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	387	129	1	04/28/25 09:22	04/29/25 11:21	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	387	150	1	04/28/25 09:22	04/29/25 11:21	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	387	136	1	04/28/25 09:22	04/29/25 11:21	207-08-9	
Chrysene	ND	ug/kg	387	141	1	04/28/25 09:22	04/29/25 11:21	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	387	149	1	04/28/25 09:22	04/29/25 11:21	53-70-3	
Fluoranthene	ND	ug/kg	387	132	1	04/28/25 09:22	04/29/25 11:21	206-44-0	
Fluorene	ND	ug/kg	387	136	1	04/28/25 09:22	04/29/25 11:21	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	387	152	1	04/28/25 09:22	04/29/25 11:21	193-39-5	
1-Methylnaphthalene	ND	ug/kg	387	136	1	04/28/25 09:22	04/29/25 11:21	90-12-0	
2-Methylnaphthalene	ND	ug/kg	387	155	1	04/28/25 09:22	04/29/25 11:21	91-57-6	
Naphthalene	ND	ug/kg	387	131	1	04/28/25 09:22	04/29/25 11:21	91-20-3	
Phenanthrene	ND	ug/kg	387	127	1	04/28/25 09:22	04/29/25 11:21	85-01-8	
Pyrene	ND	ug/kg	387	157	1	04/28/25 09:22	04/29/25 11:21	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	56	%	10-130		1	04/28/25 09:22	04/29/25 11:21	4165-60-0	
2-Fluorobiphenyl (S)	48	%	10-130		1	04/28/25 09:22	04/29/25 11:21	321-60-8	
Terphenyl-d14 (S)	59	%	10-130		1	04/28/25 09:22	04/29/25 11:21	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**38.9**	ug/kg	5.6	2.2	1	04/30/25 16:24	05/01/25 08:43	71-43-2	
Ethylbenzene	**19.9**	ug/kg	5.6	2.6	1	04/30/25 16:24	05/01/25 08:43	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.6	2.1	1	04/30/25 16:24	05/01/25 08:43	1634-04-4	
Naphthalene	ND	ug/kg	5.6	3.0	1	04/30/25 16:24	05/01/25 08:43	91-20-3	
Toluene	**6.7**	ug/kg	5.6	3.9	1	04/30/25 16:24	05/01/25 08:43	108-88-3	
Xylene (Total)	**114**	ug/kg	11.2	3.2	1	04/30/25 16:24	05/01/25 08:43	1330-20-7	
m&p-Xylene	**88.0**	ug/kg	11.2	3.8	1	04/30/25 16:24	05/01/25 08:43	179601-23-1	
o-Xylene	**25.6**	ug/kg	5.6	2.5	1	04/30/25 16:24	05/01/25 08:43	95-47-6	
Surrogates									
Toluene-d8 (S)	102	%	70-130		1	04/30/25 16:24	05/01/25 08:43	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/30/25 16:24	05/01/25 08:43	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	04/30/25 16:24	05/01/25 08:43	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**15.8**	%	0.10	0.10	1		04/24/25 14:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-41 **Lab ID: 92792443027** Collected: 04/22/25 14:20 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	379	133	1	04/28/25 09:22	04/29/25 11:47	83-32-9	
Acenaphthylene	ND	ug/kg	379	133	1	04/28/25 09:22	04/29/25 11:47	208-96-8	
Anthracene	ND	ug/kg	379	124	1	04/28/25 09:22	04/29/25 11:47	120-12-7	
Benzo(a)anthracene	ND	ug/kg	379	126	1	04/28/25 09:22	04/29/25 11:47	56-55-3	
Benzo(a)pyrene	**273J**	ug/kg	379	131	1	04/28/25 09:22	04/29/25 11:47	50-32-8	
Benzo(b)fluoranthene	**385**	ug/kg	379	126	1	04/28/25 09:22	04/29/25 11:47	205-99-2	
Benzo(g,h,i)perylene	**269J**	ug/kg	379	147	1	04/28/25 09:22	04/29/25 11:47	191-24-2	
Benzo(k)fluoranthene	**150J**	ug/kg	379	133	1	04/28/25 09:22	04/29/25 11:47	207-08-9	
Chrysene	ND	ug/kg	379	138	1	04/28/25 09:22	04/29/25 11:47	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	379	146	1	04/28/25 09:22	04/29/25 11:47	53-70-3	
Fluoranthene	**322J**	ug/kg	379	130	1	04/28/25 09:22	04/29/25 11:47	206-44-0	
Fluorene	ND	ug/kg	379	133	1	04/28/25 09:22	04/29/25 11:47	86-73-7	
Indeno(1,2,3-cd)pyrene	**198J**	ug/kg	379	149	1	04/28/25 09:22	04/29/25 11:47	193-39-5	
1-Methylnaphthalene	ND	ug/kg	379	133	1	04/28/25 09:22	04/29/25 11:47	90-12-0	
2-Methylnaphthalene	ND	ug/kg	379	151	1	04/28/25 09:22	04/29/25 11:47	91-57-6	
Naphthalene	ND	ug/kg	379	129	1	04/28/25 09:22	04/29/25 11:47	91-20-3	
Phenanthrene	**209J**	ug/kg	379	124	1	04/28/25 09:22	04/29/25 11:47	85-01-8	
Pyrene	**299J**	ug/kg	379	154	1	04/28/25 09:22	04/29/25 11:47	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	46	%	10-130		1	04/28/25 09:22	04/29/25 11:47	4165-60-0	
2-Fluorobiphenyl (S)	42	%	10-130		1	04/28/25 09:22	04/29/25 11:47	321-60-8	
Terphenyl-d14 (S)	54	%	10-130		1	04/28/25 09:22	04/29/25 11:47	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	**6.6**	ug/kg	5.3	2.1	1	04/30/25 16:24	05/01/25 07:32	71-43-2	
Ethylbenzene	**5.8**	ug/kg	5.3	2.5	1	04/30/25 16:24	05/01/25 07:32	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.3	2.0	1	04/30/25 16:24	05/01/25 07:32	1634-04-4	
Naphthalene	ND	ug/kg	5.3	2.8	1	04/30/25 16:24	05/01/25 07:32	91-20-3	
Toluene	ND	ug/kg	5.3	3.7	1	04/30/25 16:24	05/01/25 07:32	108-88-3	
Xylene (Total)	**37.1**	ug/kg	10.6	3.0	1	04/30/25 16:24	05/01/25 07:32	1330-20-7	
m&p-Xylene	**27.6**	ug/kg	10.6	3.6	1	04/30/25 16:24	05/01/25 07:32	179601-23-1	
o-Xylene	**9.5**	ug/kg	5.3	2.3	1	04/30/25 16:24	05/01/25 07:32	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1	04/30/25 16:24	05/01/25 07:32	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	04/30/25 16:24	05/01/25 07:32	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-135		1	04/30/25 16:24	05/01/25 07:32	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**12.9**	%	0.10	0.10	1		04/24/25 14:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Sample: S-42 **Lab ID: 92792443028** Collected: 04/22/25 14:40 Received: 04/23/25 09:40 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	**15.1**	%	0.10	0.10	1		04/30/25 06:51		
Total Organic Carbon Quad	Analytical Method: EPA 9060 Pace Analytical Services - Green Bay								
Total Organic Carbon	**984**	mg/kg	712	230	1		05/08/25 10:41	7440-44-0	
Total Organic Carbon	**989**	mg/kg	713	230	1		05/08/25 10:46	7440-44-0	
Total Organic Carbon	**968**	mg/kg	708	229	1		05/08/25 10:51	7440-44-0	
Total Organic Carbon	**1040**	mg/kg	708	229	1		05/08/25 10:56	7440-44-0	
Mean Total Organic Carbon	**997**	mg/kg	710	230	1		05/08/25 10:41	7440-44-0	
Surrogates									
RSD%	**3.4**	%			1		05/08/25 10:41		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931591
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443001, 92792443003, 92792443005, 92792443006, 92792443007, 92792443008, 92792443010

METHOD BLANK: 4786222 Matrix: Solid
Associated Lab Samples: 92792443001, 92792443003, 92792443005, 92792443006, 92792443007, 92792443008, 92792443010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	04/25/25 00:33	
Ethylbenzene	ug/kg	ND	5.0	2.3	04/25/25 00:33	
m&p-Xylene	ug/kg	ND	10.0	3.4	04/25/25 00:33	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	04/25/25 00:33	
Naphthalene	ug/kg	ND	5.0	2.6	04/25/25 00:33	
o-Xylene	ug/kg	ND	5.0	2.2	04/25/25 00:33	
Toluene	ug/kg	ND	5.0	3.4	04/25/25 00:33	
Xylene (Total)	ug/kg	ND	10.0	2.8	04/25/25 00:33	
1,2-Dichloroethane-d4 (S)	%	101	70-135		04/25/25 00:33	
4-Bromofluorobenzene (S)	%	99	70-130		04/25/25 00:33	
Toluene-d8 (S)	%	101	70-130		04/25/25 00:33	

LABORATORY CONTROL SAMPLE: 4786223

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	501	100	70-130	
Ethylbenzene	ug/kg	500	471	94	69-130	
m&p-Xylene	ug/kg	1000	994	99	70-130	
Methyl-tert-butyl ether	ug/kg	500	414	83	66-130	
Naphthalene	ug/kg	500	461	92	70-130	
o-Xylene	ug/kg	500	513	103	70-130	
Toluene	ug/kg	500	475	95	70-130	
Xylene (Total)	ug/kg	1500	1510	100	70-130	
1,2-Dichloroethane-d4 (S)	%			97	70-135	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE SAMPLE: 4786224

Parameter	Units	92792443001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	159	592	743	99	10-175	
Ethylbenzene	ug/kg	270	592	742	80	10-169	
m&p-Xylene	ug/kg	747	1180	1720	82	10-174	
Methyl-tert-butyl ether	ug/kg	ND	592	465	78	10-157	
Naphthalene	ug/kg	159	592	552	66	10-155	
o-Xylene	ug/kg	12.5	592	537	89	10-175	
Toluene	ug/kg	6.2	592	508	85	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4786224

Parameter	Units	92792443001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	760	1780	2260	84	10-174	
1,2-Dichloroethane-d4 (S)	%				96	70-135	
4-Bromofluorobenzene (S)	%				101	70-130	
Toluene-d8 (S)	%				101	70-130	

SAMPLE DUPLICATE: 4786225

Parameter	Units	92792443005 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	617	626	1	30	
Ethylbenzene	ug/kg	15.6	15.0	4	30	
m&p-Xylene	ug/kg	51.4	48.9	5	30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	18.8	15.3	21	30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	37.6	38.8	3	30	
Xylene (Total)	ug/kg	51.4	48.9	5	30	
1,2-Dichloroethane-d4 (S)	%	93	94			
4-Bromofluorobenzene (S)	%	99	98			
Toluene-d8 (S)	%	100	100			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931863
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443014, 92792443015, 92792443018

METHOD BLANK: 4787925 Matrix: Solid
Associated Lab Samples: 92792443014, 92792443015, 92792443018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	04/26/25 18:03	
Ethylbenzene	ug/kg	ND	5.0	2.3	04/26/25 18:03	
m&p-Xylene	ug/kg	ND	10.0	3.4	04/26/25 18:03	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	04/26/25 18:03	
Naphthalene	ug/kg	ND	5.0	2.6	04/26/25 18:03	
o-Xylene	ug/kg	ND	5.0	2.2	04/26/25 18:03	
Toluene	ug/kg	ND	5.0	3.4	04/26/25 18:03	
Xylene (Total)	ug/kg	ND	10.0	2.8	04/26/25 18:03	
1,2-Dichloroethane-d4 (S)	%	99	70-135		04/26/25 18:03	
4-Bromofluorobenzene (S)	%	97	70-130		04/26/25 18:03	
Toluene-d8 (S)	%	102	70-130		04/26/25 18:03	

LABORATORY CONTROL SAMPLE: 4787926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	476	95	70-130	
Ethylbenzene	ug/kg	500	453	91	69-130	
m&p-Xylene	ug/kg	1000	962	96	70-130	
Methyl-tert-butyl ether	ug/kg	500	390	78	66-130	
Naphthalene	ug/kg	500	436	87	70-130	
o-Xylene	ug/kg	500	499	100	70-130	
Toluene	ug/kg	500	446	89	70-130	
Xylene (Total)	ug/kg	1500	1460	97	70-130	
1,2-Dichloroethane-d4 (S)	%			92	70-135	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE SAMPLE: 4787927

Parameter	Units	92792443014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	463	652	803	52	10-175	
Ethylbenzene	ug/kg	45.3	652	325	43	10-169	
m&p-Xylene	ug/kg	48.9	1300	632	45	10-174	
Methyl-tert-butyl ether	ug/kg	ND	652	249	38	10-157	
Naphthalene	ug/kg	23.6	652	300	42	10-155	
o-Xylene	ug/kg	4.1J	652	313	47	10-175	
Toluene	ug/kg	167	652	464	45	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4787927

Parameter	Units	92792443014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	53.0	1960	945	46	10-174	
1,2-Dichloroethane-d4 (S)	%				98	70-135	
4-Bromofluorobenzene (S)	%				101	70-130	
Toluene-d8 (S)	%				102	70-130	

SAMPLE DUPLICATE: 4787928

Parameter	Units	92792443015 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	909	928	2	30	
Ethylbenzene	ug/kg	518	531	3	30	
m&p-Xylene	ug/kg	989	995	1	30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	70.7	69.8	1	30	
o-Xylene	ug/kg	42.0	40.7	3	30	
Toluene	ug/kg	143	145	2	30	
Xylene (Total)	ug/kg	1030	1040	0	30	
1,2-Dichloroethane-d4 (S)	%	92	92			
4-Bromofluorobenzene (S)	%	98	99			
Toluene-d8 (S)	%	100	101			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 932136 | Analysis Method: EPA 8260D
QC Batch Method: EPA 5035A/5030B | Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443002, 92792443004, 92792443009, 92792443011, 92792443012, 92792443013

METHOD BLANK: 4789051 Matrix: Solid
Associated Lab Samples: 92792443002, 92792443004, 92792443009, 92792443011, 92792443012, 92792443013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	04/28/25 23:35	
Ethylbenzene	ug/kg	ND	5.0	2.3	04/28/25 23:35	
m&p-Xylene	ug/kg	ND	10.0	3.4	04/28/25 23:35	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	04/28/25 23:35	
Naphthalene	ug/kg	ND	5.0	2.6	04/28/25 23:35	
o-Xylene	ug/kg	ND	5.0	2.2	04/28/25 23:35	
Toluene	ug/kg	ND	5.0	3.4	04/28/25 23:35	
Xylene (Total)	ug/kg	ND	10.0	2.8	04/28/25 23:35	
1,2-Dichloroethane-d4 (S)	%	103	70-135		04/28/25 23:35	
4-Bromofluorobenzene (S)	%	100	70-130		04/28/25 23:35	
Toluene-d8 (S)	%	101	70-130		04/28/25 23:35	

LABORATORY CONTROL SAMPLE: 4789052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	525	105	70-130	
Ethylbenzene	ug/kg	500	472	94	69-130	
m&p-Xylene	ug/kg	1000	997	100	70-130	
Methyl-tert-butyl ether	ug/kg	500	479	96	66-130	
Naphthalene	ug/kg	500	513	103	70-130	
o-Xylene	ug/kg	500	506	101	70-130	
Toluene	ug/kg	500	475	95	70-130	
Xylene (Total)	ug/kg	1500	1500	100	70-130	
1,2-Dichloroethane-d4 (S)	%			106	70-135	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE SAMPLE: 4789053

Parameter	Units	92792946014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	ND	667	655	98	10-175	
Ethylbenzene	ug/kg	ND	667	527	79	10-169	
m&p-Xylene	ug/kg	ND	1330	1080	81	10-174	
Methyl-tert-butyl ether	ug/kg	ND	667	526	79	10-157	
Naphthalene	ug/kg	ND	667	442	66	10-155	
o-Xylene	ug/kg	ND	667	596	89	10-175	
Toluene	ug/kg	ND	667	577	86	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4789053

Parameter	Units	92792946014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	ND	2000	1670	84	10-174	
1,2-Dichloroethane-d4 (S)	%				95	70-135	
4-Bromofluorobenzene (S)	%				98	70-130	
Toluene-d8 (S)	%				102	70-130	

SAMPLE DUPLICATE: 4789054

Parameter	Units	92793069001 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	95	96			
4-Bromofluorobenzene (S)	%	97	99			
Toluene-d8 (S)	%	101	102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 932410
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443017, 92792443019, 92792443022, 92792443023, 92792443024

METHOD BLANK: 4790534 Matrix: Solid
Associated Lab Samples: 92792443017, 92792443019, 92792443022, 92792443023, 92792443024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	04/29/25 22:51	
Ethylbenzene	ug/kg	ND	5.0	2.3	04/29/25 22:51	
m&p-Xylene	ug/kg	ND	10.0	3.4	04/29/25 22:51	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	04/29/25 22:51	
Naphthalene	ug/kg	ND	5.0	2.6	04/29/25 22:51	
o-Xylene	ug/kg	ND	5.0	2.2	04/29/25 22:51	
Toluene	ug/kg	ND	5.0	3.4	04/29/25 22:51	
Xylene (Total)	ug/kg	ND	10.0	2.8	04/29/25 22:51	
1,2-Dichloroethane-d4 (S)	%	98	70-135		04/29/25 22:51	
4-Bromofluorobenzene (S)	%	98	70-130		04/29/25 22:51	
Toluene-d8 (S)	%	101	70-130		04/29/25 22:51	

LABORATORY CONTROL SAMPLE: 4790535

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	506	101	70-130	
Ethylbenzene	ug/kg	500	474	95	69-130	
m&p-Xylene	ug/kg	1000	995	100	70-130	
Methyl-tert-butyl ether	ug/kg	500	428	86	66-130	
Naphthalene	ug/kg	500	450	90	70-130	
o-Xylene	ug/kg	500	513	103	70-130	
Toluene	ug/kg	500	463	93	70-130	
Xylene (Total)	ug/kg	1500	1510	101	70-130	
1,2-Dichloroethane-d4 (S)	%			97	70-135	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE SAMPLE: 4790536

Parameter	Units	92792443022 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	8.4	622	440	69	10-175	
Ethylbenzene	ug/kg	38.5	622	405	59	10-169	
m&p-Xylene	ug/kg	111	1240	867	61	10-174	
Methyl-tert-butyl ether	ug/kg	ND	622	329	53	10-157	
Naphthalene	ug/kg	ND	622	298	48	10-155	
o-Xylene	ug/kg	ND	622	404	65	10-175	
Toluene	ug/kg	7.1	622	393	62	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4790536

Parameter	Units	92792443022 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	111	1860	1270	62	10-174	
1,2-Dichloroethane-d4 (S)	%				92	70-135	
4-Bromofluorobenzene (S)	%				100	70-130	
Toluene-d8 (S)	%				100	70-130	

SAMPLE DUPLICATE: 4790537

Parameter	Units	92792443023 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	92	92			
4-Bromofluorobenzene (S)	%	98	97			
Toluene-d8 (S)	%	102	100			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 932414
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443025, 92792443026, 92792443027

METHOD BLANK: 4790548 Matrix: Solid
Associated Lab Samples: 92792443025, 92792443026, 92792443027

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	05/01/25 05:46	
Ethylbenzene	ug/kg	ND	5.0	2.3	05/01/25 05:46	
m&p-Xylene	ug/kg	ND	10.0	3.4	05/01/25 05:46	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	05/01/25 05:46	
Naphthalene	ug/kg	ND	5.0	2.6	05/01/25 05:46	
o-Xylene	ug/kg	ND	5.0	2.2	05/01/25 05:46	
Toluene	ug/kg	ND	5.0	3.4	05/01/25 05:46	
Xylene (Total)	ug/kg	ND	10.0	2.8	05/01/25 05:46	
1,2-Dichloroethane-d4 (S)	%	100	70-135		05/01/25 05:46	
4-Bromofluorobenzene (S)	%	97	70-130		05/01/25 05:46	
Toluene-d8 (S)	%	101	70-130		05/01/25 05:46	

LABORATORY CONTROL SAMPLE: 4790549

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	501	100	70-130	
Ethylbenzene	ug/kg	500	465	93	69-130	
m&p-Xylene	ug/kg	1000	988	99	70-130	
Methyl-tert-butyl ether	ug/kg	500	400	80	66-130	
Naphthalene	ug/kg	500	465	93	70-130	
o-Xylene	ug/kg	500	513	103	70-130	
Toluene	ug/kg	500	471	94	70-130	
Xylene (Total)	ug/kg	1500	1500	100	70-130	
1,2-Dichloroethane-d4 (S)	%			91	70-135	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE SAMPLE: 4790550

Parameter	Units	92793148001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	ND	660	452	69	10-175	
Ethylbenzene	ug/kg	ND	660	373	57	10-169	
m&p-Xylene	ug/kg	ND	1320	761	58	10-174	
Methyl-tert-butyl ether	ug/kg	ND	660	336	51	10-157	
Naphthalene	ug/kg	ND	660	295	45	10-155	
o-Xylene	ug/kg	ND	660	428	65	10-175	
Toluene	ug/kg	ND	660	405	61	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4790550

Parameter	Units	92793148001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	ND	1980	1190	60	10-174	
1,2-Dichloroethane-d4 (S)	%				90	70-135	
4-Bromofluorobenzene (S)	%				98	70-130	
Toluene-d8 (S)	%				99	70-130	

SAMPLE DUPLICATE: 4790551

Parameter	Units	92793148002 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	93	93			
4-Bromofluorobenzene (S)	%	97	98			
Toluene-d8 (S)	%	100	102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 932988
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443016, 92792443020, 92792443021

METHOD BLANK: 4793812 Matrix: Solid
Associated Lab Samples: 92792443016, 92792443020, 92792443021

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	05/01/25 20:21	
Ethylbenzene	ug/kg	ND	5.0	2.3	05/01/25 20:21	
m&p-Xylene	ug/kg	ND	10.0	3.4	05/01/25 20:21	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	05/01/25 20:21	
Naphthalene	ug/kg	ND	5.0	2.6	05/01/25 20:21	
o-Xylene	ug/kg	ND	5.0	2.2	05/01/25 20:21	
Toluene	ug/kg	ND	5.0	3.4	05/01/25 20:21	
Xylene (Total)	ug/kg	ND	10.0	2.8	05/01/25 20:21	
1,2-Dichloroethane-d4 (S)	%	99	70-135		05/01/25 20:21	
4-Bromofluorobenzene (S)	%	97	70-130		05/01/25 20:21	
Toluene-d8 (S)	%	101	70-130		05/01/25 20:21	

LABORATORY CONTROL SAMPLE: 4793813

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	500	100	70-130	
Ethylbenzene	ug/kg	500	475	95	69-130	
m&p-Xylene	ug/kg	1000	1010	101	70-130	
Methyl-tert-butyl ether	ug/kg	500	418	84	66-130	
Naphthalene	ug/kg	500	491	98	70-130	
o-Xylene	ug/kg	500	525	105	70-130	
Toluene	ug/kg	500	478	96	70-130	
Xylene (Total)	ug/kg	1500	1540	102	70-130	
1,2-Dichloroethane-d4 (S)	%			94	70-135	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE SAMPLE: 4793814

Parameter	Units	92793312001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	ND	567	587	103	10-175	
Ethylbenzene	ug/kg	ND	567	526	93	10-169	
m&p-Xylene	ug/kg	ND	1130	1100	97	10-174	
Methyl-tert-butyl ether	ug/kg	ND	567	455	80	10-157	
Naphthalene	ug/kg	ND	567	402	71	10-155	
o-Xylene	ug/kg	ND	567	584	103	10-175	
Toluene	ug/kg	ND	567	552	97	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

MATRIX SPIKE SAMPLE: 4793814

Parameter	Units	92793312001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	ND	1710	1680	99	10-174	
1,2-Dichloroethane-d4 (S)	%				91	70-135	
4-Bromofluorobenzene (S)	%				98	70-130	
Toluene-d8 (S)	%				101	70-130	

SAMPLE DUPLICATE: 4793815

Parameter	Units	92793312002 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	93	93			
4-Bromofluorobenzene (S)	%	99	96			
Toluene-d8 (S)	%	102	101			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931747
QC Batch Method: EPA 3546
Analysis Method: EPA 8270E
Analysis Description: 8270E Solid MSSV Microwave PAH
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443001, 92792443002, 92792443003, 92792443004, 92792443005, 92792443006, 92792443007, 92792443008, 92792443009, 92792443010, 92792443011, 92792443012, 92792443013, 92792443014, 92792443015, 92792443016, 92792443017, 92792443018

METHOD BLANK: 4787061
Matrix: Solid
Associated Lab Samples: 92792443001, 92792443002, 92792443003, 92792443004, 92792443005, 92792443006, 92792443007, 92792443008, 92792443009, 92792443010, 92792443011, 92792443012, 92792443013, 92792443014, 92792443015, 92792443016, 92792443017, 92792443018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	ND	327	115	04/28/25 07:18	
2-Methylnaphthalene	ug/kg	ND	327	131	04/28/25 07:18	
Acenaphthene	ug/kg	ND	327	115	04/28/25 07:18	
Acenaphthylene	ug/kg	ND	327	115	04/28/25 07:18	
Anthracene	ug/kg	ND	327	107	04/28/25 07:18	
Benzo(a)anthracene	ug/kg	ND	327	109	04/28/25 07:18	
Benzo(a)pyrene	ug/kg	ND	327	113	04/28/25 07:18	
Benzo(b)fluoranthene	ug/kg	ND	327	109	04/28/25 07:18	
Benzo(g,h,i)perylene	ug/kg	ND	327	127	04/28/25 07:18	
Benzo(k)fluoranthene	ug/kg	ND	327	115	04/28/25 07:18	
Chrysene	ug/kg	ND	327	119	04/28/25 07:18	
Dibenz(a,h)anthracene	ug/kg	ND	327	126	04/28/25 07:18	
Fluoranthene	ug/kg	ND	327	112	04/28/25 07:18	
Fluorene	ug/kg	ND	327	115	04/28/25 07:18	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	327	129	04/28/25 07:18	
Naphthalene	ug/kg	ND	327	111	04/28/25 07:18	
Phenanthrene	ug/kg	ND	327	107	04/28/25 07:18	
Pyrene	ug/kg	ND	327	133	04/28/25 07:18	
2-Fluorobiphenyl (S)	%	68	10-130		04/28/25 07:18	
Nitrobenzene-d5 (S)	%	77	10-130		04/28/25 07:18	
Terphenyl-d14 (S)	%	82	10-130		04/28/25 07:18	

LABORATORY CONTROL SAMPLE: 4787062

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	1640	1120	68	46-130	
2-Methylnaphthalene	ug/kg	1640	1110	68	45-130	
Acenaphthene	ug/kg	1640	1120	68	47-130	
Acenaphthylene	ug/kg	1640	1120	68	50-130	
Anthracene	ug/kg	1640	1140	70	46-130	
Benzo(a)anthracene	ug/kg	1640	1160	71	49-130	
Benzo(a)pyrene	ug/kg	1640	1240	76	45-130	
Benzo(b)fluoranthene	ug/kg	1640	1180	72	45-130	
Benzo(g,h,i)perylene	ug/kg	1640	1310	80	44-130	
Benzo(k)fluoranthene	ug/kg	1640	1270	77	46-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

LABORATORY CONTROL SAMPLE: 4787062

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chrysene	ug/kg	1640	1180	72	50-130	
Dibenz(a,h)anthracene	ug/kg	1640	1290	79	46-130	
Fluoranthene	ug/kg	1640	1100	67	49-130	
Fluorene	ug/kg	1640	1070	65	47-130	
Indeno(1,2,3-cd)pyrene	ug/kg	1640	1230	75	44-130	
Naphthalene	ug/kg	1640	1100	67	43-130	
Phenanthrene	ug/kg	1640	1160	71	50-130	
Pyrene	ug/kg	1640	1190	72	51-130	
2-Fluorobiphenyl (S)	%			69	10-130	
Nitrobenzene-d5 (S)	%			75	10-130	
Terphenyl-d14 (S)	%			71	10-130	

MATRIX SPIKE SAMPLE: 4787063

Parameter	Units	92792444001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	ND	2140	1370	64	27-130	
2-Methylnaphthalene	ug/kg	ND	2140	1370	64	26-130	
Acenaphthene	ug/kg	ND	2140	1370	64	29-130	
Acenaphthylene	ug/kg	ND	2140	1390	65	27-130	
Anthracene	ug/kg	ND	2140	1440	67	26-130	
Benzo(a)anthracene	ug/kg	ND	2140	1420	66	31-130	
Benzo(a)pyrene	ug/kg	ND	2140	1520	71	24-130	
Benzo(b)fluoranthene	ug/kg	ND	2140	1430	67	12-137	
Benzo(g,h,i)perylene	ug/kg	ND	2140	1570	73	16-130	
Benzo(k)fluoranthene	ug/kg	ND	2140	1550	72	27-130	
Chrysene	ug/kg	ND	2140	1470	69	29-130	
Dibenz(a,h)anthracene	ug/kg	ND	2140	1580	74	27-130	
Fluoranthene	ug/kg	ND	2140	1410	66	26-130	
Fluorene	ug/kg	ND	2140	1350	63	27-130	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	2140	1500	70	16-130	
Naphthalene	ug/kg	ND	2140	1360	63	24-130	
Phenanthrene	ug/kg	ND	2140	1450	68	28-130	
Pyrene	ug/kg	ND	2140	1450	68	27-130	
2-Fluorobiphenyl (S)	%				63	10-130	
Nitrobenzene-d5 (S)	%				70	10-130	
Terphenyl-d14 (S)	%				65	10-130	

SAMPLE DUPLICATE: 4787064

Parameter	Units	92792443001 Result	Dup Result	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/kg	ND	ND		30	
2-Methylnaphthalene	ug/kg	ND	ND		30	
Acenaphthene	ug/kg	ND	ND		30	
Acenaphthylene	ug/kg	ND	ND		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

SAMPLE DUPLICATE: 4787064

Parameter	Units	92792443001 Result	Dup Result	RPD	Max RPD	Qualifiers
Anthracene	ug/kg	ND	ND		30	
Benzo(a)anthracene	ug/kg	ND	ND		30	
Benzo(a)pyrene	ug/kg	ND	ND		30	
Benzo(b)fluoranthene	ug/kg	ND	ND		30	
Benzo(g,h,i)perylene	ug/kg	ND	ND		30	
Benzo(k)fluoranthene	ug/kg	ND	ND		30	
Chrysene	ug/kg	ND	ND		30	
Dibenz(a,h)anthracene	ug/kg	ND	ND		30	
Fluoranthene	ug/kg	ND	ND		30	
Fluorene	ug/kg	ND	ND		30	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
Phenanthrene	ug/kg	ND	ND		30	
Pyrene	ug/kg	ND	ND		30	
2-Fluorobiphenyl (S)	%	62	63			
Nitrobenzene-d5 (S)	%	60	46			
Terphenyl-d14 (S)	%	76	75			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931944
QC Batch Method: EPA 3546
Analysis Method: EPA 8270E
Analysis Description: 8270E Solid MSSV Microwave PAH
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443020, 92792443021, 92792443022, 92792443023, 92792443024, 92792443025, 92792443026, 92792443027

METHOD BLANK: 4788151 Matrix: Solid
Associated Lab Samples: 92792443020, 92792443021, 92792443022, 92792443023, 92792443024, 92792443025, 92792443026, 92792443027

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	ND	331	116	04/29/25 06:53	
2-Methylnaphthalene	ug/kg	ND	331	132	04/29/25 06:53	
Acenaphthene	ug/kg	ND	331	116	04/29/25 06:53	
Acenaphthylene	ug/kg	ND	331	116	04/29/25 06:53	
Anthracene	ug/kg	ND	331	108	04/29/25 06:53	
Benzo(a)anthracene	ug/kg	ND	331	110	04/29/25 06:53	
Benzo(a)pyrene	ug/kg	ND	331	114	04/29/25 06:53	
Benzo(b)fluoranthene	ug/kg	ND	331	110	04/29/25 06:53	
Benzo(g,h,i)perylene	ug/kg	ND	331	128	04/29/25 06:53	
Benzo(k)fluoranthene	ug/kg	ND	331	116	04/29/25 06:53	
Chrysene	ug/kg	ND	331	120	04/29/25 06:53	
Dibenz(a,h)anthracene	ug/kg	ND	331	127	04/29/25 06:53	
Fluoranthene	ug/kg	ND	331	113	04/29/25 06:53	
Fluorene	ug/kg	ND	331	116	04/29/25 06:53	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	331	130	04/29/25 06:53	
Naphthalene	ug/kg	ND	331	112	04/29/25 06:53	
Phenanthrene	ug/kg	ND	331	108	04/29/25 06:53	
Pyrene	ug/kg	ND	331	134	04/29/25 06:53	
2-Fluorobiphenyl (S)	%	65	10-130		04/29/25 06:53	
Nitrobenzene-d5 (S)	%	71	10-130		04/29/25 06:53	
Terphenyl-d14 (S)	%	77	10-130		04/29/25 06:53	

LABORATORY CONTROL SAMPLE: 4788152

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	1660	1200	72	46-130	
2-Methylnaphthalene	ug/kg	1660	1180	71	45-130	
Acenaphthene	ug/kg	1660	1160	70	47-130	
Acenaphthylene	ug/kg	1660	1180	71	50-130	
Anthracene	ug/kg	1660	1210	73	46-130	
Benzo(a)anthracene	ug/kg	1660	1250	75	49-130	
Benzo(a)pyrene	ug/kg	1660	1360	82	45-130	
Benzo(b)fluoranthene	ug/kg	1660	1310	79	45-130	
Benzo(g,h,i)perylene	ug/kg	1660	1350	81	44-130	
Benzo(k)fluoranthene	ug/kg	1660	1400	84	46-130	
Chrysene	ug/kg	1660	1250	75	50-130	
Dibenz(a,h)anthracene	ug/kg	1660	1360	82	46-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

LABORATORY CONTROL SAMPLE: 4788152

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluoranthene	ug/kg	1660	1170	71	49-130	
Fluorene	ug/kg	1660	1150	69	47-130	
Indeno(1,2,3-cd)pyrene	ug/kg	1660	1270	77	44-130	
Naphthalene	ug/kg	1660	1180	71	43-130	
Phenanthrene	ug/kg	1660	1220	73	50-130	
Pyrene	ug/kg	1660	1350	82	51-130	
2-Fluorobiphenyl (S)	%			71	10-130	
Nitrobenzene-d5 (S)	%			80	10-130	
Terphenyl-d14 (S)	%			84	10-130	

MATRIX SPIKE SAMPLE: 4788153

Parameter	Units	92792443020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	372J	1900	1590	64	27-130	
2-Methylnaphthalene	ug/kg	808	1900	1930	59	26-130	
Acenaphthene	ug/kg	ND	1900	1310	69	29-130	
Acenaphthylene	ug/kg	ND	1900	1300	69	27-130	
Anthracene	ug/kg	ND	1900	1330	70	26-130	
Benzo(a)anthracene	ug/kg	ND	1900	1340	70	31-130	
Benzo(a)pyrene	ug/kg	ND	1900	1480	78	24-130	
Benzo(b)fluoranthene	ug/kg	ND	1900	1450	76	12-137	
Benzo(g,h,i)perylene	ug/kg	ND	1900	1330	70	16-130	
Benzo(k)fluoranthene	ug/kg	ND	1900	1530	81	27-130	
Chrysene	ug/kg	ND	1900	1370	72	29-130	
Dibenz(a,h)anthracene	ug/kg	ND	1900	1320	69	27-130	
Fluoranthene	ug/kg	ND	1900	1340	71	26-130	
Fluorene	ug/kg	ND	1900	1330	70	27-130	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	1900	1250	66	16-130	
Naphthalene	ug/kg	1480	1900	2330	45	24-130	
Phenanthrene	ug/kg	ND	1900	1340	71	28-130	
Pyrene	ug/kg	ND	1900	1410	74	27-130	
2-Fluorobiphenyl (S)	%				62	10-130	
Nitrobenzene-d5 (S)	%				69	10-130	
Terphenyl-d14 (S)	%				74	10-130	

SAMPLE DUPLICATE: 4788154

Parameter	Units	92792443021 Result	Dup Result	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/kg	176J	165J		30	
2-Methylnaphthalene	ug/kg	366J	362J		30	
Acenaphthene	ug/kg	ND	ND		30	
Acenaphthylene	ug/kg	ND	ND		30	
Anthracene	ug/kg	ND	ND		30	
Benzo(a)anthracene	ug/kg	ND	ND		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

SAMPLE DUPLICATE: 4788154

Parameter	Units	92792443021 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzo(a)pyrene	ug/kg	ND	ND		30	
Benzo(b)fluoranthene	ug/kg	ND	ND		30	
Benzo(g,h,i)perylene	ug/kg	ND	ND		30	
Benzo(k)fluoranthene	ug/kg	ND	ND		30	
Chrysene	ug/kg	ND	ND		30	
Dibenz(a,h)anthracene	ug/kg	ND	ND		30	
Fluoranthene	ug/kg	ND	ND		30	
Fluorene	ug/kg	ND	ND		30	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	ND		30	
Naphthalene	ug/kg	384	377J		30	
Phenanthrene	ug/kg	ND	ND		30	
Pyrene	ug/kg	ND	ND		30	
2-Fluorobiphenyl (S)	%	55	34			
Nitrobenzene-d5 (S)	%	74	47			
Terphenyl-d14 (S)	%	61	45			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 932214
QC Batch Method: EPA 3546
Analysis Method: EPA 8270E
Analysis Description: 8270E Solid MSSV Microwave PAH
Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92792443019

METHOD BLANK: 4789411 Matrix: Solid
Associated Lab Samples: 92792443019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	ND	334	118	04/29/25 16:49	
2-Methylnaphthalene	ug/kg	ND	334	134	04/29/25 16:49	
Acenaphthene	ug/kg	ND	334	118	04/29/25 16:49	
Acenaphthylene	ug/kg	ND	334	118	04/29/25 16:49	
Anthracene	ug/kg	ND	334	109	04/29/25 16:49	
Benzo(a)anthracene	ug/kg	ND	334	111	04/29/25 16:49	
Benzo(a)pyrene	ug/kg	ND	334	116	04/29/25 16:49	
Benzo(b)fluoranthene	ug/kg	ND	334	111	04/29/25 16:49	
Benzo(g,h,i)perylene	ug/kg	ND	334	130	04/29/25 16:49	
Benzo(k)fluoranthene	ug/kg	ND	334	118	04/29/25 16:49	
Chrysene	ug/kg	ND	334	122	04/29/25 16:49	
Dibenz(a,h)anthracene	ug/kg	ND	334	129	04/29/25 16:49	
Fluoranthene	ug/kg	ND	334	115	04/29/25 16:49	
Fluorene	ug/kg	ND	334	118	04/29/25 16:49	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	334	132	04/29/25 16:49	
Naphthalene	ug/kg	ND	334	114	04/29/25 16:49	
Phenanthrene	ug/kg	ND	334	109	04/29/25 16:49	
Pyrene	ug/kg	ND	334	136	04/29/25 16:49	
2-Fluorobiphenyl (S)	%	68	10-130		04/29/25 16:49	
Nitrobenzene-d5 (S)	%	81	10-130		04/29/25 16:49	
Terphenyl-d14 (S)	%	74	10-130		04/29/25 16:49	

LABORATORY CONTROL SAMPLE: 4789412

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	1690	1350	80	46-130	
2-Methylnaphthalene	ug/kg	1690	1330	79	45-130	
Acenaphthene	ug/kg	1690	1370	81	47-130	
Acenaphthylene	ug/kg	1690	1380	82	50-130	
Anthracene	ug/kg	1690	1440	85	46-130	
Benzo(a)anthracene	ug/kg	1690	1460	86	49-130	
Benzo(a)pyrene	ug/kg	1690	1600	94	45-130	
Benzo(b)fluoranthene	ug/kg	1690	1540	91	45-130	
Benzo(g,h,i)perylene	ug/kg	1690	1550	92	44-130	
Benzo(k)fluoranthene	ug/kg	1690	1580	94	46-130	
Chrysene	ug/kg	1690	1500	89	50-130	
Dibenz(a,h)anthracene	ug/kg	1690	1570	93	46-130	
Fluoranthene	ug/kg	1690	1470	87	49-130	
Fluorene	ug/kg	1690	1380	82	47-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

LABORATORY CONTROL SAMPLE: 4789412

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Indeno(1,2,3-cd)pyrene	ug/kg	1690	1480	88	44-130	
Naphthalene	ug/kg	1690	1290	76	43-130	
Phenanthrene	ug/kg	1690	1450	86	50-130	
Pyrene	ug/kg	1690	1470	87	51-130	
2-Fluorobiphenyl (S)	%			76	10-130	
Nitrobenzene-d5 (S)	%			84	10-130	
Terphenyl-d14 (S)	%			85	10-130	

MATRIX SPIKE SAMPLE: 4789413

Parameter	Units	92793148002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	ND	1820	826	45	27-130	
2-Methylnaphthalene	ug/kg	ND	1820	809	45	26-130	
Acenaphthene	ug/kg	ND	1820	806	44	29-130	
Acenaphthylene	ug/kg	ND	1820	806	44	27-130	
Anthracene	ug/kg	ND	1820	846	47	26-130	
Benzo(a)anthracene	ug/kg	ND	1820	831	46	31-130	
Benzo(a)pyrene	ug/kg	ND	1820	633	35	24-130	
Benzo(b)fluoranthene	ug/kg	ND	1820	618	34	12-137	
Benzo(g,h,i)perylene	ug/kg	ND	1820	594	33	16-130	
Benzo(k)fluoranthene	ug/kg	ND	1820	649	36	27-130	
Chrysene	ug/kg	ND	1820	854	47	29-130	
Dibenz(a,h)anthracene	ug/kg	ND	1820	600	33	27-130	
Fluoranthene	ug/kg	ND	1820	876	48	26-130	
Fluorene	ug/kg	ND	1820	807	44	27-130	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	1820	563	31	16-130	
Naphthalene	ug/kg	ND	1820	801	44	24-130	
Phenanthrene	ug/kg	ND	1820	862	47	28-130	
Pyrene	ug/kg	ND	1820	853	47	27-130	
2-Fluorobiphenyl (S)	%				44	10-130	
Nitrobenzene-d5 (S)	%				51	10-130	
Terphenyl-d14 (S)	%				47	10-130	

SAMPLE DUPLICATE: 4789414

Parameter	Units	92793148003 Result	Dup Result	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/kg	ND	ND		30	
2-Methylnaphthalene	ug/kg	ND	ND		30	
Acenaphthene	ug/kg	ND	ND		30	
Acenaphthylene	ug/kg	ND	ND		30	
Anthracene	ug/kg	ND	ND		30	
Benzo(a)anthracene	ug/kg	ND	ND		30	
Benzo(a)pyrene	ug/kg	ND	ND		30	
Benzo(b)fluoranthene	ug/kg	ND	ND		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

SAMPLE DUPLICATE: 4789414

Parameter	Units	92793148003 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzo(g,h,i)perylene	ug/kg	ND	ND		30	
Benzo(k)fluoranthene	ug/kg	ND	ND		30	
Chrysene	ug/kg	ND	ND		30	
Dibenz(a,h)anthracene	ug/kg	ND	ND		30	
Fluoranthene	ug/kg	ND	ND		30	
Fluorene	ug/kg	ND	ND		30	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
Phenanthrene	ug/kg	ND	ND		30	
Pyrene	ug/kg	ND	ND		30	
2-Fluorobiphenyl (S)	%	37	45			
Nitrobenzene-d5 (S)	%	42	51			
Terphenyl-d14 (S)	%	42	48			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931406
QC Batch Method: SW-846
Analysis Method: SW-846
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443001, 92792443002, 92792443003, 92792443004, 92792443005, 92792443006, 92792443007, 92792443008, 92792443009, 92792443010

SAMPLE DUPLICATE: 4784918

Parameter	Units	92792444001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.1	22.0	0	25	N2

SAMPLE DUPLICATE: 4784919

Parameter	Units	92792624001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	29.5	29.5	0	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931451
QC Batch Method: SW-846
Analysis Method: SW-846
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792443011, 92792443012, 92792443013, 92792443014, 92792443015, 92792443016, 92792443017, 92792443018, 92792443019, 92792443020, 92792443021, 92792443022, 92792443023, 92792443024, 92792443025

SAMPLE DUPLICATE: 4785200

Parameter	Units	92792443011 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	13.0	13.6	5	25	N2

SAMPLE DUPLICATE: 4785201

Parameter	Units	92792631001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	9.1	9.3	2	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 931479
QC Batch Method: SW-846
Analysis Method: SW-846
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92792443026, 92792443027

SAMPLE DUPLICATE: 4785428

Parameter	Units	92792487003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	18.1	16.7	8	25	N2

SAMPLE DUPLICATE: 4785429

Parameter	Units	92792417003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.2	14.0	14	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 503236
QC Batch Method: ASTM D2974-87
Analysis Method: ASTM D2974-87
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 92792443028

SAMPLE DUPLICATE: 2873447

Parameter	Units	40294332012 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	8.2	8.1	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Soils
Pace Project No.: 92792443

QC Batch: 504108
QC Batch Method: EPA 9060
Analysis Method: EPA 9060
Analysis Description: 9060 TOC Average
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 92792443028

METHOD BLANK: 2877953 Matrix: Solid
Associated Lab Samples: 92792443028

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	600	194	05/08/25 09:58	

LABORATORY CONTROL SAMPLE: 2877954

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	120000	124000	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2877955 2877956

Parameter	Units	92792443028 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mean Total Organic Carbon	mg/kg	997	7100	7100	8520	8200	106	101	49-150	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: One Stop Marina- Soils
Pace Project No.: 92792443

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92792443001	**S-15**	EPA 3546	931747	EPA 8270E	931924
92792443002	**S-16**	EPA 3546	931747	EPA 8270E	931924
92792443003	**S-17**	EPA 3546	931747	EPA 8270E	931924
92792443004	**S-18**	EPA 3546	931747	EPA 8270E	931924
92792443005	**S-19**	EPA 3546	931747	EPA 8270E	931924
92792443006	**S-20**	EPA 3546	931747	EPA 8270E	931924
92792443007	**S-21**	EPA 3546	931747	EPA 8270E	931924
92792443008	**S-22**	EPA 3546	931747	EPA 8270E	931924
92792443009	**S-23**	EPA 3546	931747	EPA 8270E	931924
92792443010	**S-24**	EPA 3546	931747	EPA 8270E	931924
92792443011	**S-25**	EPA 3546	931747	EPA 8270E	931924
92792443012	**S-26**	EPA 3546	931747	EPA 8270E	931924
92792443013	**S-27**	EPA 3546	931747	EPA 8270E	931924
92792443014	**S-28**	EPA 3546	931747	EPA 8270E	931924
92792443015	**S-29**	EPA 3546	931747	EPA 8270E	931924
92792443016	**S-30**	EPA 3546	931747	EPA 8270E	931924
92792443017	**S-31**	EPA 3546	931747	EPA 8270E	931924
92792443018	**S-32**	EPA 3546	931747	EPA 8270E	931924
92792443019	**S-33**	EPA 3546	932214	EPA 8270E	932350
92792443020	**S-34**	EPA 3546	931944	EPA 8270E	932171
92792443021	**S-35**	EPA 3546	931944	EPA 8270E	932171
92792443022	**S-36**	EPA 3546	931944	EPA 8270E	932171
92792443023	**S-37**	EPA 3546	931944	EPA 8270E	932171
92792443024	**S-38**	EPA 3546	931944	EPA 8270E	932171
92792443025	**S-39**	EPA 3546	931944	EPA 8270E	932171
92792443026	**S-40**	EPA 3546	931944	EPA 8270E	932171
92792443027	**S-41**	EPA 3546	931944	EPA 8270E	932171
92792443001	**S-15**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443002	**S-16**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443003	**S-17**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443004	**S-18**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443005	**S-19**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443006	**S-20**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443007	**S-21**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443008	**S-22**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443009	**S-23**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443010	**S-24**	EPA 5035A/5030B	931591	EPA 8260D	931618
92792443011	**S-25**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443012	**S-26**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443013	**S-27**	EPA 5035A/5030B	932136	EPA 8260D	932162
92792443014	**S-28**	EPA 5035A/5030B	931863	EPA 8260D	931890
92792443015	**S-29**	EPA 5035A/5030B	931863	EPA 8260D	931890
92792443016	**S-30**	EPA 5035A/5030B	932988	EPA 8260D	933040

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: One Stop Marina- Soils
Pace Project No.: 92792443

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92792443017	**S-31**	EPA 5035A/5030B	932410	EPA 8260D	932434
92792443018	**S-32**	EPA 5035A/5030B	931863	EPA 8260D	931890
92792443019	**S-33**	EPA 5035A/5030B	932410	EPA 8260D	932434
92792443020	**S-34**	EPA 5035A/5030B	932988	EPA 8260D	933040
92792443021	**S-35**	EPA 5035A/5030B	932988	EPA 8260D	933040
92792443022	**S-36**	EPA 5035A/5030B	932410	EPA 8260D	932434
92792443023	**S-37**	EPA 5035A/5030B	932410	EPA 8260D	932434
92792443024	**S-38**	EPA 5035A/5030B	932410	EPA 8260D	932434
92792443025	**S-39**	EPA 5035A/5030B	932414	EPA 8260D	932772
92792443026	**S-40**	EPA 5035A/5030B	932414	EPA 8260D	932772
92792443027	**S-41**	EPA 5035A/5030B	932414	EPA 8260D	932772
92792443001	**S-15**	SW-846	931406		
92792443002	**S-16**	SW-846	931406		
92792443003	**S-17**	SW-846	931406		
92792443004	**S-18**	SW-846	931406		
92792443005	**S-19**	SW-846	931406		
92792443006	**S-20**	SW-846	931406		
92792443007	**S-21**	SW-846	931406		
92792443008	**S-22**	SW-846	931406		
92792443009	**S-23**	SW-846	931406		
92792443010	**S-24**	SW-846	931406		
92792443011	**S-25**	SW-846	931451		
92792443012	**S-26**	SW-846	931451		
92792443013	**S-27**	SW-846	931451		
92792443014	**S-28**	SW-846	931451		
92792443015	**S-29**	SW-846	931451		
92792443016	**S-30**	SW-846	931451		
92792443017	**S-31**	SW-846	931451		
92792443018	**S-32**	SW-846	931451		
92792443019	**S-33**	SW-846	931451		
92792443020	**S-34**	SW-846	931451		
92792443021	**S-35**	SW-846	931451		
92792443022	**S-36**	SW-846	931451		
92792443023	**S-37**	SW-846	931451		
92792443024	**S-38**	SW-846	931451		
92792443025	**S-39**	SW-846	931451		
92792443026	**S-40**	SW-846	931479		
92792443027	**S-41**	SW-846	931479		
92792443028	**S-42**	ASTM D2974-87	503236		
92792443028	**S-42**	EPA 9060	504108		
92792443028	**S-42**	EPA 9060	504109		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Sample Condition Upon Receipt

Client Name: ENVIROSOUTH - ONE STOP MARINA - SOILS

Project #: **WO# : 92792443**

92792443

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☑ Pace ☐ Other:____

Custody Seal Present? ☐ Yes ☑ No Seals Intact? ☐ Yes ☐ No ☑ N/A

Date/Initials Person Examining Contents: 4/23/25 APB

Packing Material: ☑ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other

Biological Tissue Frozen? ☐ Yes ☐ No ☑ N/A

Thermometer: ☑ IR Gun ID: 98T090

Type of Ice: ☑ Wet ☐ Blue ☐ None

Cooler Temp: 1.3/2.4/0.8 Correction Factor: Add/Subtract (°C) +0.1°C

Temp should be above freezing to 6°C

☐ Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 1.4/2.5/0.9

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? ☑ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

				Comments/Discrepancy:
Chain of Custody Present?	☑ Yes	☐ No	☐ N/A	1.
Samples Arrived within Hold Time?	☑ Yes	☐ No	☐ N/A	2.
Short Hold Time Analysis (<72 hr.)?	☐ Yes	☑ No	☐ N/A	3.
Rush Turn Around Time Requested?	☐ Yes	☑ No	☐ N/A	4.
Sufficient Volume?	☑ Yes	☐ No	☐ N/A	5.
Correct Containers Used?	☑ Yes	☐ No	☐ N/A	6.
-Pace Containers Used?	☑ Yes	☐ No	☐ N/A	
Containers Intact?	☑ Yes	☐ No	☐ N/A	7.
Dissolved analysis: Samples Field Filtered?	☐ Yes	☐ No	☑ N/A	8.
Sample Labels Match COC?	☑ Yes	☐ No	☐ N/A	9.
-Includes Date/Time/ID/Analysis Matrix: SS				
Headspace in VOA Vials (>5-6mm)?	☐ Yes	☐ No	☑ N/A	10.
Trip Blank Present?	☐ Yes	☐ No	☑ N/A	11.
Trip Blank Custody Seals Present?	☐ Yes	☐ No	☑ N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? ☐ Yes ☐ No

SAMPLE "S-28" HAS 2 SETS OF SAMPLES, MISSING "S-27", 2nd "S-28" SAMPLE HAS "S-27" COLLECTION DATE/TIME. FOR SAMPLE "S-15", 2 WGFUS WERE SUBMITTED. ADDED CONTAINER, RETAINED IN AVL.

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: _____ Date/Time: _____

Project Manager SCURF Review: _____ Date: _____

Project Manager SRF Review: _____ Date: _____

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92792443

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # PM: MWB Due Date: 05/02/25
CLIENT: 92-ENVIROSOU

1 of 3

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client EnviroSouth Profile (EZ) (circle one) 3253195 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC										CH													CH						
1										2 / 1 KPB 4/23/25													3						
2										1													3						
3										1													3						
4										1													3						
5										1													3						
6										1													3						
7										1													3						
8										1													3						
9										1													3						
10										1													3						
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace ANALYTICAL SERVICES

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92792443

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project PM: MWB Due Date: 05/02/25
CLIENT: 92-ENVIROSOU

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client EnviroSouth Profile (EZ) (circle one) 3253195 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC										CH													CH							
1	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
2	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
3	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
4	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
5	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
6	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
7	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
8	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
9	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
10	\				\	\	\	\	\	1		\		\	\	\							3			\	\			
11	\				\	\	\	\	\			\		\	\	\										\	\			
12	\				\	\	\	\	\			\		\	\	\										\	\			

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace ANALYTICAL SERVICES

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92792443

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # PM: MWB Due Date: 05/02/25
CLIENT: 92-ENVIROSOU

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client EnviroSouth Profile (EZ) (Circle one) 3253195 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	WGFU	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC					5					CH													CH							
1										1													3							
2										1													3							
3										1													3							
4										1													3							
5										1													3							
6										1													3							
7										1													3							
8					1																									
9																														
10																														
11																														
12																														

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 92792443

PM: MWB **Due Date: 05/02/25**

CLIENT: 92-ENVIROSOU

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Soils	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET

County / State origin of sample(s): South Carolina

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	6010 Lead	8260 BTEXMN	8270E MSSV PAH Microwave	Sample Comment
S-15	SS	G	4/21	1015			4				X	X	
S-16	SS	G	4/21	1030			4				X	X	
S-17	SS	G	4/21	1045			4				X	X	
S-18	SS	G	4/21	1115			4				X	X	
S-19	SS	G	4/21	1130			4				X	X	
S-20	SS	G	4/21	1200			4				X	X	
S-21	SS	G	4/21	1220			4				X	X	
S-22	SS	G	4/21	1240			4				X	X	
S-23	SS	G	4/21	1300			4				X	X	
S-24	SS	G	4/21	1400			4				X	X	

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**

AcctNum / Client ID:

Table #:

Profile / Template: **4494**

Prelog / Bottle Ord. ID: **EZ 3253195**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:

Collected By: (Printed Name) Trevor Hudson

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
3	93T090	+0.1°C	1.3/2.4/0.8	1.4/2.5/0.9	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Relinquished by/Company: (Signature)	Date/Time: 4-23-25 0940	Received by/Company: (Signature) /PACE	Date/Time: 04-23-25 0940	Delivered by: [ ] In- Person [✓] Courier
Relinquished by/Company: (Signature) /PACE	Date/Time: 4.23.25 1131	Received by/Company: (Signature) /Pace	Date/Time: 4.23.25 1131	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature) /Pace	Date/Time: 4.23.25 1410	Received by/Company: (Signature) PACE AVL	Date/Time: 4/23/25 1410	Page: 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 92792443

PM: MWB **Due Date: 05/02/25**

CLIENT: 92-ENVIROSOU

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Soils	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	6010 Lead	8260 BTEXMN	8270E MSSV PAH Microwave
S-25	SS	G	4/21	1430			4				X	X
S-26	SS	G	4/21	1515			4				X	X
S-27	SS	G	4/21	1545			4				X	X
S-28	SS	G	4/21	1615			4				X	X
S-29	SS	G	4/21	1645			4				X	X
S-30	SS	G	4/22	800			4				X	X
S-31	SS	G	4/22	820			4				X	X
S-32	SS	G	4/22	855			4				X	X
S-33	SS	G	4/22	945			4				X	X
S-34	SS	G	4/22	1015			4				X	X

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253195**

Sample Comment

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:

Collected By:
(Printed Name) Trevor Hudson
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
3	93T090	+0.1°C	1.3/2.4/0.8	1.4/2.5/0.9	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	4-23-25 0940	/PACE	4-23-25 0940
/PACE	4.23.25 1131	/Pace	4.23.25 1131
/Pace	4.23.25 1410	PACE AVL	4/23/25 1410

Tracking Number:

Delivered by: [ ] In- Person [✓] Courier
[ ] FedEx [ ] UPS [ ] Other

Page: 2 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

CHAIN-OF-CUSTODY Analytical Request Document

Pace Analytical

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevent fields

LAB USE — WO#: 92792443 — PM: MWB — Due Date: 05/02/25 — CLIENT: 92-ENVIROSOU

Company: EnviroSouth	Billing Information:
Address:	
Report To: TH	Email To:
Copy To:	Site Collection Info/Address:
Customer Project Name/Number: One Stop Marina	State: / County/City: Time Zone Collected: [ ] PT [ ] MT [ ] CT [ ] ET
Phone: Email:	Site/Facility ID #: Compliance Monitoring? [ ] Yes [ ] No
Collected By (print): Trevor Hudson	Purchase Order #: Quote #: DW PWS ID #: DW Location Code:
Collected By (signature):	Turnaround Date Required: Standard Immediately Packed on Ice: [ ] Yes [ ] No
Sample Disposal: [X] Dispose as appropriate [ ] Return [ ] Archive: [ ] Hold:	Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [ ] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [ ] Yes [ ] No Analysis:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other _____

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res Cl	# of Ctns	BTEX MN (8260)	PAHs (8270)	Total Organic Carbon	Analyses	Lab Profile/Line:
S-35	SL	G	4/22	1045				4	X	X			
S-36	SL	G	4/22	1115				4	X	X			
S-37	SL	G	4/22	1145				4	X	X			
S-38	SL	G	4/22	1245				4	X	X			
S-39	SL	G	4/22	1315				4	X	X			
S-40	SL	G	4/22	1400				4	X	X			
S-41	SL	G	4/22	1420				4	X	X			
S-42	SL	G	4/22	1440				1			X		

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA
Custody Signatures Present Y N NA
Collector Signature Present Y N NA
Bottles Intact Y N NA
Correct Bottles Y N NA
Sufficient Volume Y N NA
Samples Received on Ice Y N NA
VOA - Headspace Acceptable Y N NA
USDA Regulated Soils Y N NA
Samples in Holding Time Y N NA
Residual Chlorine Present Y N NA
Cl Strips: _____
Sample pH Acceptable Y N NA
pH Strips: _____
Sulfide Present Y N NA
Lead Acetate Strips: _____

LAB USE ONLY:
Lab Sample # / Comments:

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: (Wet) Blue Dry None

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2786945

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:
Temp Blank Received: (Y) N NA
Therm ID#: 98T090
Cooler 1 Temp Upon Receipt: ↓ oC
Cooler 1 Therm Corr. Factor: +0.1 oC
Cooler 1 Corrected Temp: ↓ oC
Comments: 1.3/2.4/0.8
↓
1.4/2.5/0.9

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: _____ of: _____

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	4-23-25 0940	PACE	4-23-25 0940
PACE	4-23-25 1131		4-23-25 1131
	4-23-25 1410	PACE AVL	4/23/25 1410

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:
PM:
PB:

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

June 17, 2025

Tom Donn
EnviroSouth, Inc.
3440 Augusta Rd.
Greenville, SC 29605

RE: Project: ONE STOP MARINA
Pace Project No.: 92801054

Dear Tom Donn:

Enclosed are the analytical results for sample(s) received by the laboratory on June 06, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Charlotte

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Matthew Brainard

Matthew Brainard
matthew.brainard@pacelabs.com
704-977-0942
Project Manager

Enclosures

cc: Beth Dalke, EnviroSouth
Trevor Hudson, Envirosouth
Jennifer Lezcano, EnviroSouth
William Lyons, EnviroSouth
Allen Meadows, EnviroSouth
Keigan Mennetti, EnviroSouth
Annette St. Pierre, Envirosouth

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Pace Analytical Services Charlotte

South Carolina Laboratory ID: 99006
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Laboratory ID: 99006
South Carolina Certification #: 99006001
South Carolina Drinking Water Cert. #: 99006003
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Louisiana DoH Drinking Water #: LA029
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: ONE STOP MARINA
Pace Project No.: 92801054

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92801054001	**S-46**	Solid	06/05/25 11:00	06/06/25 09:45
92801054002	**S-47**	Solid	06/05/25 10:30	06/06/25 09:45
92801054003	**S-48**	Solid	06/05/25 09:30	06/06/25 09:45
92801054004	**S-49**	Solid	06/05/25 12:30	06/06/25 09:45
92801054005	**S-50**	Solid	06/05/25 13:30	06/06/25 09:45
92801054006	**S-51**	Solid	06/05/25 14:00	06/06/25 09:45
92801054007	**S-52**	Solid	06/05/25 11:30	06/06/25 09:45
92801054008	**S-53**	Solid	06/05/25 12:00	06/06/25 09:45
92801054009	**S-54**	Solid	06/05/25 13:00	06/06/25 09:45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: ONE STOP MARINA
Pace Project No.: 92801054

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92801054001	**S-46**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054002	**S-47**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054003	**S-48**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054004	**S-49**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054005	**S-50**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054006	**S-51**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054007	**S-52**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054008	**S-53**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C
92801054009	**S-54**	EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	11	PASI-C
		SW-846	MCR1	1	PASI-C

PASI-C = Pace Analytical Services - Charlotte

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: ONE STOP MARINA
Pace Project No.: 92801054

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92801054001	**S-46**					
SW-846	Percent Moisture	17.1	%	0.10	06/09/25 14:09	N2
92801054002	**S-47**					
EPA 8260D	Toluene	9.9	ug/kg	8.2	06/17/25 02:37	
SW-846	Percent Moisture	21.1	%	0.10	06/09/25 14:09	N2
92801054003	**S-48**					
SW-846	Percent Moisture	15.2	%	0.10	06/09/25 14:09	N2
92801054004	**S-49**					
EPA 8260D	Ethylbenzene	4.9J	ug/kg	8.8	06/17/25 03:13	
EPA 8260D	Toluene	6.3J	ug/kg	8.8	06/17/25 03:13	
SW-846	Percent Moisture	26.1	%	0.10	06/09/25 14:09	N2
92801054005	**S-50**					
SW-846	Percent Moisture	29.1	%	0.10	06/09/25 14:09	N2
92801054006	**S-51**					
SW-846	Percent Moisture	30.3	%	0.10	06/09/25 14:09	N2
92801054007	**S-52**					
EPA 8260D	Toluene	5.2J	ug/kg	5.3	06/17/25 04:05	
SW-846	Percent Moisture	13.6	%	0.10	06/09/25 14:09	N2
92801054008	**S-53**					
SW-846	Percent Moisture	14.0	%	0.10	06/09/25 14:09	N2
92801054009	**S-54**					
SW-846	Percent Moisture	19.1	%	0.10	06/09/25 14:09	N2

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-46 **Lab ID: 92801054001** Collected: 06/05/25 11:00 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	405	142	1	06/12/25 16:49	06/13/25 12:32	83-32-9	
Acenaphthylene	ND	ug/kg	405	142	1	06/12/25 16:49	06/13/25 12:32	208-96-8	
Anthracene	ND	ug/kg	405	132	1	06/12/25 16:49	06/13/25 12:32	120-12-7	
Benzo(a)anthracene	ND	ug/kg	405	135	1	06/12/25 16:49	06/13/25 12:32	56-55-3	
Benzo(a)pyrene	ND	ug/kg	405	140	1	06/12/25 16:49	06/13/25 12:32	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	405	135	1	06/12/25 16:49	06/13/25 12:32	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	405	157	1	06/12/25 16:49	06/13/25 12:32	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	405	142	1	06/12/25 16:49	06/13/25 12:32	207-08-9	
Chrysene	ND	ug/kg	405	147	1	06/12/25 16:49	06/13/25 12:32	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	405	156	1	06/12/25 16:49	06/13/25 12:32	53-70-3	
Fluoranthene	ND	ug/kg	405	139	1	06/12/25 16:49	06/13/25 12:32	206-44-0	
Fluorene	ND	ug/kg	405	142	1	06/12/25 16:49	06/13/25 12:32	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	405	159	1	06/12/25 16:49	06/13/25 12:32	193-39-5	
1-Methylnaphthalene	ND	ug/kg	405	142	1	06/12/25 16:49	06/13/25 12:32	90-12-0	
2-Methylnaphthalene	ND	ug/kg	405	162	1	06/12/25 16:49	06/13/25 12:32	91-57-6	
Naphthalene	ND	ug/kg	405	137	1	06/12/25 16:49	06/13/25 12:32	91-20-3	
Phenanthrene	ND	ug/kg	405	132	1	06/12/25 16:49	06/13/25 12:32	85-01-8	
Pyrene	ND	ug/kg	405	164	1	06/12/25 16:49	06/13/25 12:32	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	55	%	10-130		1	06/12/25 16:49	06/13/25 12:32	4165-60-0	
2-Fluorobiphenyl (S)	47	%	10-130		1	06/12/25 16:49	06/13/25 12:32	321-60-8	
Terphenyl-d14 (S)	54	%	10-130		1	06/12/25 16:49	06/13/25 12:32	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	5.8	2.3	1	06/16/25 20:24	06/17/25 02:19	71-43-2	
Ethylbenzene	ND	ug/kg	5.8	2.7	1	06/16/25 20:24	06/17/25 02:19	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.8	2.2	1	06/16/25 20:24	06/17/25 02:19	1634-04-4	
Naphthalene	ND	ug/kg	5.8	3.1	1	06/16/25 20:24	06/17/25 02:19	91-20-3	
Toluene	ND	ug/kg	5.8	4.0	1	06/16/25 20:24	06/17/25 02:19	108-88-3	
Xylene (Total)	ND	ug/kg	11.7	3.3	1	06/16/25 20:24	06/17/25 02:19	1330-20-7	
m&p-Xylene	ND	ug/kg	11.7	4.0	1	06/16/25 20:24	06/17/25 02:19	179601-23-1	
o-Xylene	ND	ug/kg	5.8	2.6	1	06/16/25 20:24	06/17/25 02:19	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	06/16/25 20:24	06/17/25 02:19	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	06/16/25 20:24	06/17/25 02:19	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		1	06/16/25 20:24	06/17/25 02:19	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**17.1**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-47 **Lab ID: 92801054002** Collected: 06/05/25 10:30 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	421	148	1	06/12/25 16:49	06/13/25 12:59	83-32-9	
Acenaphthylene	ND	ug/kg	421	148	1	06/12/25 16:49	06/13/25 12:59	208-96-8	
Anthracene	ND	ug/kg	421	138	1	06/12/25 16:49	06/13/25 12:59	120-12-7	
Benzo(a)anthracene	ND	ug/kg	421	140	1	06/12/25 16:49	06/13/25 12:59	56-55-3	
Benzo(a)pyrene	ND	ug/kg	421	145	1	06/12/25 16:49	06/13/25 12:59	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	421	140	1	06/12/25 16:49	06/13/25 12:59	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	421	163	1	06/12/25 16:49	06/13/25 12:59	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	421	148	1	06/12/25 16:49	06/13/25 12:59	207-08-9	
Chrysene	ND	ug/kg	421	153	1	06/12/25 16:49	06/13/25 12:59	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	421	162	1	06/12/25 16:49	06/13/25 12:59	53-70-3	
Fluoranthene	ND	ug/kg	421	144	1	06/12/25 16:49	06/13/25 12:59	206-44-0	
Fluorene	ND	ug/kg	421	148	1	06/12/25 16:49	06/13/25 12:59	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	421	166	1	06/12/25 16:49	06/13/25 12:59	193-39-5	
1-Methylnaphthalene	ND	ug/kg	421	148	1	06/12/25 16:49	06/13/25 12:59	90-12-0	
2-Methylnaphthalene	ND	ug/kg	421	168	1	06/12/25 16:49	06/13/25 12:59	91-57-6	
Naphthalene	ND	ug/kg	421	143	1	06/12/25 16:49	06/13/25 12:59	91-20-3	
Phenanthrene	ND	ug/kg	421	138	1	06/12/25 16:49	06/13/25 12:59	85-01-8	
Pyrene	ND	ug/kg	421	171	1	06/12/25 16:49	06/13/25 12:59	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	49	%	10-130		1	06/12/25 16:49	06/13/25 12:59	4165-60-0	
2-Fluorobiphenyl (S)	34	%	10-130		1	06/12/25 16:49	06/13/25 12:59	321-60-8	
Terphenyl-d14 (S)	47	%	10-130		1	06/12/25 16:49	06/13/25 12:59	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	8.2	3.3	1	06/16/25 20:24	06/17/25 02:37	71-43-2	
Ethylbenzene	ND	ug/kg	8.2	3.8	1	06/16/25 20:24	06/17/25 02:37	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	8.2	3.1	1	06/16/25 20:24	06/17/25 02:37	1634-04-4	
Naphthalene	ND	ug/kg	8.2	4.3	1	06/16/25 20:24	06/17/25 02:37	91-20-3	
Toluene	**9.9**	ug/kg	8.2	5.7	1	06/16/25 20:24	06/17/25 02:37	108-88-3	
Xylene (Total)	ND	ug/kg	16.4	4.7	1	06/16/25 20:24	06/17/25 02:37	1330-20-7	
m&p-Xylene	ND	ug/kg	16.4	5.6	1	06/16/25 20:24	06/17/25 02:37	179601-23-1	
o-Xylene	ND	ug/kg	8.2	3.6	1	06/16/25 20:24	06/17/25 02:37	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	06/16/25 20:24	06/17/25 02:37	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	06/16/25 20:24	06/17/25 02:37	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-135		1	06/16/25 20:24	06/17/25 02:37	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**21.1**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-48 **Lab ID: 92801054003** Collected: 06/05/25 09:30 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	390	137	1	06/12/25 16:49	06/13/25 14:20	83-32-9	
Acenaphthylene	ND	ug/kg	390	137	1	06/12/25 16:49	06/13/25 14:20	208-96-8	
Anthracene	ND	ug/kg	390	128	1	06/12/25 16:49	06/13/25 14:20	120-12-7	
Benzo(a)anthracene	ND	ug/kg	390	130	1	06/12/25 16:49	06/13/25 14:20	56-55-3	
Benzo(a)pyrene	ND	ug/kg	390	135	1	06/12/25 16:49	06/13/25 14:20	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	390	130	1	06/12/25 16:49	06/13/25 14:20	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	390	151	1	06/12/25 16:49	06/13/25 14:20	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	390	137	1	06/12/25 16:49	06/13/25 14:20	207-08-9	
Chrysene	ND	ug/kg	390	142	1	06/12/25 16:49	06/13/25 14:20	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	390	150	1	06/12/25 16:49	06/13/25 14:20	53-70-3	
Fluoranthene	ND	ug/kg	390	134	1	06/12/25 16:49	06/13/25 14:20	206-44-0	
Fluorene	ND	ug/kg	390	137	1	06/12/25 16:49	06/13/25 14:20	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	390	154	1	06/12/25 16:49	06/13/25 14:20	193-39-5	
1-Methylnaphthalene	ND	ug/kg	390	137	1	06/12/25 16:49	06/13/25 14:20	90-12-0	
2-Methylnaphthalene	ND	ug/kg	390	156	1	06/12/25 16:49	06/13/25 14:20	91-57-6	
Naphthalene	ND	ug/kg	390	133	1	06/12/25 16:49	06/13/25 14:20	91-20-3	
Phenanthrene	ND	ug/kg	390	128	1	06/12/25 16:49	06/13/25 14:20	85-01-8	
Pyrene	ND	ug/kg	390	159	1	06/12/25 16:49	06/13/25 14:20	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	43	%	10-130		1	06/12/25 16:49	06/13/25 14:20	4165-60-0	
2-Fluorobiphenyl (S)	42	%	10-130		1	06/12/25 16:49	06/13/25 14:20	321-60-8	
Terphenyl-d14 (S)	53	%	10-130		1	06/12/25 16:49	06/13/25 14:20	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	6.0	2.4	1	06/16/25 20:24	06/17/25 02:55	71-43-2	
Ethylbenzene	ND	ug/kg	6.0	2.8	1	06/16/25 20:24	06/17/25 02:55	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.0	2.2	1	06/16/25 20:24	06/17/25 02:55	1634-04-4	
Naphthalene	ND	ug/kg	6.0	3.1	1	06/16/25 20:24	06/17/25 02:55	91-20-3	
Toluene	ND	ug/kg	6.0	4.1	1	06/16/25 20:24	06/17/25 02:55	108-88-3	
Xylene (Total)	ND	ug/kg	12.0	3.4	1	06/16/25 20:24	06/17/25 02:55	1330-20-7	
m&p-Xylene	ND	ug/kg	12.0	4.1	1	06/16/25 20:24	06/17/25 02:55	179601-23-1	
o-Xylene	ND	ug/kg	6.0	2.6	1	06/16/25 20:24	06/17/25 02:55	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1	06/16/25 20:24	06/17/25 02:55	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1	06/16/25 20:24	06/17/25 02:55	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		1	06/16/25 20:24	06/17/25 02:55	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**15.2**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-49 **Lab ID: 92801054004** Collected: 06/05/25 12:30 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	453	159	1	06/12/25 16:49	06/13/25 14:47	83-32-9	
Acenaphthylene	ND	ug/kg	453	159	1	06/12/25 16:49	06/13/25 14:47	208-96-8	
Anthracene	ND	ug/kg	453	148	1	06/12/25 16:49	06/13/25 14:47	120-12-7	
Benzo(a)anthracene	ND	ug/kg	453	151	1	06/12/25 16:49	06/13/25 14:47	56-55-3	
Benzo(a)pyrene	ND	ug/kg	453	156	1	06/12/25 16:49	06/13/25 14:47	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	453	151	1	06/12/25 16:49	06/13/25 14:47	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	453	176	1	06/12/25 16:49	06/13/25 14:47	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	453	159	1	06/12/25 16:49	06/13/25 14:47	207-08-9	
Chrysene	ND	ug/kg	453	165	1	06/12/25 16:49	06/13/25 14:47	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	453	174	1	06/12/25 16:49	06/13/25 14:47	53-70-3	
Fluoranthene	ND	ug/kg	453	155	1	06/12/25 16:49	06/13/25 14:47	206-44-0	
Fluorene	ND	ug/kg	453	159	1	06/12/25 16:49	06/13/25 14:47	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	453	178	1	06/12/25 16:49	06/13/25 14:47	193-39-5	
1-Methylnaphthalene	ND	ug/kg	453	159	1	06/12/25 16:49	06/13/25 14:47	90-12-0	
2-Methylnaphthalene	ND	ug/kg	453	181	1	06/12/25 16:49	06/13/25 14:47	91-57-6	
Naphthalene	ND	ug/kg	453	154	1	06/12/25 16:49	06/13/25 14:47	91-20-3	
Phenanthrene	ND	ug/kg	453	148	1	06/12/25 16:49	06/13/25 14:47	85-01-8	
Pyrene	ND	ug/kg	453	184	1	06/12/25 16:49	06/13/25 14:47	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	50	%	10-130		1	06/12/25 16:49	06/13/25 14:47	4165-60-0	
2-Fluorobiphenyl (S)	41	%	10-130		1	06/12/25 16:49	06/13/25 14:47	321-60-8	
Terphenyl-d14 (S)	50	%	10-130		1	06/12/25 16:49	06/13/25 14:47	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	8.8	3.5	1	06/16/25 20:24	06/17/25 03:13	71-43-2	
Ethylbenzene	**4.9J**	ug/kg	8.8	4.1	1	06/16/25 20:24	06/17/25 03:13	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	8.8	3.3	1	06/16/25 20:24	06/17/25 03:13	1634-04-4	
Naphthalene	ND	ug/kg	8.8	4.6	1	06/16/25 20:24	06/17/25 03:13	91-20-3	
Toluene	**6.3J**	ug/kg	8.8	6.1	1	06/16/25 20:24	06/17/25 03:13	108-88-3	
Xylene (Total)	ND	ug/kg	17.6	5.0	1	06/16/25 20:24	06/17/25 03:13	1330-20-7	
m&p-Xylene	ND	ug/kg	17.6	6.0	1	06/16/25 20:24	06/17/25 03:13	179601-23-1	
o-Xylene	ND	ug/kg	8.8	3.9	1	06/16/25 20:24	06/17/25 03:13	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1	06/16/25 20:24	06/17/25 03:13	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	06/16/25 20:24	06/17/25 03:13	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-135		1	06/16/25 20:24	06/17/25 03:13	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**26.1**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-50 **Lab ID: 92801054005** Collected: 06/05/25 13:30 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	470	165	1	06/12/25 16:49	06/13/25 15:14	83-32-9	
Acenaphthylene	ND	ug/kg	470	165	1	06/12/25 16:49	06/13/25 15:14	208-96-8	
Anthracene	ND	ug/kg	470	154	1	06/12/25 16:49	06/13/25 15:14	120-12-7	
Benzo(a)anthracene	ND	ug/kg	470	157	1	06/12/25 16:49	06/13/25 15:14	56-55-3	
Benzo(a)pyrene	ND	ug/kg	470	162	1	06/12/25 16:49	06/13/25 15:14	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	470	157	1	06/12/25 16:49	06/13/25 15:14	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	470	182	1	06/12/25 16:49	06/13/25 15:14	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	470	165	1	06/12/25 16:49	06/13/25 15:14	207-08-9	
Chrysene	ND	ug/kg	470	171	1	06/12/25 16:49	06/13/25 15:14	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	470	181	1	06/12/25 16:49	06/13/25 15:14	53-70-3	
Fluoranthene	ND	ug/kg	470	161	1	06/12/25 16:49	06/13/25 15:14	206-44-0	
Fluorene	ND	ug/kg	470	165	1	06/12/25 16:49	06/13/25 15:14	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	470	185	1	06/12/25 16:49	06/13/25 15:14	193-39-5	
1-Methylnaphthalene	ND	ug/kg	470	165	1	06/12/25 16:49	06/13/25 15:14	90-12-0	
2-Methylnaphthalene	ND	ug/kg	470	188	1	06/12/25 16:49	06/13/25 15:14	91-57-6	
Naphthalene	ND	ug/kg	470	160	1	06/12/25 16:49	06/13/25 15:14	91-20-3	
Phenanthrene	ND	ug/kg	470	154	1	06/12/25 16:49	06/13/25 15:14	85-01-8	
Pyrene	ND	ug/kg	470	191	1	06/12/25 16:49	06/13/25 15:14	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	45	%	10-130		1	06/12/25 16:49	06/13/25 15:14	4165-60-0	
2-Fluorobiphenyl (S)	42	%	10-130		1	06/12/25 16:49	06/13/25 15:14	321-60-8	
Terphenyl-d14 (S)	46	%	10-130		1	06/12/25 16:49	06/13/25 15:14	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	9.9	4.0	1	06/16/25 20:24	06/17/25 03:30	71-43-2	
Ethylbenzene	ND	ug/kg	9.9	4.6	1	06/16/25 20:24	06/17/25 03:30	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	9.9	3.7	1	06/16/25 20:24	06/17/25 03:30	1634-04-4	
Naphthalene	ND	ug/kg	9.9	5.2	1	06/16/25 20:24	06/17/25 03:30	91-20-3	
Toluene	ND	ug/kg	9.9	6.9	1	06/16/25 20:24	06/17/25 03:30	108-88-3	
Xylene (Total)	ND	ug/kg	19.9	5.7	1	06/16/25 20:24	06/17/25 03:30	1330-20-7	
m&p-Xylene	ND	ug/kg	19.9	6.8	1	06/16/25 20:24	06/17/25 03:30	179601-23-1	
o-Xylene	ND	ug/kg	9.9	4.4	1	06/16/25 20:24	06/17/25 03:30	95-47-6	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1	06/16/25 20:24	06/17/25 03:30	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1	06/16/25 20:24	06/17/25 03:30	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		1	06/16/25 20:24	06/17/25 03:30	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**29.1**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-51 **Lab ID: 92801054006** Collected: 06/05/25 14:00 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	477	168	1	06/12/25 16:49	06/13/25 15:41	83-32-9	
Acenaphthylene	ND	ug/kg	477	168	1	06/12/25 16:49	06/13/25 15:41	208-96-8	
Anthracene	ND	ug/kg	477	156	1	06/12/25 16:49	06/13/25 15:41	120-12-7	
Benzo(a)anthracene	ND	ug/kg	477	159	1	06/12/25 16:49	06/13/25 15:41	56-55-3	
Benzo(a)pyrene	ND	ug/kg	477	165	1	06/12/25 16:49	06/13/25 15:41	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	477	159	1	06/12/25 16:49	06/13/25 15:41	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	477	185	1	06/12/25 16:49	06/13/25 15:41	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	477	168	1	06/12/25 16:49	06/13/25 15:41	207-08-9	
Chrysene	ND	ug/kg	477	173	1	06/12/25 16:49	06/13/25 15:41	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	477	183	1	06/12/25 16:49	06/13/25 15:41	53-70-3	
Fluoranthene	ND	ug/kg	477	163	1	06/12/25 16:49	06/13/25 15:41	206-44-0	
Fluorene	ND	ug/kg	477	168	1	06/12/25 16:49	06/13/25 15:41	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	477	188	1	06/12/25 16:49	06/13/25 15:41	193-39-5	
1-Methylnaphthalene	ND	ug/kg	477	168	1	06/12/25 16:49	06/13/25 15:41	90-12-0	
2-Methylnaphthalene	ND	ug/kg	477	191	1	06/12/25 16:49	06/13/25 15:41	91-57-6	
Naphthalene	ND	ug/kg	477	162	1	06/12/25 16:49	06/13/25 15:41	91-20-3	
Phenanthrene	ND	ug/kg	477	156	1	06/12/25 16:49	06/13/25 15:41	85-01-8	
Pyrene	ND	ug/kg	477	194	1	06/12/25 16:49	06/13/25 15:41	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	28	%	10-130		1	06/12/25 16:49	06/13/25 15:41	4165-60-0	
2-Fluorobiphenyl (S)	26	%	10-130		1	06/12/25 16:49	06/13/25 15:41	321-60-8	
Terphenyl-d14 (S)	34	%	10-130		1	06/12/25 16:49	06/13/25 15:41	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	8.9	3.5	1	06/16/25 20:24	06/17/25 03:48	71-43-2	
Ethylbenzene	ND	ug/kg	8.9	4.1	1	06/16/25 20:24	06/17/25 03:48	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	8.9	3.3	1	06/16/25 20:24	06/17/25 03:48	1634-04-4	
Naphthalene	ND	ug/kg	8.9	4.7	1	06/16/25 20:24	06/17/25 03:48	91-20-3	
Toluene	ND	ug/kg	8.9	6.1	1	06/16/25 20:24	06/17/25 03:48	108-88-3	
Xylene (Total)	ND	ug/kg	17.8	5.1	1	06/16/25 20:24	06/17/25 03:48	1330-20-7	
m&p-Xylene	ND	ug/kg	17.8	6.1	1	06/16/25 20:24	06/17/25 03:48	179601-23-1	
o-Xylene	ND	ug/kg	8.9	3.9	1	06/16/25 20:24	06/17/25 03:48	95-47-6	
Surrogates									
Toluene-d8 (S)	98	%	70-130		1	06/16/25 20:24	06/17/25 03:48	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1	06/16/25 20:24	06/17/25 03:48	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		1	06/16/25 20:24	06/17/25 03:48	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**30.3**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-52 **Lab ID: 92801054007** Collected: 06/05/25 11:30 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	382	134	1	06/12/25 16:49	06/13/25 16:09	83-32-9	
Acenaphthylene	ND	ug/kg	382	134	1	06/12/25 16:49	06/13/25 16:09	208-96-8	
Anthracene	ND	ug/kg	382	125	1	06/12/25 16:49	06/13/25 16:09	120-12-7	
Benzo(a)anthracene	ND	ug/kg	382	127	1	06/12/25 16:49	06/13/25 16:09	56-55-3	
Benzo(a)pyrene	ND	ug/kg	382	132	1	06/12/25 16:49	06/13/25 16:09	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	382	127	1	06/12/25 16:49	06/13/25 16:09	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	382	148	1	06/12/25 16:49	06/13/25 16:09	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	382	134	1	06/12/25 16:49	06/13/25 16:09	207-08-9	
Chrysene	ND	ug/kg	382	139	1	06/12/25 16:49	06/13/25 16:09	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	382	147	1	06/12/25 16:49	06/13/25 16:09	53-70-3	
Fluoranthene	ND	ug/kg	382	131	1	06/12/25 16:49	06/13/25 16:09	206-44-0	
Fluorene	ND	ug/kg	382	134	1	06/12/25 16:49	06/13/25 16:09	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	382	150	1	06/12/25 16:49	06/13/25 16:09	193-39-5	
1-Methylnaphthalene	ND	ug/kg	382	134	1	06/12/25 16:49	06/13/25 16:09	90-12-0	
2-Methylnaphthalene	ND	ug/kg	382	153	1	06/12/25 16:49	06/13/25 16:09	91-57-6	
Naphthalene	ND	ug/kg	382	130	1	06/12/25 16:49	06/13/25 16:09	91-20-3	
Phenanthrene	ND	ug/kg	382	125	1	06/12/25 16:49	06/13/25 16:09	85-01-8	
Pyrene	ND	ug/kg	382	155	1	06/12/25 16:49	06/13/25 16:09	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	51	%	10-130		1	06/12/25 16:49	06/13/25 16:09	4165-60-0	
2-Fluorobiphenyl (S)	44	%	10-130		1	06/12/25 16:49	06/13/25 16:09	321-60-8	
Terphenyl-d14 (S)	51	%	10-130		1	06/12/25 16:49	06/13/25 16:09	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	5.3	2.1	1	06/16/25 20:24	06/17/25 04:05	71-43-2	
Ethylbenzene	ND	ug/kg	5.3	2.5	1	06/16/25 20:24	06/17/25 04:05	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.3	2.0	1	06/16/25 20:24	06/17/25 04:05	1634-04-4	
Naphthalene	ND	ug/kg	5.3	2.8	1	06/16/25 20:24	06/17/25 04:05	91-20-3	
Toluene	**5.2J**	ug/kg	5.3	3.6	1	06/16/25 20:24	06/17/25 04:05	108-88-3	
Xylene (Total)	ND	ug/kg	10.5	3.0	1	06/16/25 20:24	06/17/25 04:05	1330-20-7	
m&p-Xylene	ND	ug/kg	10.5	3.6	1	06/16/25 20:24	06/17/25 04:05	179601-23-1	
o-Xylene	ND	ug/kg	5.3	2.3	1	06/16/25 20:24	06/17/25 04:05	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1	06/16/25 20:24	06/17/25 04:05	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		1	06/16/25 20:24	06/17/25 04:05	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-135		1	06/16/25 20:24	06/17/25 04:05	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**13.6**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-53 **Lab ID: 92801054008** Collected: 06/05/25 12:00 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	381	134	1	06/12/25 16:49	06/13/25 16:35	83-32-9	
Acenaphthylene	ND	ug/kg	381	134	1	06/12/25 16:49	06/13/25 16:35	208-96-8	
Anthracene	ND	ug/kg	381	125	1	06/12/25 16:49	06/13/25 16:35	120-12-7	
Benzo(a)anthracene	ND	ug/kg	381	127	1	06/12/25 16:49	06/13/25 16:35	56-55-3	
Benzo(a)pyrene	ND	ug/kg	381	132	1	06/12/25 16:49	06/13/25 16:35	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	381	127	1	06/12/25 16:49	06/13/25 16:35	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	381	148	1	06/12/25 16:49	06/13/25 16:35	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	381	134	1	06/12/25 16:49	06/13/25 16:35	207-08-9	
Chrysene	ND	ug/kg	381	139	1	06/12/25 16:49	06/13/25 16:35	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	381	147	1	06/12/25 16:49	06/13/25 16:35	53-70-3	
Fluoranthene	ND	ug/kg	381	131	1	06/12/25 16:49	06/13/25 16:35	206-44-0	
Fluorene	ND	ug/kg	381	134	1	06/12/25 16:49	06/13/25 16:35	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	381	150	1	06/12/25 16:49	06/13/25 16:35	193-39-5	
1-Methylnaphthalene	ND	ug/kg	381	134	1	06/12/25 16:49	06/13/25 16:35	90-12-0	
2-Methylnaphthalene	ND	ug/kg	381	152	1	06/12/25 16:49	06/13/25 16:35	91-57-6	
Naphthalene	ND	ug/kg	381	129	1	06/12/25 16:49	06/13/25 16:35	91-20-3	
Phenanthrene	ND	ug/kg	381	125	1	06/12/25 16:49	06/13/25 16:35	85-01-8	
Pyrene	ND	ug/kg	381	155	1	06/12/25 16:49	06/13/25 16:35	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	52	%	10-130		1	06/12/25 16:49	06/13/25 16:35	4165-60-0	
2-Fluorobiphenyl (S)	45	%	10-130		1	06/12/25 16:49	06/13/25 16:35	321-60-8	
Terphenyl-d14 (S)	51	%	10-130		1	06/12/25 16:49	06/13/25 16:35	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	5.8	2.3	1	06/16/25 21:34	06/17/25 09:46	71-43-2	
Ethylbenzene	ND	ug/kg	5.8	2.7	1	06/16/25 21:34	06/17/25 09:46	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	5.8	2.2	1	06/16/25 21:34	06/17/25 09:46	1634-04-4	
Naphthalene	ND	ug/kg	5.8	3.1	1	06/16/25 21:34	06/17/25 09:46	91-20-3	
Toluene	ND	ug/kg	5.8	4.0	1	06/16/25 21:34	06/17/25 09:46	108-88-3	
Xylene (Total)	ND	ug/kg	11.6	3.3	1	06/16/25 21:34	06/17/25 09:46	1330-20-7	
m&p-Xylene	ND	ug/kg	11.6	4.0	1	06/16/25 21:34	06/17/25 09:46	179601-23-1	
o-Xylene	ND	ug/kg	5.8	2.6	1	06/16/25 21:34	06/17/25 09:46	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1	06/16/25 21:34	06/17/25 09:46	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1	06/16/25 21:34	06/17/25 09:46	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	06/16/25 21:34	06/17/25 09:46	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**14.0**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: ONE STOP MARINA
Pace Project No.: 92801054

Sample: S-54 **Lab ID: 92801054009** Collected: 06/05/25 13:00 Received: 06/06/25 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH Microwave	Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/kg	415	146	1	06/12/25 16:49	06/13/25 17:02	83-32-9	
Acenaphthylene	ND	ug/kg	415	146	1	06/12/25 16:49	06/13/25 17:02	208-96-8	
Anthracene	ND	ug/kg	415	136	1	06/12/25 16:49	06/13/25 17:02	120-12-7	
Benzo(a)anthracene	ND	ug/kg	415	138	1	06/12/25 16:49	06/13/25 17:02	56-55-3	
Benzo(a)pyrene	ND	ug/kg	415	143	1	06/12/25 16:49	06/13/25 17:02	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	415	138	1	06/12/25 16:49	06/13/25 17:02	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	415	161	1	06/12/25 16:49	06/13/25 17:02	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	415	146	1	06/12/25 16:49	06/13/25 17:02	207-08-9	
Chrysene	ND	ug/kg	415	151	1	06/12/25 16:49	06/13/25 17:02	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	415	160	1	06/12/25 16:49	06/13/25 17:02	53-70-3	
Fluoranthene	ND	ug/kg	415	142	1	06/12/25 16:49	06/13/25 17:02	206-44-0	
Fluorene	ND	ug/kg	415	146	1	06/12/25 16:49	06/13/25 17:02	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	415	163	1	06/12/25 16:49	06/13/25 17:02	193-39-5	
1-Methylnaphthalene	ND	ug/kg	415	146	1	06/12/25 16:49	06/13/25 17:02	90-12-0	
2-Methylnaphthalene	ND	ug/kg	415	166	1	06/12/25 16:49	06/13/25 17:02	91-57-6	
Naphthalene	ND	ug/kg	415	141	1	06/12/25 16:49	06/13/25 17:02	91-20-3	
Phenanthrene	ND	ug/kg	415	136	1	06/12/25 16:49	06/13/25 17:02	85-01-8	
Pyrene	ND	ug/kg	415	169	1	06/12/25 16:49	06/13/25 17:02	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	53	%	10-130		1	06/12/25 16:49	06/13/25 17:02	4165-60-0	
2-Fluorobiphenyl (S)	45	%	10-130		1	06/12/25 16:49	06/13/25 17:02	321-60-8	
Terphenyl-d14 (S)	52	%	10-130		1	06/12/25 16:49	06/13/25 17:02	1718-51-0	
8260D/5035A/5030B SC Volatiles	Analytical Method: EPA 8260D Preparation Method: EPA 5035A/5030B Pace Analytical Services - Charlotte								
Benzene	ND	ug/kg	6.8	2.7	1	06/16/25 21:34	06/17/25 10:04	71-43-2	
Ethylbenzene	ND	ug/kg	6.8	3.2	1	06/16/25 21:34	06/17/25 10:04	100-41-4	
Methyl-tert-butyl ether	ND	ug/kg	6.8	2.5	1	06/16/25 21:34	06/17/25 10:04	1634-04-4	
Naphthalene	ND	ug/kg	6.8	3.6	1	06/16/25 21:34	06/17/25 10:04	91-20-3	
Toluene	ND	ug/kg	6.8	4.7	1	06/16/25 21:34	06/17/25 10:04	108-88-3	
Xylene (Total)	ND	ug/kg	13.6	3.9	1	06/16/25 21:34	06/17/25 10:04	1330-20-7	
m&p-Xylene	ND	ug/kg	13.6	4.6	1	06/16/25 21:34	06/17/25 10:04	179601-23-1	
o-Xylene	ND	ug/kg	6.8	3.0	1	06/16/25 21:34	06/17/25 10:04	95-47-6	
Surrogates									
Toluene-d8 (S)	99	%	70-130		1	06/16/25 21:34	06/17/25 10:04	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1	06/16/25 21:34	06/17/25 10:04	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-135		1	06/16/25 21:34	06/17/25 10:04	17060-07-0	
Percent Moisture	Analytical Method: SW-846 Pace Analytical Services - Charlotte								
Percent Moisture	**19.1**	%	0.10	0.10	1		06/09/25 14:09		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

QC Batch: 941683 | Analysis Method: EPA 8260D
QC Batch Method: EPA 5035A/5030B | Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92801054001, 92801054002, 92801054003, 92801054004, 92801054005, 92801054006, 92801054007

METHOD BLANK: 4839705 Matrix: Solid
Associated Lab Samples: 92801054001, 92801054002, 92801054003, 92801054004, 92801054005, 92801054006, 92801054007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	06/16/25 21:38	
Ethylbenzene	ug/kg	ND	5.0	2.3	06/16/25 21:38	
m&p-Xylene	ug/kg	ND	10.0	3.4	06/16/25 21:38	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	06/16/25 21:38	
Naphthalene	ug/kg	ND	5.0	2.6	06/16/25 21:38	
o-Xylene	ug/kg	ND	5.0	2.2	06/16/25 21:38	
Toluene	ug/kg	ND	5.0	3.4	06/16/25 21:38	
Xylene (Total)	ug/kg	ND	10.0	2.8	06/16/25 21:38	
1,2-Dichloroethane-d4 (S)	%	100	70-135		06/16/25 21:38	
4-Bromofluorobenzene (S)	%	99	70-130		06/16/25 21:38	
Toluene-d8 (S)	%	100	70-130		06/16/25 21:38	

LABORATORY CONTROL SAMPLE: 4839706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	498	100	70-130	
Ethylbenzene	ug/kg	500	461	92	69-130	
m&p-Xylene	ug/kg	1000	990	99	70-130	
Methyl-tert-butyl ether	ug/kg	500	446	89	66-130	
Naphthalene	ug/kg	500	466	93	70-130	
o-Xylene	ug/kg	500	511	102	70-130	
Toluene	ug/kg	500	467	93	70-130	
Xylene (Total)	ug/kg	1500	1500	100	70-130	
1,2-Dichloroethane-d4 (S)	%			99	70-135	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE SAMPLE: 4839707

Parameter	Units	92800951001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	ND	997	709	71	10-175	
Ethylbenzene	ug/kg	ND	997	640	64	10-169	
m&p-Xylene	ug/kg	ND	2000	1370	68	10-174	
Methyl-tert-butyl ether	ug/kg	ND	997	608	61	10-157	
Naphthalene	ug/kg	ND	997	605	61	10-155	
o-Xylene	ug/kg	ND	997	720	72	10-175	
Toluene	ug/kg	8.3J	997	667	66	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

MATRIX SPIKE SAMPLE: 4839707

Parameter	Units	92800951001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	ND	3000	2090	70	10-174	
1,2-Dichloroethane-d4 (S)	%				95	70-135	
4-Bromofluorobenzene (S)	%				101	70-130	
Toluene-d8 (S)	%				100	70-130	

SAMPLE DUPLICATE: 4839708

Parameter	Units	92800951002 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	95	97			
4-Bromofluorobenzene (S)	%	98	99			
Toluene-d8 (S)	%	101	100			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

QC Batch: 942280
QC Batch Method: EPA 5035A/5030B
Analysis Method: EPA 8260D
Analysis Description: 8260D 5035A 5030B SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92801054008, 92801054009

METHOD BLANK: 4842802 Matrix: Solid
Associated Lab Samples: 92801054008, 92801054009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/kg	ND	5.0	2.0	06/17/25 09:11	
Ethylbenzene	ug/kg	ND	5.0	2.3	06/17/25 09:11	
m&p-Xylene	ug/kg	ND	10.0	3.4	06/17/25 09:11	
Methyl-tert-butyl ether	ug/kg	ND	5.0	1.9	06/17/25 09:11	
Naphthalene	ug/kg	ND	5.0	2.6	06/17/25 09:11	
o-Xylene	ug/kg	ND	5.0	2.2	06/17/25 09:11	
Toluene	ug/kg	ND	5.0	3.4	06/17/25 09:11	
Xylene (Total)	ug/kg	ND	10.0	2.8	06/17/25 09:11	
1,2-Dichloroethane-d4 (S)	%	101	70-135		06/17/25 09:11	
4-Bromofluorobenzene (S)	%	100	70-130		06/17/25 09:11	
Toluene-d8 (S)	%	100	70-130		06/17/25 09:11	

LABORATORY CONTROL SAMPLE: 4842803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	500	487	97	70-130	
Ethylbenzene	ug/kg	500	453	91	69-130	
m&p-Xylene	ug/kg	1000	971	97	70-130	
Methyl-tert-butyl ether	ug/kg	500	439	88	66-130	
Naphthalene	ug/kg	500	475	95	70-130	
o-Xylene	ug/kg	500	506	101	70-130	
Toluene	ug/kg	500	458	92	70-130	
Xylene (Total)	ug/kg	1500	1480	98	70-130	
1,2-Dichloroethane-d4 (S)	%			96	70-135	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE SAMPLE: 4842804

Parameter	Units	92801054008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	ND	580	338	58	10-175	
Ethylbenzene	ug/kg	ND	580	295	51	10-169	
m&p-Xylene	ug/kg	ND	1160	613	53	10-174	
Methyl-tert-butyl ether	ug/kg	ND	580	278	48	10-157	
Naphthalene	ug/kg	ND	580	288	50	10-155	
o-Xylene	ug/kg	ND	580	333	57	10-175	
Toluene	ug/kg	ND	580	308	53	10-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

MATRIX SPIKE SAMPLE: 4842804

Parameter	Units	92801054008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/kg	ND	1740	946	54	10-174	
1,2-Dichloroethane-d4 (S)	%				89	70-135	
4-Bromofluorobenzene (S)	%				101	70-130	
Toluene-d8 (S)	%				98	70-130	

SAMPLE DUPLICATE: 4842805

Parameter	Units	92801054009 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/kg	ND	ND		30	
Ethylbenzene	ug/kg	ND	ND		30	
m&p-Xylene	ug/kg	ND	ND		30	
Methyl-tert-butyl ether	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
o-Xylene	ug/kg	ND	ND		30	
Toluene	ug/kg	ND	ND		30	
Xylene (Total)	ug/kg	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	91	89			
4-Bromofluorobenzene (S)	%	99	99			
Toluene-d8 (S)	%	99	100			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

QC Batch: 941621
QC Batch Method: EPA 3546
Analysis Method: EPA 8270E
Analysis Description: 8270E Solid MSSV Microwave PAH
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92801054001, 92801054002, 92801054003, 92801054004, 92801054005, 92801054006, 92801054007, 92801054008, 92801054009

METHOD BLANK: 4839360 Matrix: Solid
Associated Lab Samples: 92801054001, 92801054002, 92801054003, 92801054004, 92801054005, 92801054006, 92801054007, 92801054008, 92801054009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	ND	329	116	06/13/25 07:38	
2-Methylnaphthalene	ug/kg	ND	329	132	06/13/25 07:38	
Acenaphthene	ug/kg	ND	329	116	06/13/25 07:38	
Acenaphthylene	ug/kg	ND	329	116	06/13/25 07:38	
Anthracene	ug/kg	ND	329	108	06/13/25 07:38	
Benzo(a)anthracene	ug/kg	ND	329	110	06/13/25 07:38	
Benzo(a)pyrene	ug/kg	ND	329	114	06/13/25 07:38	
Benzo(b)fluoranthene	ug/kg	ND	329	110	06/13/25 07:38	
Benzo(g,h,i)perylene	ug/kg	ND	329	128	06/13/25 07:38	
Benzo(k)fluoranthene	ug/kg	ND	329	116	06/13/25 07:38	
Chrysene	ug/kg	ND	329	120	06/13/25 07:38	
Dibenz(a,h)anthracene	ug/kg	ND	329	127	06/13/25 07:38	
Fluoranthene	ug/kg	ND	329	113	06/13/25 07:38	
Fluorene	ug/kg	ND	329	116	06/13/25 07:38	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	329	130	06/13/25 07:38	
Naphthalene	ug/kg	ND	329	112	06/13/25 07:38	
Phenanthrene	ug/kg	ND	329	108	06/13/25 07:38	
Pyrene	ug/kg	ND	329	134	06/13/25 07:38	
2-Fluorobiphenyl (S)	%	42	10-130		06/13/25 07:38	
Nitrobenzene-d5 (S)	%	42	10-130		06/13/25 07:38	
Terphenyl-d14 (S)	%	49	10-130		06/13/25 07:38	

LABORATORY CONTROL SAMPLE: 4839361

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	1680	828	49	46-130	
2-Methylnaphthalene	ug/kg	1680	817	49	45-130	
Acenaphthene	ug/kg	1680	829	49	47-130	
Acenaphthylene	ug/kg	1680	860	51	50-130	
Anthracene	ug/kg	1680	886	53	46-130	
Benzo(a)anthracene	ug/kg	1680	930	55	49-130	
Benzo(a)pyrene	ug/kg	1680	942	56	45-130	
Benzo(b)fluoranthene	ug/kg	1680	910	54	45-130	
Benzo(g,h,i)perylene	ug/kg	1680	960	57	44-130	
Benzo(k)fluoranthene	ug/kg	1680	942	56	46-130	
Chrysene	ug/kg	1680	935	56	50-130	
Dibenz(a,h)anthracene	ug/kg	1680	931	55	46-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

LABORATORY CONTROL SAMPLE: 4839361

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluoranthene	ug/kg	1680	884	53	49-130	
Fluorene	ug/kg	1680	838	50	47-130	
Indeno(1,2,3-cd)pyrene	ug/kg	1680	888	53	44-130	
Naphthalene	ug/kg	1680	781	47	43-130	
Phenanthrene	ug/kg	1680	891	53	50-130	
Pyrene	ug/kg	1680	910	54	51-130	
2-Fluorobiphenyl (S)	%			51	10-130	
Nitrobenzene-d5 (S)	%			47	10-130	
Terphenyl-d14 (S)	%			56	10-130	

MATRIX SPIKE SAMPLE: 4839362

Parameter	Units	92801096021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	ND	1860	1030	55	27-130	
2-Methylnaphthalene	ug/kg	ND	1860	1040	56	26-130	
Acenaphthene	ug/kg	ND	1860	1030	55	29-130	
Acenaphthylene	ug/kg	ND	1860	1090	58	27-130	
Anthracene	ug/kg	ND	1860	1100	59	26-130	
Benzo(a)anthracene	ug/kg	ND	1860	1110	59	31-130	
Benzo(a)pyrene	ug/kg	ND	1860	1140	61	24-130	
Benzo(b)fluoranthene	ug/kg	ND	1860	1110	59	12-137	
Benzo(g,h,i)perylene	ug/kg	ND	1860	1180	63	16-130	
Benzo(k)fluoranthene	ug/kg	ND	1860	1110	60	27-130	
Chrysene	ug/kg	ND	1860	1110	59	29-130	
Dibenz(a,h)anthracene	ug/kg	ND	1860	1200	64	27-130	
Fluoranthene	ug/kg	ND	1860	1080	58	26-130	
Fluorene	ug/kg	ND	1860	1040	56	27-130	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	1860	1110	60	16-130	
Naphthalene	ug/kg	ND	1860	1020	55	24-130	
Phenanthrene	ug/kg	ND	1860	1110	60	28-130	
Pyrene	ug/kg	ND	1860	1120	60	27-130	
2-Fluorobiphenyl (S)	%				51	10-130	
Nitrobenzene-d5 (S)	%				53	10-130	
Terphenyl-d14 (S)	%				57	10-130	

SAMPLE DUPLICATE: 4839363

Parameter	Units	92801096022 Result	Dup Result	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/kg	ND	ND		30	
2-Methylnaphthalene	ug/kg	ND	ND		30	
Acenaphthene	ug/kg	ND	ND		30	
Acenaphthylene	ug/kg	ND	ND		30	
Anthracene	ug/kg	ND	ND		30	
Benzo(a)anthracene	ug/kg	ND	ND		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

SAMPLE DUPLICATE: 4839363

Parameter	Units	92801096022 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzo(a)pyrene	ug/kg	ND	ND		30	
Benzo(b)fluoranthene	ug/kg	ND	ND		30	
Benzo(g,h,i)perylene	ug/kg	ND	ND		30	
Benzo(k)fluoranthene	ug/kg	ND	ND		30	
Chrysene	ug/kg	ND	ND		30	
Dibenz(a,h)anthracene	ug/kg	ND	ND		30	
Fluoranthene	ug/kg	ND	ND		30	
Fluorene	ug/kg	ND	ND		30	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	ND		30	
Naphthalene	ug/kg	ND	ND		30	
Phenanthrene	ug/kg	ND	ND		30	
Pyrene	ug/kg	ND	ND		30	
2-Fluorobiphenyl (S)	%	36	35			
Nitrobenzene-d5 (S)	%	51	50			
Terphenyl-d14 (S)	%	41	45			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: ONE STOP MARINA
Pace Project No.: 92801054

QC Batch: 940699
QC Batch Method: SW-846
Analysis Method: SW-846
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92801054001, 92801054002, 92801054003, 92801054004, 92801054005, 92801054006, 92801054007, 92801054008, 92801054009

SAMPLE DUPLICATE: 4834711

Parameter	Units	92801035001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	25.7	26.5	3	25	N2

SAMPLE DUPLICATE: 4834712

Parameter	Units	92801035009 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	39.5	42.3	7	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: ONE STOP MARINA
Pace Project No.: 92801054

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ONE STOP MARINA
Pace Project No.: 92801054

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92801054001	**S-46**	EPA 3546	941621	EPA 8270E	941729
92801054002	**S-47**	EPA 3546	941621	EPA 8270E	941729
92801054003	**S-48**	EPA 3546	941621	EPA 8270E	941729
92801054004	**S-49**	EPA 3546	941621	EPA 8270E	941729
92801054005	**S-50**	EPA 3546	941621	EPA 8270E	941729
92801054006	**S-51**	EPA 3546	941621	EPA 8270E	941729
92801054007	**S-52**	EPA 3546	941621	EPA 8270E	941729
92801054008	**S-53**	EPA 3546	941621	EPA 8270E	941729
92801054009	**S-54**	EPA 3546	941621	EPA 8270E	941729
92801054001	**S-46**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054002	**S-47**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054003	**S-48**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054004	**S-49**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054005	**S-50**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054006	**S-51**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054007	**S-52**	EPA 5035A/5030B	941683	EPA 8260D	942314
92801054008	**S-53**	EPA 5035A/5030B	942280	EPA 8260D	942324
92801054009	**S-54**	EPA 5035A/5030B	942280	EPA 8260D	942324
92801054001	**S-46**	SW-846	940699		
92801054002	**S-47**	SW-846	940699		
92801054003	**S-48**	SW-846	940699		
92801054004	**S-49**	SW-846	940699		
92801054005	**S-50**	SW-846	940699		
92801054006	**S-51**	SW-846	940699		
92801054007	**S-52**	SW-846	940699		
92801054008	**S-53**	SW-846	940699		
92801054009	**S-54**	SW-846	940699		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Laboratory receiving samples:

Asheville ☒ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Sample Condition Upon Receipt

Client Name: Enviroscouth

Project #: WO# : 92801054

92801054

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other:____

Custody Seal Present? ☐ Yes ☒ No Seals Intact? ☐ Yes ☐ No ☒ N/A

Date/Initials Person Examining Contents:_____

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Biological Tissue Frozen? ☐ Yes ☐ No ☐ N/A

Thermometer: ☐ IR Gun ID: 98040

Type of Ice: ☐ Wet ☐ Blue ☐ None

Cooler Temp: 1.3/4.7 Correction Factor: Add/Subtract (°C) 0.1

Temp should be above freezing to 6°C

☐ Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 1.4/4.8

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or (SC) (check maps)? ☒ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

				Comments/Discrepancy:
Chain of Custody Present?	☒ Yes	☐ No	☐ N/A	1.
Samples Arrived within Hold Time?	☒ Yes	☐ No	☐ N/A	2.
Short Hold Time Analysis (<72 hr.)?	☐ Yes	☐ No	☒ N/A	3.
Rush Turn Around Time Requested?	☐ Yes	☐ No	☒ N/A	4.
Sufficient Volume?	☒ Yes	☐ No	☐ N/A	5.
Correct Containers Used?	☒ Yes	☐ No	☐ N/A	6.
-Pace Containers Used?	☒ Yes	☐ No	☐ N/A	
Containers Intact?	☒ Yes	☐ No	☐ N/A	7.
Dissolved analysis: Samples Field Filtered?	☐ Yes	☐ No	☒ N/A	8.
Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: SS	☒ Yes	☐ No	☐ N/A	9.
Headspace in VOA Vials (>5-6mm)?	☐ Yes	☐ No	☒ N/A	10.
Trip Blank Present?	☐ Yes	☐ No	☒ N/A	11.
Trip Blank Custody Seals Present?	☐ Yes	☐ No	☒ N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? ☐ Yes ☐ No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: _____ Date/Time: _____

Project Manager SCURF Review: _____ Date: _____

Project Manager SRF Review: _____ Date: _____

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project #

WO#: 92801054

PM: MWB Due Date: 06/17/25
CLIENT: 92-ENVIROSOU

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 4494-4 Notes 8260 + Dry Weight - V/GK 8270 - WGFU

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC										CH													CH						
1										1													3						
2										1													3						
3										1													3						
4										1													3						
5										1													3						
6										1													3						
7										1													3						
8										1													3						
9										1													3						
10																													
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

CHAIN-OF-CUSTODY Analytical Request Document

Pace Analytical®

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevent fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here: 92801054

ALL SHADED AREAS are for LAB USE ONLY

Company: EnviroSouth	Billing Information:
Address: 3440 Augusta Rd	
Report To: Trevor Hudson	Email To:
Copy To:	Site Collection Info/Address:
Customer Project Name/Number: One Stop Marina	State: / County/City: Time Zone Collected: [ ]PT [ ]MT [ ]CT [ ]ET
Phone: Email:	Site/Facility ID #: Compliance Monitoring? [ ] Yes [ ] No
Collected By (print): Trevor Hudson	Purchase Order #: Quote #: DW PWS ID #: DW Location Code:
Collected By (signature):	Turnaround Date Required: Standard Immediately Packed on Ice: [X] Yes [ ] No
Sample Disposal: [X] Dispose as appropriate [ ] Return [ ] Archive: [ ] Hold:	Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [ ] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [ ] Yes [X] No Analysis:

Container Preservative Type **

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other _____

Analyses

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact	Y	N	(NA)
Custody Signatures Present	(Y)	N	NA
Collector Signature Present	(Y)	N	NA
Bottles Intact	(Y)	N	NA
Correct Bottles	(Y)	N	NA
Sufficient Volume	(Y)	N	NA
Samples Received on Ice	(Y)	N	NA
VOA - Headspace Acceptable	Y	N	(NA)
USDA Regulated Soils	(Y)	N	NA
Samples in Holding Time	(Y)	N	NA
Residual Chlorine Present	Y	N	(NA)
Cl Strips: _____			
Sample pH Acceptable	Y	N	(NA)
pH Strips: _____			
Sulfide Present	Y	N	(NA)
Lead Acetate Strips: _____			

LAB USE ONLY:
Lab Sample # / Comments:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res Cl	# of Ctns	BTEX MN	PAHs
S-46	SL	G	6/5	1100				2	X	X
S-47	SL	G	6/5	1030				2	X	X
S-48	SL	G	6/5	930				2	X	X
S-49	SL	G	6/5	1230				2	X	X
S-50	SL	G	6/5	1330				2	X	X
S-51	SL	G	6/5	1400				2	X	X
S-52	SL	G	6/5	1130				2	X	X
S-53	SL	G	6/5	1200				2	X	X
S-54	SL	G	6/5	1300				2	X	X

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: (Wet) Blue Dry None

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2786948

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:
Temp Blank Received: Y N (NA)
Therm ID#: 93040
Cooler 1 Temp Upon Receipt: 1.3/4.0 oC
Cooler 1 Therm Corr. Factor: 0.1 oC
Cooler 1 Corrected Temp: 1.4/4.2 oC
Comments:

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	6-6-25 0949	PACE	6-6-25 0949
PACE	6-6-25 1110		6/6/25 1110
	6/6/25		

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:
PM:
PB:

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: _____ of: _____

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

May 07, 2025

Tom Donn
EnviroSouth, Inc.
3440 Augusta Rd.
Greenville, SC 29605

RE: Project: One Stop Marina- Grain size
Pace Project No.: 92792934

Dear Tom Donn:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses were subcontracted outside of the Pace Network. The test report from the external subcontractor is attached to this report in its entirety.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Matthew Brainard
matthew.brainard@pacelabs.com
704-977-0942
Project Manager

Enclosures

cc: Beth Dalke, EnviroSouth
Trevor Hudson, Envirosouth
Jennifer Lezcano, EnviroSouth
William Lyons, EnviroSouth
Allen Meadows, EnviroSouth
Keigan Mennetti, EnviroSouth
Annette St. Pierre, Envirosouth

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: One Stop Marina- Grain size
Pace Project No.: 92792934

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92792934001	**GS-1**	Solid	04/23/25 09:55	04/25/25 09:15
92792934002	**GS-2**	Solid	04/23/25 10:15	04/25/25 09:15
92792934003	**GS-3**	Solid	04/23/25 11:00	04/25/25 09:15
92792934004	**GS-4**	Solid	04/23/25 11:50	04/25/25 09:15
92792934005	**GS-5**	Solid	04/23/25 12:40	04/25/25 09:15
92792934006	**GS-6**	Solid	04/23/25 13:00	04/25/25 09:15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Sample Condition Upon Receipt

Client Name: EnviroSouth

Project #: WO# : 92792934

92792934

Courier: ☐ Commercial ☑ Fed Ex ☐ UPS ☐ USPS ☐ Client ☑ Pace ☐ Other:____

Custody Seal Present? ☐ Yes ☑ No Seals Intact? ☐ Yes ☐ No ☑ N/A

Date/Initials Person Examining Contents: 6/25/25

Packing Material: ☑ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other

Biological Tissue Frozen? ☐ Yes ☐ No ☑ N/A

Thermometer:

☑ IR Gun ID: 931090 Type of Ice: ☑ Wet ☐ Blue ☐ None

Cooler Temp: 5.1 Correction Factor: Add/Subtract (°C) 0.1

Temp should be above freezing to 6°C

☐ Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 5.2

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? ☑ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

				Comments/Discrepancy:
Chain of Custody Present?	☑ Yes	☐ No	☐ N/A	1.
Samples Arrived within Hold Time?	☑ Yes	☐ No	☐ N/A	2.
Short Hold Time Analysis (<72 hr.)?	☐ Yes	☑ No	☐ N/A	3.
Rush Turn Around Time Requested?	☐ Yes	☑ No	☐ N/A	4.
Sufficient Volume?	☑ Yes	☐ No	☐ N/A	5.
Correct Containers Used?	☑ Yes	☐ No	☐ N/A	6.
-Pace Containers Used?	☑ Yes	☐ No	☐ N/A	
Containers Intact?	☑ Yes	☐ No	☐ N/A	7.
Dissolved analysis: Samples Field Filtered?	☐ Yes	☐ No	☑ N/A	8.
Sample Labels Match COC?	☑ Yes	☐ No	☐ N/A	9.
-Includes Date/Time/ID/Analysis Matrix: SC				
Headspace in VOA Vials (>5-6mm)?	☐ Yes	☐ No	☑ N/A	10.
Trip Blank Present?	☐ Yes	☐ No	☑ N/A	11.
Trip Blank Custody Seals Present?	☐ Yes	☐ No	☑ N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? ☐ Yes ☐ No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: _____ Date/Time: _____

Project Manager SCURF Review: _____ Date: _____

Project Manager SRF Review: _____ Date: _____

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project #

WO#: 92792934

PM: MWB Due Date: 05/06/25
CLIENT: 92-ENVIROSOU

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client_____ Profile/EZ (Circle one)_____ Notes_____

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC													50																
1													1																
2													1																
3													1																
4													1																
5													1																
6													1																
7																													
8																													
9																													
10																													
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Grain size	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253198**

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Grain Size w/ Hydrometer	Sample Comment
GS-1	SS	G	4/23	955			1			X	92792534 001
GS-2	SS	G	4/23	1015			1			X	002
GS-3	SS	G	4/23	1100			1			X	003
GS-4	SS	G	4/23	1150			1			X	004
GS-5	SS	G	4/23	1240			1			X	005
GS-6	SS	G	4/23	1300			1			X	006

Additional Instructions from Pace®:

Collected By:
(Printed Name) Trevor Hudson
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	93T050	0.1	5.1	5.2	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
	4/25/25 0915	Randy Newton Pace	4/25/25 0915	
Randy Newton	4/25/25 1320		4/25/25 1320	Delivered by: [ ] In- Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 1

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Schnabel ENGINEERING

103 Trade Zone Drive, Suite 32
West Columbia, SC 29170
T/ 803-796-6240
F/ 803-796-6250

TRANSMITTAL

TO:	Matthew Brainard	**DATE:**	5/6/25
COMPANY:	Pace Analytical	**SUBJECT:**	Lab Results
ADDRESS:	9800 Kincey Ave., Ste 100 Huntersville, NC 28078	**PROJECT NAME/NO.:**	Pace Analytical–Various Lab Testing Schnabel Reference Number: 08190058.020.623-628 Work Order 92792934
FROM:	Stephen Hahn	**CC:**	


COPIES	DATE	NO.	DESCRIPTION
1	--	7	Lab results for One Stop Marina – Grain Size

☒ AS REQUESTED ☐ FOR APPROVAL ☐ PLEASE REPLY ☐ FOR YOUR USE

Attached, please find our lab result(s) for:


Work Order 92792934

Please advise if you have any questions.

SIGNED: 

Stephen Hahn

SENT VIA: ☐ First Class Mail ☐ Overnight Service ☒ Email ☐ Other



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-1 0.0 ft	**POORLY GRADED SAND WITH SILT (SP-SM), light orange**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**12.5**	**0.69**	**0.199**	**0.087**	**4.6**	**89.0**	**5.1**	**1.3**

Percent Finer

Sieve Size	200	10	4	3/8"	1/2"
% Finer	6.4	85.7	95.4	99.0	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH


Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-2 0.0 ft	**SILTY, CLAYEY SAND (SC-SM), brownish orange**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**9.5**	**0.438**	**0.117**	**0.003**	**0.2**	**80.0**	**10.2**	**9.6**

Percent Finer

Sieve Size	200	10	4	3/8"
% Finer	19.8	94.6	99.8	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH


Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-3 0.0 ft	**SILTY SAND (SM), light brown**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**9.5**	**0.362**	**0.094**	**0.016**	**0.6**	**74.5**	**22.1**	**2.8**

Percent Finer

Sieve Size	200	10	4	3/8"
% Finer	24.9	98.1	99.4	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH


Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-4 0.0 ft	**SILTY SAND (SM), brownish orange**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**9.5**	**0.227**	**0.035**		**0.1**	**59.3**	**22.5**	**18.1**

Percent Finer

Sieve Size	200	10	4	3/8"
% Finer	40.6	98.2	99.9	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH


Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-5 0.0 ft	**SANDY LEAN CLAY (CL), brownish red**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**19**	**0.087**			**4.7**	**36.9**	**15.5**	**42.9**

Percent Finer

Sieve Size	200	10	4	3/8"	1/2"	3/4"
% Finer	58.4	93.2	95.3	95.5	95.5	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH


Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen	Sample Description	LL	PL	PI	Test Method
● GS-6 0.0 ft	**SILTY SAND (SM), light brown**	--	--	--	Atterberg ASTM D4318

Test Method	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
ASTM D7928	**2**	**0.373**	**0.106**	**0.036**	**0.0**	**78.2**	**20.4**	**1.4**

Percent Finer

Sieve Size	200	10	4
% Finer	21.8	100.0	100.0

Tested By	Tested Date	Reviewed by	Calc by
DPH	5/1/25	CLM	DPH

Schnabel ENGINEERING

GRADATION CURVE

Project: Pace Analytical-Various
92792934
One Stop Marina - Grain Size, SC

Contract: 08190058.020.623-628

SIEVE - D6913/D7928 08190058.020 623-628.GPJ TEST TEMPLATE.GDT 5/6/25

0819005 8.020 √ Task 623-628

Chain of Custody

PASI Charlotte Laboratory

Workorder: 92792934 Workorder Name: One Stop Marina- Grain size Results Requested By: 5/9/2025

Report / Invoice To	Subcontract To
Matthew Brainard Pace Analytical Charlotte 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 Phone 704-977-0942 Email: matthew.brainard@pacelabs.com	Schnabel Engineering 103 Trade Zone Dr Suite 32 West Columbia, SC 29170 P.O. MB92792934

Send Invoice To: invoices@pacelabs.coupahost.com
State of Sample Origin: SC

Item	Sample ID	Collect Date/Time	Lab ID	Matrix	Preserved Containers: Unpreserved	Requested Analysis: Grain Size w/ Hydrometer	LAB USE ONLY
1	GS-1	4/23/2025 09:55	92792934001	Solid	1	X	623
2	GS-2	4/23/2025 10:15	92792934002	Solid	1	X	624
3	GS-3	4/23/2025 11:00	92792934003	Solid	1	X	625
4	GS-4	4/23/2025 11:50	92792934004	Solid	1	X	626
5	GS-5	4/23/2025 12:40	92792934005	Solid	1	X	627
6	GS-6	4/23/2025 13:00	92792934006	Solid	1	X	628

Transfers	Released By	Date/Time	Received By	Date/Time
1	Michael Martin AVL	4/28/25 1700	Jamie A Neroe	4/29/25
2				
3				

Comments: 9:37 AM.

Cooler Temperature on Receipt _____ °C | Custody Seal Y or N | Received on Ice Y or N | Samples Intact Y or N

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

May 06, 2025

Tom Donn
EnviroSouth, Inc.
3440 Augusta Rd.
Greenville, SC 29605

RE: Project: One Stop Marina- Waters
Pace Project No.: 92792950

Dear Tom Donn:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:
- Pace Analytical Services - Charlotte

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Matthew Brainard
matthew.brainard@pacelabs.com
704-977-0942
Project Manager

Enclosures

cc: Beth Dalke, EnviroSouth
Trevor Hudson, Envirosouth
Jennifer Lezcano, EnviroSouth
William Lyons, EnviroSouth
Allen Meadows, EnviroSouth
Keigan Mennetti, EnviroSouth

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Pace Analytical Services Charlotte

South Carolina Laboratory ID: 99006
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Laboratory ID: 99006
South Carolina Certification #: 99006001
South Carolina Drinking Water Cert. #: 99006003
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Louisiana DoH Drinking Water #: LA029
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92792950001	**TW-1**	Water	04/21/25 11:25	04/25/25 09:15
92792950002	**TW-1I**	Water	04/21/25 11:00	04/25/25 09:15
92792950003	**TW-1D**	Water	04/21/25 10:30	04/25/25 09:15
92792950004	**TW-2**	Water	04/21/25 12:00	04/25/25 09:15
92792950005	**TW-3**	Water	04/21/25 12:15	04/25/25 09:15
92792950006	**TW-4**	Water	04/21/25 13:20	04/25/25 09:15
92792950007	**TW-4I**	Water	04/21/25 13:05	04/25/25 09:15
92792950008	**TW-4D**	Water	04/21/25 12:45	04/25/25 09:15
92792950009	**TW-5**	Water	04/21/25 14:00	04/25/25 09:15
92792950010	**TW-6**	Water	04/21/25 15:25	04/25/25 09:15
92792950011	**TW-6I**	Water	04/21/25 15:10	04/25/25 09:15
92792950012	**TW-6D**	Water	04/21/25 14:40	04/25/25 09:15
92792950013	**TW-7**	Water	04/21/25 11:00	04/25/25 09:15
92792950014	**TW-8**	Water	04/21/25 15:30	04/25/25 09:15
92792950015	**TW-8I**	Water	04/21/25 16:15	04/25/25 09:15
92792950016	**TW-8D**	Water	04/21/25 16:35	04/25/25 09:15
92792950017	**TW-9**	Water	04/22/25 10:00	04/25/25 09:15
92792950018	**TW-9I**	Water	04/22/25 09:00	04/25/25 09:15
92792950019	**TW-9D**	Water	04/22/25 08:00	04/25/25 09:15
92792950020	**TW-10**	Water	04/22/25 10:30	04/25/25 09:15
92792950021	**TW-11**	Water	04/22/25 11:00	04/25/25 09:15
92792950022	**TW-12**	Water	04/22/25 12:20	04/25/25 09:15
92792950023	**TW-12I**	Water	04/22/25 12:00	04/25/25 09:15
92792950024	**TW-12D**	Water	04/22/25 11:30	04/25/25 09:15
92792950025	**TW-13**	Water	04/22/25 13:00	04/25/25 09:15
92792950026	**TW-14**	Water	04/22/25 14:50	04/25/25 09:15
92792950027	**TW-14I**	Water	04/22/25 14:30	04/25/25 09:15
92792950028	**TW-14D**	Water	04/22/25 14:00	04/25/25 09:15
92792950029	**TW-15**	Water	04/23/25 09:50	04/25/25 09:15
92792950030	**TW-15I**	Water	04/23/25 09:30	04/25/25 09:15
92792950031	**TW-15D**	Water	04/23/25 09:00	04/25/25 09:15
92792950032	**TW-16**	Water	04/23/25 12:00	04/25/25 09:15
92792950033	**TW-16I**	Water	04/23/25 11:35	04/25/25 09:15
92792950034	**TW-16D**	Water	04/23/25 11:00	04/25/25 09:15
92792950035	**TW-17**	Water	04/23/25 14:00	04/25/25 09:15
92792950036	**TW-17I**	Water	04/23/25 13:35	04/25/25 09:15
92792950037	**TW-17D**	Water	04/23/25 13:00	04/25/25 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92792950038	**TW-18**	Water	04/23/25 13:15	04/25/25 09:15
92792950039	**TW-19**	Water	04/23/25 13:40	04/25/25 09:15
92792950040	**TW-20**	Water	04/23/25 14:00	04/25/25 09:15
92792950041	**TW-21**	Water	04/23/25 15:00	04/25/25 09:15
92792950042	**TW-22**	Water	04/23/25 15:20	04/25/25 09:15
92792950043	**TW-23**	Water	04/23/25 15:40	04/25/25 09:15
92792950044	**TW-24**	Water	04/23/25 15:25	04/25/25 09:15
92792950045	**TW-24I**	Water	04/23/25 15:00	04/25/25 09:15
92792950046	**TW-24D**	Water	04/23/25 14:40	04/25/25 09:15
92792950047	**TW-25**	Water	04/24/25 08:00	04/25/25 09:15
92792950048	**TW-26**	Water	04/24/25 08:20	04/25/25 09:15
92792950049	**TW-27**	Water	04/24/25 08:40	04/25/25 09:15
92792950050	**TW-28**	Water	04/24/25 09:00	04/25/25 09:15
92792950051	**TW-29**	Water	04/24/25 10:00	04/25/25 09:15
92792950052	**TW-30**	Water	04/24/25 10:20	04/25/25 09:15
92792950053	**TW-31**	Water	04/24/25 10:35	04/25/25 09:15
92792950054	**TW-32**	Water	04/24/25 10:45	04/25/25 09:15
92792950055	**TW-33**	Water	04/24/25 11:00	04/25/25 09:15
92792950056	**TW-34**	Water	04/24/25 11:15	04/25/25 09:15
92792950057	**TW-35**	Water	04/24/25 11:30	04/25/25 09:15
92792950058	**TW-36**	Water	04/24/25 11:45	04/25/25 09:15
92792950059	**TW-37**	Water	04/24/25 12:00	04/25/25 09:15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92792950001	**TW-1**	EPA 8260D	LMB	11	PASI-C
92792950002	**TW-1I**	EPA 8260D	LMB	11	PASI-C
92792950003	**TW-1D**	EPA 8260D	LMB	11	PASI-C
92792950004	**TW-2**	EPA 8260D	LMB	11	PASI-C
92792950005	**TW-3**	EPA 8260D	LMB	11	PASI-C
92792950006	**TW-4**	EPA 8260D	LMB	11	PASI-C
92792950007	**TW-4I**	EPA 8260D	LMB	11	PASI-C
92792950008	**TW-4D**	EPA 8260D	LMB	11	PASI-C
92792950009	**TW-5**	EPA 8260D	LMB	11	PASI-C
92792950010	**TW-6**	EPA 8260D	LMB	11	PASI-C
92792950011	**TW-6I**	EPA 8260D	LMB	11	PASI-C
92792950012	**TW-6D**	EPA 8260D	LMB	11	PASI-C
92792950013	**TW-7**	EPA 8260D	LMB	11	PASI-C
92792950014	**TW-8**	EPA 8260D	LMB	11	PASI-C
92792950015	**TW-8I**	EPA 8260D	LMB	11	PASI-C
92792950016	**TW-8D**	EPA 8260D	LMB	11	PASI-C
92792950017	**TW-9**	EPA 8260D	LMB	11	PASI-C
92792950018	**TW-9I**	EPA 8260D	LMB	11	PASI-C
92792950019	**TW-9D**	EPA 8260D	LMB	11	PASI-C
92792950020	**TW-10**	EPA 8260D	SAS	11	PASI-C
92792950021	**TW-11**	EPA 8260D	TMH	11	PASI-C
92792950022	**TW-12**	EPA 8260D	LMB	11	PASI-C
92792950023	**TW-12I**	EPA 8260D	LMB	11	PASI-C
92792950024	**TW-12D**	EPA 8260D	LMB	11	PASI-C
92792950025	**TW-13**	EPA 8260D	LMB	11	PASI-C
92792950026	**TW-14**	EPA 8260D	LMB	11	PASI-C
92792950027	**TW-14I**	EPA 8260D	LMB	11	PASI-C
92792950028	**TW-14D**	EPA 8260D	LMB	11	PASI-C
92792950029	**TW-15**	EPA 8260D	LMB	11	PASI-C
92792950030	**TW-15I**	EPA 8260D	LMB	11	PASI-C
92792950031	**TW-15D**	EPA 8260D	LMB	11	PASI-C
92792950032	**TW-16**	EPA 8260D	LMB	11	PASI-C
92792950033	**TW-16I**	EPA 8260D	LMB	11	PASI-C
92792950034	**TW-16D**	EPA 8260D	LMB	11	PASI-C
92792950035	**TW-17**	EPA 8260D	LMB	11	PASI-C
92792950036	**TW-17I**	EPA 8260D	LMB	11	PASI-C
92792950037	**TW-17D**	EPA 8260D	LMB	11	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92792950038	**TW-18**	EPA 8260D	LMB	11	PASI-C
92792950039	**TW-19**	EPA 8260D	TMH	11	PASI-C
92792950040	**TW-20**	EPA 8260D	TMH	11	PASI-C
92792950041	**TW-21**	EPA 8260D	SAS	11	PASI-C
92792950042	**TW-22**	EPA 8260D	SAS	11	PASI-C
92792950043	**TW-23**	EPA 8260D	SAS	11	PASI-C
92792950044	**TW-24**	EPA 8260D	SAS	11	PASI-C
92792950045	**TW-24I**	EPA 8260D	LMB	11	PASI-C
92792950046	**TW-24D**	EPA 8260D	LMB	11	PASI-C
92792950047	**TW-25**	EPA 8260D	LMB	11	PASI-C
92792950048	**TW-26**	EPA 8260D	LMB	11	PASI-C
92792950049	**TW-27**	EPA 8260D	LMB	11	PASI-C
92792950050	**TW-28**	EPA 8260D	LMB	11	PASI-C
92792950051	**TW-29**	EPA 8260D	LMB	11	PASI-C
92792950052	**TW-30**	EPA 8260D	TMH	11	PASI-C
92792950053	**TW-31**	EPA 8260D	TMH	11	PASI-C
92792950054	**TW-32**	EPA 8260D	SAS	11	PASI-C
92792950055	**TW-33**	EPA 8260D	LMB	11	PASI-C
92792950056	**TW-34**	EPA 8260D	LMB	11	PASI-C
92792950057	**TW-35**	EPA 8260D	SAS	11	PASI-C
92792950058	**TW-36**	EPA 8260D	LMB	11	PASI-C
92792950059	**TW-37**	EPA 8260D	SAS	11	PASI-C

PASI-C = Pace Analytical Services - Charlotte

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950008	**TW-4D**					
EPA 8260D	Benzene	11.9	ug/L	1.0	04/29/25 00:15	
EPA 8260D	Methyl-tert-butyl ether	1.3	ug/L	1.0	04/29/25 00:15	
92792950011	**TW-6I**					
EPA 8260D	Benzene	0.80J	ug/L	1.0	04/29/25 01:11	
EPA 8260D	Methyl-tert-butyl ether	1.6	ug/L	1.0	04/29/25 01:11	
92792950013	**TW-7**					
EPA 8260D	Benzene	0.40J	ug/L	1.0	04/29/25 01:47	
EPA 8260D	Ethylbenzene	0.39J	ug/L	1.0	04/29/25 01:47	
EPA 8260D	Methyl-tert-butyl ether	3.7	ug/L	1.0	04/29/25 01:47	
EPA 8260D	Xylene (Total)	1.0	ug/L	1.0	04/29/25 01:47	
EPA 8260D	m&p-Xylene	1.0J	ug/L	2.0	04/29/25 01:47	
92792950014	**TW-8**					
EPA 8260D	Benzene	14.0	ug/L	1.0	04/29/25 02:06	
EPA 8260D	Ethylbenzene	1.7	ug/L	1.0	04/29/25 02:06	
EPA 8260D	Xylene (Total)	3.2	ug/L	1.0	04/29/25 02:06	
EPA 8260D	m&p-Xylene	2.8	ug/L	2.0	04/29/25 02:06	
EPA 8260D	o-Xylene	0.43J	ug/L	1.0	04/29/25 02:06	
92792950015	**TW-8I**					
EPA 8260D	Benzene	2.1	ug/L	1.0	04/29/25 02:24	
EPA 8260D	Methyl-tert-butyl ether	0.68J	ug/L	1.0	04/29/25 02:24	
92792950017	**TW-9**					
EPA 8260D	Ethylbenzene	0.31J	ug/L	1.0	04/29/25 03:01	
EPA 8260D	Toluene	1.7	ug/L	1.0	04/29/25 03:01	
EPA 8260D	Xylene (Total)	1.1	ug/L	1.0	04/29/25 03:01	
EPA 8260D	m&p-Xylene	0.75J	ug/L	2.0	04/29/25 03:01	
EPA 8260D	o-Xylene	0.35J	ug/L	1.0	04/29/25 03:01	
92792950020	**TW-10**					
EPA 8260D	Ethylbenzene	1580	ug/L	50.0	04/29/25 05:05	
EPA 8260D	Naphthalene	59.9	ug/L	50.0	04/29/25 05:05	
EPA 8260D	Toluene	280	ug/L	50.0	04/29/25 05:05	
EPA 8260D	Xylene (Total)	4030	ug/L	50.0	04/29/25 05:05	
EPA 8260D	m&p-Xylene	3930	ug/L	100	04/29/25 05:05	
EPA 8260D	o-Xylene	96.6	ug/L	50.0	04/29/25 05:05	
92792950021	**TW-11**					
EPA 8260D	Benzene	3100	ug/L	250	04/30/25 17:33	
EPA 8260D	Ethylbenzene	4370	ug/L	250	04/30/25 17:33	
EPA 8260D	Naphthalene	622	ug/L	250	04/30/25 17:33	
EPA 8260D	Toluene	32700	ug/L	250	04/30/25 17:33	
EPA 8260D	Xylene (Total)	24600	ug/L	250	04/30/25 17:33	
EPA 8260D	m&p-Xylene	16500	ug/L	500	04/30/25 17:33	
EPA 8260D	o-Xylene	8070	ug/L	250	04/30/25 17:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950022	**TW-12**					
EPA 8260D	Benzene	1.7	ug/L	1.0	04/29/25 03:56	
EPA 8260D	Ethylbenzene	1.6	ug/L	1.0	04/29/25 03:56	
EPA 8260D	Toluene	15.6	ug/L	1.0	04/29/25 03:56	
EPA 8260D	Xylene (Total)	7.8	ug/L	1.0	04/29/25 03:56	
EPA 8260D	m&p-Xylene	5.3	ug/L	2.0	04/29/25 03:56	
EPA 8260D	o-Xylene	2.5	ug/L	1.0	04/29/25 03:56	
92792950023	**TW-12I**					
EPA 8260D	Benzene	47.8	ug/L	1.0	04/29/25 04:15	
EPA 8260D	Ethylbenzene	4.5	ug/L	1.0	04/29/25 04:15	
EPA 8260D	Methyl-tert-butyl ether	10.7	ug/L	1.0	04/29/25 04:15	
EPA 8260D	Naphthalene	2.6	ug/L	1.0	04/29/25 04:15	
EPA 8260D	Toluene	30.2	ug/L	1.0	04/29/25 04:15	
EPA 8260D	Xylene (Total)	26.3	ug/L	1.0	04/29/25 04:15	
EPA 8260D	m&p-Xylene	17.1	ug/L	2.0	04/29/25 04:15	
EPA 8260D	o-Xylene	9.2	ug/L	1.0	04/29/25 04:15	
92792950024	**TW-12D**					
EPA 8260D	Benzene	5.0	ug/L	1.0	04/29/25 04:33	
EPA 8260D	Ethylbenzene	6.9	ug/L	1.0	04/29/25 04:33	
EPA 8260D	Methyl-tert-butyl ether	7.1	ug/L	1.0	04/29/25 04:33	
EPA 8260D	Naphthalene	0.96J	ug/L	1.0	04/29/25 04:33	
EPA 8260D	Toluene	58.7	ug/L	1.0	04/29/25 04:33	
EPA 8260D	Xylene (Total)	30.1	ug/L	1.0	04/29/25 04:33	
EPA 8260D	m&p-Xylene	19.9	ug/L	2.0	04/29/25 04:33	
EPA 8260D	o-Xylene	10.2	ug/L	1.0	04/29/25 04:33	
92792950025	**TW-13**					
EPA 8260D	Benzene	0.61J	ug/L	1.0	04/29/25 04:52	
EPA 8260D	Ethylbenzene	2.1	ug/L	1.0	04/29/25 04:52	
EPA 8260D	Methyl-tert-butyl ether	0.93J	ug/L	1.0	04/29/25 04:52	
EPA 8260D	Naphthalene	0.69J	ug/L	1.0	04/29/25 04:52	
EPA 8260D	Toluene	14.2	ug/L	1.0	04/29/25 04:52	
EPA 8260D	Xylene (Total)	11.3	ug/L	1.0	04/29/25 04:52	
EPA 8260D	m&p-Xylene	7.4	ug/L	2.0	04/29/25 04:52	
EPA 8260D	o-Xylene	3.9	ug/L	1.0	04/29/25 04:52	
92792950026	**TW-14**					
EPA 8260D	Ethylbenzene	1.4	ug/L	1.0	04/29/25 05:10	
EPA 8260D	Toluene	7.6	ug/L	1.0	04/29/25 05:10	
EPA 8260D	Xylene (Total)	7.4	ug/L	1.0	04/29/25 05:10	
EPA 8260D	m&p-Xylene	4.8	ug/L	2.0	04/29/25 05:10	
EPA 8260D	o-Xylene	2.6	ug/L	1.0	04/29/25 05:10	
92792950027	**TW-14I**					
EPA 8260D	Ethylbenzene	0.46J	ug/L	1.0	04/29/25 05:29	
EPA 8260D	Methyl-tert-butyl ether	0.48J	ug/L	1.0	04/29/25 05:29	
EPA 8260D	Toluene	2.4	ug/L	1.0	04/29/25 05:29	
EPA 8260D	Xylene (Total)	2.2	ug/L	1.0	04/29/25 05:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950027	**TW-14I**					
EPA 8260D	m&p-Xylene	1.5J	ug/L	2.0	04/29/25 05:29	
EPA 8260D	o-Xylene	0.71J	ug/L	1.0	04/29/25 05:29	
92792950028	**TW-14D**					
EPA 8260D	Ethylbenzene	0.67J	ug/L	1.0	04/29/25 05:47	
EPA 8260D	Methyl-tert-butyl ether	4.3	ug/L	1.0	04/29/25 05:47	
EPA 8260D	Toluene	3.9	ug/L	1.0	04/29/25 05:47	
EPA 8260D	Xylene (Total)	3.5	ug/L	1.0	04/29/25 05:47	
EPA 8260D	m&p-Xylene	2.3	ug/L	2.0	04/29/25 05:47	
EPA 8260D	o-Xylene	1.1	ug/L	1.0	04/29/25 05:47	
92792950029	**TW-15**					
EPA 8260D	Methyl-tert-butyl ether	0.42J	ug/L	1.0	04/29/25 06:06	
92792950030	**TW-15I**					
EPA 8260D	Methyl-tert-butyl ether	11.3	ug/L	1.0	04/29/25 06:24	
92792950031	**TW-15D**					
EPA 8260D	Ethylbenzene	0.38J	ug/L	1.0	04/29/25 06:43	
EPA 8260D	Methyl-tert-butyl ether	4.8	ug/L	1.0	04/29/25 06:43	
EPA 8260D	Naphthalene	0.94J	ug/L	1.0	04/29/25 06:43	
EPA 8260D	Xylene (Total)	3.1	ug/L	1.0	04/29/25 06:43	
EPA 8260D	m&p-Xylene	2.0J	ug/L	2.0	04/29/25 06:43	
EPA 8260D	o-Xylene	1.2	ug/L	1.0	04/29/25 06:43	
92792950038	**TW-18**					
EPA 8260D	Benzene	15.7	ug/L	1.0	04/30/25 04:00	
EPA 8260D	Ethylbenzene	1.5	ug/L	1.0	04/30/25 04:00	
EPA 8260D	Methyl-tert-butyl ether	2.5	ug/L	1.0	04/30/25 04:00	
EPA 8260D	Toluene	3.8	ug/L	1.0	04/30/25 04:00	
EPA 8260D	Xylene (Total)	29.6	ug/L	1.0	04/30/25 04:00	
EPA 8260D	m&p-Xylene	27.9	ug/L	2.0	04/30/25 04:00	
EPA 8260D	o-Xylene	1.7	ug/L	1.0	04/30/25 04:00	
92792950039	**TW-19**					
EPA 8260D	Benzene	2930	ug/L	25.0	04/30/25 16:11	
EPA 8260D	Ethylbenzene	90.7	ug/L	25.0	04/30/25 16:11	
EPA 8260D	Naphthalene	60.3	ug/L	25.0	04/30/25 16:11	
EPA 8260D	Toluene	245	ug/L	25.0	04/30/25 16:11	
EPA 8260D	Xylene (Total)	776	ug/L	25.0	04/30/25 16:11	
EPA 8260D	m&p-Xylene	764	ug/L	50.0	04/30/25 16:11	
EPA 8260D	o-Xylene	11.6J	ug/L	25.0	04/30/25 16:11	
92792950040	**TW-20**					
EPA 8260D	Benzene	6560	ug/L	500	04/30/25 18:54	
EPA 8260D	Ethylbenzene	4280	ug/L	500	04/30/25 18:54	
EPA 8260D	Naphthalene	485J	ug/L	500	04/30/25 18:54	
EPA 8260D	Toluene	59600	ug/L	500	04/30/25 18:54	
EPA 8260D	Xylene (Total)	25700	ug/L	500	04/30/25 18:54	
EPA 8260D	m&p-Xylene	17300	ug/L	1000	04/30/25 18:54	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950040	**TW-20**					
EPA 8260D	o-Xylene	8450	ug/L	500	04/30/25 18:54	
92792950041	**TW-21**					
EPA 8260D	Benzene	2940	ug/L	50.0	04/29/25 06:20	
EPA 8260D	Ethylbenzene	1070	ug/L	50.0	04/29/25 06:20	
EPA 8260D	Naphthalene	311	ug/L	50.0	04/29/25 06:20	
EPA 8260D	Toluene	5500	ug/L	50.0	04/29/25 06:20	
EPA 8260D	Xylene (Total)	5260	ug/L	50.0	04/29/25 06:20	
EPA 8260D	m&p-Xylene	3720	ug/L	100	04/29/25 06:20	
EPA 8260D	o-Xylene	1540	ug/L	50.0	04/29/25 06:20	
92792950042	**TW-22**					
EPA 8260D	Benzene	1010	ug/L	10.0	05/01/25 08:24	
EPA 8260D	Ethylbenzene	36.2	ug/L	10.0	05/01/25 08:24	
EPA 8260D	Methyl-tert-butyl ether	4.4J	ug/L	10.0	05/01/25 08:24	
EPA 8260D	Naphthalene	199	ug/L	10.0	05/01/25 08:24	
EPA 8260D	Toluene	63.0	ug/L	10.0	05/01/25 08:24	
EPA 8260D	Xylene (Total)	1380	ug/L	10.0	05/01/25 08:24	
EPA 8260D	m&p-Xylene	1360	ug/L	20.0	05/01/25 08:24	
EPA 8260D	o-Xylene	15.7	ug/L	10.0	05/01/25 08:24	
92792950043	**TW-23**					
EPA 8260D	Benzene	1260	ug/L	50.0	04/29/25 06:38	M1
EPA 8260D	Ethylbenzene	3320	ug/L	50.0	04/29/25 06:38	M1
EPA 8260D	Naphthalene	627	ug/L	50.0	04/29/25 06:38	M1
EPA 8260D	Toluene	6240	ug/L	50.0	04/29/25 06:38	M1
EPA 8260D	Xylene (Total)	15200	ug/L	50.0	04/29/25 06:38	MS
EPA 8260D	m&p-Xylene	11500	ug/L	100	04/29/25 06:38	M1
EPA 8260D	o-Xylene	3640	ug/L	50.0	04/29/25 06:38	M1
92792950045	**TW-24I**					
EPA 8260D	Naphthalene	0.75J	ug/L	1.0	04/30/25 04:55	C8
92792950047	**TW-25**					
EPA 8260D	Ethylbenzene	13.2	ug/L	1.0	04/30/25 08:18	
EPA 8260D	Naphthalene	24.3	ug/L	1.0	04/30/25 08:18	
EPA 8260D	Toluene	6.0	ug/L	1.0	04/30/25 08:18	
EPA 8260D	Xylene (Total)	71.6	ug/L	1.0	04/30/25 08:18	
EPA 8260D	m&p-Xylene	51.2	ug/L	2.0	04/30/25 08:18	
EPA 8260D	o-Xylene	20.4	ug/L	1.0	04/30/25 08:18	
92792950048	**TW-26**					
EPA 8260D	Ethylbenzene	0.87J	ug/L	1.0	04/30/25 05:32	
EPA 8260D	Toluene	2.7	ug/L	1.0	04/30/25 05:32	
EPA 8260D	Xylene (Total)	4.9	ug/L	1.0	04/30/25 05:32	
EPA 8260D	m&p-Xylene	3.5	ug/L	2.0	04/30/25 05:32	
EPA 8260D	o-Xylene	1.4	ug/L	1.0	04/30/25 05:32	
92792950049	**TW-27**					
EPA 8260D	Ethylbenzene	0.44J	ug/L	1.0	04/30/25 05:50	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950049	**TW-27**					
EPA 8260D	Naphthalene	1.0	ug/L	1.0	04/30/25 05:50	
EPA 8260D	Toluene	1.1	ug/L	1.0	04/30/25 05:50	
EPA 8260D	Xylene (Total)	2.9	ug/L	1.0	04/30/25 05:50	
EPA 8260D	m&p-Xylene	2.1	ug/L	2.0	04/30/25 05:50	
EPA 8260D	o-Xylene	0.85J	ug/L	1.0	04/30/25 05:50	
92792950050	**TW-28**					
EPA 8260D	Naphthalene	0.66J	ug/L	1.0	04/30/25 06:09	
EPA 8260D	Toluene	0.87J	ug/L	1.0	04/30/25 06:09	
EPA 8260D	Xylene (Total)	1.7	ug/L	1.0	04/30/25 06:09	
EPA 8260D	m&p-Xylene	1.2J	ug/L	2.0	04/30/25 06:09	
EPA 8260D	o-Xylene	0.50J	ug/L	1.0	04/30/25 06:09	
92792950051	**TW-29**					
EPA 8260D	Ethylbenzene	0.31J	ug/L	1.0	04/30/25 06:27	
EPA 8260D	Toluene	0.64J	ug/L	1.0	04/30/25 06:27	
EPA 8260D	Xylene (Total)	0.92J	ug/L	1.0	04/30/25 06:27	
EPA 8260D	m&p-Xylene	0.92J	ug/L	2.0	04/30/25 06:27	
92792950052	**TW-30**					
EPA 8260D	Benzene	1010	ug/L	400	04/30/25 18:14	
EPA 8260D	Ethylbenzene	5200	ug/L	400	04/30/25 18:14	
EPA 8260D	Naphthalene	652	ug/L	400	04/30/25 18:14	
EPA 8260D	Toluene	43600	ug/L	400	04/30/25 18:14	
EPA 8260D	Xylene (Total)	32500	ug/L	400	04/30/25 18:14	
EPA 8260D	m&p-Xylene	21600	ug/L	800	04/30/25 18:14	
EPA 8260D	o-Xylene	10900	ug/L	400	04/30/25 18:14	
92792950053	**TW-31**					
EPA 8260D	Benzene	1110	ug/L	250	04/30/25 16:52	
EPA 8260D	Ethylbenzene	3010	ug/L	250	04/30/25 16:52	
EPA 8260D	Naphthalene	478	ug/L	250	04/30/25 16:52	
EPA 8260D	Toluene	26500	ug/L	250	04/30/25 16:52	
EPA 8260D	Xylene (Total)	17900	ug/L	250	04/30/25 16:52	
EPA 8260D	m&p-Xylene	12100	ug/L	500	04/30/25 16:52	
EPA 8260D	o-Xylene	5740	ug/L	250	04/30/25 16:52	
92792950054	**TW-32**					
EPA 8260D	Benzene	1210	ug/L	10.0	05/01/25 08:43	
EPA 8260D	Ethylbenzene	332	ug/L	10.0	05/01/25 08:43	
EPA 8260D	Naphthalene	130	ug/L	10.0	05/01/25 08:43	
EPA 8260D	Toluene	95.1	ug/L	10.0	05/01/25 08:43	
EPA 8260D	Xylene (Total)	287	ug/L	10.0	05/01/25 08:43	
EPA 8260D	m&p-Xylene	265	ug/L	20.0	05/01/25 08:43	
EPA 8260D	o-Xylene	22.3	ug/L	10.0	05/01/25 08:43	
92792950055	**TW-33**					
EPA 8260D	Benzene	3.6	ug/L	1.0	04/30/25 07:04	
EPA 8260D	Ethylbenzene	12.2	ug/L	1.0	04/30/25 07:04	
EPA 8260D	Methyl-tert-butyl ether	0.59J	ug/L	1.0	04/30/25 07:04	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92792950055	**TW-33**					
EPA 8260D	Naphthalene	16.8	ug/L	1.0	04/30/25 07:04	
EPA 8260D	Toluene	66.7	ug/L	1.0	04/30/25 07:04	
EPA 8260D	Xylene (Total)	73.1	ug/L	1.0	04/30/25 07:04	
EPA 8260D	m&p-Xylene	48.0	ug/L	2.0	04/30/25 07:04	
EPA 8260D	o-Xylene	25.1	ug/L	1.0	04/30/25 07:04	
92792950056	**TW-34**					
EPA 8260D	Benzene	65.7	ug/L	1.0	04/30/25 08:37	
EPA 8260D	Ethylbenzene	12.2	ug/L	1.0	04/30/25 08:37	
EPA 8260D	Methyl-tert-butyl ether	0.70J	ug/L	1.0	04/30/25 08:37	
EPA 8260D	Naphthalene	8.1	ug/L	1.0	04/30/25 08:37	
EPA 8260D	Toluene	33.9	ug/L	1.0	04/30/25 08:37	
EPA 8260D	Xylene (Total)	66.9	ug/L	1.0	04/30/25 08:37	
EPA 8260D	m&p-Xylene	52.0	ug/L	2.0	04/30/25 08:37	
EPA 8260D	o-Xylene	14.9	ug/L	1.0	04/30/25 08:37	
92792950057	**TW-35**					
EPA 8260D	Benzene	1550	ug/L	12.5	05/01/25 09:01	
EPA 8260D	Ethylbenzene	61.8	ug/L	12.5	05/01/25 09:01	
EPA 8260D	Naphthalene	135	ug/L	12.5	05/01/25 09:01	
EPA 8260D	Toluene	96.3	ug/L	12.5	05/01/25 09:01	
EPA 8260D	Xylene (Total)	2000	ug/L	12.5	05/01/25 09:01	
EPA 8260D	m&p-Xylene	1970	ug/L	25.0	05/01/25 09:01	
EPA 8260D	o-Xylene	27.6	ug/L	12.5	05/01/25 09:01	
92792950058	**TW-36**					
EPA 8260D	Benzene	113	ug/L	1.0	04/30/25 07:41	
EPA 8260D	Ethylbenzene	4.8	ug/L	1.0	04/30/25 07:41	
EPA 8260D	Naphthalene	44.7	ug/L	1.0	04/30/25 07:41	
EPA 8260D	Toluene	24.9	ug/L	1.0	04/30/25 07:41	
EPA 8260D	Xylene (Total)	321	ug/L	1.0	04/30/25 07:41	
EPA 8260D	m&p-Xylene	312	ug/L	2.0	04/30/25 07:41	
EPA 8260D	o-Xylene	8.7	ug/L	1.0	04/30/25 07:41	
92792950059	**TW-37**					
EPA 8260D	Benzene	2.4	ug/L	1.0	05/01/25 05:59	
EPA 8260D	Ethylbenzene	2.8	ug/L	1.0	05/01/25 05:59	
EPA 8260D	Methyl-tert-butyl ether	2.3	ug/L	1.0	05/01/25 05:59	
EPA 8260D	Naphthalene	2.7	ug/L	1.0	05/01/25 05:59	
EPA 8260D	Toluene	16.8	ug/L	1.0	05/01/25 05:59	
EPA 8260D	Xylene (Total)	18.2	ug/L	1.0	05/01/25 05:59	
EPA 8260D	m&p-Xylene	12.6	ug/L	2.0	05/01/25 05:59	
EPA 8260D	o-Xylene	5.6	ug/L	1.0	05/01/25 05:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-1 **Lab ID: 92792950001** Collected: 04/21/25 11:25 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 22:07	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 22:07	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 22:07	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 22:07	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 22:07	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 22:07	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 22:07	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 22:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/28/25 22:07	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/28/25 22:07	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/28/25 22:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-1I **Lab ID: 92792950002** Collected: 04/21/25 11:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 22:25	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 22:25	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 22:25	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 22:25	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 22:25	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 22:25	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 22:25	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 22:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/28/25 22:25	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/28/25 22:25	17060-07-0	
Toluene-d8 (S)	112	%	70-130		1		04/28/25 22:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-1D **Lab ID: 92792950003** Collected: 04/21/25 10:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 22:43	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 22:43	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 22:43	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 22:43	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 22:43	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 22:43	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 22:43	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 22:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/28/25 22:43	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/28/25 22:43	17060-07-0	
Toluene-d8 (S)	112	%	70-130		1		04/28/25 22:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-2 **Lab ID: 92792950004** Collected: 04/21/25 12:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 23:02	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 23:02	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 23:02	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 23:02	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 23:02	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 23:02	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 23:02	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 23:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/28/25 23:02	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/28/25 23:02	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/28/25 23:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-3 **Lab ID: 92792950005** Collected: 04/21/25 12:15 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 23:20	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 23:20	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 23:20	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 23:20	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 23:20	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 23:20	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 23:20	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 23:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/28/25 23:20	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/28/25 23:20	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/28/25 23:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-4 **Lab ID: 92792950006** Collected: 04/21/25 13:20 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 23:39	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 23:39	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 23:39	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 23:39	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 23:39	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 23:39	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 23:39	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 23:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/28/25 23:39	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/28/25 23:39	17060-07-0	
Toluene-d8 (S)	106	%	70-130		1		04/28/25 23:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-4I **Lab ID: 92792950007** Collected: 04/21/25 13:05 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/28/25 23:57	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/28/25 23:57	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/28/25 23:57	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/28/25 23:57	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/28/25 23:57	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/28/25 23:57	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/28/25 23:57	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/28/25 23:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/28/25 23:57	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/28/25 23:57	17060-07-0	
Toluene-d8 (S)	112	%	70-130		1		04/28/25 23:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-4D **Lab ID: 92792950008** Collected: 04/21/25 12:45 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**11.9**	ug/L	1.0	0.34	1		04/29/25 00:15	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 00:15	100-41-4	
Methyl-tert-butyl ether	**1.3**	ug/L	1.0	0.42	1		04/29/25 00:15	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 00:15	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 00:15	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 00:15	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 00:15	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 00:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 00:15	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/29/25 00:15	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 00:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-5 **Lab ID: 92792950009** Collected: 04/21/25 14:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 00:34	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 00:34	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 00:34	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 00:34	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 00:34	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 00:34	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 00:34	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 00:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 00:34	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%	70-130		1		04/29/25 00:34	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/29/25 00:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-6 **Lab ID: 92792950010** Collected: 04/21/25 15:25 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 00:52	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 00:52	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 00:52	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 00:52	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 00:52	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 00:52	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 00:52	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 00:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 00:52	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 00:52	17060-07-0	
Toluene-d8 (S)	112	%	70-130		1		04/29/25 00:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-6I **Lab ID: 92792950011** Collected: 04/21/25 15:10 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**0.80J**	ug/L	1.0	0.34	1		04/29/25 01:11	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 01:11	100-41-4	
Methyl-tert-butyl ether	**1.6**	ug/L	1.0	0.42	1		04/29/25 01:11	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 01:11	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 01:11	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 01:11	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 01:11	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 01:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 01:11	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%	70-130		1		04/29/25 01:11	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 01:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-6D **Lab ID: 92792950012** Collected: 04/21/25 14:40 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 01:29	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 01:29	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 01:29	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 01:29	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 01:29	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 01:29	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 01:29	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 01:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 01:29	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 01:29	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 01:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-7 **Lab ID: 92792950013** Collected: 04/21/25 11:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**0.40J**	ug/L	1.0	0.34	1		04/29/25 01:47	71-43-2	
Ethylbenzene	**0.39J**	ug/L	1.0	0.30	1		04/29/25 01:47	100-41-4	
Methyl-tert-butyl ether	**3.7**	ug/L	1.0	0.42	1		04/29/25 01:47	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 01:47	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 01:47	108-88-3	
Xylene (Total)	**1.0**	ug/L	1.0	0.34	1		04/29/25 01:47	1330-20-7	
m&p-Xylene	**1.0J**	ug/L	2.0	0.71	1		04/29/25 01:47	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 01:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 01:47	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/29/25 01:47	17060-07-0	
Toluene-d8 (S)	105	%	70-130		1		04/29/25 01:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-8 **Lab ID: 92792950014** Collected: 04/21/25 15:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**14.0**	ug/L	1.0	0.34	1		04/29/25 02:06	71-43-2	
Ethylbenzene	**1.7**	ug/L	1.0	0.30	1		04/29/25 02:06	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 02:06	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 02:06	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 02:06	108-88-3	
Xylene (Total)	**3.2**	ug/L	1.0	0.34	1		04/29/25 02:06	1330-20-7	
m&p-Xylene	**2.8**	ug/L	2.0	0.71	1		04/29/25 02:06	179601-23-1	
o-Xylene	**0.43J**	ug/L	1.0	0.34	1		04/29/25 02:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/29/25 02:06	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%	70-130		1		04/29/25 02:06	17060-07-0	
Toluene-d8 (S)	103	%	70-130		1		04/29/25 02:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-8I **Lab ID: 92792950015** Collected: 04/21/25 16:15 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**2.1**	ug/L	1.0	0.34	1		04/29/25 02:24	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 02:24	100-41-4	
Methyl-tert-butyl ether	**0.68J**	ug/L	1.0	0.42	1		04/29/25 02:24	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 02:24	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 02:24	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 02:24	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 02:24	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 02:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 02:24	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 02:24	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/29/25 02:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-8D **Lab ID: 92792950016** Collected: 04/21/25 16:35 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 02:43	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 02:43	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 02:43	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 02:43	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 02:43	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 02:43	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 02:43	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 02:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/29/25 02:43	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/29/25 02:43	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 02:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-9 **Lab ID: 92792950017** Collected: 04/22/25 10:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 03:01	71-43-2	
Ethylbenzene	**0.31J**	ug/L	1.0	0.30	1		04/29/25 03:01	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 03:01	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 03:01	91-20-3	
Toluene	**1.7**	ug/L	1.0	0.48	1		04/29/25 03:01	108-88-3	
Xylene (Total)	**1.1**	ug/L	1.0	0.34	1		04/29/25 03:01	1330-20-7	
m&p-Xylene	**0.75J**	ug/L	2.0	0.71	1		04/29/25 03:01	179601-23-1	
o-Xylene	**0.35J**	ug/L	1.0	0.34	1		04/29/25 03:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 03:01	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 03:01	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/29/25 03:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-9I **Lab ID: 92792950018** Collected: 04/22/25 09:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 03:20	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 03:20	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 03:20	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 03:20	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 03:20	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 03:20	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 03:20	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 03:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/29/25 03:20	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 03:20	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 03:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-9D **Lab ID: 92792950019** Collected: 04/22/25 08:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 03:38	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 03:38	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 03:38	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 03:38	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 03:38	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 03:38	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 03:38	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 03:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/29/25 03:38	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 03:38	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 03:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-10 **Lab ID: 92792950020** Collected: 04/22/25 10:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	50.0	17.2	50		04/29/25 05:05	71-43-2	
Ethylbenzene	**1580**	ug/L	50.0	15.2	50		04/29/25 05:05	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	50.0	21.1	50		04/29/25 05:05	1634-04-4	
Naphthalene	**59.9**	ug/L	50.0	32.2	50		04/29/25 05:05	91-20-3	
Toluene	**280**	ug/L	50.0	24.2	50		04/29/25 05:05	108-88-3	
Xylene (Total)	**4030**	ug/L	50.0	16.9	50		04/29/25 05:05	1330-20-7	
m&p-Xylene	**3930**	ug/L	100	35.4	50		04/29/25 05:05	179601-23-1	
o-Xylene	**96.6**	ug/L	50.0	16.9	50		04/29/25 05:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		50		04/29/25 05:05	460-00-4	D3
1,2-Dichloroethane-d4 (S)	97	%	70-130		50		04/29/25 05:05	17060-07-0	
Toluene-d8 (S)	103	%	70-130		50		04/29/25 05:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-11 **Lab ID: 92792950021** Collected: 04/22/25 11:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**3100**	ug/L	250	86.2	250		04/30/25 17:33	71-43-2	
Ethylbenzene	**4370**	ug/L	250	76.0	250		04/30/25 17:33	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	250	106	250		04/30/25 17:33	1634-04-4	
Naphthalene	**622**	ug/L	250	161	250		04/30/25 17:33	91-20-3	
Toluene	**32700**	ug/L	250	121	250		04/30/25 17:33	108-88-3	
Xylene (Total)	**24600**	ug/L	250	84.5	250		04/30/25 17:33	1330-20-7	
m&p-Xylene	**16500**	ug/L	500	177	250		04/30/25 17:33	179601-23-1	
o-Xylene	**8070**	ug/L	250	84.5	250		04/30/25 17:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		250		04/30/25 17:33	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-130		250		04/30/25 17:33	17060-07-0	
Toluene-d8 (S)	102	%	70-130		250		04/30/25 17:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-12 **Lab ID: 92792950022** Collected: 04/22/25 12:20 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1.7**	ug/L	1.0	0.34	1		04/29/25 03:56	71-43-2	
Ethylbenzene	**1.6**	ug/L	1.0	0.30	1		04/29/25 03:56	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 03:56	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 03:56	91-20-3	
Toluene	**15.6**	ug/L	1.0	0.48	1		04/29/25 03:56	108-88-3	
Xylene (Total)	**7.8**	ug/L	1.0	0.34	1		04/29/25 03:56	1330-20-7	
m&p-Xylene	**5.3**	ug/L	2.0	0.71	1		04/29/25 03:56	179601-23-1	
o-Xylene	**2.5**	ug/L	1.0	0.34	1		04/29/25 03:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/29/25 03:56	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 03:56	17060-07-0	
Toluene-d8 (S)	107	%	70-130		1		04/29/25 03:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-12I **Lab ID: 92792950023** Collected: 04/22/25 12:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**47.8**	ug/L	1.0	0.34	1		04/29/25 04:15	71-43-2	
Ethylbenzene	**4.5**	ug/L	1.0	0.30	1		04/29/25 04:15	100-41-4	
Methyl-tert-butyl ether	**10.7**	ug/L	1.0	0.42	1		04/29/25 04:15	1634-04-4	
Naphthalene	**2.6**	ug/L	1.0	0.64	1		04/29/25 04:15	91-20-3	
Toluene	**30.2**	ug/L	1.0	0.48	1		04/29/25 04:15	108-88-3	
Xylene (Total)	**26.3**	ug/L	1.0	0.34	1		04/29/25 04:15	1330-20-7	
m&p-Xylene	**17.1**	ug/L	2.0	0.71	1		04/29/25 04:15	179601-23-1	
o-Xylene	**9.2**	ug/L	1.0	0.34	1		04/29/25 04:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/29/25 04:15	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 04:15	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 04:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-12D **Lab ID: 92792950024** Collected: 04/22/25 11:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**5.0**	ug/L	1.0	0.34	1		04/29/25 04:33	71-43-2	
Ethylbenzene	**6.9**	ug/L	1.0	0.30	1		04/29/25 04:33	100-41-4	
Methyl-tert-butyl ether	**7.1**	ug/L	1.0	0.42	1		04/29/25 04:33	1634-04-4	
Naphthalene	**0.96J**	ug/L	1.0	0.64	1		04/29/25 04:33	91-20-3	
Toluene	**58.7**	ug/L	1.0	0.48	1		04/29/25 04:33	108-88-3	
Xylene (Total)	**30.1**	ug/L	1.0	0.34	1		04/29/25 04:33	1330-20-7	
m&p-Xylene	**19.9**	ug/L	2.0	0.71	1		04/29/25 04:33	179601-23-1	
o-Xylene	**10.2**	ug/L	1.0	0.34	1		04/29/25 04:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/29/25 04:33	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 04:33	17060-07-0	
Toluene-d8 (S)	105	%	70-130		1		04/29/25 04:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-13 **Lab ID: 92792950025** Collected: 04/22/25 13:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**0.61J**	ug/L	1.0	0.34	1		04/29/25 04:52	71-43-2	
Ethylbenzene	**2.1**	ug/L	1.0	0.30	1		04/29/25 04:52	100-41-4	
Methyl-tert-butyl ether	**0.93J**	ug/L	1.0	0.42	1		04/29/25 04:52	1634-04-4	
Naphthalene	**0.69J**	ug/L	1.0	0.64	1		04/29/25 04:52	91-20-3	
Toluene	**14.2**	ug/L	1.0	0.48	1		04/29/25 04:52	108-88-3	
Xylene (Total)	**11.3**	ug/L	1.0	0.34	1		04/29/25 04:52	1330-20-7	
m&p-Xylene	**7.4**	ug/L	2.0	0.71	1		04/29/25 04:52	179601-23-1	
o-Xylene	**3.9**	ug/L	1.0	0.34	1		04/29/25 04:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/29/25 04:52	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/29/25 04:52	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 04:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-14 **Lab ID: 92792950026** Collected: 04/22/25 14:50 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 05:10	71-43-2	
Ethylbenzene	**1.4**	ug/L	1.0	0.30	1		04/29/25 05:10	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 05:10	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 05:10	91-20-3	
Toluene	**7.6**	ug/L	1.0	0.48	1		04/29/25 05:10	108-88-3	
Xylene (Total)	**7.4**	ug/L	1.0	0.34	1		04/29/25 05:10	1330-20-7	
m&p-Xylene	**4.8**	ug/L	2.0	0.71	1		04/29/25 05:10	179601-23-1	
o-Xylene	**2.6**	ug/L	1.0	0.34	1		04/29/25 05:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 05:10	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 05:10	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/29/25 05:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-14I **Lab ID: 92792950027** Collected: 04/22/25 14:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 05:29	71-43-2	
Ethylbenzene	**0.46J**	ug/L	1.0	0.30	1		04/29/25 05:29	100-41-4	
Methyl-tert-butyl ether	**0.48J**	ug/L	1.0	0.42	1		04/29/25 05:29	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 05:29	91-20-3	
Toluene	**2.4**	ug/L	1.0	0.48	1		04/29/25 05:29	108-88-3	
Xylene (Total)	**2.2**	ug/L	1.0	0.34	1		04/29/25 05:29	1330-20-7	
m&p-Xylene	**1.5J**	ug/L	2.0	0.71	1		04/29/25 05:29	179601-23-1	
o-Xylene	**0.71J**	ug/L	1.0	0.34	1		04/29/25 05:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/29/25 05:29	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/29/25 05:29	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 05:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-14D **Lab ID: 92792950028** Collected: 04/22/25 14:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 05:47	71-43-2	
Ethylbenzene	**0.67J**	ug/L	1.0	0.30	1		04/29/25 05:47	100-41-4	
Methyl-tert-butyl ether	**4.3**	ug/L	1.0	0.42	1		04/29/25 05:47	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 05:47	91-20-3	
Toluene	**3.9**	ug/L	1.0	0.48	1		04/29/25 05:47	108-88-3	
Xylene (Total)	**3.5**	ug/L	1.0	0.34	1		04/29/25 05:47	1330-20-7	
m&p-Xylene	**2.3**	ug/L	2.0	0.71	1		04/29/25 05:47	179601-23-1	
o-Xylene	**1.1**	ug/L	1.0	0.34	1		04/29/25 05:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/29/25 05:47	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 05:47	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/29/25 05:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-15 **Lab ID: 92792950029** Collected: 04/23/25 09:50 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 06:06	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 06:06	100-41-4	
Methyl-tert-butyl ether	**0.42J**	ug/L	1.0	0.42	1		04/29/25 06:06	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 06:06	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 06:06	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 06:06	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 06:06	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 06:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 06:06	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/29/25 06:06	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/29/25 06:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-15I **Lab ID: 92792950030** Collected: 04/23/25 09:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 06:24	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 06:24	100-41-4	
Methyl-tert-butyl ether	**11.3**	ug/L	1.0	0.42	1		04/29/25 06:24	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 06:24	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 06:24	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 06:24	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 06:24	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 06:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/29/25 06:24	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 06:24	17060-07-0	
Toluene-d8 (S)	105	%	70-130		1		04/29/25 06:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-15D **Lab ID: 92792950031** Collected: 04/23/25 09:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 06:43	71-43-2	
Ethylbenzene	**0.38J**	ug/L	1.0	0.30	1		04/29/25 06:43	100-41-4	
Methyl-tert-butyl ether	**4.8**	ug/L	1.0	0.42	1		04/29/25 06:43	1634-04-4	
Naphthalene	**0.94J**	ug/L	1.0	0.64	1		04/29/25 06:43	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 06:43	108-88-3	
Xylene (Total)	**3.1**	ug/L	1.0	0.34	1		04/29/25 06:43	1330-20-7	
m&p-Xylene	**2.0J**	ug/L	2.0	0.71	1		04/29/25 06:43	179601-23-1	
o-Xylene	**1.2**	ug/L	1.0	0.34	1		04/29/25 06:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 06:43	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/29/25 06:43	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 06:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-16 **Lab ID: 92792950032** Collected: 04/23/25 12:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 07:01	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 07:01	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 07:01	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 07:01	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 07:01	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 07:01	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 07:01	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 07:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/29/25 07:01	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/29/25 07:01	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 07:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-16I **Lab ID: 92792950033** Collected: 04/23/25 11:35 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/29/25 07:20	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/29/25 07:20	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/29/25 07:20	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/29/25 07:20	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/29/25 07:20	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/29/25 07:20	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/29/25 07:20	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/29/25 07:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/29/25 07:20	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		1		04/29/25 07:20	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/29/25 07:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-16D **Lab ID: 92792950034** Collected: 04/23/25 11:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 02:46	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 02:46	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 02:46	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 02:46	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 02:46	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 02:46	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 02:46	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 02:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 02:46	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/30/25 02:46	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/30/25 02:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-17 **Lab ID: 92792950035** Collected: 04/23/25 14:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 03:04	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 03:04	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 03:04	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 03:04	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 03:04	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 03:04	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 03:04	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 03:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 03:04	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/30/25 03:04	17060-07-0	
Toluene-d8 (S)	106	%	70-130		1		04/30/25 03:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-17I **Lab ID: 92792950036** Collected: 04/23/25 13:35 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 03:23	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 03:23	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 03:23	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 03:23	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 03:23	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 03:23	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 03:23	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 03:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/30/25 03:23	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/30/25 03:23	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/30/25 03:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-17D **Lab ID: 92792950037** Collected: 04/23/25 13:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 03:41	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 03:41	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 03:41	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 03:41	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 03:41	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 03:41	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 03:41	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 03:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/30/25 03:41	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		04/30/25 03:41	17060-07-0	
Toluene-d8 (S)	108	%	70-130		1		04/30/25 03:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-18 **Lab ID: 92792950038** Collected: 04/23/25 13:15 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**15.7**	ug/L	1.0	0.34	1		04/30/25 04:00	71-43-2	
Ethylbenzene	**1.5**	ug/L	1.0	0.30	1		04/30/25 04:00	100-41-4	
Methyl-tert-butyl ether	**2.5**	ug/L	1.0	0.42	1		04/30/25 04:00	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 04:00	91-20-3	
Toluene	**3.8**	ug/L	1.0	0.48	1		04/30/25 04:00	108-88-3	
Xylene (Total)	**29.6**	ug/L	1.0	0.34	1		04/30/25 04:00	1330-20-7	
m&p-Xylene	**27.9**	ug/L	2.0	0.71	1		04/30/25 04:00	179601-23-1	
o-Xylene	**1.7**	ug/L	1.0	0.34	1		04/30/25 04:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/30/25 04:00	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		04/30/25 04:00	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/30/25 04:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-19 **Lab ID: 92792950039** Collected: 04/23/25 13:40 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**2930**	ug/L	25.0	8.6	25		04/30/25 16:11	71-43-2	
Ethylbenzene	**90.7**	ug/L	25.0	7.6	25		04/30/25 16:11	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	25.0	10.6	25		04/30/25 16:11	1634-04-4	
Naphthalene	**60.3**	ug/L	25.0	16.1	25		04/30/25 16:11	91-20-3	
Toluene	**245**	ug/L	25.0	12.1	25		04/30/25 16:11	108-88-3	
Xylene (Total)	**776**	ug/L	25.0	8.4	25		04/30/25 16:11	1330-20-7	
m&p-Xylene	**764**	ug/L	50.0	17.7	25		04/30/25 16:11	179601-23-1	
o-Xylene	**11.6J**	ug/L	25.0	8.4	25		04/30/25 16:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		25		04/30/25 16:11	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		25		04/30/25 16:11	17060-07-0	
Toluene-d8 (S)	103	%	70-130		25		04/30/25 16:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-20 **Lab ID: 92792950040** Collected: 04/23/25 14:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**6560**	ug/L	500	172	500		04/30/25 18:54	71-43-2	
Ethylbenzene	**4280**	ug/L	500	152	500		04/30/25 18:54	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	500	211	500		04/30/25 18:54	1634-04-4	
Naphthalene	**485J**	ug/L	500	322	500		04/30/25 18:54	91-20-3	
Toluene	**59600**	ug/L	500	242	500		04/30/25 18:54	108-88-3	
Xylene (Total)	**25700**	ug/L	500	169	500		04/30/25 18:54	1330-20-7	
m&p-Xylene	**17300**	ug/L	1000	354	500		04/30/25 18:54	179601-23-1	
o-Xylene	**8450**	ug/L	500	169	500		04/30/25 18:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		500		04/30/25 18:54	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		500		04/30/25 18:54	17060-07-0	
Toluene-d8 (S)	104	%	70-130		500		04/30/25 18:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-21 **Lab ID: 92792950041** Collected: 04/23/25 15:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**2940**	ug/L	50.0	17.2	50		04/29/25 06:20	71-43-2	
Ethylbenzene	**1070**	ug/L	50.0	15.2	50		04/29/25 06:20	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	50.0	21.1	50		04/29/25 06:20	1634-04-4	
Naphthalene	**311**	ug/L	50.0	32.2	50		04/29/25 06:20	91-20-3	
Toluene	**5500**	ug/L	50.0	24.2	50		04/29/25 06:20	108-88-3	
Xylene (Total)	**5260**	ug/L	50.0	16.9	50		04/29/25 06:20	1330-20-7	
m&p-Xylene	**3720**	ug/L	100	35.4	50		04/29/25 06:20	179601-23-1	
o-Xylene	**1540**	ug/L	50.0	16.9	50		04/29/25 06:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		50		04/29/25 06:20	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%	70-130		50		04/29/25 06:20	17060-07-0	
Toluene-d8 (S)	101	%	70-130		50		04/29/25 06:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-22 **Lab ID: 92792950042** Collected: 04/23/25 15:20 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1010**	ug/L	10.0	3.4	10		05/01/25 08:24	71-43-2	
Ethylbenzene	**36.2**	ug/L	10.0	3.0	10		05/01/25 08:24	100-41-4	
Methyl-tert-butyl ether	**4.4J**	ug/L	10.0	4.2	10		05/01/25 08:24	1634-04-4	
Naphthalene	**199**	ug/L	10.0	6.4	10		05/01/25 08:24	91-20-3	
Toluene	**63.0**	ug/L	10.0	4.8	10		05/01/25 08:24	108-88-3	
Xylene (Total)	**1380**	ug/L	10.0	3.4	10		05/01/25 08:24	1330-20-7	
m&p-Xylene	**1360**	ug/L	20.0	7.1	10		05/01/25 08:24	179601-23-1	
o-Xylene	**15.7**	ug/L	10.0	3.4	10		05/01/25 08:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		10		05/01/25 08:24	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130		10		05/01/25 08:24	17060-07-0	
Toluene-d8 (S)	104	%	70-130		10		05/01/25 08:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-23 **Lab ID: 92792950043** Collected: 04/23/25 15:40 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1260**	ug/L	50.0	17.2	50		04/29/25 06:38	71-43-2	M1
Ethylbenzene	**3320**	ug/L	50.0	15.2	50		04/29/25 06:38	100-41-4	M1
Methyl-tert-butyl ether	ND	ug/L	50.0	21.1	50		04/29/25 06:38	1634-04-4	M1
Naphthalene	**627**	ug/L	50.0	32.2	50		04/29/25 06:38	91-20-3	M1
Toluene	**6240**	ug/L	50.0	24.2	50		04/29/25 06:38	108-88-3	M1
Xylene (Total)	**15200**	ug/L	50.0	16.9	50		04/29/25 06:38	1330-20-7	MS
m&p-Xylene	**11500**	ug/L	100	35.4	50		04/29/25 06:38	179601-23-1	M1
o-Xylene	**3640**	ug/L	50.0	16.9	50		04/29/25 06:38	95-47-6	M1
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		50		04/29/25 06:38	460-00-4	HS
1,2-Dichloroethane-d4 (S)	90	%	70-130		50		04/29/25 06:38	17060-07-0	
Toluene-d8 (S)	101	%	70-130		50		04/29/25 06:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-24 **Lab ID: 92792950044** Collected: 04/23/25 15:25 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		05/01/25 05:22	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		05/01/25 05:22	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		05/01/25 05:22	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		05/01/25 05:22	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		05/01/25 05:22	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		05/01/25 05:22	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		05/01/25 05:22	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		05/01/25 05:22	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		05/01/25 05:22	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		1		05/01/25 05:22	17060-07-0	
Toluene-d8 (S)	104	%	70-130		1		05/01/25 05:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-24I **Lab ID: 92792950045** Collected: 04/23/25 15:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 04:55	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 04:55	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 04:55	1634-04-4	
Naphthalene	**0.75J**	ug/L	1.0	0.64	1		04/30/25 04:55	91-20-3	C8
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 04:55	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 04:55	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 04:55	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 04:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/30/25 04:55	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	70-130		1		04/30/25 04:55	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/30/25 04:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-24D **Lab ID: 92792950046** Collected: 04/23/25 14:40 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 05:13	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 05:13	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 05:13	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 05:13	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		04/30/25 05:13	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		04/30/25 05:13	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		04/30/25 05:13	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 05:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 05:13	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		04/30/25 05:13	17060-07-0	
Toluene-d8 (S)	106	%	70-130		1		04/30/25 05:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-25 **Lab ID: 92792950047** Collected: 04/24/25 08:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 08:18	71-43-2	
Ethylbenzene	**13.2**	ug/L	1.0	0.30	1		04/30/25 08:18	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 08:18	1634-04-4	
Naphthalene	**24.3**	ug/L	1.0	0.64	1		04/30/25 08:18	91-20-3	
Toluene	**6.0**	ug/L	1.0	0.48	1		04/30/25 08:18	108-88-3	
Xylene (Total)	**71.6**	ug/L	1.0	0.34	1		04/30/25 08:18	1330-20-7	
m&p-Xylene	**51.2**	ug/L	2.0	0.71	1		04/30/25 08:18	179601-23-1	
o-Xylene	**20.4**	ug/L	1.0	0.34	1		04/30/25 08:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/30/25 08:18	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	70-130		1		04/30/25 08:18	17060-07-0	
Toluene-d8 (S)	105	%	70-130		1		04/30/25 08:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-26 **Lab ID: 92792950048** Collected: 04/24/25 08:20 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 05:32	71-43-2	
Ethylbenzene	**0.87J**	ug/L	1.0	0.30	1		04/30/25 05:32	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 05:32	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 05:32	91-20-3	
Toluene	**2.7**	ug/L	1.0	0.48	1		04/30/25 05:32	108-88-3	
Xylene (Total)	**4.9**	ug/L	1.0	0.34	1		04/30/25 05:32	1330-20-7	
m&p-Xylene	**3.5**	ug/L	2.0	0.71	1		04/30/25 05:32	179601-23-1	
o-Xylene	**1.4**	ug/L	1.0	0.34	1		04/30/25 05:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/30/25 05:32	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/30/25 05:32	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/30/25 05:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-27 **Lab ID: 92792950049** Collected: 04/24/25 08:40 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 05:50	71-43-2	
Ethylbenzene	**0.44J**	ug/L	1.0	0.30	1		04/30/25 05:50	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 05:50	1634-04-4	
Naphthalene	**1.0**	ug/L	1.0	0.64	1		04/30/25 05:50	91-20-3	
Toluene	**1.1**	ug/L	1.0	0.48	1		04/30/25 05:50	108-88-3	
Xylene (Total)	**2.9**	ug/L	1.0	0.34	1		04/30/25 05:50	1330-20-7	
m&p-Xylene	**2.1**	ug/L	2.0	0.71	1		04/30/25 05:50	179601-23-1	
o-Xylene	**0.85J**	ug/L	1.0	0.34	1		04/30/25 05:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 05:50	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	70-130		1		04/30/25 05:50	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/30/25 05:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-28 **Lab ID: 92792950050** Collected: 04/24/25 09:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 06:09	71-43-2	
Ethylbenzene	ND	ug/L	1.0	0.30	1		04/30/25 06:09	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 06:09	1634-04-4	
Naphthalene	**0.66J**	ug/L	1.0	0.64	1		04/30/25 06:09	91-20-3	
Toluene	**0.87J**	ug/L	1.0	0.48	1		04/30/25 06:09	108-88-3	
Xylene (Total)	**1.7**	ug/L	1.0	0.34	1		04/30/25 06:09	1330-20-7	
m&p-Xylene	**1.2J**	ug/L	2.0	0.71	1		04/30/25 06:09	179601-23-1	
o-Xylene	**0.50J**	ug/L	1.0	0.34	1		04/30/25 06:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 06:09	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		04/30/25 06:09	17060-07-0	
Toluene-d8 (S)	111	%	70-130		1		04/30/25 06:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-29 **Lab ID: 92792950051** Collected: 04/24/25 10:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	ND	ug/L	1.0	0.34	1		04/30/25 06:27	71-43-2	
Ethylbenzene	**0.31J**	ug/L	1.0	0.30	1		04/30/25 06:27	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 06:27	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		04/30/25 06:27	91-20-3	
Toluene	**0.64J**	ug/L	1.0	0.48	1		04/30/25 06:27	108-88-3	
Xylene (Total)	**0.92J**	ug/L	1.0	0.34	1		04/30/25 06:27	1330-20-7	
m&p-Xylene	**0.92J**	ug/L	2.0	0.71	1		04/30/25 06:27	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		04/30/25 06:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/30/25 06:27	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	70-130		1		04/30/25 06:27	17060-07-0	
Toluene-d8 (S)	109	%	70-130		1		04/30/25 06:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-30 **Lab ID: 92792950052** Collected: 04/24/25 10:20 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1010**	ug/L	400	138	400		04/30/25 18:14	71-43-2	
Ethylbenzene	**5200**	ug/L	400	122	400		04/30/25 18:14	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	400	169	400		04/30/25 18:14	1634-04-4	
Naphthalene	**652**	ug/L	400	258	400		04/30/25 18:14	91-20-3	
Toluene	**43600**	ug/L	400	194	400		04/30/25 18:14	108-88-3	
Xylene (Total)	**32500**	ug/L	400	135	400		04/30/25 18:14	1330-20-7	
m&p-Xylene	**21600**	ug/L	800	284	400		04/30/25 18:14	179601-23-1	
o-Xylene	**10900**	ug/L	400	135	400		04/30/25 18:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		400		04/30/25 18:14	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		400		04/30/25 18:14	17060-07-0	
Toluene-d8 (S)	101	%	70-130		400		04/30/25 18:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-31 **Lab ID: 92792950053** Collected: 04/24/25 10:35 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1110**	ug/L	250	86.2	250		04/30/25 16:52	71-43-2	
Ethylbenzene	**3010**	ug/L	250	76.0	250		04/30/25 16:52	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	250	106	250		04/30/25 16:52	1634-04-4	
Naphthalene	**478**	ug/L	250	161	250		04/30/25 16:52	91-20-3	
Toluene	**26500**	ug/L	250	121	250		04/30/25 16:52	108-88-3	
Xylene (Total)	**17900**	ug/L	250	84.5	250		04/30/25 16:52	1330-20-7	
m&p-Xylene	**12100**	ug/L	500	177	250		04/30/25 16:52	179601-23-1	
o-Xylene	**5740**	ug/L	250	84.5	250		04/30/25 16:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		250		04/30/25 16:52	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		250		04/30/25 16:52	17060-07-0	
Toluene-d8 (S)	102	%	70-130		250		04/30/25 16:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-32 **Lab ID: 92792950054** Collected: 04/24/25 10:45 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1210**	ug/L	10.0	3.4	10		05/01/25 08:43	71-43-2	
Ethylbenzene	**332**	ug/L	10.0	3.0	10		05/01/25 08:43	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	10.0	4.2	10		05/01/25 08:43	1634-04-4	
Naphthalene	**130**	ug/L	10.0	6.4	10		05/01/25 08:43	91-20-3	
Toluene	**95.1**	ug/L	10.0	4.8	10		05/01/25 08:43	108-88-3	
Xylene (Total)	**287**	ug/L	10.0	3.4	10		05/01/25 08:43	1330-20-7	
m&p-Xylene	**265**	ug/L	20.0	7.1	10		05/01/25 08:43	179601-23-1	
o-Xylene	**22.3**	ug/L	10.0	3.4	10		05/01/25 08:43	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		10		05/01/25 08:43	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		10		05/01/25 08:43	17060-07-0	
Toluene-d8 (S)	101	%	70-130		10		05/01/25 08:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-33 **Lab ID: 92792950055** Collected: 04/24/25 11:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**3.6**	ug/L	1.0	0.34	1		04/30/25 07:04	71-43-2	
Ethylbenzene	**12.2**	ug/L	1.0	0.30	1		04/30/25 07:04	100-41-4	
Methyl-tert-butyl ether	**0.59J**	ug/L	1.0	0.42	1		04/30/25 07:04	1634-04-4	
Naphthalene	**16.8**	ug/L	1.0	0.64	1		04/30/25 07:04	91-20-3	
Toluene	**66.7**	ug/L	1.0	0.48	1		04/30/25 07:04	108-88-3	
Xylene (Total)	**73.1**	ug/L	1.0	0.34	1		04/30/25 07:04	1330-20-7	
m&p-Xylene	**48.0**	ug/L	2.0	0.71	1		04/30/25 07:04	179601-23-1	
o-Xylene	**25.1**	ug/L	1.0	0.34	1		04/30/25 07:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/30/25 07:04	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-130		1		04/30/25 07:04	17060-07-0	
Toluene-d8 (S)	110	%	70-130		1		04/30/25 07:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-34 **Lab ID: 92792950056** Collected: 04/24/25 11:15 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**65.7**	ug/L	1.0	0.34	1		04/30/25 08:37	71-43-2	
Ethylbenzene	**12.2**	ug/L	1.0	0.30	1		04/30/25 08:37	100-41-4	
Methyl-tert-butyl ether	**0.70J**	ug/L	1.0	0.42	1		04/30/25 08:37	1634-04-4	
Naphthalene	**8.1**	ug/L	1.0	0.64	1		04/30/25 08:37	91-20-3	
Toluene	**33.9**	ug/L	1.0	0.48	1		04/30/25 08:37	108-88-3	
Xylene (Total)	**66.9**	ug/L	1.0	0.34	1		04/30/25 08:37	1330-20-7	
m&p-Xylene	**52.0**	ug/L	2.0	0.71	1		04/30/25 08:37	179601-23-1	
o-Xylene	**14.9**	ug/L	1.0	0.34	1		04/30/25 08:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/30/25 08:37	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		1		04/30/25 08:37	17060-07-0	
Toluene-d8 (S)	102	%	70-130		1		04/30/25 08:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-35 **Lab ID: 92792950057** Collected: 04/24/25 11:30 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**1550**	ug/L	12.5	4.3	12.5		05/01/25 09:01	71-43-2	
Ethylbenzene	**61.8**	ug/L	12.5	3.8	12.5		05/01/25 09:01	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	12.5	5.3	12.5		05/01/25 09:01	1634-04-4	
Naphthalene	**135**	ug/L	12.5	8.1	12.5		05/01/25 09:01	91-20-3	
Toluene	**96.3**	ug/L	12.5	6.1	12.5		05/01/25 09:01	108-88-3	
Xylene (Total)	**2000**	ug/L	12.5	4.2	12.5		05/01/25 09:01	1330-20-7	
m&p-Xylene	**1970**	ug/L	25.0	8.9	12.5		05/01/25 09:01	179601-23-1	
o-Xylene	**27.6**	ug/L	12.5	4.2	12.5		05/01/25 09:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		12.5		05/01/25 09:01	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130		12.5		05/01/25 09:01	17060-07-0	
Toluene-d8 (S)	103	%	70-130		12.5		05/01/25 09:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-36 **Lab ID: 92792950058** Collected: 04/24/25 11:45 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**113**	ug/L	1.0	0.34	1		04/30/25 07:41	71-43-2	
Ethylbenzene	**4.8**	ug/L	1.0	0.30	1		04/30/25 07:41	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		04/30/25 07:41	1634-04-4	
Naphthalene	**44.7**	ug/L	1.0	0.64	1		04/30/25 07:41	91-20-3	
Toluene	**24.9**	ug/L	1.0	0.48	1		04/30/25 07:41	108-88-3	
Xylene (Total)	**321**	ug/L	1.0	0.34	1		04/30/25 07:41	1330-20-7	
m&p-Xylene	**312**	ug/L	2.0	0.71	1		04/30/25 07:41	179601-23-1	
o-Xylene	**8.7**	ug/L	1.0	0.34	1		04/30/25 07:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/30/25 07:41	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		1		04/30/25 07:41	17060-07-0	
Toluene-d8 (S)	107	%	70-130		1		04/30/25 07:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Sample: TW-37 **Lab ID: 92792950059** Collected: 04/24/25 12:00 Received: 04/25/25 09:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Benzene	**2.4**	ug/L	1.0	0.34	1		05/01/25 05:59	71-43-2	
Ethylbenzene	**2.8**	ug/L	1.0	0.30	1		05/01/25 05:59	100-41-4	
Methyl-tert-butyl ether	**2.3**	ug/L	1.0	0.42	1		05/01/25 05:59	1634-04-4	
Naphthalene	**2.7**	ug/L	1.0	0.64	1		05/01/25 05:59	91-20-3	
Toluene	**16.8**	ug/L	1.0	0.48	1		05/01/25 05:59	108-88-3	
Xylene (Total)	**18.2**	ug/L	1.0	0.34	1		05/01/25 05:59	1330-20-7	
m&p-Xylene	**12.6**	ug/L	2.0	0.71	1		05/01/25 05:59	179601-23-1	
o-Xylene	**5.6**	ug/L	1.0	0.34	1		05/01/25 05:59	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		05/01/25 05:59	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		1		05/01/25 05:59	17060-07-0	
Toluene-d8 (S)	103	%	70-130		1		05/01/25 05:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932020
QC Batch Method: EPA 8260D
Analysis Method: EPA 8260D
Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950034, 92792950035, 92792950036, 92792950037, 92792950038, 92792950045, 92792950046, 92792950047, 92792950048, 92792950049, 92792950050, 92792950051, 92792950055, 92792950056, 92792950058

METHOD BLANK: 4788410 Matrix: Water
Associated Lab Samples: 92792950034, 92792950035, 92792950036, 92792950037, 92792950038, 92792950045, 92792950046, 92792950047, 92792950048, 92792950049, 92792950050, 92792950051, 92792950055, 92792950056, 92792950058

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	04/29/25 22:47	
Ethylbenzene	ug/L	ND	1.0	0.30	04/29/25 22:47	
m&p-Xylene	ug/L	ND	2.0	0.71	04/29/25 22:47	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	04/29/25 22:47	
Naphthalene	ug/L	ND	1.0	0.64	04/29/25 22:47	
o-Xylene	ug/L	ND	1.0	0.34	04/29/25 22:47	
Toluene	ug/L	ND	1.0	0.48	04/29/25 22:47	
Xylene (Total)	ug/L	ND	1.0	0.34	04/29/25 22:47	
1,2-Dichloroethane-d4 (S)	%	107	70-130		04/29/25 22:47	
4-Bromofluorobenzene (S)	%	102	70-130		04/29/25 22:47	
Toluene-d8 (S)	%	110	70-130		04/29/25 22:47	

LABORATORY CONTROL SAMPLE: 4788411

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.7	103	70-130	
Ethylbenzene	ug/L	20	18.5	93	70-130	
m&p-Xylene	ug/L	40	38.1	95	70-130	
Methyl-tert-butyl ether	ug/L	20	19.2	96	70-130	
Naphthalene	ug/L	20	19.9	99	70-130	
o-Xylene	ug/L	20	19.8	99	70-130	
Toluene	ug/L	20	19.4	97	70-130	
Xylene (Total)	ug/L	60	57.9	97	70-130	
1,2-Dichloroethane-d4 (S)	%			104	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE SAMPLE: 4788413

Parameter	Units	92792950055 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	3.6	20	23.5	100	70-151	
Ethylbenzene	ug/L	12.2	20	30.2	90	66-153	
m&p-Xylene	ug/L	48.0	40	89.3	103	69-152	
Methyl-tert-butyl ether	ug/L	0.59J	20	18.9	92	54-156	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE SAMPLE: 4788413

Parameter	Units	92792950055 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Naphthalene	ug/L	16.8	20	31.5	74	61-148	
o-Xylene	ug/L	25.1	20	45.9	104	70-148	
Toluene	ug/L	66.7	20	85.4	93	59-148	
Xylene (Total)	ug/L	73.1	60	135	103	63-158	
1,2-Dichloroethane-d4 (S)	%				103	70-130	
4-Bromofluorobenzene (S)	%				101	70-130	
Toluene-d8 (S)	%				100	70-130	

SAMPLE DUPLICATE: 4788412

Parameter	Units	92792950049 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/L	ND	ND		30	
Ethylbenzene	ug/L	0.44J	0.46J		30	
m&p-Xylene	ug/L	2.1	2.0	4	30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Naphthalene	ug/L	1.0	0.90J		30	
o-Xylene	ug/L	0.85J	0.80J		30	
Toluene	ug/L	1.1	1.2	5	30	
Xylene (Total)	ug/L	2.9	2.0	38	30	
1,2-Dichloroethane-d4 (S)	%	103	107			
4-Bromofluorobenzene (S)	%	101	102			
Toluene-d8 (S)	%	109	108			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932021
QC Batch Method: EPA 8260D
Analysis Method: EPA 8260D
Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950020, 92792950041, 92792950043

METHOD BLANK: 4788415 Matrix: Water
Associated Lab Samples: 92792950020, 92792950041, 92792950043

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	04/28/25 22:06	
Ethylbenzene	ug/L	ND	1.0	0.30	04/28/25 22:06	
m&p-Xylene	ug/L	ND	2.0	0.71	04/28/25 22:06	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	04/28/25 22:06	
Naphthalene	ug/L	ND	1.0	0.64	04/28/25 22:06	
o-Xylene	ug/L	ND	1.0	0.34	04/28/25 22:06	
Toluene	ug/L	ND	1.0	0.48	04/28/25 22:06	
Xylene (Total)	ug/L	ND	1.0	0.34	04/28/25 22:06	
1,2-Dichloroethane-d4 (S)	%	96	70-130		04/28/25 22:06	
4-Bromofluorobenzene (S)	%	98	70-130		04/28/25 22:06	
Toluene-d8 (S)	%	103	70-130		04/28/25 22:06	

LABORATORY CONTROL SAMPLE: 4788416

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	22.1	110	70-130	
Ethylbenzene	ug/L	20	20.8	104	70-130	
m&p-Xylene	ug/L	40	42.6	106	70-130	
Methyl-tert-butyl ether	ug/L	20	19.2	96	70-130	
Naphthalene	ug/L	20	20.0	100	70-130	
o-Xylene	ug/L	20	21.6	108	70-130	
Toluene	ug/L	20	20.7	104	70-130	
Xylene (Total)	ug/L	60	64.2	107	70-130	
1,2-Dichloroethane-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4789156 4789157

Parameter	Units	92792950043 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	ug/L	1260	20	20	1330	1340	361	400	70-151	1	30	M1
Ethylbenzene	ug/L	3320	20	20	3630	3600	1550	1400	66-153	1	30	M1
m&p-Xylene	ug/L	11500	40	40	12600	12500	2740	2360	69-152	1	30	M1
Methyl-tert-butyl ether	ug/L	ND	20	20	44.4J	44.7J	222	224	54-156		30	M1
Naphthalene	ug/L	627	20	20	981	931	1770	1520	61-148	5	30	M1
o-Xylene	ug/L	3640	20	20	4120	4080	2390	2180	70-148	1	30	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4789156 4789157

Parameter	Units	92792950043 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Toluene	ug/L	6240	20	20	6660	6690	2090	2210	59-148	0	30	M1
Xylene (Total)	ug/L	15200	60	60	16700	16500	2630	2300	63-158	1	30	MS
1,2-Dichloroethane-d4 (S)	%						94	93	70-130			
4-Bromofluorobenzene (S)	%						99	98	70-130			
Toluene-d8 (S)	%						101	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932023
QC Batch Method: EPA 8260D
Analysis Method: EPA 8260D
Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950001, 92792950002, 92792950003, 92792950004, 92792950005, 92792950006, 92792950007, 92792950008, 92792950009, 92792950010, 92792950011, 92792950012, 92792950013, 92792950014, 92792950015, 92792950016, 92792950017, 92792950018, 92792950019, 92792950022

METHOD BLANK: 4788426 Matrix: Water
Associated Lab Samples: 92792950001, 92792950002, 92792950003, 92792950004, 92792950005, 92792950006, 92792950007, 92792950008, 92792950009, 92792950010, 92792950011, 92792950012, 92792950013, 92792950014, 92792950015, 92792950016, 92792950017, 92792950018, 92792950019, 92792950022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	04/28/25 21:30	
Ethylbenzene	ug/L	ND	1.0	0.30	04/28/25 21:30	
m&p-Xylene	ug/L	ND	2.0	0.71	04/28/25 21:30	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	04/28/25 21:30	
Naphthalene	ug/L	ND	1.0	0.64	04/28/25 21:30	
o-Xylene	ug/L	ND	1.0	0.34	04/28/25 21:30	
Toluene	ug/L	ND	1.0	0.48	04/28/25 21:30	
Xylene (Total)	ug/L	ND	1.0	0.34	04/28/25 21:30	
1,2-Dichloroethane-d4 (S)	%	106	70-130		04/28/25 21:30	
4-Bromofluorobenzene (S)	%	101	70-130		04/28/25 21:30	
Toluene-d8 (S)	%	110	70-130		04/28/25 21:30	

LABORATORY CONTROL SAMPLE: 4788427

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.2	101	70-130	
Ethylbenzene	ug/L	20	18.6	93	70-130	
m&p-Xylene	ug/L	40	38.3	96	70-130	
Methyl-tert-butyl ether	ug/L	20	18.7	93	70-130	
Naphthalene	ug/L	20	19.1	96	70-130	
o-Xylene	ug/L	20	20.1	100	70-130	
Toluene	ug/L	20	19.1	96	70-130	
Xylene (Total)	ug/L	60	58.4	97	70-130	
1,2-Dichloroethane-d4 (S)	%			103	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4788428 4788429

Parameter	Units	92792950008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	ug/L	11.9	20	20	35.6	37.3	119	127	70-151	5	30	
Ethylbenzene	ug/L	ND	20	20	20.7	21.1	104	105	66-153	2	30	
m&p-Xylene	ug/L	ND	40	40	42.4	43.5	106	109	69-152	3	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4788428 4788429

Parameter	Units	92792950008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methyl-tert-butyl ether	ug/L	1.3	20	20	23.4	25.0	110	118	54-156	7	30	
Naphthalene	ug/L	ND	20	20	22.2	22.0	111	110	61-148	1	30	
o-Xylene	ug/L	ND	20	20	22.0	22.6	110	113	70-148	3	30	
Toluene	ug/L	ND	20	20	21.4	22.3	107	111	59-148	4	30	
Xylene (Total)	ug/L	ND	60	60	64.4	66.1	107	110	63-158	3	30	
1,2-Dichloroethane-d4 (S)	%						106	102	70-130			
4-Bromofluorobenzene (S)	%						104	102	70-130			
Toluene-d8 (S)	%						100	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932024
QC Batch Method: EPA 8260D
Analysis Method: EPA 8260D
Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950023, 92792950024, 92792950025, 92792950026, 92792950027, 92792950028, 92792950029, 92792950030, 92792950031, 92792950032, 92792950033

METHOD BLANK: 4788430 Matrix: Water
Associated Lab Samples: 92792950023, 92792950024, 92792950025, 92792950026, 92792950027, 92792950028, 92792950029, 92792950030, 92792950031, 92792950032, 92792950033

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	04/28/25 21:48	
Ethylbenzene	ug/L	ND	1.0	0.30	04/28/25 21:48	
m&p-Xylene	ug/L	ND	2.0	0.71	04/28/25 21:48	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	04/28/25 21:48	
Naphthalene	ug/L	ND	1.0	0.64	04/28/25 21:48	
o-Xylene	ug/L	ND	1.0	0.34	04/28/25 21:48	
Toluene	ug/L	ND	1.0	0.48	04/28/25 21:48	
Xylene (Total)	ug/L	ND	1.0	0.34	04/28/25 21:48	
1,2-Dichloroethane-d4 (S)	%	104	70-130		04/28/25 21:48	
4-Bromofluorobenzene (S)	%	102	70-130		04/28/25 21:48	
Toluene-d8 (S)	%	110	70-130		04/28/25 21:48	

LABORATORY CONTROL SAMPLE: 4788431

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	19.7	99	70-130	
Ethylbenzene	ug/L	20	18.3	92	70-130	
m&p-Xylene	ug/L	40	37.4	93	70-130	
Methyl-tert-butyl ether	ug/L	20	18.9	94	70-130	
Naphthalene	ug/L	20	19.1	96	70-130	
o-Xylene	ug/L	20	19.3	97	70-130	
Toluene	ug/L	20	18.9	94	70-130	
Xylene (Total)	ug/L	60	56.7	94	70-130	
1,2-Dichloroethane-d4 (S)	%			103	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4788432 4788433

Parameter	Units	92792950027 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	ug/L	ND	20	20	23.2	23.1	116	115	70-151	0	30	
Ethylbenzene	ug/L	0.46J	20	20	21.1	21.3	103	104	66-153	1	30	
m&p-Xylene	ug/L	1.5J	40	40	43.6	44.7	105	108	69-152	2	30	
Methyl-tert-butyl ether	ug/L	0.48J	20	20	22.3	22.4	109	110	54-156	1	30	
Naphthalene	ug/L	ND	20	20	22.4	24.1	112	121	61-148	7	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4788432 4788433

Parameter	Units	92792950027 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
o-Xylene	ug/L	0.71J	20	20	22.2	22.7	108	110	70-148	2	30	
Toluene	ug/L	2.4	20	20	23.2	23.5	104	106	59-148	1	30	
Xylene (Total)	ug/L	2.2	60	60	65.8	67.3	106	109	63-158	2	30	
1,2-Dichloroethane-d4 (S)	%						105	103	70-130			
4-Bromofluorobenzene (S)	%						103	102	70-130			
Toluene-d8 (S)	%						102	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932244 | Analysis Method: EPA 8260D
QC Batch Method: EPA 8260D | Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950021, 92792950039, 92792950040, 92792950052, 92792950053

METHOD BLANK: 4789526 Matrix: Water
Associated Lab Samples: 92792950021, 92792950039, 92792950040, 92792950052, 92792950053

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	04/30/25 10:08	
Ethylbenzene	ug/L	ND	1.0	0.30	04/30/25 10:08	
m&p-Xylene	ug/L	ND	2.0	0.71	04/30/25 10:08	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	04/30/25 10:08	
Naphthalene	ug/L	ND	1.0	0.64	04/30/25 10:08	
o-Xylene	ug/L	ND	1.0	0.34	04/30/25 10:08	
Toluene	ug/L	ND	1.0	0.48	04/30/25 10:08	
Xylene (Total)	ug/L	ND	1.0	0.34	04/30/25 10:08	
1,2-Dichloroethane-d4 (S)	%	101	70-130		04/30/25 10:08	
4-Bromofluorobenzene (S)	%	98	70-130		04/30/25 10:08	
Toluene-d8 (S)	%	101	70-130		04/30/25 10:08	

LABORATORY CONTROL SAMPLE: 4789527

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	21.2	106	70-130	
Ethylbenzene	ug/L	20	20.3	101	70-130	
m&p-Xylene	ug/L	40	40.6	102	70-130	
Methyl-tert-butyl ether	ug/L	20	18.9	95	70-130	
Naphthalene	ug/L	20	21.7	108	70-130	
o-Xylene	ug/L	20	21.1	105	70-130	
Toluene	ug/L	20	19.7	98	70-130	
Xylene (Total)	ug/L	60	61.7	103	70-130	
1,2-Dichloroethane-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE SAMPLE: 4789528

Parameter	Units	92793175003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	ND	20	23.1	116	70-151	
Ethylbenzene	ug/L	ND	20	22.2	111	66-153	
m&p-Xylene	ug/L	ND	40	45.6	114	69-152	
Methyl-tert-butyl ether	ug/L	ND	20	20.6	103	54-156	
Naphthalene	ug/L	ND	20	21.6	108	61-148	
o-Xylene	ug/L	ND	20	23.9	119	70-148	
Toluene	ug/L	ND	20	21.5	107	59-148	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE SAMPLE: 4789528

Parameter	Units	92793175003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/L	ND	60	69.4	116	63-158	
1,2-Dichloroethane-d4 (S)	%				98	70-130	
4-Bromofluorobenzene (S)	%				98	70-130	
Toluene-d8 (S)	%				99	70-130	

SAMPLE DUPLICATE: 4789529

Parameter	Units	92793175004 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	100	99			
4-Bromofluorobenzene (S)	%	93	99			
Toluene-d8 (S)	%	104	102			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

QC Batch: 932505 | Analysis Method: EPA 8260D
QC Batch Method: EPA 8260D | Analysis Description: 8260 MSV Low Level SC
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92792950042, 92792950044, 92792950054, 92792950057, 92792950059

METHOD BLANK: 4790927 Matrix: Water
Associated Lab Samples: 92792950042, 92792950044, 92792950054, 92792950057, 92792950059

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	0.34	05/01/25 00:14	
Ethylbenzene	ug/L	ND	1.0	0.30	05/01/25 00:14	
m&p-Xylene	ug/L	ND	2.0	0.71	05/01/25 00:14	
Methyl-tert-butyl ether	ug/L	ND	1.0	0.42	05/01/25 00:14	
Naphthalene	ug/L	ND	1.0	0.64	05/01/25 00:14	
o-Xylene	ug/L	ND	1.0	0.34	05/01/25 00:14	
Toluene	ug/L	ND	1.0	0.48	05/01/25 00:14	
Xylene (Total)	ug/L	ND	1.0	0.34	05/01/25 00:14	
1,2-Dichloroethane-d4 (S)	%	99	70-130		05/01/25 00:14	
4-Bromofluorobenzene (S)	%	95	70-130		05/01/25 00:14	
Toluene-d8 (S)	%	103	70-130		05/01/25 00:14	

LABORATORY CONTROL SAMPLE: 4790928

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	22.3	111	70-130	
Ethylbenzene	ug/L	20	21.5	108	70-130	
m&p-Xylene	ug/L	40	43.7	109	70-130	
Methyl-tert-butyl ether	ug/L	20	20.1	100	70-130	
Naphthalene	ug/L	20	24.8	124	70-130	
o-Xylene	ug/L	20	22.9	114	70-130	
Toluene	ug/L	20	20.8	104	70-130	
Xylene (Total)	ug/L	60	66.6	111	70-130	
1,2-Dichloroethane-d4 (S)	%			103	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE SAMPLE: 4790929

Parameter	Units	92792950059 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	2.4	20	32.0	148	70-151	
Ethylbenzene	ug/L	2.8	20	31.2	142	66-153	
m&p-Xylene	ug/L	12.6	40	70.4	145	69-152	
Methyl-tert-butyl ether	ug/L	2.3	20	29.1	134	54-156	
Naphthalene	ug/L	2.7	20	29.0	132	61-148	
o-Xylene	ug/L	5.6	20	34.7	145	70-148	
Toluene	ug/L	16.8	20	43.9	136	59-148	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: One Stop Marina- Waters
Pace Project No.: 92792950

MATRIX SPIKE SAMPLE: 4790929

Parameter	Units	92792950059 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Xylene (Total)	ug/L	18.2	60	105	145	63-158	
1,2-Dichloroethane-d4 (S)	%				104	70-130	
4-Bromofluorobenzene (S)	%				102	70-130	
Toluene-d8 (S)	%				100	70-130	

SAMPLE DUPLICATE: 4790930

Parameter	Units	92793101022 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%	99	99			
4-Bromofluorobenzene (S)	%	97	95			
Toluene-d8 (S)	%	102	103			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: One Stop Marina- Waters
Pace Project No.: 92792950

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

C8	Result may be biased high due to carryover from previously analyzed sample.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
HS	Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
MS	Analyte recovery in the matrix spike was outside QC limits for one or more of the constituent analytes used in the calculated result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92792950001	**TW-1**	EPA 8260D	932023		
92792950002	**TW-1I**	EPA 8260D	932023		
92792950003	**TW-1D**	EPA 8260D	932023		
92792950004	**TW-2**	EPA 8260D	932023		
92792950005	**TW-3**	EPA 8260D	932023		
92792950006	**TW-4**	EPA 8260D	932023		
92792950007	**TW-4I**	EPA 8260D	932023		
92792950008	**TW-4D**	EPA 8260D	932023		
92792950009	**TW-5**	EPA 8260D	932023		
92792950010	**TW-6**	EPA 8260D	932023		
92792950011	**TW-6I**	EPA 8260D	932023		
92792950012	**TW-6D**	EPA 8260D	932023		
92792950013	**TW-7**	EPA 8260D	932023		
92792950014	**TW-8**	EPA 8260D	932023		
92792950015	**TW-8I**	EPA 8260D	932023		
92792950016	**TW-8D**	EPA 8260D	932023		
92792950017	**TW-9**	EPA 8260D	932023		
92792950018	**TW-9I**	EPA 8260D	932023		
92792950019	**TW-9D**	EPA 8260D	932023		
92792950020	**TW-10**	EPA 8260D	932021		
92792950021	**TW-11**	EPA 8260D	932244		
92792950022	**TW-12**	EPA 8260D	932023		
92792950023	**TW-12I**	EPA 8260D	932024		
92792950024	**TW-12D**	EPA 8260D	932024		
92792950025	**TW-13**	EPA 8260D	932024		
92792950026	**TW-14**	EPA 8260D	932024		
92792950027	**TW-14I**	EPA 8260D	932024		
92792950028	**TW-14D**	EPA 8260D	932024		
92792950029	**TW-15**	EPA 8260D	932024		
92792950030	**TW-15I**	EPA 8260D	932024		
92792950031	**TW-15D**	EPA 8260D	932024		
92792950032	**TW-16**	EPA 8260D	932024		
92792950033	**TW-16I**	EPA 8260D	932024		
92792950034	**TW-16D**	EPA 8260D	932020		
92792950035	**TW-17**	EPA 8260D	932020		
92792950036	**TW-17I**	EPA 8260D	932020		
92792950037	**TW-17D**	EPA 8260D	932020		
92792950038	**TW-18**	EPA 8260D	932020		
92792950039	**TW-19**	EPA 8260D	932244		
92792950040	**TW-20**	EPA 8260D	932244		
92792950041	**TW-21**	EPA 8260D	932021		
92792950042	**TW-22**	EPA 8260D	932505		
92792950043	**TW-23**	EPA 8260D	932021		
92792950044	**TW-24**	EPA 8260D	932505		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: One Stop Marina- Waters
Pace Project No.: 92792950

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92792950045	**TW-24I**	EPA 8260D	932020		
92792950046	**TW-24D**	EPA 8260D	932020		
92792950047	**TW-25**	EPA 8260D	932020		
92792950048	**TW-26**	EPA 8260D	932020		
92792950049	**TW-27**	EPA 8260D	932020		
92792950050	**TW-28**	EPA 8260D	932020		
92792950051	**TW-29**	EPA 8260D	932020		
92792950052	**TW-30**	EPA 8260D	932244		
92792950053	**TW-31**	EPA 8260D	932244		
92792950054	**TW-32**	EPA 8260D	932505		
92792950055	**TW-33**	EPA 8260D	932020		
92792950056	**TW-34**	EPA 8260D	932020		
92792950057	**TW-35**	EPA 8260D	932505		
92792950058	**TW-36**	EPA 8260D	932020		
92792950059	**TW-37**	EPA 8260D	932505		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace ANALYTICAL SERVICES	DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt
	Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville [X] Eden [ ] Greenwood [ ] Huntersville [ ] Raleigh [ ] Mechanicsville [ ] Atlanta [ ] Kernersville [ ]

Sample Condition Upon Receipt

Client Name: EnviroSouth

Project #: **WO# : 92792950**

92792950

Courier: [ ] Commercial [X] Fed Ex [ ] UPS [ ] USPS [ ] Client [X] Pace [ ] Other:

Custody Seal Present? [ ] Yes [X] No Seals Intact? [ ] Yes [ ] No [X] N/A

Date/Initials Person Examining Contents: 4/25/25 AW

Packing Material: [ ] Bubble Wrap [X] Bubble Bags [ ] None [ ] Other

Biological Tissue Frozen? [ ] Yes [ ] No [X] N/A

Thermometer: [ ] IR Gun ID: 93T090

Type of Ice: [X] Wet [ ] Blue [ ] None

Cooler Temp: 2.2 Correction Factor: Add/Subtract (°C) +0.1

Temp should be above freezing to 6°C

[ ] Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 2.3

USDA Regulated Soil ([X] N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? [ ] Yes [ ] No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? [ ] Yes [ ] No

				Comments/Discrepancy:
Chain of Custody Present?	[X] Yes	[ ] No	[ ] N/A	1.
Samples Arrived within Hold Time?	[X] Yes	[ ] No	[ ] N/A	2.
Short Hold Time Analysis (<72 hr.)?	[ ] Yes	[ ] No	[X] N/A	3.
Rush Turn Around Time Requested?	[ ] Yes	[ ] No	[X] N/A	4.
Sufficient Volume?	[X] Yes	[ ] No	[ ] N/A	5.
Correct Containers Used?	[X] Yes	[ ] No	[ ] N/A	6.
-Pace Containers Used?	[X] Yes	[ ] No	[ ] N/A	
Containers Intact?	[X] Yes	[ ] No	[ ] N/A	7.
Dissolved analysis: Samples Field Filtered?	[ ] Yes	[ ] No	[X] N/A	8.
Sample Labels Match COC?	[X] Yes	[ ] No	[ ] N/A	9.
-Includes Date/Time/ID/Analysis Matrix: GW				
Headspace in VOA Vials (>5-6mm)?	[ ] Yes	[X] No	[ ] N/A	10. All DG9H for sample ID "TW-23" have headspace
Trip Blank Present?	[ ] Yes	[ ] No	[X] N/A	11.
Trip Blank Custody Seals Present?	[ ] Yes	[ ] No	[X] N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? [ ] Yes [ ] No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: Date/Time:

Project Manager SCURF Review: Date:

Project Manager SRF Review: Date:

Pace ANALYTICAL SERVICES

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # WO#: 92792950

PM: MWB Due Date: 05/06/25

CLIENT: 92-ENVIROSOU

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mec

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH												
1	\				\	\	\	\	\			\		\	\	\	3								\	\			
2	\				\	\	\	\	\			\		\	\	\	3								\	\			
3	\				\	\	\	\	\			\		\	\	\	3								\	\			
4	\				\	\	\	\	\			\		\	\	\	3								\	\			
5	\				\	\	\	\	\			\		\	\	\	3								\	\			
6	\				\	\	\	\	\			\		\	\	\	3								\	\			
7	\				\	\	\	\	\			\		\	\	\	3								\	\			
8	\				\	\	\	\	\			\		\	\	\	3								\	\			
9	\				\	\	\	\	\			\		\	\	\	3								\	\			
10	\				\	\	\	\	\			\		\	\	\	3								\	\			
11	\				\	\	\	\	\			\		\	\	\									\	\			
12	\				\	\	\	\	\			\		\	\	\									\	\			

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # 2 of 6

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH												
1																	3												
2																	3												
3																	3												
4																	3												
5																	3												
6																	3												
7																	3												
8																	3												
9																	3												
10																	3												
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace ANALYTICAL SERVICES

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project #

3 of 6

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH												
1																	3												
2																	3												
3																	3												
4																	3												
5																	2												
6																	3												
7																	3												
8																	3												
9																	3												
10																	3												
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace ANALYTICAL SERVICES

DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # 4 of C

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH												
1																	3												
2																	3												
3																	3												
4																	3												
5																	3												
6																	3												
7																	3												
8																	3												
9																	3												
10																	3												
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # 5 of 6

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH													
1																	3													
2																	3													
3																	3													
4																	3													
5																	3													
6																	3													
7																	3													
8																	3													
9																	3													
10																	3													
11																														
12																														

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg
**Bottom half of box is to list number of bottles
***Check all unpreserved Nitrates for chlorine

Project # 6 of 6

Laboratory Receiving Location: Asheville ☑ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐

Client Enviro South Profile/EZ (Circle one) 3253199 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)
CC																	CH												
1																	3												
2																	3												
3																	3												
4																	3												
5																	3												
6																	3												
7																	3												
8																	3												
9																	3												
10																	3												
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested: 8260 BTEXMN

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253199**

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Sample Comment	Preservation non-conformance identified for sample.
TW-1	GW	G	4/21	1125			3			X	
TW-1I				1100			1			1	
TW-1D				1030							
TW-2				1200							
TW-3				1215							
TW-4				1320							
TW-4I				1305							
TW-4D				1245							
TW-5				1400							
TW-6				1525							

Additional Instructions from Pace®:

Collected By: (Printed Name) W. Brian Thomas

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	937090	+0.1	2.2	2.3	Y

	Date/Time:		Date/Time:	
Relinquished by/Company: (Signature)	4/25/25 0915	Received by/Company: (Signature) Pace	4/25/25 0915	Tracking Number:
Relinquished by/Company: (Signature)	4/25/25 13:20	Received by/Company: (Signature) Pace	4/25/25 13:20	Delivered by: [ ] In- Person [X] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 6

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested: 8260 BTEXMN

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253199**

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Sample Comment
TW-6I	GW	G	4/21	1510			3			
TW-6D				1440						
TW-7				1100						
TW-8				1550						
TW-8I				1615						
TW-8D				1635						
TW-9			4/22	1000						
TW-9I				900						
TW-9D				800						
TW-10				1030						

Additional Instructions from Pace®:

Collected By:
(Printed Name)
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	93T090	+0.1	2.2	2.3	Y

	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Relinquished by/Company: (Signature)	4/25/25 0915	Pace	4/25/25 0915	
Relinquished by/Company: (Signature)	4/25/25 13:20	Pace	4/25/25 13:20	Delivered by: [ ] In- Person [X] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): South Carolina

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	8260 BTEXMN
TW-11	GW	G	4/22	1100			3			X
TW-12				1220						
TW-12I				1200						
TW-12D				1130						
TW-13				1300			2			
TW-14				1450			3			
TW-14I				1430						
TW-14D				1400						
TW-15			4/23	950						
TW-15I			4/23	930			1			

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**

AcctNum / Client ID:

Table #:

Profile / Template: **4494**

Prelog / Bottle Ord. ID: **EZ 3253199**

Sample Comment

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:

Collected By: (Printed Name) William Lyon

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	93709O	+0.1	2.2	2.3	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	4/25/25 0915		4/25/25 0915
	4/25/25 13:20	Megan Washington PWL	4/25/25 13:20

Tracking Number:

Delivered by: [ ] In- Person [X] Courier [ ] FedEX [ ] UPS [ ] Other

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: UST

Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested: 8260 BTEXMN

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only:
Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253199**

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Sample Comment
TW-15D	GW	G	4/23	900			3			
TW-16				1200						
TW-16I				1135						
TW-16D				1100						
TW-17				1400						
TW-17I				1335						
TW-17D				1300						
TW-18				1315						
TW-19				1340						
TW-20				1400						

Additional Instructions from Pace®:

Collected By: (Printed Name) William Lyons [Trevor Hudson]

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

#Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	93690	+0.1	2.2	2.3	Y

	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	4/25/25 0915		4/25/25 0915
Relinquished by/Company: (Signature)	4/25/25 13:20	Allison Workman Pace PAL	4/25/25 13:20
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	

Tracking Number:

Delivered by: [ ] In- Person [X] Courier
[ ] FedEx [ ] UPS [ ] Other

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: VSC

Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested: 8260 BTEXMN

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253199**

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Sample Comment
TW-21	GW	G	4/23	1500			3			
TW-22	"		"	1520			"			
TW-23	"		"	1540			"			
TW-24	"		"	1525			"			
TW-24I	"		"	~~1430~~	1500		"			
TW-24D	"		"	~~1415~~	1440		"			
TW-25	"		4/24	800			"			
TW-26	"		"	820			"			
TW-27	"		"	840			"			

Additional Instructions from Pace®:

Collected By: (Printed Name) W. Williamson / Tristan Hudson

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	93T090	+0.1	2.2	2.3	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
	4/25/25 0915		4/25/25 0915	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In- Person [X] Courier
	4/25/25 13:20	Anson Washington Pace GRL	4/25/25 13:20	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 5 of 6

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Charlotte
9800 Kincey Ave. Suite 100, Huntersville, NC 28078

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Envirosouth	Contact/Report To:	Tom Donn
Street Address:	3440 Augusta Rd. Greenville, SC 29605	Phone #:	(864)236-9010
		E-Mail:	tdonn@envirosouth.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	One Stop Marina- Waters	Invoice To:	Teresa Donn
		Invoice E-Mail:	teresad@envirosouth.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): South Carolina

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 6

Identify Container Preservative Type***: 4

Analysis Requested: 8260 BTEXMN

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Matthew Brainard**
AcctNum / Client ID:
Table #:
Profile / Template: **4494**
Prelog / Bottle Ord. ID: **EZ 3253199**

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	8260 BTEXMN	Sample Comment
TW-28	GW	G	4/24	900			3			X	
TW-29	"	"	"	1000			1			"	
TW-30				1020							
TW-31				1035							
TW-32				1045							
TW-33				1100							
TW-34				1115							
TW-35				1130							
TW-36				1145							
TW-37				1200							

Additional Instructions from Pace®:

Collected By: (Printed Name) William Hogg

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	937090	+0.1	2.2	2.3	Y

Relinquished by/Company: (Signature)	Date/Time: 4/25/25 0915	Received by/Company: (Signature)	Date/Time: 0915 / 4/25/25	Tracking Number:
Relinquished by/Company: (Signature)	Date/Time: 4/25/25 13:20	Received by/Company: (Signature) Pace ANL	Date/Time: 4/25/25 13:20	Delivered by: [ ] In- Person [X] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 6 of 6

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

July 07, 2025

Tom Donn
EnviroSouth, Inc.
3440 Augusta Rd.
Greenville, SC 29605

RE: Project: One Stop Marina
Pace Project No.: 92803277

Dear Tom Donn:

Enclosed are the analytical results for sample(s) received by the laboratory on June 19, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet
- Pace Analytical Services - Charlotte

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Matthew Brainard
matthew.brainard@pacelabs.com
704-977-0942
Project Manager

Enclosures

cc: Beth Dalke, EnviroSouth
Trevor Hudson, Envirosouth
Jennifer Lezcano, EnviroSouth
William Lyons, EnviroSouth
Allen Meadows, EnviroSouth
Keigan Mennetti, EnviroSouth
Annette St. Pierre, Envirosouth

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: One Stop Marina
Pace Project No.: 92803277

Pace Analytical Services National

12065 Lebanon Road, Mt. Juliet, TN 37122
Alabama Certification #: 40660
Alaska Certification 17-026
Arizona Certification #: AZ0612
Arkansas Certification #: 88-0469
California Certification #: 2932
Canada Certification #: 1461.01
Colorado Certification #: TN00003
Connecticut Certification #: PH-0197
DOD Certification: #1461.01
EPA# TN00003
Florida Certification #: E87487
Georgia DW Certification #: 923
Georgia Certification: NELAP
Idaho Certification #: TN00003
Illinois Certification #: 200008
Indiana Certification #: C-TN-01
Iowa Certification #: 364
Kansas Certification #: E-10277
Kentucky UST Certification #: 16
Kentucky Certification #: 90010
Louisiana Certification #: AI30792
Louisiana DW Certification #: LA180010
Maine Certification #: TN0002
Maryland Certification #: 324
Massachusetts Certification #: M-TN003
Michigan Certification #: 9958
Minnesota Certification #: 047-999-395
Mississippi Certification #: TN00003
Missouri Certification #: 340
Montana Certification #: CERT0086
Nebraska Certification #: NE-OS-15-05
Nevada Certification #: TN-03-2002-34
New Hampshire Certification #: 2975
New Jersey Certification #: TN002
New Mexico DW Certification
New York Certification #: 11742
North Carolina Aquatic Toxicity Certification #: 41
North Carolina Drinking Water Certification #: 21704
North Carolina Environmental Certificate #: 375
North Dakota Certification #: R-140
Ohio VAP Certification #: CL0069
Oklahoma Certification #: 9915
Oregon Certification #: TN200002
Pennsylvania Certification #: 68-02979
Rhode Island Certification #: LAO00356
South Carolina Certification #: 84004
South Dakota Certification
Tennessee DW/Chem/Micro Certification #: 2006
Texas Certification #: T 104704245-17-14
Texas Mold Certification #: LAB0152
USDA Soil Permit #: P330-15-00234
Utah Certification #: TN00003
Vermont Dept. of Health: ID# VT-2006
Virginia Certification #: VT2006
Virginia Certification #: 460132
Washington Certification #: C847
West Virginia Certification #: 233
Wisconsin Certification #: 998093910
Wyoming UST Certification #: via A2LA 2926.01
A2LA-ISO 17025 Certification #: 1461.01
A2LA-ISO 17025 Certification #: 1461.02
AIHA-LAP/LLC EMLAP Certification #:100789

Pace Analytical Services Charlotte

South Carolina Laboratory ID: 99006
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Laboratory ID: 99006
South Carolina Certification #: 99006001
South Carolina Drinking Water Cert. #: 99006003
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Louisiana DoH Drinking Water #: LA029
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: One Stop Marina
Pace Project No.: 92803277

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92803277001	**MW-1**	Water	06/18/25 10:35	06/19/25 10:45
92803277002	**MW-2**	Water	06/17/25 12:20	06/19/25 10:45
92803277003	**MW-3**	Water	06/18/25 12:25	06/19/25 10:45
92803277004	**MW-4**	Water	06/18/25 11:15	06/19/25 10:45
92803277005	**MW-5**	Water	06/18/25 12:00	06/19/25 10:45
92803277006	**MW-6**	Water	06/18/25 10:10	06/19/25 10:45
92803277007	**MW-7**	Water	06/18/25 09:45	06/19/25 10:45
92803277008	**MW-8**	Water	06/17/25 16:00	06/19/25 10:45
92803277009	**MW-8D**	Water	06/17/25 15:35	06/19/25 10:45
92803277010	**MW-9**	Water	06/17/25 11:35	06/19/25 10:45
92803277011	**MW-9D**	Water	06/17/25 11:10	06/19/25 10:45
92803277012	**MW-10**	Water	06/17/25 10:15	06/19/25 10:45
92803277013	**MW-10D**	Water	06/17/25 10:45	06/19/25 10:45
92803277014	**MW-11**	Water	06/17/25 13:55	06/19/25 10:45
92803277015	**MW-12**	Water	06/17/25 13:20	06/19/25 10:45
92803277016	**MW-12D**	Water	06/17/25 12:45	06/19/25 10:45
92803277017	**MW-13**	Water	06/17/25 15:05	06/19/25 10:45
92803277018	**MW-13D**	Water	06/17/25 14:35	06/19/25 10:45
92803277019	**MW-14**	Water	06/17/25 09:50	06/19/25 10:45
92803277020	**SW-1**	Water	06/18/25 12:35	06/19/25 10:45
92803277021	**SW-2**	Water	06/18/25 12:45	06/19/25 10:45
92803277022	**Duplicate 1**	Water	06/18/25 00:00	06/19/25 10:45
92803277023	**Duplicate 2**	Water	06/18/25 00:00	06/19/25 10:45
92803277024	**Field Blank 1**	Water	06/17/25 09:15	06/19/25 10:45
92803277025	**Field Blank 2**	Water	06/18/25 09:15	06/19/25 10:45
92803277026	**Trip Blank 1**	Water	06/17/25 08:30	06/19/25 10:45
92803277027	**Trip Blank 2**	Water	06/18/25 08:30	06/19/25 10:45
92803277028	**WSW-1**	Water	06/18/25 13:30	06/19/25 10:45
92803277029	**WSW-2**	Water	06/18/25 13:45	06/19/25 10:45
92803277030	**WSW-Duplicate**	Water	06/18/25 13:00	06/19/25 10:45
92803277031	**WSW- Field Blank**	Water	06/18/25 13:15	06/19/25 10:45
92803277032	**WSW- Trip Blank**	Water	06/18/25 13:00	06/19/25 10:45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina
Pace Project No.: 92803277

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92803277001	**MW-1**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277002	**MW-2**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277003	**MW-3**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277004	**MW-4**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277005	**MW-5**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277006	**MW-6**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277007	**MW-7**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	20	PASI-C
92803277008	**MW-8**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277009	**MW-8D**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277010	**MW-9**	EPA 8011	SEM	2	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina
Pace Project No.: 92803277

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277011	**MW-9D**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277012	**MW-10**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277013	**MW-10D**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277014	**MW-11**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277015	**MW-12**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277016	**MW-12D**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277017	**MW-13**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277018	**MW-13D**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277019	**MW-14**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina
Pace Project No.: 92803277

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277020	**SW-1**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277021	**SW-2**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277022	**Duplicate 1**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277023	**Duplicate 2**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	SAS	20	PASI-C
92803277024	**Field Blank 1**	EPA 8011	SMS1	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277025	**Field Blank 2**	EPA 8011	SEM	2	PASI-C
		EPA 6010D	JTM	1	PAN
		EPA 8270E	PKS	21	PASI-C
		EPA 8260D	LMB	20	PASI-C
92803277026	**Trip Blank 1**	EPA 8260D	LMB	20	PASI-C
92803277027	**Trip Blank 2**	EPA 8260D	LMB	20	PASI-C
92803277028	**WSW-1**	EPA 504.1	SMS1	2	PASI-C
		EPA 524.2	JN	11	PASI-C
		EPA 8260D	LMB	11	PASI-C
92803277029	**WSW-2**	EPA 504.1	SMS1	2	PASI-C
		EPA 524.2	JN	11	PASI-C
		EPA 8260D	LMB	11	PASI-C
92803277030	**WSW-Duplicate**	EPA 504.1	SMS1	2	PASI-C
		EPA 524.2	JN	11	PASI-C
		EPA 8260D	LMB	11	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: One Stop Marina
Pace Project No.: 92803277

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92803277031	**WSW- Field Blank**	EPA 504.1	SMS1	2	PASI-C
		EPA 524.2	JN	11	PASI-C
		EPA 8260D	LMB	11	PASI-C
92803277032	**WSW- Trip Blank**	EPA 524.2	JN	11	PASI-C
		EPA 8260D	LMB	11	PASI-C

PAN = Pace National - Mt. Juliet
PASI-C = Pace Analytical Services - Charlotte

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina
Pace Project No.: 92803277

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92803277001	**MW-1**					
EPA 6010D	Lead	0.00883	mg/L	0.00600	07/04/25 04:33	B
EPA 8270E	1-Methylnaphthalene	8.8J	ug/L	10.0	06/25/25 19:06	
EPA 8270E	2-Methylnaphthalene	15.4	ug/L	10.0	06/25/25 19:06	
EPA 8270E	Naphthalene	110	ug/L	10.0	06/25/25 19:06	
EPA 8260D	Benzene	98.7	ug/L	12.5	06/26/25 04:38	
EPA 8260D	Diisopropyl ether	9.1J	ug/L	12.5	06/26/25 04:38	
EPA 8260D	Ethylbenzene	867	ug/L	12.5	06/26/25 04:38	
EPA 8260D	Naphthalene	322	ug/L	12.5	06/26/25 04:38	
EPA 8260D	Toluene	1230	ug/L	12.5	06/26/25 04:38	
EPA 8260D	Xylene (Total)	4160	ug/L	12.5	06/26/25 04:38	
EPA 8260D	m&p-Xylene	2730	ug/L	25.0	06/26/25 04:38	
EPA 8260D	o-Xylene	1430	ug/L	12.5	06/26/25 04:38	
92803277002	**MW-2**					
EPA 6010D	Lead	0.00325J	mg/L	0.00600	07/04/25 04:40	B,J
92803277003	**MW-3**					
EPA 6010D	Lead	0.0124	mg/L	0.00600	07/04/25 04:42	B
EPA 8270E	1-Methylnaphthalene	36.6	ug/L	10.0	06/25/25 19:31	
EPA 8270E	2-Methylnaphthalene	71.2	ug/L	10.0	06/25/25 19:31	
EPA 8270E	Naphthalene	493	ug/L	10.0	06/25/25 19:31	
EPA 8260D	Benzene	1400	ug/L	100	06/26/25 15:28	
EPA 8260D	Ethylbenzene	2890	ug/L	100	06/26/25 15:28	
EPA 8260D	Naphthalene	799	ug/L	100	06/26/25 15:28	v3
EPA 8260D	Toluene	14500	ug/L	100	06/26/25 15:28	
EPA 8260D	Xylene (Total)	16500	ug/L	100	06/26/25 15:28	
EPA 8260D	m&p-Xylene	11400	ug/L	200	06/26/25 15:28	
EPA 8260D	o-Xylene	5050	ug/L	100	06/26/25 15:28	
92803277004	**MW-4**					
EPA 6010D	Lead	0.0101	mg/L	0.00600	07/04/25 04:44	B
EPA 8270E	1-Methylnaphthalene	25.8	ug/L	10.0	06/25/25 19:56	
EPA 8270E	2-Methylnaphthalene	51.0	ug/L	10.0	06/25/25 19:56	
EPA 8270E	Naphthalene	461	ug/L	10.0	06/25/25 19:56	
EPA 8260D	Benzene	200	ug/L	125	06/26/25 15:47	
EPA 8260D	Ethylbenzene	3500	ug/L	125	06/26/25 15:47	
EPA 8260D	Naphthalene	541	ug/L	125	06/26/25 15:47	v3
EPA 8260D	Toluene	19500	ug/L	125	06/26/25 15:47	
EPA 8260D	Xylene (Total)	20800	ug/L	125	06/26/25 15:47	
EPA 8260D	m&p-Xylene	13700	ug/L	250	06/26/25 15:47	
EPA 8260D	o-Xylene	7110	ug/L	125	06/26/25 15:47	
92803277005	**MW-5**					
EPA 6010D	Lead	0.00851	mg/L	0.00600	07/04/25 04:46	B
EPA 8270E	1-Methylnaphthalene	34.7	ug/L	10.0	06/25/25 20:22	
EPA 8270E	2-Methylnaphthalene	64.7	ug/L	10.0	06/25/25 20:22	
EPA 8270E	Naphthalene	476	ug/L	10.0	06/25/25 20:22	
EPA 8260D	Benzene	983	ug/L	200	06/26/25 06:10	
EPA 8260D	Ethylbenzene	3450	ug/L	200	06/26/25 06:10	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina
Pace Project No.: 92803277

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92803277005	**MW-5**					
EPA 8260D	Naphthalene	449	ug/L	200	06/26/25 06:10	
EPA 8260D	Toluene	21300	ug/L	200	06/26/25 06:10	
EPA 8260D	Xylene (Total)	22200	ug/L	200	06/26/25 06:10	
EPA 8260D	m&p-Xylene	14700	ug/L	400	06/26/25 06:10	
EPA 8260D	o-Xylene	7480	ug/L	200	06/26/25 06:10	
92803277006	**MW-6**					
EPA 6010D	Lead	0.0129	mg/L	0.00600	07/04/25 04:51	B
EPA 8270E	1-Methylnaphthalene	38.9	ug/L	10.0	06/25/25 20:48	
EPA 8270E	2-Methylnaphthalene	81.8	ug/L	10.0	06/25/25 20:48	
EPA 8270E	Naphthalene	433	ug/L	10.0	06/25/25 20:48	
EPA 8260D	Benzene	6580	ug/L	500	06/26/25 06:10	
EPA 8260D	Ethylbenzene	4510	ug/L	500	06/26/25 06:10	
EPA 8260D	Naphthalene	328J	ug/L	500	06/26/25 06:10	
EPA 8260D	Toluene	65000	ug/L	500	06/26/25 06:10	
EPA 8260D	Xylene (Total)	26600	ug/L	500	06/26/25 06:10	
EPA 8260D	m&p-Xylene	17700	ug/L	1000	06/26/25 06:10	
EPA 8260D	o-Xylene	8900	ug/L	500	06/26/25 06:10	
92803277007	**MW-7**					
EPA 6010D	Lead	0.0184	mg/L	0.00600	07/04/25 04:53	B
EPA 8270E	1-Methylnaphthalene	61.8	ug/L	10.0	06/25/25 21:14	
EPA 8270E	2-Methylnaphthalene	122	ug/L	10.0	06/25/25 21:14	
EPA 8270E	Naphthalene	585	ug/L	10.0	06/25/25 21:14	
EPA 8260D	Benzene	283	ug/L	50.0	06/26/25 18:51	
EPA 8260D	Ethylbenzene	3680	ug/L	50.0	06/26/25 18:51	
EPA 8260D	Naphthalene	744	ug/L	50.0	06/26/25 18:51	
EPA 8260D	Toluene	596	ug/L	50.0	06/26/25 18:51	
EPA 8260D	Xylene (Total)	18100	ug/L	50.0	06/26/25 18:51	
EPA 8260D	m&p-Xylene	13100	ug/L	100	06/26/25 18:51	
EPA 8260D	o-Xylene	5000	ug/L	50.0	06/26/25 18:51	
92803277008	**MW-8**					
EPA 6010D	Lead	0.00525J	mg/L	0.00600	07/04/25 04:55	B,J
EPA 8260D	tert-Amyl Alcohol	49.6J	ug/L	100	06/25/25 13:16	
EPA 8260D	Benzene	29.3	ug/L	1.0	06/25/25 13:16	
EPA 8260D	Ethylbenzene	2.1	ug/L	1.0	06/25/25 13:16	
EPA 8260D	Naphthalene	4.4	ug/L	1.0	06/25/25 13:16	
EPA 8260D	Toluene	6.4	ug/L	1.0	06/25/25 13:16	
EPA 8260D	Xylene (Total)	19.4	ug/L	1.0	06/25/25 13:16	
EPA 8260D	m&p-Xylene	13.5	ug/L	2.0	06/25/25 13:16	
EPA 8260D	o-Xylene	5.9	ug/L	1.0	06/25/25 13:16	
92803277009	**MW-8D**					
EPA 8260D	Benzene	1.6	ug/L	1.0	06/23/25 13:47	
EPA 8260D	Diisopropyl ether	2.4	ug/L	1.0	06/23/25 13:47	
EPA 8260D	Ethylbenzene	3.1	ug/L	1.0	06/23/25 13:47	
EPA 8260D	Methyl-tert-butyl ether	0.99J	ug/L	1.0	06/23/25 13:47	
EPA 8260D	Naphthalene	1.3	ug/L	1.0	06/23/25 13:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina
Pace Project No.: 92803277

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92803277009	**MW-8D**					
EPA 8260D	Toluene	10	ug/L	1.0	06/23/25 13:47	
EPA 8260D	Xylene (Total)	19.4	ug/L	1.0	06/23/25 13:47	
EPA 8260D	m&p-Xylene	12.9	ug/L	2.0	06/23/25 13:47	
EPA 8260D	o-Xylene	6.5	ug/L	1.0	06/23/25 13:47	
92803277010	**MW-9**					
EPA 6010D	Lead	0.00266J	mg/L	0.00600	07/04/25 04:58	B,J
EPA 8260D	Ethylbenzene	0.96J	ug/L	1.0	06/24/25 01:28	
EPA 8260D	Toluene	2.6	ug/L	1.0	06/24/25 01:28	
EPA 8260D	Xylene (Total)	5.1	ug/L	1.0	06/24/25 01:28	
EPA 8260D	m&p-Xylene	3.5	ug/L	2.0	06/24/25 01:28	
EPA 8260D	o-Xylene	1.6	ug/L	1.0	06/24/25 01:28	
92803277011	**MW-9D**					
EPA 8260D	Toluene	0.49J	ug/L	1.0	06/24/25 04:51	
92803277012	**MW-10**					
EPA 8011	1,2-Dibromoethane (EDB)	0.068	ug/L	0.020	06/25/25 21:03	
EPA 6010D	Lead	0.00928	mg/L	0.00600	07/04/25 05:02	B
EPA 8260D	Benzene	0.35J	ug/L	1.0	06/23/25 14:06	
EPA 8260D	Diisopropyl ether	1.3	ug/L	1.0	06/23/25 14:06	
EPA 8260D	Methyl-tert-butyl ether	0.79J	ug/L	1.0	06/23/25 14:06	
92803277013	**MW-10D**					
EPA 8011	1,2-Dibromoethane (EDB)	1.6	ug/L	0.040	06/26/25 10:38	
EPA 8260D	tert-Amyl Alcohol	287	ug/L	100	06/25/25 19:31	
EPA 8260D	Benzene	36.3	ug/L	1.0	06/25/25 19:31	
EPA 8260D	tert-Butyl Alcohol	104	ug/L	100	06/25/25 19:31	
EPA 8260D	Diisopropyl ether	22.9	ug/L	1.0	06/25/25 19:31	
EPA 8260D	Methyl-tert-butyl ether	11.3	ug/L	1.0	06/25/25 19:31	
EPA 8260D	Naphthalene	1.6	ug/L	1.0	06/25/25 19:31	
EPA 8260D	Toluene	1.2	ug/L	1.0	06/25/25 19:31	
EPA 8260D	Xylene (Total)	2.7	ug/L	1.0	06/25/25 19:31	
EPA 8260D	m&p-Xylene	1.2J	ug/L	2.0	06/25/25 19:31	
EPA 8260D	o-Xylene	1.5	ug/L	1.0	06/25/25 19:31	
92803277014	**MW-11**					
EPA 6010D	Lead	0.0211	mg/L	0.00600	07/04/25 05:06	B
92803277015	**MW-12**					
EPA 6010D	Lead	0.00583J	mg/L	0.00600	07/04/25 05:07	B,J
EPA 8270E	1-Methylnaphthalene	4.9J	ug/L	10.0	06/25/25 01:13	
EPA 8270E	2-Methylnaphthalene	5.6J	ug/L	10.0	06/25/25 01:13	
EPA 8260D	Ethylbenzene	2.4	ug/L	1.0	06/25/25 13:54	
EPA 8260D	Naphthalene	1.8	ug/L	1.0	06/25/25 13:54	v3
EPA 8260D	Xylene (Total)	2.6	ug/L	1.0	06/25/25 13:54	
EPA 8260D	m&p-Xylene	2.6	ug/L	2.0	06/25/25 13:54	
92803277016	**MW-12D**					
EPA 8011	1,2-Dibromoethane (EDB)	0.077	ug/L	0.021	06/25/25 21:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina
Pace Project No.: 92803277

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92803277016	**MW-12D**					
EPA 6010D	Lead	0.00295J	mg/L	0.00600	07/04/25 05:13	B,J
EPA 8260D	Xylene (Total)	0.77J	ug/L	1.0	06/24/25 05:10	
EPA 8260D	m&p-Xylene	0.77J	ug/L	2.0	06/24/25 05:10	
92803277017	**MW-13**					
EPA 6010D	Lead	0.00288J	mg/L	0.00600	07/04/25 05:15	B,J
92803277018	**MW-13D**					
EPA 8011	1,2-Dibromoethane (EDB)	0.060	ug/L	0.022	06/25/25 21:37	
EPA 6010D	Lead	0.0746	mg/L	0.00600	07/04/25 05:16	
EPA 8260D	3,3-Dimethyl-1-Butanol	64.6J	ug/L	100	06/24/25 04:33	
92803277019	**MW-14**					
EPA 6010D	Lead	0.0453	mg/L	0.00600	07/04/25 05:18	
EPA 8260D	Toluene	0.65J	ug/L	1.0	06/24/25 03:19	
EPA 8260D	Xylene (Total)	1.2	ug/L	1.0	06/24/25 03:19	
EPA 8260D	m&p-Xylene	0.81J	ug/L	2.0	06/24/25 03:19	
EPA 8260D	o-Xylene	0.36J	ug/L	1.0	06/24/25 03:19	
92803277021	**SW-2**					
EPA 6010D	Lead	0.00353J	mg/L	0.00600	07/05/25 13:27	J
EPA 8260D	Benzene	0.43J	ug/L	1.0	06/24/25 05:28	
EPA 8260D	Toluene	2.6	ug/L	1.0	06/24/25 05:28	
EPA 8260D	Xylene (Total)	2.8	ug/L	1.0	06/24/25 05:28	
EPA 8260D	m&p-Xylene	1.7J	ug/L	2.0	06/24/25 05:28	
EPA 8260D	o-Xylene	1.0	ug/L	1.0	06/24/25 05:28	
92803277022	**Duplicate 1**					
EPA 6010D	Lead	0.00743	mg/L	0.00600	07/05/25 13:38	
EPA 8270E	1-Methylnaphthalene	8.7J	ug/L	10.0	06/25/25 22:33	
EPA 8270E	2-Methylnaphthalene	16.7	ug/L	10.0	06/25/25 22:33	
EPA 8270E	Naphthalene	115	ug/L	10.0	06/25/25 22:33	
EPA 8260D	Benzene	91.3	ug/L	12.5	06/26/25 05:15	
EPA 8260D	Diisopropyl ether	8.5J	ug/L	12.5	06/26/25 05:15	
EPA 8260D	Ethylbenzene	800	ug/L	12.5	06/26/25 05:15	
EPA 8260D	Naphthalene	101	ug/L	12.5	06/26/25 05:15	
EPA 8260D	Toluene	1190	ug/L	12.5	06/26/25 05:15	
EPA 8260D	Xylene (Total)	3880	ug/L	12.5	06/26/25 05:15	
EPA 8260D	m&p-Xylene	2520	ug/L	25.0	06/26/25 05:15	
EPA 8260D	o-Xylene	1360	ug/L	12.5	06/26/25 05:15	
92803277023	**Duplicate 2**					
EPA 6010D	Lead	0.00516J	mg/L	0.00600	07/05/25 13:41	J
EPA 8270E	1-Methylnaphthalene	36.6	ug/L	10.0	06/25/25 22:59	
EPA 8270E	2-Methylnaphthalene	71.5	ug/L	10.0	06/25/25 22:59	
EPA 8270E	Naphthalene	522	ug/L	10.0	06/25/25 22:59	
EPA 8260D	Benzene	916	ug/L	200	06/26/25 17:17	
EPA 8260D	Ethylbenzene	3360	ug/L	200	06/26/25 17:17	
EPA 8260D	Naphthalene	634	ug/L	200	06/26/25 17:17	
EPA 8260D	Toluene	21100	ug/L	200	06/26/25 17:17	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SUMMARY OF DETECTION

Project: One Stop Marina
Pace Project No.: 92803277

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92803277023	**Duplicate 2**					
EPA 8260D	Xylene (Total)	22300	ug/L	200	06/26/25 17:17	
EPA 8260D	m&p-Xylene	14700	ug/L	400	06/26/25 17:17	
EPA 8260D	o-Xylene	7610	ug/L	200	06/26/25 17:17	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-1 **Lab ID: 92803277001** Collected: 06/18/25 10:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0077	1	06/26/25 07:57	06/26/25 19:54	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	90	%	60-140		1	06/26/25 07:57	06/26/25 19:54	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00883**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:33	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:06	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:06	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:06	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:06	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:06	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:06	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:06	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:06	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:06	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 19:06	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:06	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:06	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:06	193-39-5	
1-Methylnaphthalene	**8.8J**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:06	90-12-0	
2-Methylnaphthalene	**15.4**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:06	91-57-6	
Naphthalene	**110**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:06	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:06	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 19:06	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	84	%	35-143		1	06/25/25 16:16	06/25/25 19:06	4165-60-0	
2-Fluorobiphenyl (S)	68	%	24-130		1	06/25/25 16:16	06/25/25 19:06	321-60-8	
Terphenyl-d14 (S)	104	%	21-142		1	06/25/25 16:16	06/25/25 19:06	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	1250	455	12.5		06/26/25 04:38	75-85-4	
tert-Amylmethyl ether	ND	ug/L	125	33.2	12.5		06/26/25 04:38	994-05-8	
Benzene	**98.7**	ug/L	12.5	4.3	12.5		06/26/25 04:38	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	1250	649	12.5		06/26/25 04:38	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	1250	335	12.5		06/26/25 04:38	75-65-0	v2
tert-Butyl Formate	ND	ug/L	625	368	12.5		06/26/25 04:38	762-75-4	
1,2-Dichloroethane	ND	ug/L	12.5	4.0	12.5		06/26/25 04:38	107-06-2	
Diisopropyl ether	**9.1J**	ug/L	12.5	3.8	12.5		06/26/25 04:38	108-20-3	
Ethanol	ND	ug/L	2500	902	12.5		06/26/25 04:38	64-17-5	
Ethylbenzene	**867**	ug/L	12.5	3.8	12.5		06/26/25 04:38	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-1 **Lab ID: 92803277001** Collected: 06/18/25 10:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	125	40.5	12.5		06/26/25 04:38	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	12.5	5.3	12.5		06/26/25 04:38	1634-04-4	
Naphthalene	**322**	ug/L	12.5	8.1	12.5		06/26/25 04:38	91-20-3	
Toluene	**1230**	ug/L	12.5	6.1	12.5		06/26/25 04:38	108-88-3	
Xylene (Total)	**4160**	ug/L	12.5	4.2	12.5		06/26/25 04:38	1330-20-7	
m&p-Xylene	**2730**	ug/L	25.0	8.9	12.5		06/26/25 04:38	179601-23-1	
o-Xylene	**1430**	ug/L	12.5	4.2	12.5		06/26/25 04:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		12.5		06/26/25 04:38	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130		12.5		06/26/25 04:38	17060-07-0	
Toluene-d8 (S)	98	%	70-130		12.5		06/26/25 04:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-2 **Lab ID: 92803277002** Collected: 06/17/25 12:20 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.022	0.0083	1	06/25/25 13:46	06/25/25 19:31	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	106	%	60-140		1	06/25/25 13:46	06/25/25 19:31	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00325J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:40	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:08	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:08	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:08	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 00:08	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 00:08	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:08	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 00:08	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 00:08	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:08	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 00:08	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:08	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:08	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 00:08	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 00:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:08	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:08	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:08	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 00:08	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	63	%	35-143		1	06/24/25 18:45	06/25/25 00:08	4165-60-0	
2-Fluorobiphenyl (S)	45	%	24-130		1	06/24/25 18:45	06/25/25 00:08	321-60-8	
Terphenyl-d14 (S)	62	%	21-142		1	06/24/25 18:45	06/25/25 00:08	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/25/25 15:17	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/25/25 15:17	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/25/25 15:17	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/25/25 15:17	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/25/25 15:17	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/25/25 15:17	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/25/25 15:17	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/25/25 15:17	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/25/25 15:17	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/25/25 15:17	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-2 **Lab ID: 92803277002** Collected: 06/17/25 12:20 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/25/25 15:17	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/25/25 15:17	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/25/25 15:17	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		06/25/25 15:17	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		06/25/25 15:17	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		06/25/25 15:17	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/25/25 15:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		06/25/25 15:17	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	70-130		1		06/25/25 15:17	17060-07-0	
Toluene-d8 (S)	101	%	70-130		1		06/25/25 15:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-3 **Lab ID: 92803277003** Collected: 06/18/25 12:25 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	0.0076	1	06/26/25 07:57	06/26/25 20:05	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	89	%	60-140		1	06/26/25 07:57	06/26/25 20:05	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.0124**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:42	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:31	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:31	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:31	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:31	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:31	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:31	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:31	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:31	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:31	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 19:31	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:31	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:31	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:31	193-39-5	
1-Methylnaphthalene	**36.6**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:31	90-12-0	
2-Methylnaphthalene	**71.2**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:31	91-57-6	
Naphthalene	**493**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:31	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:31	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 19:31	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	105	%	35-143		1	06/25/25 16:16	06/25/25 19:31	4165-60-0	
2-Fluorobiphenyl (S)	81	%	24-130		1	06/25/25 16:16	06/25/25 19:31	321-60-8	
Terphenyl-d14 (S)	106	%	21-142		1	06/25/25 16:16	06/25/25 19:31	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	10000	3640	100		06/26/25 15:28	75-85-4	
tert-Amylmethyl ether	ND	ug/L	1000	266	100		06/26/25 15:28	994-05-8	
Benzene	**1400**	ug/L	100	34.5	100		06/26/25 15:28	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	10000	5190	100		06/26/25 15:28	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	10000	2680	100		06/26/25 15:28	75-65-0	v2
tert-Butyl Formate	ND	ug/L	5000	2940	100		06/26/25 15:28	762-75-4	
1,2-Dichloroethane	ND	ug/L	100	32.2	100		06/26/25 15:28	107-06-2	
Diisopropyl ether	ND	ug/L	100	30.8	100		06/26/25 15:28	108-20-3	
Ethanol	ND	ug/L	20000	7220	100		06/26/25 15:28	64-17-5	
Ethylbenzene	**2890**	ug/L	100	30.4	100		06/26/25 15:28	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-3 **Lab ID: 92803277003** Collected: 06/18/25 12:25 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	1000	324	100		06/26/25 15:28	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	100	42.2	100		06/26/25 15:28	1634-04-4	
Naphthalene	**799**	ug/L	100	64.5	100		06/26/25 15:28	91-20-3	v3
Toluene	**14500**	ug/L	100	48.5	100		06/26/25 15:28	108-88-3	
Xylene (Total)	**16500**	ug/L	100	33.8	100		06/26/25 15:28	1330-20-7	
m&p-Xylene	**11400**	ug/L	200	70.9	100		06/26/25 15:28	179601-23-1	
o-Xylene	**5050**	ug/L	100	33.8	100		06/26/25 15:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		100		06/26/25 15:28	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		100		06/26/25 15:28	17060-07-0	
Toluene-d8 (S)	95	%	70-130		100		06/26/25 15:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-4 **Lab ID: 92803277004** Collected: 06/18/25 11:15 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0079	1	06/25/25 13:46	06/25/25 19:43	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	137	%	60-140		1	06/25/25 13:46	06/25/25 19:43	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.0101**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:44	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:56	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:56	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:56	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:56	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:56	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 19:56	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:56	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 19:56	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:56	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 19:56	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:56	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:56	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 19:56	193-39-5	
1-Methylnaphthalene	**25.8**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 19:56	90-12-0	
2-Methylnaphthalene	**51.0**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:56	91-57-6	
Naphthalene	**461**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 19:56	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 19:56	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 19:56	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	92	%	35-143		1	06/25/25 16:16	06/25/25 19:56	4165-60-0	
2-Fluorobiphenyl (S)	88	%	24-130		1	06/25/25 16:16	06/25/25 19:56	321-60-8	
Terphenyl-d14 (S)	111	%	21-142		1	06/25/25 16:16	06/25/25 19:56	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	12500	4550	125		06/26/25 15:47	75-85-4	
tert-Amylmethyl ether	ND	ug/L	1250	332	125		06/26/25 15:47	994-05-8	
Benzene	**200**	ug/L	125	43.1	125		06/26/25 15:47	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	12500	6490	125		06/26/25 15:47	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	12500	3350	125		06/26/25 15:47	75-65-0	v2
tert-Butyl Formate	ND	ug/L	6250	3680	125		06/26/25 15:47	762-75-4	
1,2-Dichloroethane	ND	ug/L	125	40.2	125		06/26/25 15:47	107-06-2	
Diisopropyl ether	ND	ug/L	125	38.5	125		06/26/25 15:47	108-20-3	
Ethanol	ND	ug/L	25000	9020	125		06/26/25 15:47	64-17-5	
Ethylbenzene	**3500**	ug/L	125	38.0	125		06/26/25 15:47	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-4 **Lab ID: 92803277004** Collected: 06/18/25 11:15 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	1250	405	125		06/26/25 15:47	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	125	52.8	125		06/26/25 15:47	1634-04-4	
Naphthalene	**541**	ug/L	125	80.6	125		06/26/25 15:47	91-20-3	v3
Toluene	**19500**	ug/L	125	60.6	125		06/26/25 15:47	108-88-3	
Xylene (Total)	**20800**	ug/L	125	42.2	125		06/26/25 15:47	1330-20-7	
m&p-Xylene	**13700**	ug/L	250	88.6	125		06/26/25 15:47	179601-23-1	
o-Xylene	**7110**	ug/L	125	42.2	125		06/26/25 15:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		125		06/26/25 15:47	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		125		06/26/25 15:47	17060-07-0	
Toluene-d8 (S)	96	%	70-130		125		06/26/25 15:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-5 **Lab ID: 92803277005** Collected: 06/18/25 12:00 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	0.0074	1	06/26/25 07:57	06/26/25 20:15	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	92	%	60-140		1	06/26/25 07:57	06/26/25 20:15	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00851**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:46	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:22	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:22	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:22	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 20:22	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 20:22	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:22	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 20:22	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 20:22	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:22	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 20:22	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:22	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:22	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 20:22	193-39-5	
1-Methylnaphthalene	**34.7**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 20:22	90-12-0	
2-Methylnaphthalene	**64.7**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:22	91-57-6	
Naphthalene	**476**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:22	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:22	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 20:22	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	102	%	35-143		1	06/25/25 16:16	06/25/25 20:22	4165-60-0	
2-Fluorobiphenyl (S)	86	%	24-130		1	06/25/25 16:16	06/25/25 20:22	321-60-8	
Terphenyl-d14 (S)	110	%	21-142		1	06/25/25 16:16	06/25/25 20:22	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	20000	7280	200		06/26/25 06:10	75-85-4	
tert-Amylmethyl ether	ND	ug/L	2000	532	200		06/26/25 06:10	994-05-8	
Benzene	**983**	ug/L	200	69.0	200		06/26/25 06:10	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	20000	10400	200		06/26/25 06:10	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	20000	5360	200		06/26/25 06:10	75-65-0	v2
tert-Butyl Formate	ND	ug/L	10000	5880	200		06/26/25 06:10	762-75-4	
1,2-Dichloroethane	ND	ug/L	200	64.4	200		06/26/25 06:10	107-06-2	
Diisopropyl ether	ND	ug/L	200	61.6	200		06/26/25 06:10	108-20-3	
Ethanol	ND	ug/L	40000	14400	200		06/26/25 06:10	64-17-5	
Ethylbenzene	**3450**	ug/L	200	60.8	200		06/26/25 06:10	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-5 **Lab ID: 92803277005** Collected: 06/18/25 12:00 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	2000	648	200		06/26/25 06:10	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	200	84.4	200		06/26/25 06:10	1634-04-4	
Naphthalene	**449**	ug/L	200	129	200		06/26/25 06:10	91-20-3	
Toluene	**21300**	ug/L	200	97.0	200		06/26/25 06:10	108-88-3	
Xylene (Total)	**22200**	ug/L	200	67.6	200		06/26/25 06:10	1330-20-7	
m&p-Xylene	**14700**	ug/L	400	142	200		06/26/25 06:10	179601-23-1	
o-Xylene	**7480**	ug/L	200	67.6	200		06/26/25 06:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		200		06/26/25 06:10	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		200		06/26/25 06:10	17060-07-0	
Toluene-d8 (S)	98	%	70-130		200		06/26/25 06:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-6 **Lab ID: 92803277006** Collected: 06/18/25 10:10 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0080	1	06/25/25 13:46	06/25/25 19:54	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	140	%	60-140		1	06/25/25 13:46	06/25/25 19:54	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.0129**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:51	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:48	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:48	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:48	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 20:48	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 20:48	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 20:48	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 20:48	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 20:48	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:48	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 20:48	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:48	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:48	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 20:48	193-39-5	
1-Methylnaphthalene	**38.9**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 20:48	90-12-0	
2-Methylnaphthalene	**81.8**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:48	91-57-6	
Naphthalene	**433**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 20:48	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 20:48	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 20:48	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	94	%	35-143		1	06/25/25 16:16	06/25/25 20:48	4165-60-0	
2-Fluorobiphenyl (S)	97	%	24-130		1	06/25/25 16:16	06/25/25 20:48	321-60-8	
Terphenyl-d14 (S)	108	%	21-142		1	06/25/25 16:16	06/25/25 20:48	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	50000	18200	500		06/26/25 06:10	75-85-4	
tert-Amylmethyl ether	ND	ug/L	5000	1330	500		06/26/25 06:10	994-05-8	
Benzene	**6580**	ug/L	500	172	500		06/26/25 06:10	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	50000	26000	500		06/26/25 06:10	624-95-3	
tert-Butyl Alcohol	ND	ug/L	50000	13400	500		06/26/25 06:10	75-65-0	
tert-Butyl Formate	ND	ug/L	25000	14700	500		06/26/25 06:10	762-75-4	
1,2-Dichloroethane	ND	ug/L	500	161	500		06/26/25 06:10	107-06-2	
Diisopropyl ether	ND	ug/L	500	154	500		06/26/25 06:10	108-20-3	
Ethanol	ND	ug/L	100000	36100	500		06/26/25 06:10	64-17-5	
Ethylbenzene	**4510**	ug/L	500	152	500		06/26/25 06:10	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-6 **Lab ID: 92803277006** Collected: 06/18/25 10:10 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	5000	1620	500		06/26/25 06:10	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	500	211	500		06/26/25 06:10	1634-04-4	
Naphthalene	**328J**	ug/L	500	322	500		06/26/25 06:10	91-20-3	
Toluene	**65000**	ug/L	500	242	500		06/26/25 06:10	108-88-3	
Xylene (Total)	**26600**	ug/L	500	169	500		06/26/25 06:10	1330-20-7	
m&p-Xylene	**17700**	ug/L	1000	354	500		06/26/25 06:10	179601-23-1	
o-Xylene	**8900**	ug/L	500	169	500		06/26/25 06:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		500		06/26/25 06:10	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130		500		06/26/25 06:10	17060-07-0	
Toluene-d8 (S)	101	%	70-130		500		06/26/25 06:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-7 **Lab ID: 92803277007** Collected: 06/18/25 09:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0077	1	06/25/25 13:46	06/25/25 20:06	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	115	%	60-140		1	06/25/25 13:46	06/25/25 20:06	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.0184**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:53	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 21:14	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 21:14	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 21:14	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 21:14	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 21:14	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/25/25 16:16	06/25/25 21:14	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 21:14	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/25/25 16:16	06/25/25 21:14	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 21:14	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/25/25 16:16	06/25/25 21:14	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 21:14	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 21:14	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/25/25 16:16	06/25/25 21:14	193-39-5	
1-Methylnaphthalene	**61.8**	ug/L	10.0	3.7	1	06/25/25 16:16	06/25/25 21:14	90-12-0	
2-Methylnaphthalene	**122**	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 21:14	91-57-6	
Naphthalene	**585**	ug/L	10.0	3.2	1	06/25/25 16:16	06/25/25 21:14	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/25/25 16:16	06/25/25 21:14	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/25/25 16:16	06/25/25 21:14	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	91	%	35-143		1	06/25/25 16:16	06/25/25 21:14	4165-60-0	
2-Fluorobiphenyl (S)	83	%	24-130		1	06/25/25 16:16	06/25/25 21:14	321-60-8	
Terphenyl-d14 (S)	109	%	21-142		1	06/25/25 16:16	06/25/25 21:14	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	5000	1820	50		06/26/25 18:51	75-85-4	
tert-Amylmethyl ether	ND	ug/L	500	133	50		06/26/25 18:51	994-05-8	
Benzene	**283**	ug/L	50.0	17.2	50		06/26/25 18:51	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	5000	2600	50		06/26/25 18:51	624-95-3	
tert-Butyl Alcohol	ND	ug/L	5000	1340	50		06/26/25 18:51	75-65-0	v2
tert-Butyl Formate	ND	ug/L	2500	1470	50		06/26/25 18:51	762-75-4	v2
1,2-Dichloroethane	ND	ug/L	50.0	16.1	50		06/26/25 18:51	107-06-2	
Diisopropyl ether	ND	ug/L	50.0	15.4	50		06/26/25 18:51	108-20-3	
Ethanol	ND	ug/L	10000	3610	50		06/26/25 18:51	64-17-5	
Ethylbenzene	**3680**	ug/L	50.0	15.2	50		06/26/25 18:51	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-7 **Lab ID: 92803277007** Collected: 06/18/25 09:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	500	162	50		06/26/25 18:51	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	50.0	21.1	50		06/26/25 18:51	1634-04-4	
Naphthalene	**744**	ug/L	50.0	32.2	50		06/26/25 18:51	91-20-3	
Toluene	**596**	ug/L	50.0	24.2	50		06/26/25 18:51	108-88-3	
Xylene (Total)	**18100**	ug/L	50.0	16.9	50		06/26/25 18:51	1330-20-7	
m&p-Xylene	**13100**	ug/L	100	35.4	50		06/26/25 18:51	179601-23-1	
o-Xylene	**5000**	ug/L	50.0	16.9	50		06/26/25 18:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		50		06/26/25 18:51	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		50		06/26/25 18:51	17060-07-0	
Toluene-d8 (S)	101	%	70-130		50		06/26/25 18:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-8 **Lab ID: 92803277008** Collected: 06/17/25 16:00 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0077	1	06/25/25 13:46	06/25/25 20:17	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	103	%	60-140		1	06/25/25 13:46	06/25/25 20:17	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00525J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:55	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:34	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:34	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:34	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 00:34	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 00:34	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 00:34	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 00:34	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 00:34	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:34	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 00:34	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:34	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:34	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 00:34	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 00:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:34	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 00:34	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 00:34	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 00:34	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	60	%	35-143		1	06/24/25 18:45	06/25/25 00:34	4165-60-0	
2-Fluorobiphenyl (S)	44	%	24-130		1	06/24/25 18:45	06/25/25 00:34	321-60-8	
Terphenyl-d14 (S)	60	%	21-142		1	06/24/25 18:45	06/25/25 00:34	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	**49.6J**	ug/L	100	36.4	1		06/25/25 13:16	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/25/25 13:16	994-05-8	
Benzene	**29.3**	ug/L	1.0	0.34	1		06/25/25 13:16	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/25/25 13:16	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/25/25 13:16	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/25/25 13:16	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/25/25 13:16	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/25/25 13:16	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/25/25 13:16	64-17-5	
Ethylbenzene	**2.1**	ug/L	1.0	0.30	1		06/25/25 13:16	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-8 **Lab ID: 92803277008** Collected: 06/17/25 16:00 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/25/25 13:16	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/25/25 13:16	1634-04-4	
Naphthalene	**4.4**	ug/L	1.0	0.64	1		06/25/25 13:16	91-20-3	
Toluene	**6.4**	ug/L	1.0	0.48	1		06/25/25 13:16	108-88-3	
Xylene (Total)	**19.4**	ug/L	1.0	0.34	1		06/25/25 13:16	1330-20-7	
m&p-Xylene	**13.5**	ug/L	2.0	0.71	1		06/25/25 13:16	179601-23-1	
o-Xylene	**5.9**	ug/L	1.0	0.34	1		06/25/25 13:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		06/25/25 13:16	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		06/25/25 13:16	17060-07-0	
Toluene-d8 (S)	92	%	70-130		1		06/25/25 13:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-8D **Lab ID: 92803277009** Collected: 06/17/25 15:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0078	1	06/25/25 13:46	06/25/25 20:29	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	206	%	60-140		1	06/25/25 13:46	06/25/25 20:29	301-79-56	S3
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	ND	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:57	7439-92-1	
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:00	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:00	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:00	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:00	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:00	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:00	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:00	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:00	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:00	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 01:00	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:00	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:00	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:00	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:00	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:00	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:00	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:00	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 01:00	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	61	%	35-143		1	06/24/25 18:45	06/25/25 01:00	4165-60-0	
2-Fluorobiphenyl (S)	47	%	24-130		1	06/24/25 18:45	06/25/25 01:00	321-60-8	
Terphenyl-d14 (S)	61	%	21-142		1	06/24/25 18:45	06/25/25 01:00	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/23/25 13:47	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/23/25 13:47	994-05-8	
Benzene	**1.6**	ug/L	1.0	0.34	1		06/23/25 13:47	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/23/25 13:47	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/23/25 13:47	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/23/25 13:47	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/23/25 13:47	107-06-2	
Diisopropyl ether	**2.4**	ug/L	1.0	0.31	1		06/23/25 13:47	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/23/25 13:47	64-17-5	
Ethylbenzene	**3.1**	ug/L	1.0	0.30	1		06/23/25 13:47	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-8D **Lab ID: 92803277009** Collected: 06/17/25 15:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/23/25 13:47	637-92-3	
Methyl-tert-butyl ether	**0.99J**	ug/L	1.0	0.42	1		06/23/25 13:47	1634-04-4	
Naphthalene	**1.3**	ug/L	1.0	0.64	1		06/23/25 13:47	91-20-3	
Toluene	**10**	ug/L	1.0	0.48	1		06/23/25 13:47	108-88-3	
Xylene (Total)	**19.4**	ug/L	1.0	0.34	1		06/23/25 13:47	1330-20-7	
m&p-Xylene	**12.9**	ug/L	2.0	0.71	1		06/23/25 13:47	179601-23-1	
o-Xylene	**6.5**	ug/L	1.0	0.34	1		06/23/25 13:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		06/23/25 13:47	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		06/23/25 13:47	17060-07-0	
Toluene-d8 (S)	98	%	70-130		1		06/23/25 13:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-9 **Lab ID: 92803277010** Collected: 06/17/25 11:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.021	0.0079	1	06/25/25 13:46	06/25/25 20:40	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	100	%	60-140		1	06/25/25 13:46	06/25/25 20:40	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00266J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 04:58	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:26	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:26	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:26	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:26	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:26	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:26	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:26	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:26	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:26	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 01:26	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:26	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:26	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:26	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:26	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:26	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:26	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 01:26	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	57	%	35-143		1	06/24/25 18:45	06/25/25 01:26	4165-60-0	
2-Fluorobiphenyl (S)	47	%	24-130		1	06/24/25 18:45	06/25/25 01:26	321-60-8	
Terphenyl-d14 (S)	53	%	21-142		1	06/24/25 18:45	06/25/25 01:26	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/24/25 01:28	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/24/25 01:28	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/24/25 01:28	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/24/25 01:28	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/24/25 01:28	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/24/25 01:28	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/24/25 01:28	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/24/25 01:28	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/24/25 01:28	64-17-5	
Ethylbenzene	**0.96J**	ug/L	1.0	0.30	1		06/24/25 01:28	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-9 **Lab ID: 92803277010** Collected: 06/17/25 11:35 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/24/25 01:28	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/24/25 01:28	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/24/25 01:28	91-20-3	v1
Toluene	**2.6**	ug/L	1.0	0.48	1		06/24/25 01:28	108-88-3	
Xylene (Total)	**5.1**	ug/L	1.0	0.34	1		06/24/25 01:28	1330-20-7	
m&p-Xylene	**3.5**	ug/L	2.0	0.71	1		06/24/25 01:28	179601-23-1	
o-Xylene	**1.6**	ug/L	1.0	0.34	1		06/24/25 01:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		06/24/25 01:28	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		1		06/24/25 01:28	17060-07-0	
Toluene-d8 (S)	101	%	70-130		1		06/24/25 01:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-9D **Lab ID: 92803277011** Collected: 06/17/25 11:10 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.022	0.0082	1	06/25/25 13:46	06/25/25 20:52	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	99	%	60-140		1	06/25/25 13:46	06/25/25 20:52	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	ND	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:00	7439-92-1	
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:52	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:52	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:52	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:52	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:52	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:52	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:52	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:52	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:52	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 01:52	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:52	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:52	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:52	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:52	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:52	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:52	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 01:52	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	59	%	35-143		1	06/24/25 18:45	06/25/25 01:52	4165-60-0	
2-Fluorobiphenyl (S)	43	%	24-130		1	06/24/25 18:45	06/25/25 01:52	321-60-8	
Terphenyl-d14 (S)	58	%	21-142		1	06/24/25 18:45	06/25/25 01:52	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/24/25 04:51	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/24/25 04:51	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/24/25 04:51	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/24/25 04:51	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/24/25 04:51	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/24/25 04:51	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/24/25 04:51	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/24/25 04:51	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/24/25 04:51	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/24/25 04:51	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-9D **Lab ID: 92803277011** Collected: 06/17/25 11:10 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/24/25 04:51	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/24/25 04:51	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/24/25 04:51	91-20-3	v1
Toluene	**0.49J**	ug/L	1.0	0.48	1		06/24/25 04:51	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		06/24/25 04:51	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		06/24/25 04:51	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/24/25 04:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		06/24/25 04:51	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	70-130		1		06/24/25 04:51	17060-07-0	
Toluene-d8 (S)	103	%	70-130		1		06/24/25 04:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-10 **Lab ID: 92803277012** Collected: 06/17/25 10:15 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	**0.068**	ug/L	0.020	0.0077	1	06/25/25 13:46	06/25/25 21:03	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	94	%	60-140		1	06/25/25 13:46	06/25/25 21:03	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00928**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:02	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:18	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:18	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:18	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:18	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:18	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:18	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:18	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:18	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:18	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 02:18	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:18	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:18	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:18	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:18	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:18	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:18	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 02:18	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	58	%	35-143		1	06/24/25 18:45	06/25/25 02:18	4165-60-0	
2-Fluorobiphenyl (S)	40	%	24-130		1	06/24/25 18:45	06/25/25 02:18	321-60-8	
Terphenyl-d14 (S)	55	%	21-142		1	06/24/25 18:45	06/25/25 02:18	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/23/25 14:06	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/23/25 14:06	994-05-8	
Benzene	**0.35J**	ug/L	1.0	0.34	1		06/23/25 14:06	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/23/25 14:06	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/23/25 14:06	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/23/25 14:06	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/23/25 14:06	107-06-2	
Diisopropyl ether	**1.3**	ug/L	1.0	0.31	1		06/23/25 14:06	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/23/25 14:06	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/23/25 14:06	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-10 **Lab ID: 92803277012** Collected: 06/17/25 10:15 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/23/25 14:06	637-92-3	
Methyl-tert-butyl ether	**0.79J**	ug/L	1.0	0.42	1		06/23/25 14:06	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/23/25 14:06	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		06/23/25 14:06	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		06/23/25 14:06	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		06/23/25 14:06	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/23/25 14:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/23/25 14:06	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		1		06/23/25 14:06	17060-07-0	
Toluene-d8 (S)	100	%	70-130		1		06/23/25 14:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-10D **Lab ID: 92803277013** Collected: 06/17/25 10:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	**1.6**	ug/L	0.040	0.015	2	06/25/25 13:46	06/26/25 10:38	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	79	%	60-140		2	06/25/25 13:46	06/26/25 10:38	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	ND	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:04	7439-92-1	
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:43	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:43	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:43	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:43	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:43	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:43	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:43	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:43	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:43	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 02:43	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:43	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:43	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:43	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:43	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:43	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:43	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 02:43	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	64	%	35-143		1	06/24/25 18:45	06/25/25 02:43	4165-60-0	
2-Fluorobiphenyl (S)	50	%	24-130		1	06/24/25 18:45	06/25/25 02:43	321-60-8	
Terphenyl-d14 (S)	62	%	21-142		1	06/24/25 18:45	06/25/25 02:43	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	**287**	ug/L	100	36.4	1		06/25/25 19:31	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/25/25 19:31	994-05-8	
Benzene	**36.3**	ug/L	1.0	0.34	1		06/25/25 19:31	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/25/25 19:31	624-95-3	
tert-Butyl Alcohol	**104**	ug/L	100	26.8	1		06/25/25 19:31	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/25/25 19:31	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/25/25 19:31	107-06-2	
Diisopropyl ether	**22.9**	ug/L	1.0	0.31	1		06/25/25 19:31	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/25/25 19:31	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/25/25 19:31	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-10D **Lab ID: 92803277013** Collected: 06/17/25 10:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/25/25 19:31	637-92-3	
Methyl-tert-butyl ether	**11.3**	ug/L	1.0	0.42	1		06/25/25 19:31	1634-04-4	
Naphthalene	**1.6**	ug/L	1.0	0.64	1		06/25/25 19:31	91-20-3	
Toluene	**1.2**	ug/L	1.0	0.48	1		06/25/25 19:31	108-88-3	
Xylene (Total)	**2.7**	ug/L	1.0	0.34	1		06/25/25 19:31	1330-20-7	
m&p-Xylene	**1.2J**	ug/L	2.0	0.71	1		06/25/25 19:31	179601-23-1	
o-Xylene	**1.5**	ug/L	1.0	0.34	1		06/25/25 19:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		06/25/25 19:31	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-130		1		06/25/25 19:31	17060-07-0	
Toluene-d8 (S)	101	%	70-130		1		06/25/25 19:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-11 **Lab ID: 92803277014** Collected: 06/17/25 13:55 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	0.0074	1	06/26/25 07:57	06/26/25 20:26	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	91	%	60-140		1	06/26/25 07:57	06/26/25 20:26	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.0211**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:06	7439-92-1	B
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 03:09	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 03:09	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 03:09	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 03:09	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 03:09	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 03:09	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 03:09	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 03:09	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 03:09	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 03:09	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 03:09	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 03:09	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 03:09	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 03:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 03:09	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 03:09	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 03:09	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 03:09	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	59	%	35-143		1	06/24/25 18:45	06/25/25 03:09	4165-60-0	
2-Fluorobiphenyl (S)	42	%	24-130		1	06/24/25 18:45	06/25/25 03:09	321-60-8	
Terphenyl-d14 (S)	56	%	21-142		1	06/24/25 18:45	06/25/25 03:09	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/25/25 14:12	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/25/25 14:12	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/25/25 14:12	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/25/25 14:12	624-95-3	v2
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/25/25 14:12	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/25/25 14:12	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/25/25 14:12	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/25/25 14:12	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/25/25 14:12	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/25/25 14:12	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-11 **Lab ID: 92803277014** Collected: 06/17/25 13:55 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/25/25 14:12	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/25/25 14:12	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/25/25 14:12	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		06/25/25 14:12	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		06/25/25 14:12	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		06/25/25 14:12	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/25/25 14:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		06/25/25 14:12	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		1		06/25/25 14:12	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		06/25/25 14:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-12 **Lab ID: 92803277015** Collected: 06/17/25 13:20 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	0.0076	1	06/26/25 07:57	06/26/25 20:37	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	92	%	60-140		1	06/26/25 07:57	06/26/25 20:37	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00583J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:07	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:13	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:13	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:13	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:13	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:13	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:13	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:13	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:13	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:13	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 01:13	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:13	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:13	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:13	193-39-5	
1-Methylnaphthalene	**4.9J**	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:13	90-12-0	
2-Methylnaphthalene	**5.6J**	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:13	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:13	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:13	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 01:13	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	68	%	35-143		1	06/24/25 18:45	06/25/25 01:13	4165-60-0	
2-Fluorobiphenyl (S)	40	%	24-130		1	06/24/25 18:45	06/25/25 01:13	321-60-8	
Terphenyl-d14 (S)	61	%	21-142		1	06/24/25 18:45	06/25/25 01:13	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/25/25 13:54	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/25/25 13:54	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/25/25 13:54	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/25/25 13:54	624-95-3	v2,v3
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/25/25 13:54	75-65-0	v3
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/25/25 13:54	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/25/25 13:54	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/25/25 13:54	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/25/25 13:54	64-17-5	
Ethylbenzene	**2.4**	ug/L	1.0	0.30	1		06/25/25 13:54	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-12 **Lab ID: 92803277015** Collected: 06/17/25 13:20 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/25/25 13:54	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/25/25 13:54	1634-04-4	
Naphthalene	**1.8**	ug/L	1.0	0.64	1		06/25/25 13:54	91-20-3	v3
Toluene	ND	ug/L	1.0	0.48	1		06/25/25 13:54	108-88-3	
Xylene (Total)	**2.6**	ug/L	1.0	0.34	1		06/25/25 13:54	1330-20-7	
m&p-Xylene	**2.6**	ug/L	2.0	0.71	1		06/25/25 13:54	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/25/25 13:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		06/25/25 13:54	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		1		06/25/25 13:54	17060-07-0	
Toluene-d8 (S)	93	%	70-130		1		06/25/25 13:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-12D **Lab ID: 92803277016** Collected: 06/17/25 12:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	**0.077**	ug/L	0.021	0.0080	1	06/25/25 13:46	06/25/25 21:26	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	88	%	60-140		1	06/25/25 13:46	06/25/25 21:26	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00295J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:13	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:39	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:39	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:39	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:39	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:39	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 01:39	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:39	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 01:39	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:39	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 01:39	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:39	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:39	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 01:39	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 01:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:39	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 01:39	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 01:39	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 01:39	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	73	%	35-143		1	06/24/25 18:45	06/25/25 01:39	4165-60-0	
2-Fluorobiphenyl (S)	45	%	24-130		1	06/24/25 18:45	06/25/25 01:39	321-60-8	
Terphenyl-d14 (S)	60	%	21-142		1	06/24/25 18:45	06/25/25 01:39	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/24/25 05:10	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/24/25 05:10	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/24/25 05:10	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/24/25 05:10	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/24/25 05:10	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/24/25 05:10	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/24/25 05:10	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/24/25 05:10	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/24/25 05:10	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/24/25 05:10	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-12D **Lab ID: 92803277016** Collected: 06/17/25 12:45 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/24/25 05:10	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/24/25 05:10	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/24/25 05:10	91-20-3	v1
Toluene	ND	ug/L	1.0	0.48	1		06/24/25 05:10	108-88-3	
Xylene (Total)	**0.77J**	ug/L	1.0	0.34	1		06/24/25 05:10	1330-20-7	
m&p-Xylene	**0.77J**	ug/L	2.0	0.71	1		06/24/25 05:10	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/24/25 05:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/24/25 05:10	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	70-130		1		06/24/25 05:10	17060-07-0	
Toluene-d8 (S)	101	%	70-130		1		06/24/25 05:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-13 **Lab ID: 92803277017** Collected: 06/17/25 15:05 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8011 GCS EDB and DBCP	Analytical Method: EPA 8011 Preparation Method: EPA 8011 Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	0.0074	1	06/26/25 07:57	06/26/25 20:47	106-93-4	
Surrogates									
1-Chloro-2-bromopropane (S)	91	%	60-140		1	06/26/25 07:57	06/26/25 20:47	301-79-56	
Metals (ICP) 6010D	Analytical Method: EPA 6010D Preparation Method: 3015 Pace National - Mt. Juliet								
Lead	**0.00288J**	mg/L	0.00600	0.00243	1	07/02/25 15:10	07/04/25 05:15	7439-92-1	B,J
8270E PAH Low Volume	Analytical Method: EPA 8270E Preparation Method: EPA 3511 Pace Analytical Services - Charlotte								
Acenaphthene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:04	83-32-9	
Acenaphthylene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:04	208-96-8	
Anthracene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:04	120-12-7	
Benzo(a)anthracene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:04	56-55-3	
Benzo(a)pyrene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:04	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	10.0	3.9	1	06/24/25 18:45	06/25/25 02:04	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:04	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	10.0	3.6	1	06/24/25 18:45	06/25/25 02:04	207-08-9	
Chrysene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:04	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	10.0	4.3	1	06/24/25 18:45	06/25/25 02:04	53-70-3	
Fluoranthene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:04	206-44-0	
Fluorene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:04	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	10.0	4.0	1	06/24/25 18:45	06/25/25 02:04	193-39-5	
1-Methylnaphthalene	ND	ug/L	10.0	3.7	1	06/24/25 18:45	06/25/25 02:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:04	91-57-6	
Naphthalene	ND	ug/L	10.0	3.2	1	06/24/25 18:45	06/25/25 02:04	91-20-3	
Phenanthrene	ND	ug/L	10.0	3.4	1	06/24/25 18:45	06/25/25 02:04	85-01-8	
Pyrene	ND	ug/L	10.0	3.8	1	06/24/25 18:45	06/25/25 02:04	129-00-0	
Surrogates									
Nitrobenzene-d5 (S)	69	%	35-143		1	06/24/25 18:45	06/25/25 02:04	4165-60-0	
2-Fluorobiphenyl (S)	40	%	24-130		1	06/24/25 18:45	06/25/25 02:04	321-60-8	
Terphenyl-d14 (S)	59	%	21-142		1	06/24/25 18:45	06/25/25 02:04	1718-51-0	
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
tert-Amyl Alcohol	ND	ug/L	100	36.4	1		06/24/25 10:58	75-85-4	
tert-Amylmethyl ether	ND	ug/L	10.0	2.7	1		06/24/25 10:58	994-05-8	
Benzene	ND	ug/L	1.0	0.34	1		06/24/25 10:58	71-43-2	
3,3-Dimethyl-1-Butanol	ND	ug/L	100	51.9	1		06/24/25 10:58	624-95-3	
tert-Butyl Alcohol	ND	ug/L	100	26.8	1		06/24/25 10:58	75-65-0	
tert-Butyl Formate	ND	ug/L	50.0	29.4	1		06/24/25 10:58	762-75-4	
1,2-Dichloroethane	ND	ug/L	1.0	0.32	1		06/24/25 10:58	107-06-2	
Diisopropyl ether	ND	ug/L	1.0	0.31	1		06/24/25 10:58	108-20-3	
Ethanol	ND	ug/L	200	72.2	1		06/24/25 10:58	64-17-5	
Ethylbenzene	ND	ug/L	1.0	0.30	1		06/24/25 10:58	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: One Stop Marina
Pace Project No.: 92803277

Sample: MW-13 **Lab ID: 92803277017** Collected: 06/17/25 15:05 Received: 06/19/25 10:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Ethyl-tert-butyl ether	ND	ug/L	10.0	3.2	1		06/24/25 10:58	637-92-3	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.42	1		06/24/25 10:58	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.64	1		06/24/25 10:58	91-20-3	
Toluene	ND	ug/L	1.0	0.48	1		06/24/25 10:58	108-88-3	
Xylene (Total)	ND	ug/L	1.0	0.34	1		06/24/25 10:58	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.71	1		06/24/25 10:58	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.34	1		06/24/25 10:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/24/25 10:58	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-130		1		06/24/25 10:58	17060-07-0	
Toluene-d8 (S)	100	%	70-130		1		06/24/25 10:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.