

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4800 E

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

623,995.696

Easting
NAD 83(2011)
International Foot

2,599,588.705

Elevation
NAVD 88
Survey Foot

9.405

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 3.05 MI (4.9 KM) TO A GUARD GATE (ENTRANCE TO INLET HARBOR), OBTAIN PERMISSION AND CONTINUE ON SOUTH WACCAMAW DRIVE FOR 0.35 MI (0.6 KM) TO A DIM SAND ROAD LEADING SOUTH THROUGH THE DUNES, PACK ABOUT 750-FT SO ON THE SAND ROAD TO THE BEACH, CONTINUE SOUTHWEST ALONG THE DUNES FOR ABOUT 450-FT TO THE STATION ON THE RIGHT IN THE SECONDARY DUNE LINE.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **4900 B**

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

624,453.30

Easting
NAD 83(2011)
International Foot

2,600,312.42

Elevation
NAVD 88
Survey Foot

14.327

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 AND STATE HIGHWAY 707, 1.2 MI (1.9 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHWEST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO THE JUNCTION OF JAMESTOWN ROAD LEFT AND ATLANTIC AVENUE RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 3.2 MI (5.1 KM) TO A GUARD GATE, OBTAIN PERMISSION, CONTINUE ON WACCAMAW DRIVE FOR 0.35 MI (0.6 KM) TO THE END OF TRUCK TRAVEL, PROCEED SOUTH-SOUTHWEST BY FOOT FOR 0.05 MI (0.1 KM) TO THE STATION AHEAD IN THE LANDWARD DUNES.

STATION IS A STAINLESS STEEL ROD ENCASED IN AN ALUMINUM ACCESS COVER, 1.5 FT (0.5 M) NORTH-NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4905

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

625,130.40

Easting
NAD 83(2011)
International Foot

2,600,820.04

Elevation
NAVD 88
Survey Foot

7.89

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 3.2 MI (5.1 KM) TO A GUARD GATE, CONTINUE ON THE DRIVE FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT AND ON THE SOUTHWEST SIDE OF A BEACH ACCESS (I-HZ).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND LEVEL WITH THE ROAD, 49.0 FT (14.9 M) NORTHWEST OF THE CENTER OF THE DRIVE, 3.0 FT (0.9 M) SOUTHWEST OF THE EDGE OF THE ACCESS, 2.3 FT (0.7 M) SOUTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4910 E

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

626,318.422

Easting
NAD 83(2011)
International Foot

2,601,615.377

Elevation
NAVD 88
Survey Foot

10.476

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 3.1 MI (5.0 KM) TO THE STATION ON THE RIGHT NEAR A BLUE CONCRETE (MV) MARKER JUST BEFORE A GUARD GATE FOR INLET HARBOR.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 1.0 FT (0.3 M) ABOVE THE ROAD, 22.3 FT (6.8 M) NORTHWEST OF THE CENTER OF THE ROAD, 3.4 FT (1.0 M) NORTH-NORTHEAST OF THE BLUE MARKER PROJECTING 3-FT INSCRIBED (MV), 28.7 FT (8.7 M) SOUTHWEST OF A FIRE HYDRANT, 34.6 FT (10.5 M) NORTH OF A FLAG POLE, 18.4 FT (5.6 M) NORTHEAST OF A STREET LIGHT NUMBER L05436, 45.7 FT (13.9 M) NORTH-NORTHEAST OF THE NORTH CORNER OF THE GUARD HOUSE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4915

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

626,945.73

Easting
NAD 83(2011)
International Foot

2,601,994.96

Elevation
NAVD 88
Survey Foot

9.36

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN LEFT ON WACCAMAW DRIVE FOR 3.0 MI (4.8 KM) TO THE STATION ON THE LEFT NEAR A PUBLIC BEACH ACCESS (PUBLIC ACCESS 43).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 25.0 FT (7.6 M) EAST-SOUTHEAST OF THE CENTER OF THE ROAD, 2.2 FT (0.7 M) SOUTHWEST OF A CONCRETE POST (PUBLIC ACCESS 43) PROJECTING 4.0 FT (1.2 M), 3.8 FT (1.2 M) NORTH OF THE NORTH ONE OF TWO WOODEN POSTS PROJECTING 2.5 FT (0.8 M).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4920 E

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

628,147.466

Easting
NAD 83(2011)
International Foot

2,602,347.723

Elevation
NAVD 88
Survey Foot

7.525

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 2.8 MI (4.5 KM) TO THE STATION NEAR A METAL SIGN POST ON THE RIGHT IN THE SOUTHWEST ANGLE OF THE JUNCTION OF STATE ROAD 597 (POMPANO DRIVE).

STATION IS A DISK SET IN A DRILL MARK IN A SIDEWALK AND LEVEL WITH ROADS, 17.9 FT (5.5 M) WEST-NORTHWEST OF THE CENTER OF SOUTH WACCAMAW DRIVE, 18.0 FT (5.5 M) SOUTH-SOUTHWEST OF THE CENTER OF ROAD 597, 17.8 FT (5.4 M) NORTHEAST OF THE CENTER OF A TELEPHONE JUNCTION BOX NUMBER 1/191, 5.2 FT (1.6 M) SOUTHEAST OF THE SIGN POST (POMPANO DRIVE/SOUTH WACCAMAW DRIVE), 1.6 FT (0.5 M) WEST-NORTHWEST OF THE WEST EDGE OF THE SIDEWALK, 6.8 FT (2.1 M) EAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4925

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

629,332.658

Easting
NAD 83(2011)
International Foot

2,602,741.277

Elevation
NAVD 88
Survey Foot

8.288

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 2.6 MI (4.2 KM) TO THE STATION ON THE LEFT NEAR PUBLIC BEACH ACCESS NUMBER 38.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND LEVEL WITH THE ROAD, 22.4 FT (6.8 M) SOUTHEAST OF THE CENTER OF THE ROAD, 2.0 FT (0.6 M) SOUTH-SOUTHEAST OF THE NORTH ONE OF TWO CONCRETE POSTS (PUBLIC ACCESS 38) PROJECTING 4.0 FT (1.2 M), 28.8 FT (8.8 M) NORTH-NORTHEAST OF THE NORTH EDGE OF THE DRIVEWAY FOR A TWO STORY VINYL SIDED HOUSE NUMBER 1701, 6.5 FT (2.0 M) NORTH OF A POWER POLE WITH A TRANSFORMER, 1.5 FT (0.5 M) SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4930

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

630,077.869

Easting
NAD 83(2011)
International Foot

2,602,956.056

Elevation
NAVD 88
Survey Foot

8.103

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 2.5 MI (4.0 KM) TO THE STATION ON THE RIGHT IN FRONT A ONE STORY WOOD SIDED HOUSE NUMBER 1614.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 22.5 FT (6.9 M) WEST-NORTHWEST OF THE CENTER OF THE ROAD, 57.7 FT (17.6 M) EAST OF THE SOUTHEAST CORNER OF THE HOUSE, 44.7 FT (13.6 M) SOUTH-SOUTHWEST OF THE SOUTH EDGE OF THE DRIVEWAY FOR THE HOUSE, 25.0 FT (7.6 M) SOUTHEAST ONE OF TWO 1.0 FT (0.3 M) PALMETTO TREES.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4935

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

631,069.37

Easting
NAD 83(2011)
International Foot

2,603,440.43

Elevation
NAVD 88
Survey Foot

7.758

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN ON WACCAMAW DRIVE FOR 2.2 MI (3.5 KM) TO THE STATION ON THE LEFT NEAR A POWER POLE AND PUBLIC BEACH ACCESS NUMBER 35.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM), 32.5 FT (9.9 M) SOUTHEAST OF THE CENTER OF THE ROAD, 2.4 FT (0.7 M) SOUTHWEST OF THE SOUTH EDGE OF THE BEACH ACCESS, 8.5 FT (2.6 M) SOUTHEAST OF THE POWER POLE WITH ONE GUY WIRE, 16.4 FT (5.0 M) NORTH-NORTHEAST OF THE NORTHEAST ONE OF TWO LEGS OF A SIGN (MARLIN VIEW).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **4940 B**

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

632,161.692

Easting
NAD 83(2011)
International Foot

2,604,012.943

Elevation
NAVD 88
Survey Foot

7.542

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 2.0 MI (3.2 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 22.3 FT (6.8 M) WEST-NORTHWEST OF THE CENTER OF THE ROAD, 3.8 FT (1.2 M) EAST-NORTHEAST OF THE POWER POLE WITH ONE TRANSFORMER, 4.4 FT (1.3 M) SOUTH-SOUTHEAST OF A TELEPHONE JUNCTION BOX NUMBER 1/162, 16.0 FT (4.9 M) SOUTHWEST OF THE CENTER OF THE SOUTHWEST ONE OF TWO DRIVEWAYS FOR A ONE STORY WOOD SIDED HOUSE NUMBER 1382, 0.5 FT (15 CM) EAST-SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4950

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

633,745.08

Easting
NAD 83(2011)
International Foot

2,605,034.19

Elevation
NAVD 88
Survey Foot

6.327

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 1.6 MI (2.6 KM) TO THE STATION NEAR A CONCRETE POST AT A PUBLIC BEACH ACCESS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND LEVEL WITH THE ROAD, 29.0 FT (8.8 M) EAST-SOUTHEAST OF THE CENTER OF THE ROAD, 8.4 FT (2.6 M) SOUTH-SOUTHWEST OF THE CONCRETE POST (PUBLIC ACCESS) PROJECTING 4.0 FT (1.2 M), 28.8 FT (8.8 M) WEST OF THE WEST CORNER OF TWO STORY WOOD SIDED HOUSE 1205, 40.2 FT (12.3 M) NORTH OF THE NORTH CORNER OF ONE STORY WOOD SIDED HOUSE 1213.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4955 E

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

634,606.235

Easting
NAD 83(2011)
International Foot

2,605,626.182

Elevation
NAVD 88
Survey Foot

7.307

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 1.3 MI (2.1 KM) TO THE STATION ON THE LEFT IN A CONCRETE PAD AT THE END OF A GRAVEL PARKING LOT FOR BEACH ACCESS.

STATION IS A DISK SET INTO A DRILL HOLE IN A CONCRETE SLAB, LEVEL WITH THE ROAD, 87.0 FT (26.5 M) SOUTHEAST OF THE CENTER OF THE ROAD, 34.4 FT (10.5 M) WEST-SOUTHWEST OF THE SOUTH CORNER OF A TWO STORY HOUSE NUMBER 1103, 21.2 FT (6.5 M) NORTHWEST OF THE NORTHEAST ONE OF TWO WOODEN SUPPORT RAILS OF THE WALKWAY, 29.0 FT (8.8 M) NORTH-NORTHEAST OF THE EAST CORNER OF A TWO STORY WOOD-SIDED HOUSE NUMBER 1113, 1.1 FT (0.3 M) SOUTHEAST OF THE SOUTHEAST EDGE OF THE SLAB, 11.0 FT (3.4 M) NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4960 F

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

635,513.944

Easting
NAD 83(2011)
International Foot

2,606,066.202

Elevation
NAVD 88
Survey Foot

6.237

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 1.2 MI (1.9 KM) TO THE STATION ON THE RIGHT

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 0.3 FT (9 CM) BELOW THE ROAD, 29.0 FT (8.8 M) WEST-NORTHWEST OF THE CENTER OF WACCAMAW DRIVE, 20.6 FT (6.3 M) SOUTH OF THE CENTER OF THE CONCRETE DRIVEWAY FOR HOUSE #1008, 24.6 FT (7.5 M) NORTH OF A POWER POLE WITH ONE TRANSFORMER, 15.0 FT (4.6 M) NORTHEAST OF THE NORTHEAST CORNER OF A METAL STORM GRATE, 28.2 FT (8.6 M) SOUTH-SOUTHEAST OF THE SOUTH WOODEN PIER FOR HOUSE #1008, 24.4 FT (7.4 M) NORTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **4965 B**

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

636,006.004

Easting
NAD 83(2011)
International Foot

2,606,471.013

Elevation
NAVD 88
Survey Foot

8.427

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW FOR 1.1 MI (1.8 KM) TO THE STATION ON THE LEFT NEAR PUBLIC BEACH ACCESS NUMBER 7.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.4 FT (6.2 M) SOUTHEAST OF THE CENTER OF THE ROAD, 7.0 FT (2.1 M) WEST OF THE EAST ONE OF TWO CONCRETE POSTS (PUBLIC ACCESS 7) PROJECTING 4.0 FT (1.2 M), 36.0 FT (11.0 M) SOUTH-SOUTHWEST OF THE CENTER OF THE DRIVEWAY FOR WOOD SIDED HOUSE NUMBER 945, 35.0 FT (10.7 M) EAST-NORTHEAST OF THE CENTER OF THE DRIVEWAY FOR VINYL SIDED HOUSE NUMBER 953.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4970 F

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

636,790.820

Easting
NAD 83(2011)
International Foot

2,606,956.450

Elevation
NAVD 88
Survey Foot

6.945

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 0.8 MI (1.3 KM) TO THE STATION ON THE LEFT NEAR PUBLIC BEACH ACCESS NUMBER 4.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.5 FT (6.2 M) SOUTHEAST OF THE CENTER OF WACCAMAW DRIVE, 3.4 FT (1.0 M) NORTH-NORTHEAST OF THE NORTHEAST EDGE OF THE CONCRETE DRIVEWAY FOR HOUSE #861, 30.8 FT (9.4M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE CONCRETE DRIVEWAY TO HOUSE #855, 4.8 FT (1.5 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4975 F

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

637,939.379

Easting
NAD 83(2011)
International Foot

2,607,805.736

Elevation
NAVD 88
Survey Foot

4.702

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 0.55 MI (0.9 KM) TO THE STATION ON THE RIGHT IN THE WEST ANGLE OF A GRASSY DRIVE FOR A BEACH HOUSE NUMBER 650.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 0.3 FT (9 CM) BELOW THE ROAD, 15.6 FT (4.8 M) NORTHWEST OF THE CENTER OF THE ROAD, 4.0 FT (1.2 M) SOUTHEAST OF THE SOUTHEAST EDGE OF A SIDEWALK FOR THE ROAD, 27.6 FT (8.4 M) SOUTHO OF A POWER POLE, 8.4 FT (2.5 M) SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4980 F

Beach Name: GARDEN CITY **County:** GEORGETOWN **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

638,515.313

Easting
NAD 83(2011)
International Foot

2,607,978.681

Elevation
NAVD 88
Survey Foot

7.326

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 0.9 MI (0.27 KM) TO THE JUNCTION OF UNDERWOOD DRIVE, TURN RIGHT ON UNDERWOOD DRIVE FOR 0.5 MI (0.7 KM) TO THE JUNCTION OF YUCCA AVE AND THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 0.3 FT (9 CM) BELOW THE ROAD, 24.1 FT (7.3 M) SNORTHEAST OF THE CENTER OF YUCCA AVE, 23.6 FT (7.2 M) SOUTHEAST OF THE CENTER OF UNDERWOOD DR, 16.5 FT (5.0 M) SOUTH-SOUTHWEST OF A FIRE HYDRANT, 0.3 FT (.09 M) SOUTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 4999 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

639,555.358

Easting
NAD 83(2011)
International Foot

2,608,709.617

Elevation
NAVD 88
Survey Foot

4.699

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN RIGHT ON SOUTH WACCAMAW DRIVE FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF STATE ROAD 245 (HOLLY AVENUE), TURN RIGHT ON ROAD 245 FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A WOOD FENCE CORNER IN THE SOUTH ANGLE OF THE JUNCTION OF STATE ROAD 246 (UNDERWOOD ROAD).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 26.0 FT (7.9 M) SOUTHEAST OF THE CENTER OF ROAD 246, 26.3 FT (8.0 M) SOUTHWEST OF THE CENTER OF ROAD 245, 2.1 FT (0.6 M) NORTHEAST OF THE NORTH WOOD FENCE CORNER POST, 1.9 FT (0.6 M) NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5000 F

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

640,019.234

Easting
NAD 83(2011)
International Foot

2,609,202.686

Elevation
NAVD 88
Survey Foot

5.960

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 1.4 MI (2.3 KM) TO A PAVED CROSSROAD (JAMESTOWN ROAD) LEFT AND (ATLANTIC AVENUE) RIGHT, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN RIGHT ON WACCAMAW DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF STATE ROAD 1345 (AZALEA AVENUE). TURN RIGHT ON AZALEA AVENUE FOR 50FT TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, RECESSED 0.3 FT (9 CM) AND 0.3 FT (9 CM) BELOW THE ROAD, 33.0 FT (10 M) SOUTHWEST OF THE CENTER OF AZALEA AVE, 65.0 FT (19.8 M) NORTHWEST OF THE CENTER OF WACCAMAW DR, 26.5 FT (8.0M) EAST NORTHEAST OF THE E PIER FOR HOUSE #202, 14.2 FT (4.3 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5005 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

641,066.084

Easting
NAD 83(2011)
International Foot

2,609,711.775

Elevation
NAVD 88
Survey Foot

4.133

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN LEFT ON SOUTH WACCAMAW DRIVE FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF YAUPON AVENUE, TURN LEFT ON YAUPON DRIVE FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT IN THE NORTH ANGLE OF A GRAVEL DRIVEWAY TO HOUSE NUMBER 116.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 14.8 FT (4.5 M) NORTHEAST OF THE CENTER OF THE ROAD, 42.4 FT (12.9 M) SOUTHWEST OF THE SOUTH CORNER OF A CONCRETE PAD BENEATH THE HOUSE, 44.2 FT (13.5 M) SOUTHEAST OF A POWER POLE NUMBER 63203 WITH TRANSFORMER, 20.6 FT (6.3 M) WEST-SOUTHWEST OF THE WEST ONE OF TWO LEGS FOR A WOOD SIGN (GARDEN CITY CHAPEL), 57.7 FT (17.6 M) NORTHWEST OF THE WEST CORNER OF A THREE STORY BUILDING NUMBER 301 (GARDEN SANDS), 44.2 FT (13.5 M) SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5010 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

641,825.691

Easting
NAD 83(2011)
International Foot

2,610,531.326

Elevation
NAVD 88
Survey Foot

4.462

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SOUTH WACCAMAW DRIVE, TURN LEFT ON SOUTH WACCAMAW DRIVE FOR 0.3 MI (0.5 KM) TO THE STATION ON THE LEFT NEAR A MANHOLE COVER IN THE NORTHEAST ANGLE OF THE JUNCTION OF STATE ROAD 154 (CYPRESS AVENUE).

STATION IS A DISK SET INTO A DRILL HOLE IN THE SIDEWALK AND LEVEL WITH THE ROADS, 25.8 FT (7.9 M) SOUTHWEST OF THE POWER POLE WITH THREE GUY WIRES AND A TRANSFORMER, 19.9 FT (6.1 M) NORTHWEST OF THE CENTER OF ROAD 155, 10.5 FT (3.2 M) SOUTHWEST OF THE CENTER OF THE MANHOLE COVER, 56.0 FT (17.1 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A TWO STORY WOOD-SIDED HOUSE 601B, 76.5 FT (23.3 M) NORTHEAST OF THE CENTER OF THE ROAD, 1.2 FT (0.4 M) NORTHWEST OF THE NORTHWEST EDGE OF THE SIDEWALK, 25.6 FT (7.8 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5015 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

642,643.601

Easting
NAD 83(2011)
International Foot

2,611,021.813

Elevation
NAVD 88
Survey Foot

6.053

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (SOUTH KINGS HIGHWAY) AND 17 (MARK GARNER HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.85 MI (3.0 KM) TO THE JUNCTION OF CYPRESS AVENUE, TURN RIGHT ON CYPRESS AVENUE FOR 0.9 MI (1.4 KM) TO THE JUNCTION OF NORTH WACCAMAW DRIVE, TURN LEFT ON NORTH WACCAMAW DRIVE FOR 0.2 M (0.7 FT) TO THE STATION ON THE LEFT NEAR A POWER POLE IN THE WEST ANGLE OF THE JUNCTION OF HOLIDAY DRIVE.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 54.4 FT (16.6 M) NORTHWEST OF THE CENTER OF NORTH WACCAMAW DRIVE, 18.4 FT (5.6 M) WEST-SOUTHWEST OF THE CENTER OF HOLIDAY DRIVE, 13.7 FT (4.2 M) NORTHWEST OF THE POWER POLE WITH TWO GUY WIRES, A TRANSFORMER AND STREET LIGHT, 13.2 FT (4.0 M) NORTH OF THE WEST CORNER OF A METAL ELECTRIC CONTROL BOX, 31.6 FT (9.6 M) EAST OF THE NORTHEAST EDGE OF A CONCRETE DRIVEWAY TO BEACH HOUSE NUMBER 827, 14.0 FT (4.3 M) NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5020 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

643,633.83

Easting
NAD 83(2011)
International Foot

2,611,502.31

Elevation
NAVD 88
Survey Foot

5.0

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF ATLANTIC AVENUE, TURN RIGHT ON ATLANTIC AVENUE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF WACCAMAW DRIVE, TURN LEFT ON WACCAMAW DRIVE FOR 0.7 MI (1.1 KM) TO THE JUNCTION OF SEABREEZE DRIVE, TURN LEFT ON SEABREEZE DRIVE FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT IN FRONT OF HOUSE NUMBER 123.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 16.0 FT (4.9 M) SOUTHWEST OF THE CENTER OF THE ROAD (SEABREEZE DRIVE), 36.0 FT (11.0 M) SOUTHEAST OF A POWER POLE NUMBER 57339 WITH TRANSFORMER, 130.5 FT (39.8 M) NORTHEAST OF THE NORTH CORNER OF HOUSE NUMBER 123, 83.4 FT (25.4 M) NORTH-NORTHWEST OF A POWER POLE NUMBER 57336 WITH TRANSFORMER, 42.8 FT (13.0 M) WEST-SOUTHWEST OF A POWER POLE NUMBER 82793 WITH GUY WIRE ACROSS THE ROAD, 36.0 FT (11.0 M) SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5025 E

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

644,250.389

Easting
NAD 83(2011)
International Foot

2,612,269.426

Elevation
NAVD 88
Survey Foot

7.45

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (SOUTH KINGS HIGHWAY), 11.8 MI (19.0 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 BUSINESS FOR 2.4 MI (3.9 KM) TO THE JUNCTION OF STATE ROAD 71 (WOODLAND DRIVE), TURN RIGHT ON ROAD 71 FOR 0.8 MI (1.3 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE IN THE WEST ANGLE OF STATE ROAD 155 (NORTH WACCAMAW DRIVE).

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 1.0 FT (0.3 M) ABOVE THE ROADS, 32.9 FT (10.0 M) WEST-SOUTHWEST OF THE CENTER OF ROAD 155, 23.5 FT (7.2 M) SOUTHWEST OF THE CENTER OF ROAD 71, 5.7 FT (1.7 M) NORTHEAST OF THE POWER POLE NUMBER 100880 WITH A SECURITY LIGHT, 8.7 FT (2.7 M) EAST OF A TELEPHONE JUNCTION BOX NUMBER 187, 5.8 FT (1.8 M) NORTH-NORTHWEST OF A MANHOLE COVER IN THE SIDEWALK, 5.7 FT (1.7 M) NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5030

Beach Name: GARDEN CITY **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

644,931.32

Easting
NAD 83(2011)
International Foot

2,612,848.11

Elevation
NAVD 88
Survey Foot

7.87

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 2.9 MI (4.3 KM) TO THE JUNCTION OF MELODY LANE, TURN RIGHT ON MELODY LANE FOR 0.7 MI (1.1 KM) TO THE JUNCTION OF STATE ROAD 155 (SOUTH OCEAN BOULEVARD) LEFT AND (NORTH WACCAMAW DRIVE) RIGHT, TURN RIGHT ON ROAD 155 FOR 0.3 MI (0.5 KM) TO THE STATION ON THE LEFT IN A LANDSCAPE BED BETWEEN THE DRIVEWAY FOR A TWO STORY VINYL SIDED HOUSE NUMBER 1720 AND THE ENTRANCE DRIVE FOR SURF MASTER BUILDING NUMBER 1690.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND LEVEL WITH THE ROAD, 18.4 FT (5.6 M) SOUTHEAST OF THE CENTER OF THE ROAD, 71.5 FT (21.8 M) NORTH-NORTHWEST OF THE NORTH CORNER OF BUILDING 1690, 15.5 FT (4.7 M) WEST-SOUTHWEST OF THE CENTER OF THE DRIVEWAY FOR THE HOUSE, 21.0 FT (6.4 M) NORTH-NORTHEAST OF THE CENTER OF THE ENTRANCE DRIVE, 1.0 FT (0.3 M) NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: January 2022 - May 2022

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5035

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

645,567.20

Easting
NAD 83(2011)
International Foot

2,613,354.56

Elevation
NAVD 88
Survey Foot

9.860

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHEAST ON HIGHWAY 17 FOR 0.4 MI (0.6 KM) TO THE FORK JUNCTION OF U.S. HIGHWAY 17 BUSINESS, BEAR RIGHT ON HIGHWAY 17 BUSINESS FOR 2.9 MI (4.3 KM) TO THE JUNCTION OF MELODY LANE, TURN RIGHT ON MELODY LANE FOR 0.7 MI (1.1 KM) TO THE JUNCTION OF STATE ROAD 155 (SOUTH OCEAN BOULEVARD) LEFT AND (NORTH WACCAMAW DRIVE) RIGHT, TURN RIGHT ON ROAD 155 FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT NEAR A POWER POLE IN THE NORTHEAST ANGLE OF THE ENTRANCE DRIVE FOR A PARKING LOT (OCEANSIDE VILLAGE).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM) AND LEVEL WITH THE ROAD, 38.1 FT (11.6 M) SOUTHEAST OF THE CENTER OF THE ROAD, 4.3 FT (1.3 M) SOUTH-SOUTHEAST OF THE POWER POLE NUMBER 67179 WITH ONE TRANSFORMER, 9.6 FT (2.9 M) NORTH OF A SECURITY LIGHT NUMBER L05410-L05411, 3.0 FT (0.9 M) SOUTH-SOUTHEAST OF A WITNESS POST.