

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2620

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

274,152.40

Easting
NAD 83(2011)
International Foot

2,266,414.93

Elevation
NAVD 88
Survey Foot

12.5

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.5 MI (2.4 KM) TO THE STATION ON THE RIGHT ON THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 1.0 FT (0.3 M) SOUTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: March 2019 – July 2019

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2625 F

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

275,291.954

Easting
NAD 83(2011)
International Foot

2,268,203.125

Elevation
NAVD 88
Survey Foot

13.251

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.1 MI (1.8 KM) TO THE STATION ON THE RIGHT NEAR THE SOUTHWEST EGDE OF A BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND 3.5 FT (1.1 M) BELOW THE BOARDWALK, 4.3 FT (1.3 M) SOUTH-SOUTHWEST OF THE SOUTHWEST EDGE OF THE BOARDWALK, 53.7 FT (16.4 M) NORTH-NORTHWEST OF THE SOUTHWEST BOARDWALK RAIL END POST, 2.0 FT (0.6 M) SOUTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2630

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

276,332.768

Easting
NAD 83(2011)
International Foot

2,269,723.798

Elevation
NAVD 88
Survey Foot

18.412

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.8 MI (1.3 KM) TO THE STATION ON THE RIGHT ON TOP OF THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 9.2 FT (2.8 M) EAST-NORTHEAST OF A CONCRETE POST PROJECTING 1.5 FT (0.5 M), 165.0 FT (50.3 M) NORTHWEST OF MILE MARKER)0.43).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2635

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

276,490.58

Easting
NAD 83(2011)
International Foot

2,270,247.21

Elevation
NAVD 88
Survey Foot

12.1

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN SOUTHWEST ON THE BEACH FOR 0.7 MI (1.1 KM) TO THE STATION ON THE RIGHT NEAR A DILAPIDATED BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 55.6 FT (16.9 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BOARDWALK, 57.0 FT (17.4 M) SOUTH OF A FENCE LINE, 10.5 FT (3.2 M) EAST-NORTHEAST OF A METAL GATE POST FOR THE BOARDWALK.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2640

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

277,083.23

Easting
NAD 83(2011)
International Foot

2,271,326.82

Elevation
NAVD 88
Survey Foot

14.2

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN SOUTHWEST ON THE BEACH FOR 0.45 MI (0.7 KM) TO THE STATION ON THE RIGHT ON TOP OF THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 98.0 FT (29.9 M) NORTH-NORTHEAST OF MARKER POST 0.71, 1.3 FT (0.4 M) SOUTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2645

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

277,619.588

Easting
NAD 83(2011)
International Foot

2,272,543.918

Elevation
NAVD 88
Survey Foot

15.404

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.2 MI (0.3 KM) TO THE STATION ON THE RIGHT ON TOP OF THE LANDWARD DUNE LINE IN FRONT OF A TWO STORY SHINGLE SIDED HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), BLANK FT WEST-SOUTHWEST OF A CONCRETE CYLINDER PROJECTING 1.0 FT (0.3 M) WITH A DISK STAMPED 139.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2660

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

278,383.20

Easting
NAD 83(2011)
International Foot

2,274,273.99

Elevation
NAVD 88
Survey Foot

16.19

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON BEACH FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT NEAR THE NORTHWEST CORNER OF THE SEATING AREA FOR BOARDWALK 12 (NEWMANS LANDING).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 7.5 FT (2.3 M) WEST-SOUTHWEST OF THE CORNER OF THE SEATING AREA, 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2665

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

279,098.891

Easting
NAD 83(2011)
International Foot

2,276,196.094

Elevation
NAVD 88
Survey Foot

15.531

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.5 MI (0.8 KM) TO THE STATION ON THE LEFT, ON TOP OF THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 1.8 FT (0.5 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2675 B

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

279,565.836

Easting
NAD 83(2011)
International Foot

2,277,501.242

Elevation
NAVD 88
Survey Foot

12.435

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.8 MI (1.3 KM) TO THE STATION ON THE LEFT ON TOP OF A SECONDARY DUNE IN FRONT OF A SHINGLE SIDED CONDOMINIUM.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2680 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

279,943.404

Easting
NAD 83(2011)
International Foot

2,278,249.399

Elevation
NAVD 88
Survey Foot

9.574

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY), ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A SAND ROAD (KIAWAH ISLAND BEACH ACCESS ROAD B), TURN RIGHT ON THE SAND ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.0 MI (1.6 KM) TO THE STATION ON THE LEFT NEAR THE SOUTHEAST CORNER OF A STUCCO CONDOMINIUM.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 27.4 FT (8.4 M) SOUTHEAST OF THE SOUTHEAST CORNER OF THE CONDOMINIUM, 8.5 FT (2.6 M) WEST-SOUTHWEST OF A 1.0 FT (0.3 M) PALMETTO TREE WITH A SCGS REFERENCE WASHER, 4.2 FT (1.3 M) NORTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2685

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

280,537.47

Easting
NAD 83(2011)
International Foot

2,280,718.17

Elevation
NAVD 88
Survey Foot

12.72

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN NORTHEAST ON THE BEACH FOR 1.4 MI (2.3 KM) TO THE STATION ON THE LEFT BEHIND THE DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 1.0 FT (0.3 M), 13.1 FT (4.0 M) NORTH OF A WOOD STAKE MARKED (KIA 6), 1.2 FT (0.4 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2690

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

281,166.778

Easting
NAD 83(2011)
International Foot

2,282,876.449

Elevation
NAVD 88
Survey Foot

12.015

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.85 MI (3.0 KM) TO THE STATION ON THE LEFT ON TOP OF THE LANDWARD DUNE LINE IN FRONT OF A TWO STORY SHINGLE SIDED HOUSE WITH THREE SQUARE WINDOWS IN THE CENTER GABLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 0.9 FT (27 CM) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: March 2019 – July 2019

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2695

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

281,719.231

Easting
NAD 83(2011)
International Foot

2,285,131.241

Elevation
NAVD 88
Survey Foot

11.232

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.3 MI (3.7 KM) TO THE STATION ON THE LEFT BEHIND THE DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 27.5 FT (8.4 M) WEST-SOUTHWEST OF THE WEST EDGE OF A BOARDWALK, 99.8 FT (30.4 M) EAST OF THE EAST EDGE OF A BOARDWALK, 1.8 FT (0.5 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2700

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

281,943.648

Easting
NAD 83(2011)
International Foot

2,286,187.855

Elevation
NAVD 88
Survey Foot

11.754

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.5 MI (4.0 KM) TO THE STATION ON THE LEFT BETWEEN A PRIVATE BOARDWALK AND KIAWAH ISLAND BOARDWALK 32.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 20.2 FT (6.2 M) EAST OF THE PRIVATE BOARDWALK, 43.5 FT (13.3 M) WEST OF BOARDWALK 32, 57.0 FT (17.4 M) SOUTHWEST OF LANDWARD MILE MARKER 3.68, 1.6 FT (0.5 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2705

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

282,268.846

Easting
NAD 83(2011)
International Foot

2,287,413.876

Elevation
NAVD 88
Survey Foot

13.694

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.75 MI (4.4 KM) TO THE STATION ON THE LEFT NEAR THE SOUTHWEST CORNER OF A WOOD DECK ALONG A PRIVATE BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, PROJECTING 0.3 FT (9 CM), 39.2 FT (11.9 M) WEST OF THE CORNER OF THE DECK, 97.0 FT (29.6 M) NORTH-NORTHEAST OF MILE MARKER 4, 211.0 FT (64.3 M) NORTHEAST OF SEAWARD MILE MARKER 3.85, 1.2 FT (0.4 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: March 2019 – July 2019

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2715

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

282,536.331

Easting
NAD 83(2011)
International Foot

2,288,663.465

Elevation
NAVD 88
Survey Foot

11.573

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.95 MI (4.7 KM) TO THE STATION ON THE LEFT ON TOP OF THE LANDWARD DUNE LINE NEAR KIAWAH ISLAND BOARDWALK 37.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, PROJECTING 0.5 FT (15 CM), 130.3 FT (39.7 M) EAST OF THE EAST EDGE OF THE BOARDWALK, 2.3 FT (0.7 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: March 2019 – July 2019

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2720

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

282,752.627

Easting
NAD 83(2011)
International Foot

2,289,526.087

Elevation
NAVD 88
Survey Foot

12.693

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 3.25 MI (5.2 KM) TO THE STATION ON THE LEFT ON THE LANDWARD DUNE LINE NEAR A BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, PROJECTING 0.5 FT (15 CM), 16.8 FT (5.1 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BOARDWALK, 16.6 FT (5.1 M) EAST OF A WOOD SIGN POST (PRIVATE PROPERTY/PREMISES MONITORED), 1.5 FT (0.5 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2725

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

283,288.76

Easting
NAD 83(2011)
International Foot

2,291,875.65

Elevation
NAVD 88
Survey Foot

12.67

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN NORTHEAST ON BEACH FOR 3.65 MI (5.9 KM) TO THE STATION ON THE LEFT ON THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 38.8 FT (11.8 M) EAST OF THE EAST EDGE OF A BOARDWALK, 36.0 FT (11.0 M) WEST OF THE WEST EDGE OF A BOARDWALK, 1.5 FT (0.5 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2730

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

283,430.446

Easting
NAD 83(2011)
International Foot

2,292,526.795

Elevation
NAVD 88
Survey Foot

12.212

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 3.75 MI (6.0 KM) TO THE STATION ON THE LEFT ON THE LANDWARD DUNE LINE NEAR A PRIVATE BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, PROJECTING 0.3 FT (9 CM), 28.0 FT (8.5 M) NORTH-NORTHEAST OF THE NORTH EDGE OF THE BOARDWALK, 1.9 FT (0.6 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2735

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

283,729.46

Easting
NAD 83(2011)
International Foot

2,294,001.18

Elevation
NAVD 88
Survey Foot

12.45

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO A SAND DRIVE (BEACH ACCESS B), TURN RIGHT ON THE SAND DRIVE FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 4.0 MI (6.4 KM) TO THE JUNCTION OF KIAWAH ISLAND BEACH ACCESS (D), TURN LEFT ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 71.0 FT (21.6 M) WEST OF CENTER OF THE ACCESS ROAD, 2.0 FT (0.6 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2745 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,079.639

Easting
NAD 83(2011)
International Foot

2,297,002.004

Elevation
NAVD 88
Survey Foot

6.681

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY), ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A SAND ROAD (KIAWAH ISLAND BEACH ACCESS ROAD B), TURN RIGHT ON THE SAND ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 4.6 MI (7.4 KM) TO THE STATION ON THE LEFT NEAR THE INTERSECTION OF TWO SAND GOLF CART PATHS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 24.5 FT (7.5 M) NORTHEAST OF THE CENTER OF A CART PATH LEADING NORTHWEST/SOUTHEAST, 13.0 FT (4.0 M) NORTH-NORTHWEST OF THE CENTER OF A CART PATH LEADING NORTHEAST/SOUTHWEST, 6.2 FT (1.9 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2750 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,257.099

Easting
NAD 83(2011)
International Foot

2,298,752.769

Elevation
NAVD 88
Survey Foot

10.991

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY), ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A SAND ROAD (KIAWAH ISLAND BEACH ACCESS ROAD B), TURN RIGHT ON THE SAND ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 5.0 MI (8.0 KM) TO THE STATION ON THE LEFT NEAR A TEE BOX FOR THE 17TH HOLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 34.5 FT (10.5 M) SOUTH OF THE CENTER OF A SAND GOLF CART PATH, 3.5 FT (1.1 M) SOUTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2760 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,474.386

Easting
NAD 83(2011)
International Foot

2,299,867.392

Elevation
NAVD 88
Survey Foot

8.358

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY), ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A SAND ROAD (KIAWAH ISLAND BEACH ACCESS ROAD B), TURN RIGHT ON THE SAND ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 5.2 MI (8.4 KM) TO THE STATION ON THE LEFT NEAR A SAND GOLF CART PATH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 21.5 FT (6.6 M) SOUTH OF THE CENTER OF THE PATH, 3.6 FT (1.1 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2765 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,460.518

Easting
NAD 83(2011)
International Foot

2,300,969.275

Elevation
NAVD 88
Survey Foot

8.665

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY), ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SEABROOK ISLAND ROAD AND KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF SURFWATCH DRIVE, TURN RIGHT ON SURFWATCH DRIVE FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF EUGENIA AVENUE, TURN LEFT ON EUGENIA AVENUE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A SAND ROAD (KIAWAH ISLAND BEACH ACCESS ROAD B), TURN RIGHT ON THE SAND ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON BEACH FOR 5.4 MI (8.7 KM) TO THE STATION ON THE LEFT NEAR THREE METAL FLAG POLES AT A PRACTICE GREEN FOR THE OCEAN COURSE CLUBHOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 13.1 FT (4.0 M) SOUTH OF THE WEST ONE OF THE THREE FLAG POLES, 78.8 FT (24.0 M) NORTH-NORTHWEST OF A WOOD SIGN POST (HELP PROTECT KIAWAH'S BEACH NESTING BIRDS), 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2775 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

285,238.413

Easting
NAD 83(2011)
International Foot

2,303,113.155

Elevation
NAVD 88
Survey Foot

6.316

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 2.5 MI (4.0 KM) TO THE GATE AT GOVERNORS DRIVE, TURN RIGHT ON GOVERNORS DRIVE FOR 3.55 MI (5.7 KM) TO FLYWAY DRIVE RIGHT AND OCEAN COURSE DRIVE AHEAD, CONTINUE ON OCEAN COURSE DRIVE FOR 2.05 MI (3.3 KM) TO THE FORK JUNCTION OF OCEAN COURSE DRIVE RIGHT AND A PAVED ROAD AHEAD, BEAR RIGHT ON OCEAN COURSE DRIVE FOR 0.15 MI (0.2 KM) TO PETE DYE PLACE RIGHT, OCEAN COURSE DRIVE AHEAD AND A SAND ROAD LEFT, TURN LEFT ON THE SAND ROAD FOR 0.15 MI (0.2 KM) TO THE PARKING LOT FOR A METAL BUILDING, CONTINUE AROUND THE EAST END OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE ENTRANCE TO A GOLF COURSE CART PATH, TURN RIGHT ON THE CART PATH FOR 0.05 MI (0.1 KM) TO A FORK LEFT, BEAR LEFT ON THE CART PATH AND CONTINUE SOUTH FOR 0.1 MI (0.2 KM) TO A CART PATH RUNNING EAST/WEST, TURN LEFT (EAST) ON THE CART PATH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR FOUR PALMETTO TREES. STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE CART PATH, 10.0 FT (3.0 M) SOUTH OF THE CENTER OF THE CART PATH, 66.0 FT (20.1 M) EAST OF THE EAST ONE OF FOUR 1.0 FT (0.3 M) PALMETTO TREES, 2.4 FT (0.7 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2780 E

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,761.939

Easting
NAD 83(2011)
International Foot

2,305,773.033

Elevation
NAVD 88
Survey Foot

8.558

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE JUNCTION OF STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 2.5 MI (4.0 KM) TO THE GUARD GATE AT GOVERNORS DRIVE, TURN RIGHT ON GOVERNORS DRIVE FOR 3.55 MI (5.7 KM) TO FLYWAY DRIVE RIGHT AND OCEAN COURSE DRIVE AHEAD, CONTINUE ON OCEAN COURSE DRIVE FOR 2.05 MI (3.3 KM) TO THE FORK JUNCTION OF OCEAN COURSE DRIVE RIGHT AND A PAVED ROAD AHEAD, BEAR RIGHT ON OCEAN COURSE DRIVE FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF PETE DYE PLACE RIGHT, OCEAN COURSE DRIVE AHEAD AND A SAND ROAD LEFT, TURN LEFT ON THE SAND ROAD FOR 0.15 MI (0.2 KM) TO THE PARKING LOT FOR A METAL BUILDING, CONTINUE AROUND THE EAST END OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE ENTRANCE TO A GOLF COURSE CART PATH, TURN RIGHT ON THE CART PATH FOR 0.05 MI (0.1 KM) TO A FORK LEFT, BEAR LEFT ON THE CART PATH AND CONTINUE SOUTH FOR 0.1 MI (0.2 KM) TO A CART PATH RUNNING EAST/WEST, TURN LEFT (EAST) ON THE CART PATH FOR 0.3 MI (0.5 KM) TO A SAND ACCESS ROAD, CONTINUE EAST ON THE ACCESS ROAD FOR 0.3 MI (0.5 KM) TO THE STATION ON THE RIGHT.

STATION IS A PIPE MARK WITH CAP, FLUSH WITH THE GROUND, 13.3 FT (4.1 M) NORTH-NORTHEAST OF THE CENTER OF THE ACCESS ROAD, 31.6 FT (9.6 M) SOUTH-SOUTHWEST OF THE CENTER OF A CART PATH, 78.9 WEST-NORTHWEST OF A LONE PALMETTO TREE, 4.3 FT (1.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2785

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,297.72

Easting
NAD 83(2011)
International Foot

2,307,068.77

Elevation
NAVD 88
Survey Foot

11.4

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 2.5 MI (4.0 KM) TO THE GATE AT GOVERNORS DRIVE, TURN RIGHT ON GOVERNORS DRIVE FOR 3.55 MI (5.7 KM) TO FLYWAY ROAD RIGHT AND OCEAN COURSE DRIVE AHEAD, CONTINUE ON OCEAN COURSE DRIVE FOR 2.05 MI (3.3 KM) TO THE FORK JUNCTION OF OCEAN COURSE DRIVE RIGHT AND A PAVED ROAD AHEAD, BEAR RIGHT ON OCEAN COURSE DRIVE FOR 0.15 MI (0.2 KM) TO PETE DYE PLACE RIGHT, OCEAN COURSE DRIVE AHEAD AND A SAND ROAD LEFT, TURN LEFT ON THE SAND ROAD FOR 0.15 MI (0.2 KM) TO THE PARKING LOT FOR A METAL BUILDING, CONTINUE AROUND THE EAST END OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE ENTRANCE TO A GOLF COURSE CART PATH, TURN RIGHT ON THE CART PATH FOR 0.05 MI (0.1 KM) TO A FORK LEFT, BEAR LEFT ON THE CART PATH AND CONTINUE SOUTH FOR 0.1 MI (0.2 KM) TO A CART PATH RUNNING EAST/WEST, TURN LEFT (EAST) ON THE CART PATH FOR 0.3 MI (0.5 KM) TO A SAND ACCESS ROAD, CONTINUE EAST ON THE ACCESS ROAD FOR 0.6 MI (1.0 KM) TO A UTILITY SHED, TURN RIGHT AT THE SHED FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 185.5 FT (56.5 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF THE SHED, 224.5 FT (68.4 M) SOUTH-SOUTHEAST OF A TRANSFORMER, 1.4 FT (0.4 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2790 B

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

284,331.020

Easting
NAD 83(2011)
International Foot

2,308,109.156

Elevation
NAVD 88
Survey Foot

9.899

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO THE STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO THE TRAFFIC CIRCLE JUNCTION OF KIAWAH ISLAND PARKWAY, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 2.5 MI (4.0 KM) TO THE GATE AT GOVERNORS DRIVE, TURN RIGHT ON GOVERNORS DRIVE FOR 3.55 MI (5.7 KM) TO FLYWAY DRIVE RIGHT AND OCEAN COURSE DRIVE AHEAD, CONTINUE ON OCEAN COURSE DRIVE FOR 2.05 MI (3.3 KM) TO THE FORK OF OCEAN COURSE DRIVE RIGHT AND A PAVED ROAD AHEAD, BEAR RIGHT ON OCEAN COURSE DRIVE FOR 0.15 MI (0.2 KM) TO PETE DYE PLACE RIGHT, OCEAN COURSE DRIVE AHEAD AND A SAND ROAD LEFT, TURN LEFT ON THE SAND ROAD FOR 0.15 MI (0.2 KM) TO THE PARKING LOT FOR A METAL BUILDING, CONTINUE AROUND THE EAST END OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE ENTRANCE TO A GOLF COURSE CART PATH, TURN RIGHT ON THE CART PATH FOR 0.05 MI (0.1 KM) TO A FORK LEFT, BEAR LEFT ON THE CART PATH AND CONTINUE SOUTH FOR 0.1 MI (0.2 KM) TO A CART PATH RUNNING EAST/WEST, TURN LEFT (EAST) ON THE CART PATH FOR 0.3 MI (0.5 KM) TO A SANDY ACCESS ROAD, CONTINUE EAST ON THE ACCESS ROAD FOR 0.6 MI (1.0 KM) TO A UTILITY SHED, TURN LEFT AT THE SHED, HEADING NORTHEAST ACROSS AN OPEN SANDY AREA FOR 0.1 MI (0.2 KM) TO A CART PATH, TURN RIGHT ON THE CART PATH FOR 0.2 MI (0.3 KM) TO GREEN NUMBER 4, PROCEED SOUTHEAST FOR 0.1 MI (0.2 KM) TO THE STATION IN THE DUNES. STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.5 FT (0.5 M) SOUTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 2792

Beach Name: KIAWAH ISLAND **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

285,496.00

Easting
NAD 83(2011)
International Foot

2,308,449.58

Elevation
NAVD 88
Survey Foot

11.8

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 171 (FOLLY ROAD) AND 700 (MAYBANK HIGHWAY) ON JAMES ISLAND, 2.7 MI (4.3 KM) WEST-SOUTHWEST OF CHARLESTON, GO WEST-SOUTHWEST ON HIGHWAY 700 FOR 7.2 MI (11.6 KM) TO STATE ROAD 20 (MAIN ROAD), TURN LEFT ON ROAD 20 FOR 10.4 MI (16.7 KM) TO A TRAFFIC CIRCLE, BEAR LEFT TO KIAWAH ISLAND PARKWAY FOR 2.05 MI (3.3 KM) TO A GUARD GATE, CONTINUE ON KIAWAH ISLAND PARKWAY FOR 2.5 MI (4.0 KM) TO THE GATE AT GOVERNORS DRIVE, TURN RIGHT ON GOVERNORS DRIVE FOR 3.55 MI (5.7 KM) TO THE FLYWAY DRIVE RIGHT AND OCEAN COURSE DRIVE AHEAD, CONTINUE ON OCEAN COURSE DRIVE FOR 2.05 MI (3.3 KM) TO THE FORK OF OCEAN COURSE DRIVE RIGHT AND A PAVED ROAD AHEAD, BEAR RIGHT ON OCEAN COURSE DRIVE FOR 0.15 MI (0.2 KM) TO PETE DYE PLACE RIGHT, OCEAN COURSE DRIVE AHEAD AND A SAND ROAD LEFT, TURN LEFT ON THE SAND ROAD FOR 0.15 MI (0.2 KM) TO THE PARKING LOT FOR A METAL BUILDING, CONTINUE AROUND THE EAST END OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE ENTRANCE TO A CART PATH, TURN RIGHT ON THE CART PATH FOR 0.05 MI (0.1 KM) TO A FORK LEFT, BEAR LEFT ON THE CART PATH AND CONTINUE SOUTH FOR 0.1 MI (0.2 KM) TO A CART PATH RUNNING EAST/WEST, TURN LEFT (EAST) ON THE CART PATH FOR 0.3 MI (0.5 KM) TO A SAND ACCESS ROAD, CONTINUE EAST ON THE ACCESS ROAD FOR 0.6 MI (1.0 KM) TO A UTILITY SHED, TURN LEFT AT THE SHED, HEADING NORTHEAST ACROSS AN OPEN SANDY AREA FOR 0.1 MI (0.2 KM) TO A CART PATH, TURN RIGHT ON THE CART PATH FOR 0.2 MI (0.3 KM) TO GREEN NUMBER 4 AND A SANDY PATH HEADING NORTHEAST, PROCEED ON THE PATH FOR 0.1 MI (0.2 KM) TO THE STATION ON TOP OF A DUNE. STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND 1.6 FT (0.5 M) NORTHEAST OF A WITNESS POST.