

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5300 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

671,447.500

Easting
NAD 83(2011)
International Foot

2,634,469.280

Elevation
NAVD 88
Survey Foot

11.452

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 0.75 MI (1.2 KM) TO THE JUNCTION OF 29TH AVENUE SOUTH LEFT AND BEACH ACCESS RIGHT, TURN RIGHT ON THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT IN AN OPEN GRASSY AREA BEHIND THE POOL AT THE TROPICAL SEAS HOTEL.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 15.4 FT (4.7 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A METAL FENCE AROUND THE HOTEL POOL, 45.7 FT (13.9 M) NORTHEAST OF A METAL BEACH SHOWER, 42.4 FT (12.9 M) EAST OF THE EAST CORNER OF THE BASE OF A SOLAR PARKING LOT PAY STATION, 32.3 FT (9.8 M) NORTH-NORTHEAST OF THE NORTH CORNER OF A WOODEN SITTING AREA AT THE BOARDWALK, 61.2 FT (18.7 M) WEST-NORTHWEST OF A WOODEN BOARDWALK POST WITH METER AND SECURITY LIGHT BEHIND THE HOTEL, 12.2 FT (3.7 M) NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5310 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

672,755.708

Easting
NAD 83(2011)
International Foot

2,635,697.633

Elevation
NAVD 88
Survey Foot

9.606

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF 25TH AVENUE SOUTH LEFT AND BEACH ACCESS RIGHT, TURN RIGHT ON THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT AT THE SOUTH EDGE OF AN OPEN GRASSY AREA BEHIND THE HOLIDAY SANDS SOUTH BEACH HOTEL.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE BOARDWALK, 25.0 FT (7.6 M) WEST-SOUTHWEST OF THE SOUTHWEST EDGE OF THE BOARDWALK, 67.5 FT (20.6 M) SOUTH OF THE CENTER OF A METAL GRATE SET INTO THE CONCRETE WALKWAY-BOARDWALK, 66.5 FT (20.3 M) EAST-SOUTHEAST OF THE EAST CORNER OF A 13-STORY BEACH FRONT HOTEL (HOLIDAY SANDS SOUTH BEACH), 141.6 FT (43.2 M) NORTHEAST OF THE EAST CORNER OF A CONCRETE RETAINING WALL ON THE WEST SIDE OF HOLIDAY SANDS SOUTH HOTEL, 69.2 FT (21.1 M) SOUTH-SOUTHWEST OF THE SOUTH CORNER OF A CONCRETE POOL WALL AT THE NINE STORY TALL OCEAN VIEW HOTEL, 23.0 FT (7.0 M) WEST OF THE WEST CORNER OF A WOODEN SEATING AREA ON THE BOARDWALK, 5.8 FT (1.8 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5320

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

674,656.19

Easting
NAD 83(2011)
International Foot

2,637,133.73

Elevation
NAVD 88
Survey Foot

17.0

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 1.55 MI (2.5 KM) TO THE STATION ON THE RIGHT IN A SIDEWALK AT THE HURL ROCKS PARK AND THE JUNCTION OF STATE ROAD 825 (20TH AVENUE SOUTH) LEFT.

STATION IS A DISK SET INTO A DRILL HOLE AND LEVEL WITH THE SIDEWALK, 3.8 FT (1.2 M) SOUTH-SOUTHEAST OF THE NORTHWEST EDGE OF THE HIGHWAY SIDEWALK, 4.8 FT (1.5 M) EAST-NORTHEAST OF AN ALUMINUM SECURITY LIGHT POST, 6.3 FT (1.9 M) NORTHEAST OF THE EXTENDED CENTER OF ROAD 825, 36.7 FT (11.2 M) NORTH-NORTHWEST OF A HISTORICAL MARKER (WILLIAM BARTRAM TRAIL).

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5330

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

676,124.87

Easting
NAD 83(2011)
International Foot

2,638,507.69

Elevation
NAVD 88
Survey Foot

17.6

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 1.95 MI (3.1 KM) TO THE STATION ON THE RIGHT IN THE SIDEWALK NEAR THE NORTH CORNER OF A CONCRETE BORDER WALL OF THE LANDMARK RESORT IN THE SOUTH ANGLE OF 15TH AVENUE SOUTH.

STATION IS A DISK SET INTO A DRILL HOLE IN A SIDEWALK AND LEVEL WITH THE SIDEWALK, 3.0 FT (0.9 M) SOUTH-SOUTHEAST OF THE CENTER OF A METAL MANHOLE COVER SET INTO THE SIDEWALK, 5.0 FT (1.5 M) SOUTHEAST OF THE NORTHWEST EDGE OF THE HIGHWAY CURB, 3.9 FT (1.2 M) NORTH OF THE NORTH CORNER OF THE WALL, 3.5 FT (1.1 M) NORTH-NORTHWEST OF THE NORTH CORNER OF A 3-FT TALL CONCRETE OBELISK.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5340 A**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

677,475.396

Easting
NAD 83(2011)
International Foot

2,639,647.171

Elevation
NAVD 88
Survey Foot

18.173

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 2.3 MI (3.7 KM) TO THE STATION ON THE LEFT NEAR A STOP SIGN IN THE WEST ANGLE OF THE JUNCTION OF 10TH AVENUE SOUTH.

STATION IS A DISK SET IN A CONCRETE SIDEWALK 0.5 FT ABOVE THE HIGHWAY, 11.4 FT (3.5 M) NORTH OF A FIRE HYDRANT, 4.2 FT (1.3 M) NORTHEAST OF THE STOP SIGN POST, 36.7 FT (11.2 M) EAST-NORTHEAST OF THE EAST CORNER OF A WOOD BUILDING (SOUTH SEAS ANNEX), 18.2 FT (5.5 M) SOUTHWEST OF THE CENTER OF 10TH AVENUE SOUTH, 1.6 FT (0.5 M) EAST OF THE CENTER OF A METAL DISK IN THE SIDEWALK (GTE).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5350 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

679,342.893

Easting
NAD 83(2011)
International Foot

2,641,597.487

Elevation
NAVD 88
Survey Foot

9.776

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 2.75 MI (4.4 KM) TO THE JUNCTION OF THIRD AVENUE SOUTH, TURN LEFT ON THIRD AVENUE SOUTH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT IN A PLANTED AREA IN THE EAST ANGLE OF A PARKING LOT ENTRANCE FOR SANDY BEACH HOTEL GUESTS.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE CONCRETE CURB, 1.2 FT (0.4 M) EAST-NORTHEAST OF THE EAST EDGE OF THE CURB OF THE SIDEWALK, 4.3 FT (1.3 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF THE CURB OF THE ENTRANCE DRIVE, 3.2 FT (1.0 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF A SIGN POST (PARKING FOR SANDY BEACH GUESTS ONLY), 8.4 FT (2.6 M) NORTH-NORTHWEST OF A LARGE BLACK SECURITY LIGHT POLE, 6.4 FT (2.0 M) NORTHEAST OF THE NORTHEAST CORNER OF A METAL PLATE AT THE BASE OF A PALMETTO TREE, 2.0 FT (0.6 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5400 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

680,152.062

Easting
NAD 83(2011)
International Foot

2,642,622.627

Elevation
NAVD 88
Survey Foot

13.272

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 0.6 MI (1.0 KM) TO THE JUNCTION OF SECOND AVENUE NORTH LEFT, TURN LEFT ON SECOND AVENUE NORTH FOR 0.2 MI (0.3 KM) TO THE STATION ON THE RIGHT NEAR THE SIDEWALK IN THE WEST ANGLE OF THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD) AND ACROSS THE STREET FROM THE SECOND AVENUE PIER.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 6.0 FT (1.8 M) NORTHWEST OF THE NORTHWEST EDGE OF THE CONCRETE SIDEWALK, 20.7 FT (6.3 M) SOUTH OF A FIRE HYDRANT, 23.4 FT (7.1 M) SOUTH-SOUTHWEST OF A METAL SIGN POST (STOP/ OCEAN BLVD/2ND AVENUE NORTH), 25.5 FT (7.8 M) NORTH OF THE NORTH CORNER OF A METAL GRATE AT THE BASE OF A PALMETTO TREE SET INTO THE SIDEWALK, 103.4 FT (31.5 M) NORTH-NORTHEAST OF THE CONCRETE SIGN POST FOR (OCEAN LINER MOTEL), 2.3 FT (0.7 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5405 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

681,907.76

Easting
NAD 83(2011)
International Foot

2,644,343.23

Elevation
NAVD 88
Survey Foot

10.5

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF SEVENTH AVENUE NORTH, TURN LEFT ON SEVENTH AVENUE NORTH FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), CONTINUE AHEAD ON SEVENTH AVENUE NORTH BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR A BOARDWALK RAMP.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 49.5 FT (15.1 M) SOUTHEAST OF A CONCRETE PIER NUMBER 7 PROJECTING 20-FT, 23.7 FT (7.2 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE BEACH ACCESS BOARDWALK, 1.5 FT (0.5 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BEACH ACCESS BOARDWALK RAMP, 6.7 FT (2.0 M) SOUTHEAST OF THE SOUTHEAST EDGE OF THE BEACH ACCESS BOARDWALK RAMP, 48.3 FT (14.7 M) WEST OF A METAL SIGN POST (UMBRELLAS ONLY, NO TENTS ALLOWED), 2.3 FT (0.7 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5410 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

683,684.719

Easting
NAD 83(2011)
International Foot

2,645,766.614

Elevation
NAVD 88
Survey Foot

9.305

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 BUSINESS FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF NINTH AVENUE NORTH, TURN RIGHT ON NINTH AVENUE NORTH FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (NORTH OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 73 FOR 0.25 MI (0.4 KM) TO THE JUNCTION OF 12TH AVENUE NORTH, TURN RIGHT ON 12TH AVENUE NORTH BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR THE BEACH FRONT BOARDWALK BEHIND THE HOLIDAY INN-INDEPENDENT HOTEL.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE BOARDWALK, 24.0 FT (7.3 M) SOUTHEAST OF A CONCRETE PIER NUMBER 12 PROJECTING 20-FT, 6.2 FT (1.9 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE BEACH ACCESS BOARDWALK, 2.8 FT (0.9 M) NORTH-NORTHWEST OF THE NORTH EDGE OF THE BEACH FRONT BOARDWALK, 8.2 FT (2.5 M) EAST-SOUTHEAST OF A 1.5-FT PALMETTO TREE, 83.7 FT (25.5 M) SOUTH OF THE SOUTHWEST CORNER OF THE 10-STORY BEACH FRONT HOTEL (HOLIDAY PAVILION), 3.1 FT (0.9 M) NORTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5415 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

685,217.817

Easting
NAD 83(2011)
International Foot

2,647,068.894

Elevation
NAVD 88
Survey Foot

13.390

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 BUSINESS FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF NINTH AVENUE NORTH, TURN RIGHT ON NINTH AVENUE NORTH FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (NORTH OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 73 FOR 0.6 MI (1.0 KM) TO A BEACH ACCESS RIGHT, TURN RIGHT ON THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT IN AN OPEN AREA BEHIND THE SANDCASTLE HOTEL.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH A BOARDWALK, 41.3 FT (12.6 M) SOUTHWEST OF A WOODEN SECURITY LIGHT POST, 3.6 FT (1.1 M) EAST-SOUTHEAST OF A WOODEN POST SUPPORTING A SHOWER HEAD, 5.8 FT (1.8 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BOARDWALK, 5.6 FT (1.7 M) NORTH OF THE NORTH CORNER OF A WOODEN BENCH RECESS ON THE BOARDWALK, 9.0 FT (2.7 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5420

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

686,634.99

Easting
NAD 83(2011)
International Foot

2,648,376.95

Elevation
NAVD 88
Survey Foot

10.69

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET), IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 0.9 MI (1.4 KM) TO THE JUNCTION OF STATE ROAD 241 (21ST AVENUE NORTH), TURN RIGHT ON ROAD 241 FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 73 FOR 0.15 MI (0.2 KM) TO THE STATION ON THE RIGHT IN A GRASSY AREA BEHIND BUILDING NUMBER 2304 (BOARDWALK BEACH RESORT).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM), 13.6 FT (4.1 M) NORTHEAST OF THE NORTHEAST EDGE OF A PUBLIC BEACH ACCESS BOARDWALK, 45.4 FT (13.8 M) WEST-SOUTHWEST OF THE WEST CORNER OF A STEP AT THE END OF A CONCRETE SIDEWALK, 65.4 FT (19.9 M) SOUTHEAST OF THE SOUTH CORNER OF THE CONCRETE POOL DECK FOR THE BUILDING, 64.2 FT (19.6 M) SOUTH OF THE SOUTH CORNER OF A CONCRETE SHOWER ENCLOSURE FOR THE BUILDING.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5425 B

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

687,961.01

Easting
NAD 83(2011)
International Foot

2,649,393.34

Elevation
NAVD 88
Survey Foot

17.75

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET), IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 1.4 MI (2.3 KM) TO THE JUNCTION OF STATE ROAD 294 (27TH AVENUE NORTH), TURN RIGHT ON ROAD 294 FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN RIGHT ON HIGHWAY 73 FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT IN A GRASSY AREA BETWEEN THE CURB AND SIDEWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND LEVEL WITH THE SIDEWALK, 2.3 FT (0.7 M) NORTHWEST OF THE SOUTHEAST EDGE OF THE HIGHWAY CURB, 7.1 FT (2.1 M) SOUTH-SOUTHEAST OF A POWER POLE 60962 WITH SECURITY LIGHT.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5430 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

689,163.051

Easting
NAD 83(2011)
International Foot

2,650,460.002

Elevation
NAVD 88
Survey Foot

17.921

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 BUSINESS FOR 1.6 MI (2.6 KM) TO THE JUNCTION OF 31ST AVENUE NORTH, TURN RIGHT ON 31ST AVENUE NORTH FOR 0.15 MI (0.2 KM) TO THE STATION ON THE RIGHT NEAR THE CURB AT THE ENTRANCE TO THE CARIBBEAN RESORT-VILLAS PARKING IN THE NORTHWEST ANGLE OF THE JUNCTION OF OCEAN BOULEVARD.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE CURB, 32.0 FT (9.8 M) SOUTHWEST OF THE CENTER OF 31ST AVENUE NORTH, 1.6 FT (0.5 M) NORTHWEST OF THE NORTHWEST EDGE OF THE CURB OF THE PARKING LOT ENTRANCE DRIVE, 8.5 FT (2.6 M) SOUTHEAST OF A 0.5-FT LIVE OAK TREE, 30.5 FT (9.3 M) NORTHWEST OF THE WOODEN POST FOR A SIGN (TRAILER PARKING), 99.0 FT (30.2 M) NORTH OF THE NORTH CORNER OF A LIGHTED METAL SIGN (THE CARIBBEAN RESORT-VILLA PARKING, 4.4 FT (1.3 M) EAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5435 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

690,883.06

Easting
NAD 83(2011)
International Foot

2,652,329.12

Elevation
NAVD 88
Survey Foot

19.37

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET), IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF STATE ROAD 263 (38TH AVENUE NORTH), TURN RIGHT ON ROAD 263 FOR 0.15 MI (0.2 KM) TO THE STATION BETWEEN THE CURB AND SIDEWALK IN THE SOUTH ANGLE OF THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD) AND A BEACH ACCESS ENTRANCE DRIVE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 2.0 FT (0.6 M) NORTHWEST OF THE NORTHWEST EDGE OF THE SIDEWALK, 2.0 FT (0.6 M) SOUTH OF THE SOUTH EDGE OF THE CURB, 14.8 FT (4.5 M) NORTH-NORTHEAST OF A LAMP POST, 45.0 FT (13.7 M) NORTH OF THE NORTH CORNER OF VINYL SIDED HOUSE 3702, 3.0 FT (0.9 M) NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5440 B

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

692,288.48

Easting
NAD 83(2011)
International Foot

2,653,517.84

Elevation
NAVD 88
Survey Foot

15.48

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET), IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF STATE ROAD 263 (38TH AVENUE NORTH), TURN RIGHT ON ROAD 263 FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 73 FOR 0.35 MI (0.6 KM) TO THE STATION ON THE LEFT NEAR A POWER POLE IN THE NORTHEAST ANGLE OF THE JUNCTION OF 43RD AVENUE NORTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND LEVEL WITH THE ROADS, 20.5 FT (6.2 M) EAST-NORTHEAST OF THE CENTER OF THE AVENUE, 10.5 FT (3.2 M) NORTHEAST OF THE POWER POLE 54403/C/E, 44.2 FT (13.5 M) NORTHEAST OF A FIRE HYDRANT, 60.1 FT (18.3 M) SOUTHEAST OF THE SOUTH CORNER OF A CONCRETE DRIVEWAY FOR TWO STORY VINYL SIDED HOUSE 4301, 12.0 FT (3.7 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5445 B

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

693,760.78

Easting
NAD 83(2011)
International Foot

2,654,936.03

Elevation
NAVD 88
Survey Foot

15.74

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET), IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF STATE ROAD 263 (38TH AVENUE NORTH), TURN RIGHT ON ROAD 263 FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN LEFT FOR 0.75 MI (1.2 KM) TO THE STATION ON THE LEFT IN THE NORTHEAST ANGLE OF THE JUNCTION OF STATE ROAD 533 (48TH AVENUE NORTH).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 26.0 FT (7.9 M) EAST-NORTHEAST OF THE CENTER OF THE ROAD, 16.0 FT (4.9 M) NORTHWEST OF THE NORTHWEST EDGE OF THE HIGHWAY SIDEWALK, 51.0 FT (15.5 M) EAST-NORTHEAST OF A FIRE HYDRANT, 18.6 FT (5.7 M) NORTH OF A SMALL METAL SEWER COVER IN THE SIDEWALK, 91.7 FT (28.0 M) WEST-SOUTHWEST OF POWER LINE STUB POLE 55781 WITH ONE GUY WIRE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5450 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

695,028.200

Easting
NAD 83(2011)
International Foot

2,656,156.718

Elevation
NAVD 88
Survey Foot

9.687

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY) AND 501 (MAIN STREET) IN MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 BUSINESS FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF STATE ROAD 263 (38TH AVENUE NORTH), TURN RIGHT ON ROAD 263 FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 73 FOR 1.75 MI (2.8 KM) TO THE STATION ON THE LEFT NEAR THE SIDEWALK IN AN OPEN AREA, ACROSS THE BOULEVARD FROM 5300 DUNES VILLAGE RESORT AND 5200 DUNES TOWER.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 10.0 FT (3.0 M) NORTH-NORTHWEST OF THE NORTHWEST EDGE OF THE SIDEWALK, 77.0 FT (23.5 M) NORTH-NORTHWEST OF A FIRE HYDRANT ACROSS THE BOULEVARD, 46.4 FT (14.1 M) NORTH-NORTHEAST OF A METAL SIGN POST (YIELD HERE TO PEDESTRIANS), 72.0 FT (21.9 M) NORTH-NORTHWEST OF A POWER POLE 100673/100AKS WITH SECURITY LIGHT, 110.5 FT (33.7 M) SOUTHWEST OF THE SOUTHWEST CORNER OF A FIVE STORY STUCCO PARKING GARAGE, 46.2 FT (14.1 M) NORTH-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5455 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

696,416.67

Easting
NAD 83(2011)
International Foot

2,658,202.76

Elevation
NAVD 88
Survey Foot

15.51

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 AND STATE HIGHWAY 22, 9.3 MI (15.0 KM) NORTHEAST OF MYRTLE BEACH, GO WEST ON HIGHWAY 17 FOR 1.8 MI (2.9 KM) TO THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), BEAR LEFT ON HIGHWAY 17 FOR 3.05 MI (4.9 KM) TO THE JUNCTION OF 63RD AVENUE NORTH, TURN LEFT ON 63RD AVENUE NORTH FOR 0.25 MI (0.4 KM) TO THE JUNCTION OF OCEAN BOULEVARD, TURN RIGHT ON OCEAN BOULEVARD FOR 0.55 MI (0.9 KM) TO THE STATION ON THE RIGHT NEAR THE SHRUB LINE IN FRONT OF A CONDO COMPLEX AND ACROSS THE ROAD FROM THE BEACH.

STATION IS A STAINLESS STEEL ROD MARK WITH AN ALUMINUM ACCESS COVER FLUSH WITH THE GROUND AND 2.0 FT (0.6M) ABOVE THE ROAD, 12.9 FT (3.9 M) NORTH-NORTHWEST OF THE NORTH EDGE OF THE CURB ON THE NORTH SIDE OF THE BOULEVARD, 44.5 FT (13.6 M) WEST-SOUTHWEST OF A METAL SUPPORT POST FOR A BUS STOP ROUTE 15, STOP NUMBER 39 AT THE NORTH SIDE OF THE ROAD, 12.1 FT (3.7 M) EAST-NORTHEAST OF A 1.0-FOOT SAW PALMETTO TREE/SHRUB, 0.8 FT (0.2 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5460 B

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

697,695.33

Easting
NAD 83(2011)
International Foot

2,659,427.89

Elevation
NAVD 88
Survey Foot

12.22

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (NORTH KINGS HIGHWAY), 6.9 MI (11.1 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 2.7 MI (4.3 KM) TO THE JUNCTION OF 63RD AVENUE NORTH, TURN LEFT ON 63RD AVENUE NORTH FOR 0.25 MI (0.4 KM) TO THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD), TURN RIGHT ON HIGHWAY 73 FOR 0.2 MI (0.3 KM) TO THE STATION ON THE RIGHT NEAR THE HIGHWAY SIDEWALK IN THE ROBERTA MCMILLAN MEMORIAL PARK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND LEVEL WITH THE SIDEWALK, 2.8 FT (0.9 M) NORTH-NORTHWEST OF THE NORTHWEST EDGE OF THE SIDEWALK, 73.8 FT (22.5 M) EAST OF THE CENTER OF HASKELL CIRCLE, 23.6 FT (7.2 M) SOUTH-SOUTHEAST OF THE SOUTH CORNER OF A METAL DRAIN GRATE IN A CONCRETE PAD, 47.1 FT (14.4 M) NORTHEAST OF A POWER LINE STUB POLE WITH TWO GUY WIRES, 51.9 FT (15.8 M) SOUTHWEST OF THE SOUTHWEST END OF A WOOD SIGN FOR THE PARK, 57.3 FT (17.5 M) NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5465 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

699,699.00

Easting
NAD 83(2011)
International Foot

2,661,315.62

Elevation
NAVD 88
Survey Foot

9.84

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (NORTH KINGS HIGHWAY), 6.9 MI (11.1 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 2.4 MI (3.9 KM) TO THE JUNCTION OF STATE ROAD 537 (67TH AVENUE NORTH), TURN LEFT ON ROAD 537 FOR 0.2 MI (0.3 KM) TO STATION ON THE LEFT NEAR A POWER POLE IN THE NORTH ANGLE OF THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD).

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 0.4 FT (12 CM) BELOW THE ROAD, 28.5 FT (8.7 M) EAST-NORTHEAST OF THE CENTER OF ROAD 537, 5.0 FT (1.5 M) NORTH-NORTHWEST OF THE NORTHWEST EDGE OF THE HIGHWAY SIDEWALK, 6.9 FT (2.1 M) EAST OF THE CENTER OF A METAL WATER METER COVER, 12.5 FT (3.8 M) SOUTH-SOUTHWEST OF TELEPHONE JUNCTION BOX L/339/1, 13.0 FT (4.0 M) SOUTH-SOUTHWEST OF POWER POLE 44412/146/1 WITH ONE GUY WIRE.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5470 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

701,072.056

Easting
NAD 83(2011)
International Foot

2,662,855.387

Elevation
NAVD 88
Survey Foot

12.331

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 BUSINESS (NORTH KINGS HIGHWAY) AND 17 BYPASS, 7.15 MI (11.5 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 2.1 MI (3.4 KM) TO THE JUNCTION OF STATE ROAD 357 (72ND AVENUE NORTH), TURN LEFT ON ROAD 357 FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT IN AN OPEN GRASSY AREA IN THE NORTHEAST ANGLE OF THE JUNCTION OF STATE HIGHWAY 73 (OCEAN BOULEVARD).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH A SIDEWALK, 21.0 FT (6.4 M) SOUTHWEST OF THE CENTER OF A METAL STORM GRATE, 2.4 FT (0.7 M) SOUTH-SOUTHWEST OF THE SOUTH EDGE OF THE SIDEWALK, 25.0 FT (7.6 M) WEST-NORTHWEST OF A POWER POLE NUMBER 48233/1/60 WITH SECURITY LIGHT AND GUY WIRE, 11.3 FT (3.4 M) NORTH-NORTHEAST OF THE NORTHEAST EDGE OF THE CURB OF 72ND AVENUE NORTH, 22.8 FT (6.9 M) NORTH-NORTHWEST OF THE CENTER OF A SMALL WATER METER COVER SET INTO THE ASPHALT, 16.0 FT (4.9 M) SOUTH OF A 0.5-FT LIVE OAK TREE, 24.9 FT (7.6 M) WEST-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5475 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

702,254.11

Easting
NAD 83(2011)
International Foot

2,664,413.66

Elevation
NAVD 88
Survey Foot

15.23

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (NORTH KINGS HIGHWAY), 6.9 MI (11.1 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 1.75 MI (2.8 KM) TO THE JUNCTION OF STATE ROAD 299 (77TH AVENUE NORTH), TURN LEFT ON ROAD 299 FOR 0.3 MI (0.5 KM) TO THE STATION ON THE LEFT IN THE EAST ANGLE OF A CONCRETE DRIVEWAY LEADING TO A ONE STORY STUCCO HOUSE (NO NUMBER).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.2 FT (6.2 M) NORTHEAST OF THE CENTER OF THE ROAD, 6.4 FT (2.0 M) SOUTHWEST OF THE WEST CORNER OF A METAL STORM DRAIN GRATE, 13.9 FT (4.2 M) SOUTHEAST OF THE SOUTHEAST EDGE OF THE DRIVEWAY, 9.7 FT (3.0 M) SOUTH-SOUTHWEST OF THE CENTER OF A METAL WATER METER COVER, 96.0 FT (29.3 M) NORTHWEST OF THE CENTER OF BEACH DRIVE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5480 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

703,344.34

Easting
NAD 83(2011)
International Foot

2,666,030.97

Elevation
NAVD 88
Survey Foot

12.9

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND U.S. HIGHWAY 17 BYPASS, 7.15 MI (11.5 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 1.25 MI (2.0 KM) TO THE JUNCTION OF 82ND PARKWAY, TURN LEFT ON 82ND PARKWAY FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF NORTH OCEAN BOULEVARD, TURN RIGHT ON NORTH OCEAN BOULEVARD FOR 0.05 MI (0.1 KM) TO THE JUNCTION OF 82ND AVENUE NORTH, TURN LEFT ON 82ND AVENUE NORTH FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF BEACH DRIVE RIGHT AND 82ND AVENUE BEACH ACCESS AHEAD, CONTINUE AHEAD BY FOOT ON BEACH ACCESS FOR APPROXIMATELY 100-FT TO THE STATION ON THE RIGHT IN AN OPEN GRASSY AREA.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 105.0 FT (32.0 M) SOUTHEAST OF THE CENTER OF BEACH DRIVE, 17.4 FT (5.3 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE BOARDWALK, 55.6 FT (16.9 M) SOUTH-SOUTHEAST OF A STAINLESS STEEL BEACH SHOWER, 57.9 FT (17.6 M) EAST OF THE NORTHEAST CORNER OF THE BRICK FOUNDATION OF A BEACHFRONT HOUSE, 99.1 FT (30.2 M) NORTHWEST OF A WOODEN SIGN POST (ADOPT A BEACH), 29.2 FT (8.9 M) NORTH-NORTHEAST OF THE SOUTH CHAIN LINK FENCE END POST AT THE WEST EDGE OF THE OPEN AREA, 30.5 FT (9.3 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5500 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

704,579.476

Easting
NAD 83(2011)
International Foot

2,667,583.639

Elevation
NAVD 88
Survey Foot

6.929

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 BUSINESS (NORTH KINGS HIGHWAY) AND 17 BYPASS, 7.15 MI (11.5 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF GRANDE DUNES BOULEVARD, TURN LEFT ON GRANDE DUNES BOULEVARD FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF NORTH OCEAN BOULEVARD, TURN LEFT ON NORTH OCEAN BOULEVARD FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF JIMMY D'ANGELO WAY AHEAD, POSADA DRIVE (ENTRANCE TO GRAND DUNES CALAIS) LEFT AND NORTH OCEAN BOULEVARD (ENTRANCE TO DUNES GOLF AND BEACH CLUB) RIGHT, TURN RIGHT ON NORTH OCEAN BOULEVARD FOR 0.2 MI (0.3 KM) TO A BEACH ACCESS PATH RIGHT (JUST PAST THE VISTA DEL MAR ENTRANCE), AND END OF TRUCK TRAVEL, PROCEED BY FOOT ON THE BEACH ACCESS FOR ABOUT 600-FT TO THE BEACH, TURN RIGHT FOR ABOUT 500-FT TO THE STATION ON THE RIGHT BEHIND THE DUNE LINE IN A PALMETTO TREE GROVE NEAR THE HOTEL.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 5.0 FT (1.5 M) SOUTHWEST OF A 1.0-FT PALMETTO TREE WITH A SCGS REFERENCE WASHER ATTACHED, 91.8 FT (28.0 M) SOUTHEAST OF THE SOUTHWEST CORNER OF THE VISTA DEL MAR HOTEL, 2.6 FT (0.8 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5505 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

705,940.07

Easting
NAD 83(2011)
International Foot

2,668,900.23

Elevation
NAVD 88
Survey Foot

7.31

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAYS 17 (MARK GARNER HIGHWAY) AND 17 BUSINESS (NORTH KINGS HIGHWAY), 6.9 MI (11.1 KM) NORTHEAST OF MYRTLE BEACH, GO SOUTH-SOUTHWEST ON HIGHWAY 17 BUSINESS FOR 1.0 TO THE JUNCTION OF GRANDE DUNES BOULEVARD, TURN LEFT ON GRANDE DUNES BOULEVARD FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF NORTH OCEAN BOULEVARD, TURN LEFT ON NORTH OCEAN BOULEVARD FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF JIMMY D'ANGELO WAY, AHEAD, ENTRANCE DRIVE TO GRAND DUNES CALAIS (POSADA DRIVE) LEFT AND THE ENTRANCE DRIVE TO DUNES GOLF AND BEACH CLUB (NORTH OCEAN BOULEVARD) RIGHT, TURN RIGHT ON NORTH OCEAN BOULEVARD FOR 0.45 MI (0.7 KM) TO A WOODED LOT AND THE STATION ON THE SOUTHEAST EDGE OF THE LOT NEAR THE WEST CORNER OF THE FENCE FOR TWO STORY STUCCO HOUSE 8826.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM), 175.0 FT (53.3 M) SOUTHEAST OF THE CENTER OF THE BOULEVARD, 37.0 FT (11.3 M) WEST-NORTHWEST OF THE CORNER OF THE FENCE, 57.3 FT (17.5 M) NORTHEAST OF THE CENTER OF A MANHOLE COVER.