

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5650 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

719,128.461

Easting
NAD 83(2011)
International Foot

2,687,133.113

Elevation
NAVD 88
Survey Foot

7.257

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF STATE HIGHWAY 22 (VETERANS HIGHWAY) AND U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), 5.9 MI (9.5 KM) WEST-SOUTHWEST OF NORTH MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 1.85 MI (3.0 KM) TO THE JUNCTION OF OCEAN CREEK DRIVE, TURN RIGHT ON OCEAN CREEK DRIVE FOR 0.1 MI (0.2 KM) TO A GUARD GATE, CONTINUE ON OCEAN CREEK DRIVE FOR 0.45 MI (0.7 KM) TO A FORK, KEEP RIGHT ON OCEAN CREEK DRIVE FOR 0.05 MI (0.1 KM) TO A CONCRETE WALKWAY AND CART PATH ON THE LEFT, CONTINUE BY FOOT ON CONCRETE BEACH ACCESS WALKWAY SOUTHERLY FOR 0.2 MI (0.3 KM) TO A FORK, STAY RIGHT AT FORK AND THE STATION ON THE LEFT BEHIND HAND RAILING IN DUNE.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE AND FLUSH WITH THE GROUND AND LEVEL WITH THE BOARDWALK, 20.9 FT (6.4 M) NORTH OF A WOODEN POST FOR A SIGN (KEEP OFF DUNES), 12.3 FT (3.7 M) EAST OF A WOODEN BOARDWALK POST WITH A SCGS REFERENCE WASHER ATTACHED, 79.1 FT (24.1 M) SOUTH OF A WOODEN POST FOR A SIGN (DISCHARGE OF FIREWORKS PROHIBITED), 2.0 FT (0.6 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5700 A**

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

720,244.623

Easting
NAD 83(2011)
International Foot

2,688,802.577

Elevation
NAVD 88
Survey Foot

7.284

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF STATE HIGHWAY 22 (VETERANS HIGHWAY) AND U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), 5.9 MI (9.5 KM) EAST-NORTHEAST OF NORTH MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.1 MI (3.4 KM) TO THE JUNCTION OF 48TH AVENUE SOUTH, TURN RIGHT ON 48TH AVENUE SOUTH FOR 0.75 MI (1.2 KM) TO THE STATION ON THE RIGHT NEAR A CONCRETE POST PROJECTING 4.0 FT (1.2 M) IN THE SOUTH ANGLE OF 47TH AVENUE SOUTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM), 5.8 FT (1.8 M) SOUTHEAST OF THE CONCRETE POST, 34.6 FT (10.5 M) NORTH OF THE NORTH CORNER OF BUILDING 4701 (SUMMIT CONDOMINIUM), 16.4 FT (5.0 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF THE CURB OF 48TH AVENUE SOUTH.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5705 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

720,885.579

Easting
NAD 83(2011)
International Foot

2,690,057.121

Elevation
NAVD 88
Survey Foot

8.645

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF STATE HIGHWAY 22 (VETERANS HIGHWAY) AND U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), 5.9 MI (9.5 KM) EAST-NORTHEAST OF NORTH MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.1 MI (3.4 KM) TO THE JUNCTION OF 48TH AVENUE SOUTH, TURN RIGHT ON 48TH AVENUE SOUTH FOR 0.6 MI (1.0 KM) TO A SHARP LEFT CURVE (ROAD NAME CHANGES TO STATE ROAD 324 (SOUTH OCEAN BOULEVARD)), CONTINUE ON ROAD 324 FOR 0.4 MI (0.6 KM) TO A PUBLIC BEACH WALKWAY RIGHT BETWEEN A NINE STORY STUCCO-SIDED HOTEL NUMBER 4505 (BEACH CLUB III) AND A THREE STORY WOOD-SIDED CONDO NUMBER 4509 (WINDY VILLAGE), PROCEED BY FOOT SOUTHERLY ALONG THE WALKWAY FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A WOOD SIGN.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 23.0 FT (7.0 M) NORTHEAST OF THE CENTER OF THE BEACH ACCESS PATH, 20.7 FT (6.3 M) EAST OF THE NORTHEAST ONE OF TWO WOOD POSTS FOR SIGN, 52.2 FT (15.9 M) SOUTHEAST OF THE SOUTHWEST CORNER OF A STUCCO KNEE WALL BEHIND THE HOTEL, 67.0 FT (20.4 M) WEST-SOUTHWEST OF A WOOD POST AND OUTDOOR SHOWER POST BEHIND HOTEL, 4.2 FT (1.3 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5715 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

722,060.78

Easting
NAD 83(2011)
International Foot

2,691,237.39

Elevation
NAVD 88
Survey Foot

14.3

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF STATE HIGHWAY 20 (VETERANS HIGHWAY) AND U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), 5.9 MI (9.5 KM) WEST-SOUTHWEST OF NORTH MYRTLE BEACH, GO EAST-NORTHEAST ON HIGHWAY 17 FOR 2.9 MI (4.7 KM) TO THE JUNCTION OF 39TH AVENUE SOUTH, TURN RIGHT ON 39TH AVENUE SOUTH FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF STATE ROAD 709 (SEAVIEW STREET), TURN RIGHT ON ROAD 709 FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A PVC POST AT THE NORTH EDGE OF AN ASPHALT PARKING LOT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE THE ROAD, 22.3 FT (6.8 M) SOUTH OF THE CENTER OF ROAD 709, 3.9 FT (1.2 M) EAST OF THE CENTER OF PVC SIGN POST (BEACH CLUB II PARKING LOT ONLY), 28.8 FT (8.8 M) EAST OF A POWER POLE NUMBER 94919, 5.0 FT (1.5 M) NORTH OF THE NORTH EDGE OF THE ASPHALT PARKING LOT, 80.3 FT (24.5 M) NORTHWEST OF A SECURITY LIGHT POLE NUMBER 95193 WITH TWO SECURITY LIGHTS, 3.0 FT (0.9 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5720 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

722,979.971

Easting
NAD 83(2011)
International Foot

2,692,731.747

Elevation
NAVD 88
Survey Foot

21.974

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO WEST ON HIGHWAY 17 BUSINESS FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF 33RD AVENUE SOUTH, TURN LEFT ON 33RD AVENUE SOUTH FOR 0.35 MI (0.6 KM) TO THE JUNCTION OF STATE ROAD 709 (SEAVIEW STREET), TURN RIGHT ON ROAD 709 FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT IN AN OPEN GRASSY AREA BEHIND A DUMPSTER AT THE PARKING LOT FOR A CONDO BUILDING NUMBER 3308.

STATION IS CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.0 FT (6.1 M) SOUTH-SOUTHEAST OF THE CENTER OF ROAD 709, 3.0 FT (0.9 M) NORTH-NORTHWEST OF THE NORTH EDGE OF THE CONCRETE PARKING PAD, 28.0 FT (8.5 M) EAST OF THE EAST EDGE OF THE CONCRETE DRIVE ON THE WEST END OF THE PARKING LOT, 14.7 FT (4.5 M) WEST OF THE WEST EDGE OF THE CONCRETE DRIVE ON THE EAST END OF THE PARKING LOT, 68.0 FT (20.7 M) NORTHWEST OF THE NORTHEAST CORNER OF A THREE STORY BUILDING NUMBER 3308, 7.5 FT (2.3 M) NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5725 C**

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

723,474.518

Easting
NAD 83(2011)
International Foot

2,693,952.426

Elevation
NAVD 88
Survey Foot

10.890

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO WEST ON HIGHWAY 17 BUSINESS FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF 30TH AVENUE SOUTH , ATLANTIC BEACH, TURN LEFT ON 30TH AVENUE SOUTH FOR 0.4 MI (0.6 KM) TO THE STATION ON THE LEFT NEAR A POWER POLE AND THE NORTHEAST CORNER OF A BEACH ACCESS/PUBLIC PAVILION.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM), AND 0.3 FT (9 CM) BELOW THE SIDEWALK, 2.0 FT (0.6 M) WEST-NORTHWEST OF POWER POLE 95135 WITH THREE GUY WIRES, 2.3 FT (0.7 M) WEST OF THE WEST CORNER OF A CONCRETE POST PROJECTING 4.0 FT (1.2 M), 0.2 FT (6 CM) EAST OF A CONCRETE SIDEWALK, 7.5 FT (2.3 M) EAST OF THE EAST ONE OF EIGHT METAL POSTS, 0.6 FT (18 CM) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5730 B**

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

724,124.379

Easting
NAD 83(2011)
International Foot

2,694,839.556

Elevation
NAVD 88
Survey Foot

14.067

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH ON HIGHWAY 65 FOR 0.35 MI (0.6 KM) TO THE TO THE STATION ON THE RIGHT IN THE NORTHWEST ANGLE OF THE JUNCTION OF SOUTH OCEAN BOULEVARD.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND LEVEL WITH THE HIGHWAY, 17.9 FT (5.5 M) WEST OF THE CENTER OF THE HIGHWAY, 7.0 FT (2.1 M) EAST OF A METAL STOP SIGN POST, 1.0 FT (0.3 M) EAST OF THE EAST EDGE OF THE HIGHWAY SIDEWALK, 15.5 FT (4.7 M) EAST OF THE SOUTHEAST CORNER OF A MASONRY WALL FOR CRESCENT TOWERS.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5735

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

724,784.23

Easting
NAD 83(2011)
International Foot

2,696,015.52

Elevation
NAVD 88
Survey Foot

11.57

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), 2.1 MI (3.4 KM) SOUTH OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD) TURN LEFT ON HIGHWAY 65 FOR 0.25 MI (0.4 KM) TO THE STATION NEAR A FENCE CORNER IN THE NORTHEAST ANGLE OF 23RD AVENUE SOUTH.

STATION IS A DISK SET IN A SIDEWALK, 28.8 FT (8.8 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 21.8 FT (6.6 M) EAST-NORTHEAST OF THE CENTER OF THE AVENUE, 2.6 FT (0.8 M) SOUTH-SOUTHEAST OF THE FENCE CORNER, 3.1 FT (0.9 M) NORTH-NORTHWEST OF THE SOUTH EDGE OF THE SIDEWALK, 2.7 FT (0.8 M) SOUTHEAST OF A METAL PIPE FILLED WITH CONCRETE PROJECTING 3.0 FT (0.9 M).

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5740

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

725,256.61

Easting
NAD 83(2011)
International Foot

2,696,862.10

Elevation
NAVD 88
Survey Foot

12.78

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), 2.1 MI (3.4 KM) SOUTH OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD) TURN LEFT ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE STATION ON THE LEFT IN FRONT OF A TWO STORY HOUSE NUMBER 2006.

STATION IS A DISK SET IN A CONCRETE SIDEWALK, 24.0 FT (7.3 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 1.2 FT (0.4 M) SOUTH-SOUTHEAST OF THE NORTH EDGE OF THE SIDEWALK, 41.0 FT (12.5 M) SOUTHEAST OF THE SOUTHWEST CORNER OF THE HOUSE, 46.8 FT (14.3 M) WEST-SOUTHWEST OF A FIRE HYDRANT.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5745 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

725,839.076

Easting
NAD 83(2011)
International Foot

2,697,631.580

Elevation
NAVD 88
Survey Foot

16.361

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH ON HIGHWAY 65 FOR 0.35 MI (0.6 KM) TO THE JUNCTION OF HIGHWAY 65 LEFT AND SOUTH OCEAN BOULEVARD RIGHT, TURN LEFT ON HIGHWAY 65 FOR 0.6 MI (1.0 KM) TO THE JUNCTION OF 18TH AVENUE SOUTH, TURN LEFT ON 18TH AVENUE SOUTH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT IN THE SOUTHWEST ANGLE OF THE JUNCTION OF PERRIN DRIVE.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 27.6 FT (8.4 M) SOUTHWEST OF THE CENTER OF 18TH AVENUE SOUTH, 14.9 FT (4.5 M) SOUTH-SOUTHEAST OF THE CENTER OF PERRIN DRIVE, 28.2 FT (8.6 M) NORTH-NORTHWEST OF THE NORTHWEST CORNER OF A WOODEN STORAGE BUILDING BEHIND A TWO STORY HOUSE NUMBER 1800, 46.7 FT (14.2 M) EAST-NORTHEAST OF THE NORTH END CHAIN LINK FENCE POST BETWEEN PROPERTIES NUMBER 1800 AND 1802, 43.3 FT (13.2 M) WEST-SOUTHWEST OF A FIRE HYDRANT.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5750 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

726,412.832

Easting
NAD 83(2011)
International Foot

2,698,382.343

Elevation
NAVD 88
Survey Foot

19.042

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH ON HIGHWAY 65 FOR 0.3 MI (0.6 KM) TO THE JUNCTION OF HOLLY STREET, TURN LEFT ON HOLLY STREET FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR A PUBLIC WALK CONCRETE MARKER POST.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 11.3 FT (3.4 M) EAST-NORTHEAST OF A POWER LINE STUB POLE WITH A SCGS REFERENCE WASHER ATTACHED, 7.4 FT (2.3 M) NORTH OF A CONCRETE PUBLIC WALK MARKER PROJECTING 4.0-FT, 51.4 FT (15.7 M) WEST-NORTHWEST OF THE NORTHWEST CORNER OF A TWO STORY HOUSE NUMBER 165, 16.3 FT (5.0 M) SOUTH-SOUTHEAST OF THE CENTER OF THE STREET, 11.1 FT (3.4 M) EAST-NORTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5755

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

726,803.24

Easting
NAD 83(2011)
International Foot

2,699,680.57

Elevation
NAVD 88
Survey Foot

10.07

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH) , 2.1 MI (3.4 KM) SOUTH OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD) TURN LEFT ON HIGHWAY 65 FOR 1.05 MI (1.7 KM) TO THE STATION ON THE LEFT IN THE NORTHWEST ANGLE OF THE JUNCTION OF STATE ROAD 251 (15TH AVENUE SOUTH).

STATION IS A DISK SET IN A CONCRETE SIDEWALK, 18.3 FT (5.6 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 21.0 FT (6.4 M) WEST-SOUTHWEST OF THE CENTER OF THE AVENUE, 8.1 FT (2.5 M) SOUTH OF THE SOUTHEAST CORNER OF A METAL UTILITY BOX, 13.1 FT (4.0 M) SOUTH OF A POWER POLE NUMBER 20819/7/194/1, 20.5 FT (6.2 M) EAST-NORTHEAST OF THE CENTER OF A MANHOLE COVER IN THE SIDEWALK.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5760 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

727,023.583

Easting
NAD 83(2011)
International Foot

2,700,538.366

Elevation
NAVD 88
Survey Foot

9.578

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), CRESCENT BEACH, 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH ON HIGHWAY 65 FOR 0.35 MI (0.6 KM) TO THE JUNCTION OF HIGHWAY 65 LEFT AND SOUTH OCEAN BOULEVARD RIGHT, TURN LEFT ON HIGHWAY 65 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF STATE ROAD 91 (14TH AVENUE SOUTH) LEFT AND BEACH ACCESS RIGHT, TURN RIGHT ON THE PUBLIC BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION AHEAD BEHIND A WOOD BEACH ACCESS WALKWAY.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 12.3 FT (3.7 M) WEST-SOUTHWEST OF THE CENTER OF THE SANDY BEACH PATH AT 14TH AVENUE SOUTH STREET END, 3.5 FT (1.1 M) EAST-NORTHEAST OF THE SOUTHEAST CORNER OF A WOOD CORNER POST AROUND THE SOUTH SHORE VILLAS-1401 SOUTH OCEAN BOULEVARD, 26.5 FT (8.1 M) SOUTH-SOUTHWEST OF A SECURITY LIGHT POST NUMBER 15 AT THE REAR OF ATLANTIC BREEZE OCEAN RESORT-1321 SOUTH OCEAN BOULEVARD, 17.3 FT (5.3 M) SOUTH-SOUTHWEST OF THE SOUTHWEST ONE OF TWO WOOD POSTS FOR THE 14TH AVENUE SOUTH STREET END, 28.2 FT (8.6 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF A CONCRETE RETAINING WALL BEHIND THE ATLANTIC BREEZE OCEAN RESORT, 3.3 FT (1.0 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5770

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

727,801.88

Easting
NAD 83(2011)
International Foot

2,701,540.94

Elevation
NAVD 88
Survey Foot

8.37

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HWY), 2.66 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 RIGHT (OCEAN BOULEVARD), TURN RIGHT ON HIGHWAY 65 FOR 2.85 MI (4.6 KM) TO THE STATION ON THE RIGHT, SET IN THE SIDEWALK, IN FRONT OF TWO STORY VINYL SIDED HOUSE 1102.

STATION IS A DISK SET IN THE SIDEWALK, 23.0 FT (7.0 M) NORTH-NORTHWEST OF THE CENTER OF THE HIGHWAY, 2.5 FT (0.8 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF THE SIDEWALK, 39.5 FT (12.0 M) SOUTH OF THE SOUTH CORNER OF THE HOUSE, 46.3 FT (14.1 M) WEST-SOUTHWEST OF A STOP SIGN POST, 31.0 FT (9.4 M) SOUTH-SOUTHEAST OF THE SOUTHEAST CORNER OF TWO STORY VINYL SIDED HOUSE 1102, 2.5 FT (0.8 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF THE SIDEWALK.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5775 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

728,331.172

Easting
NAD 83(2011)
International Foot

2,701,797.243

Elevation
NAVD 88
Survey Foot

17.645

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD, 27TH AVENUE SOUTH), 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF HIGHWAY 65 LEFT AND SOUTH OCEAN BOULEVARD RIGHT, TURN LEFT ON HIGHWAY 65 FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF PERIN DRIVE, TURN LEFT ON PERIN DRIVE FOR 0.05 MI (0.1 KM), KEEP RIGHT FOR 0.05 MI (0.1 KM), TURN LEFT ON STRAND DRIVE FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A PVC FENCE IN REAR PARKING FOR HOUSE NUMBER 1000.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 13.5 FT (4.1 M) SOUTH OF THE CENTER OF STRAND AVENUE, 26.8 FT (8.2 M) NORTHEAST OF A POWER POLE NUMBER 69576 WITH GUY WIRE, 32.0 FT (9.8 M) NORTHEAST OF THE NORTHEAST CORNER OF THE PATIO OF A TWO STORY HOUSE NUMBER 1004, 35.9 FT (10.9 M) NORTH-NORTHWEST OF THE NORTHWEST CORNER OF THE REAR ADDITION TO THE TWO STORY HOUSE NUMBER 1000 (THE SEA TURTLE), 8.5 FT (2.6 M) EAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5780

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

728,529.63

Easting
NAD 83(2011)
International Foot

2,703,095.25

Elevation
NAVD 88
Survey Foot

10.95

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (27TH AVENUE SOUTH), 2.1 MI (3.4 KM) SOUTH OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD) TURN LEFT ON HIGHWAY 65 FOR 1.75 MI (2.8 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE AT THE ENTRANCE TO THE NINTH AVENUE SOUTH, PUBLIC BEACH ACCESS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND LEVEL WITH THE ROAD, 24.0 FT (7.3 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 4.5 FT (1.4 M) WEST-SOUTHWEST OF THE POWER POLE NUMBER 20819/219 WITH FOUR GUY WIRES, ONE TRANSFORMER AND A SECURITY LIGHT, 50.5 FT (15.4 M) NORTH OF THE NORTHEAST CORNER OF A TWO STORY VINYL SIDED HOUSE NUMBER 903, 3.0 FT EAST OF THE CENTER OF A METAL WATER METER COVER, 4.3 FT (1.3 M) WEST-SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5785 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

729,098.12

Easting
NAD 83(2011)
International Foot

2,703,937.30

Elevation
NAVD 88
Survey Foot

8.4

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SOUTH OCEAN BOULEVARD), 1.4 MI (2.3 KM) WEST OF NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF HIGHWAY 65 LEFT AND SOUTH OCEAN BOULEVARD RIGHT, TURN LEFT ON HIGHWAY 65 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF SEVENTH AVENUE SOUTH, TURN LEFT ON SEVENTH AVENUE SOUTH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE ON THE WEST EDGE OF WAIPANI RESORT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 2.0 FT (0.6 M) ABOVE THE AVENUE, 28.8 FT (8.8 M) SOUTHWEST OF THE NORTHWEST CORNER OF THE CONCRETE-STUCCO FOUNDATION OF BUILDING (B4-WAIPANI), 25.5 FT (7.8 M) NORTH-NORTHWEST OF THE SOUTHWEST CORNER OF BUILDING (B4-WAIPANI), 24.0 FT (7.3 M) SOUTHEAST OF THE POWER POLE 65AKS/16978 WITH THREE GUY WIRES AND A TRANSFORMER, 17.2 FT (5.2 M) EAST OF THE NORTHWEST CORNER OF A METAL STORM GRATE IN THE EAST CURB OF SEVENTH AVENUE SOUTH, 23.8 FT (7.3 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5790

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

729,522.73

Easting
NAD 83(2011)
International Foot

2,705,022.60

Elevation
NAVD 88
Survey Foot

7.71

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAY 9 (SEA MOUNTAIN HWY), STATE HIGHWAY 65 AND STATE ROAD 209 (NORTH OCEAN BOULEVARD), IN CHERRY GROVE, GO SOUTHWEST ON HIGHWAY 65 FOR 2.2 MI (3.5 KM) TO THE STATION ON THE RIGHT NEAR A CONCRETE LAMP POST IN FRONT OF A TWO STORY STUCCO HOUSE NUMBER 504.

STATION IS A DISK SET IN THE SIDEWALK, 24.0 FT (7.3 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 5.6 FT (1.7 M) SOUTH-SOUTHEAST OF THE LAMP POST, 24.0 FT (7.3 M) SOUTH OF THE SOUTHWEST CORNER OF THE HOUSE, 20.0 FT (6.1 M) EAST-SOUTHEAST OF THE NORTHEAST CORNER OF A TWO STORY VINYL SIDED HOUSE NUMBER 506.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5795 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

729,788.710

Easting
NAD 83(2011)
International Foot

2,706,216.782

Elevation
NAVD 88
Survey Foot

9.388

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), STATE HIGHWAY 90 (ROBERT EDGE PARKWAY) AND STATE ROAD 367 (MAIN STREET/OCEAN DRIVE) IN NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON ROAD 367 FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (OCEAN BOULEVARD), TURN RIGHT ON HIGHWAY 65 FOR 1.9 MI (3.1 KM) TO THE JUNCTION OF SECOND AVENUE SOUTH ON THE RIGHT AND A PUBLIC BEACH ACCESS LEFT, TURN LEFT ON THE PUBLIC BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION AHEAD NEAR A BOARDWALK AND NEAR THE SOUTHEAST CORNER OF A 18-STORY BEACH FRONT HOTEL (OCEAN BAY CLUB).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE BOARDWALK, 26.5 FT (8.1 M) SOUTHEAST OF THE SOUTHEAST CORNER OF THE BUILDING, 45.4 FT (13.8 M) EAST-NORTHEAST OF THE SOUTHEAST CORNER OF A FIBERGLASS FENCE AROUND A SWIMMING POOL, 18.5 FT (5.6 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE BOARDWALK, 44.0 FT (13.4 M) SOUTHWEST OF THE CENTER OF A BEACHSIDE SHOWER, 26.9 FT (8.2 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5798 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

730,230.432

Easting
NAD 83(2011)
International Foot

2,707,234.713

Elevation
NAVD 88
Survey Foot

10.657

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY), STATE HIGHWAY 90 (ROBERT EDGE PARKWAY) AND STATE ROAD 367 (MAIN STREET/OCEAN DRIVE) IN NORTH MYRTLE BEACH, GO SOUTH-SOUTHEAST ON ROAD 367 FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF STATE HIGHWAY 65 (OCEAN BOULEVARD), TURN LEFT ON HIGHWAY 65 FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF FIRST AVENUE NORTH LEFT AND THE FIRST AVENUE NORTH PUBLIC BEACH ACCESS RIGHT, TURN RIGHT ON THE ASPHALT PARKING AREA FOR 0.05 MI (0.1 KM) TO THE STATION ON AHEAD NEAR AN OUTDOOR BEACHSIDE SHOWER.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 23.2 FT (7.1 M) WEST-SOUTHWEST OF THE WEST ONE OF TWO WOOD POSTS FOR SIGN (1ST AVENUE NORTH STREET END), 14.4 FT (4.4 M) WEST OF THE WEST EDGE OF A BOARDWALK, 9.6 FT (2.9 M) EAST OF THE EAST FACE OF A WOODEN WALL AROUND A POOL AT THE OCEAN DRIVE BEACH AND GOLF RESORT, 19.3 FT (5.9 M) NORTH OF THE SOUTHEAST CORNER OF A CONCRETE FOUNDATION AT THE OCEAN DRIVE BEACH AND GOLF RESORT, 71.9 FT (21.9 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF A 19-STORY BEACH FRONT HOTEL (THE ASHWOOD), 2.2 FT (0.7 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5800 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

730,894.838

Easting
NAD 83(2011)
International Foot

2,707,823.900

Elevation
NAVD 88
Survey Foot

7.275

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 1.6 MI (2.6 KM) TO THE STATION ON THE RIGHT NEAR A TELEPHONE JUNCTION BOX IN THE NORTHWEST ANGLE OF THE JUNCTION OF STATE ROAD 839 (3RD AVENUE NORTH).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 11.2 FT (3.4 M) NORTH-NORTHWEST OF THE NORTH EDGE OF THE BOULEVARD SIDEWALK, 45.5 FT (13.9 M) WEST-SOUTHWEST OF THE CENTER OF ROAD 839, 3.2 FT (1.0 M) SOUTHEAST OF THE SOUTHEAST CORNER OF A WOOD FENCE SURROUNDING TILGHMAN BEACH AND RACQUET CLUB, 4.0 FT (1.2 M) SOUTH OF THE TELEPHONE JUNCTION BOX H9-1, 41.0 FT (12.5 M) EAST-NORTHEAST OF A CONCRETE LIGHT POLE L23740, 4.3 FT (1.3 M) SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5803 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

731,226.507

Easting
NAD 83(2011)
International Foot

2,708,572.388

Elevation
NAVD 88
Survey Foot

7.249

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 1.45 MI (2.3 KM) TO THE STATION ON THE RIGHT NEAR A TELEPHONE JUNCTION BOX IN THE NORTHEAST ANGLE OF THE JUNCTION OF FIFTH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 0.5 FT (15 CM) BELOW THE BOULEVARD, 23.8 FT (7.3 M) NORTH-NORTHWEST OF THE CENTER OF THE WESTBOUND LANES OF THE BOULEVARD, 31.4 FT (9.6 M) EAST-NORTHEAST OF THE CENTER OF FIFTH AVENUE NORTH, 12.3 FT (3.7 M) WEST-NORTHWEST OF THE TELEPHONE JUNCTION BOX, 53.5 FT (16.3 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF THE PORCH FOR HOUSE NUMBER 501, 11.2 FT (3.4 M) WEST-SOUTHWEST OF A WOOD POST PROJECT 3-FT (501 WOOTEN).

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5805 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

731,538.189

Easting
NAD 83(2011)
International Foot

2,709,261.399

Elevation
NAVD 88
Survey Foot

6.786

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 1.3 MI (2.1 KM) TO THE STATION ON THE RIGHT NEAR TELEPHONE JUNCTION BOX IN THE NORTHEAST ANGLE OF THE JUNCTION OF SEVENTH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 30.6 FT (9.3 M) NORTH-NORTHWEST OF THE CENTER OF THE WESTBOUND LANES OF THE BOULEVARD, 35.5 FT (10.8 M) EAST-NORTHEAST OF THE CENTER OF SEVENTH AVENUE NORTH, 9.1 FT (2.8 M) NORTH OF THE NORTHEAST CORNER OF A 6-FT BY 6-FT CONCRETE PAD FOR A MANHOLE COVER, 7.4 FT (2.3 M) NORTHWEST OF THE TELEPHONE JUNCTION BOX, 52.4 FT (16.0 M) SOUTH OF THE SOUTHWEST CORNER OF A BRICK HOUSE NUMBER 701.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5810 E**

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

731,549.108

Easting
NAD 83(2011)
International Foot

2,710,072.413

Elevation
NAVD 88
Survey Foot

16.120

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 1.15 MI (1.9 KM) TO THE STATION ON THE LEFT NEAR THE SOUTHWEST CORNER OF A POOL FENCE FOR HOUSE NUMBER 900 ON THE EAST SIDE OF NINTH AVENUE NORTH STREET BEACH ACCESS.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 7.0 FT (2.1 M) ABOVE OCEAN BOULEVARD, 237.0 FT (72.2 M) SOUTH-SOUTHEAST OF THE EASTBOUND LANES OF OCEAN BOULEVARD, 25.7 FT (7.8 M) SOUTH OF THE SOUTHWEST CORNER OF THE METAL POOL FENCE, 31.0 FT (9.4 M) EAST-NORTHEAST OF THE CENTER OF A RAISED WOODEN BOARD WALK FOR BEACH ACCESS, 1.5 FT (0.5 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5815 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

732,140.104

Easting
NAD 83(2011)
International Foot

2,710,610.125

Elevation
NAVD 88
Survey Foot

6.553

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 1.0 MI (1.6 KM) TO THE STATION ON THE RIGHT NEAR A WOODEN CHURCH SIGN POST IN A GRASSY MEDIAN OF 11TH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 36.0 FT (11.0 M) NORTH-NORTHWEST OF THE CENTER OF THE WESTBOUND LANES OF THE HIGHWAY, 26.3 FT (8.0 M) WEST-SOUTHWEST OF THE CENTER OF THE NORTHBOUND LANES OF 11TH AVENUE NORTH, 23.3 FT (7.1 M) EAST-NORTHEAST OF THE CENTER OF THE SOUTHBOUND LANES OF 11TH AVENUE NORTH, 9.5 FT (2.9 M) NORTH-NORTHWEST OF A METAL HIGHWAY SIGN POST (DIVIDED ROAD), 1.4 FT (0.4 M) SOUTH OF THE SOUTH END OF THE CHURCH SIGN, 1.4 FT (0.4 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5818 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

732,527.183

Easting
NAD 83(2011)
International Foot

2,711,710.783

Elevation
NAVD 88
Survey Foot

6.079

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 0.8 MI (1.3 KM) TO THE STATION ON THE LEFT NEAR A CONCRETE PIPE CULVERT IN THE GRASSY MEDIAN DIVIDING OCEAN BOULEVARD AT THE JUNCTION OF 14TH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 18.0 FT (5.5 M) NORTH OF THE CENTER OF THE EASTBOUND LANES OF OCEAN BOULEVARD, 32.2 FT (9.8 M) SOUTH OF THE CENTER OF THE WESTBOUND LANES OF THE BOULEVARD, 6.9 FT (2.1 M) SOUTH OF THE EAST END OF A 2.5-FT CONCRETE PIPE CULVERT BENEATH THE CROSS-OVER LANE FOR 14TH AVENUE NORTH, 23.3 FT (7.1 M) EAST OF THE CENTER OF 14TH AVENUE NORTH, 13.6 FT (4.1 M) SOUTH-SOUTHEAST OF A CONCRETE POST PROJECTING 3-FT INSCRIBED (MV), 13.2 FT (4.0 M) SOUTH-SOUTHEAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5820 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

732,950.265

Easting
NAD 83(2011)
International Foot

2,712,768.720

Elevation
NAVD 88
Survey Foot

5.989

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 0.6 MI (1.0 KM) TO THE STATION ON THE LEFT NEAR A FIRE HYDRANT IN THE GRASSY MEDIAN DIVIDING OCEAN BOULEVARD AT 17TH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 17.8 FT (5.4 M) NORTH OF THE CENTER OF THE EASTBOUND LANES OF THE BOULEVARD, 28.0 FT (8.5 M) SOUTH OF THE CENTER OF THE WESTBOUND LANES OF THE BOULEVARD, 11.4 FT (3.5 M) SOUTHWEST OF THE FIRE HYDRANT, 39.0 FT (11.9 M) EAST OF THE CENTER OF 17TH AVENUE NORTH AT THE CROSS-OVER LANE, 12.7 FT (3.9 M) EAST OF A CONCRETE POST PROJECTING 2.5-FT INSCRIBED (MV), 11.0 FT (3.4 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5825 E

Beach Name: NORTH MYRTLE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

733,079.244

Easting
NAD 83(2011)
International Foot

2,713,864.077

Elevation
NAVD 88
Survey Foot

11.150

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF SHOREHAVEN DRIVE ON THE RIGHT AND THE STATION ON THE LEFT NEAR A CONCRETE PUBLIC BEACH ACCESS WALKWAY.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 2.0 FT (0.6 M) ABOVE THE WALKWAY, 3.8 FT (1.2 M) NORTHWEST OF THE WEST ONE OF TWO WOOD POSTS FOR SIGN (1908-WW NORTH OCEAN BOULEVARD WALKWAY), 7.0 FT (2.1 M) WEST OF THE WEST EDGE OF THE BRICK RETAINING WALL OF THE WALKWAY, 36.2 FT (11.0 M) EAST OF THE SOUTHEAST CORNER OF A THREE STORY BUILDING (F), 161.7 FT (49.3 M) SOUTH OF THE SOUTHEAST CORNER OF A PUBLIC RESTROOM FACILITY, 3.7 FT (1.1 M) NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5830 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

733,463.167

Easting
NAD 83(2011)
International Foot

2,714,569.271

Elevation
NAVD 88
Survey Foot

8.493

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT AT A BEACH ACCESS AND NEAR A VACANT LOT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE OCEAN BOULEVARD, 13.3 FT (4.1 M) SOUTH OF THE SOUTH EDGE OF THE BOULEVARD SIDEWALK, 4.5 FT (1.4 M) EAST OF THE SOUTHEAST CORNER OF A 8.5-FT BY 5.5-FT CONCRETE PAD FOR A FIBERGLASS ELECTRIC BOX J650, 40.2 FT (12.3 M) NORTH-NORTHWEST OF THE NORTHWEST CORNER OF HOUSE NUMBER 1916, 26.9 FT (8.2 M) NORTH-NORTHEAST OF THE NORTHWEST CORNER OF A CONCRETE HOUSE FOUNDATION (HOUSE REMOVED), 6.5 FT (2.0 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF A METAL ELECTRIC BOX 130/T24.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5835 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

733,686.017

Easting
NAD 83(2011)
International Foot

2,715,649.759

Elevation
NAVD 88
Survey Foot

10.103

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN RIGHT ON HIGHWAY 65 FOR 0.05 MI (0.1 KM) TO A PUBLIC BEACH PARKING LOT AND THE STATION NEAR THE SOUTHWEST CORNER OF A PUBLIC RESTROOM BUILDING AT THE SOUTHEAST CORNER OF THE LOT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE PARKING LOT, 134.7 FT (41.1 M) SOUTH OF THE SOUTH EDGE OF THE OCEAN BOULEVARD SIDEWALK, 12.3 FT (3.7 M) SOUTH-SOUTHWEST OF THE SOUTHWEST CORNER OF THE WOODEN BATHROOM BUILDING, 43.0 FT (13.1 M) NORTHEAST OF THE EAST ONE OF TWO WOOD POSTS FOR A SIGN (2306-WW NORTH OCEAN BOULEVARD WALKWAY), 48.9 FT (14.9 M) WEST OF THE SOUTHWEST ONE OF TWO WOOD POSTS FOR A SIGN (SEA MOUNTAIN HIGHWAY STREET END), 11.7 FT (1.4 M) NORTH-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5840 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

734,124.396

Easting
NAD 83(2011)
International Foot

2,716,364.416

Elevation
NAVD 88
Survey Foot

9.177

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT IN THE NORTHEAST ANGLE OF 26TH AVENUE NORTH.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 8.6 FT (2.6 M) NORTH OF THE NORTH EDGE OF THE SIDEWALK FOR OCEAN BOULEVARD, 23.5 FT (7.2 M) EAST OF THE CENTER OF 26TH AVENUE NORTH, 18.7 FT (5.7 M) SOUTHWEST OF THE SOUTHWEST CORNER OF THE CINDER BLOCK FOUNDATION FOR A HOUSE NUMBER 2601, 3.2 FT (1.0 M) NORTHWEST OF THE NORTHEAST CORNER OF A FIBERGLASS VERIZON CONTROL BOX.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5845 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

734,376.834

Easting
NAD 83(2011)
International Foot

2,717,326.839

Elevation
NAVD 88
Survey Foot

9.272

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 0.3 MI (0.5 KM) TO THE JUNCTION OF 30TH AVENUE NORTH AND THE STATION ON THE RIGHT NEAR A POWER POLE AT BEACH ACCESS WALKWAY.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH A SIDEWALK, 25.0 FT (7.6 M) NORTHWEST OF THE NORTHWEST CORNER OF A TWO STORY BEACH HOUSE NUMBER 3000 (SHORE DELIGHT), 6.7 FT (2.0 M) SOUTH OF THE SOUTH EDGE OF THE SIDEWALK, 4.8 FT (1.5 M) EAST-SOUTHEAST OF A POWER POLE 40AKS/40147 WITH GUY WIRE AND SECURITY LIGHT, 3.5 FT (1.1 M) WEST OF THE CENTER OF THE PUBLIC WALKWAY-BEACH ACCESS, 2.6 FT (0.8 M) SOUTH OF A TELEPHONE JUNCTION BOX NUMBER 19, 63.3 FT (19.3 M) NORTH OF THE NORTHEAST CORNER OF A BUILDING NUMBER 2908 (SHALIMAR RESORT), 2.3 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5850

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

734,591.54

Easting
NAD 83(2011)
International Foot

2,717,789.46

Elevation
NAVD 88
Survey Foot

8.88

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAY 9 (SEA MOUNTAIN HWY), STATE HIGHWAY 65 AND STATE ROAD 209 (NORTH OCEAN BOULEVARD), IN CHERRY GROVE, GO NORTHEAST ON ROAD 209 FOR 0.4 MI (0.6 KM) TO THE STATION ON THE LEFT IN THE NORTH ANGLE OF THE JUNCTION OF 32ND AVENUE NORTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE THE ROAD, 25.7 FT (7.8 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 23.0 FT (7.0 M) EAST-NORTHEAST OF THE CENTER OF THE AVENUE, 9.0 FT (2.7 M) WEST-SOUTHWEST OF THE WEST EDGE OF THE CONCRETE DRIVEWAY FOR A TWO STORY WOOD SIDED HOUSE NUMBER 3201, 3.5 SOUTH-SOUTHEAST OF THE CENTER OF A GREEN ELECTRICAL BOX, 7.5 FT (2.3 M) WEST-NORTHWEST OF THE CENTER OF A MANHOLE COVER.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5855 B**

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

735,082.962

Easting
NAD 83(2011)
International Foot

2,718,908.206

Elevation
NAVD 88
Survey Foot

7.994

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 9 (SEA MOUNTAIN HIGHWAY) AND 65 (OCEAN BOULEVARD) IN CHERRY GROVE, GO EAST-NORTHEAST FOR 0.65 MI (1.0 KM) TO THE STATION ON THE RIGHT AT A PUBLIC BEACH ACCESS BETWEEN HOUSE 3610 AND HOUSE 3700.

STATION IS A DISK SET IN A CONCRETE MONUMENT RECESSED 0.4 FT (12 CM), 44.0 FT (13.4 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 32.0 FT (9.8 M) NORTH-NORTHWEST OF THE NORTHEAST CORNER OF HOUSE 3610, 39.7 FT (12.1 M) WEST-NORTHWEST OF THE SOUTHWEST CORNER OF HOUSE 3700, 1.6 FT (0.5 M) NORTH OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5860 B**

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

735,823.84

Easting
NAD 83(2011)
International Foot

2,720,431.16

Elevation
NAVD 88
Survey Foot

8.90

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 9 (SEA MOUNTAIN HIGHWAY) AND 65 (OCEAN BOULEVARD) IN CHERRY GROVE, GO EAST NORTHEAST ON OCEAN BOULEVARD FOR 1.0 MILE TO THE STATION ON THE RIGHT NEAR A POWER POLE IN THE EXTENDED CENTER OF A PAVED ROAD (42ND AVENUE NORTH).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (0.1 M) AND 0.5 FT (0.2 M) ABOVE OCEAN BOULEVARD, 26.5 FT (8.1 M) SOUTH SOUTHEAST OF THE CENTER OF OCEAN BOULEVARD, 3.4 FT (1.0 M) NORTH OF THE POWER POLE WITH GUY WIRE, 3.2 FT (1.0 M) EAST NORTHEAST OF THE EXTENDED CENTER OF FORTY SECOND AVENUE NORTH, 56.7 FT (17.3 M) SOUTH-SOUTHWEST OF A FIRE HYDRANT, 1.1 FT (0.3 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5865 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

736,154.725

Easting
NAD 83(2011)
International Foot

2,721,514.243

Elevation
NAVD 88
Survey Foot

9.413

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 1.2 MI (1.9 KM) TO THE STATION ON THE RIGHT BETWEEN HOUSES AND THE DUNE LINE ON THE EAST SIDE OF BEACH ACCESS (4414-WW NORTH OCEAN BOULEVARD WALKWAY) AND 45TH AVENUE NORTH LEFT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 130.6 FT (39.8 M) SOUTH OF THE SOUTH EDGE OF THE NORTH OCEAN BOULEVARD SIDEWALK, 9.2 FT (2.8 M) EAST OF THE EXTENDED CENTER OF 45TH AVENUE NORTH, 8.0 FT (2.4 M) EAST OF THE CENTER OF A WOOD BEACH BOARDWALK, 29.2 FT (8.9 M) SOUTHEAST OF THE SOUTHEAST CORNER OF THE PORCH FOR BUILDING 4406, 4.3 FT (1.3 M) EAST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5870 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

736,536.001

Easting
NAD 83(2011)
International Foot

2,722,496.497

Elevation
NAVD 88
Survey Foot

9.867

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 1.4 MI (2.3 KM) TO THE STATION ON THE RIGHT BETWEEN A HOUSE AND DUNE LINE ON THE EAST SIDE OF BEACH ACCESS (4714-WW NORTH OCEAN BOULEVARD WALKWAY).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 144.0 FT (43.9 M) SOUTH OF THE SOUTH EDGE OF THE SIDEWALK FOR NORTH OCEAN BOULEVARD, 11.0 FT (3.4 M) EAST OF THE EXTENDED CENTER OF 48TH AVENUE NORTH, 49.4 FT (15.1 M) SOUTH OF THE SOUTHWEST CORNER OF A CONDO BUILDING (4800 RAINTREE VILLAS), 2.1 FT (0.6 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5875 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

736,978.919

Easting
NAD 83(2011)
International Foot

2,723,429.607

Elevation
NAVD 88
Survey Foot

8.644

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 1.6 MI (2.6 KM) TO THE STATION ON THE RIGHT AT THE 51ST AVENUE NORTH BEACH ACCESS (5014-WW NORTH OCEAN BOULEVARD WALKWAY).

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH OCEAN BOULEVARD, 74.3 FT (22.6 M) SOUTH OF THE SOUTH EDGE OF THE CONCRETE SIDEWALK FOR OCEAN BOULEVARD, 3.7 FT (1.1 M) EAST OF THE EXTENDED CENTER OF 51ST AVENUE NORTH, 56.5 FT (17.2 M) NORTH-NORTHWEST OF THE SOUTHWEST CORNER OF A WOOD LATTICE FENCE FOR HOUSE NUMBER 5100, 46.2 FT (14.1 M) NORTH OF THE WEST ONE OF TWO WOOD LEGS, 5.4 FT (1.6 M) WEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5880 E

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

737,811.911

Easting
NAD 83(2011)
International Foot

2,724,210.949

Elevation
NAVD 88
Survey Foot

5.696

Description:

TO REACH THE STATION FROM THE JUNCTION OVERPASS OF U.S. HIGHWAY 17 (NORTH KINGS HIGHWAY) AND STATE HIGHWAY 65 (SEA MOUNTAIN HIGHWAY), 2.65 MI (4.3 KM) NORTHEAST OF NORTH MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 65 FOR 1.5 MI (2.4 KM) TO THE JUNCTION OF STATE ROAD 209 LEFT AND HIGHWAY 65 (OCEAN BOULEVARD) TURNS RIGHT, TURN LEFT ON ROAD 209 FOR 1.8 MI (2.9 KM) TO THE JUNCTION OF 54TH AVENUE NORTH, TURN LEFT ON 54TH AVENUE FOR 0.1 MI (0.2 KM) TO THE STATION ON THE LEFT IN THE SOUTHWEST ANGLE OF NIXON STREET.

STATION IS AN ALUMINUM PIPE MARK ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE THE 54TH AVENUE NORTH, 22.0 FT (6.7 M) WEST OF THE CENTER OF 54TH AVENUE, 20.5 FT (6.2 M) SOUTH OF THE CENTER OF NIXON STREET, 4.7 FT (1.4 M) WEST OF A CONCRETE POST INSCRIBED (MV) PROJECTING 3-FT, 5.7 FT (1.7 M) SOUTHWEST OF THE SOUTHEAST CORNER OF A CONCRETE SIDEWALK FOR NIXON STREET, 68.5 FT (20.9 M) EAST OF THE NORTHEAST CORNER OF A PVC FENCE FOR HOUSE NUMBER 213.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5885

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

737,838.53

Easting
NAD 83(2011)
International Foot

2,725,332.00

Elevation
NAVD 88
Survey Foot

7.34

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAY 9 (SEA MOUNTAIN HWY), STATE HIGHWAY 65 AND STATE ROAD 209 (NORTH OCEAN BOULEVARD), IN CHERRY GROVE, GO EAST-NORTHEAST ON ROAD 209 FOR 2.0 MI (3.2 KM) TO THE STATION ON THE LEFT NEAR A STOP SIGN IN THE WEST ANGLE OF 57TH AVENUE NORTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 1.0 FT (0.3 M) ABOVE THE ROAD, 27.0 FT (8.2 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 14.6 FT (4.5 M) WEST-SOUTHWEST OF THE CENTER OF THE AVENUE, 2.7 FT (0.8 M) NORTHWEST OF THE STOP SIGN, 1.0 FT (0.3 M) NORTH-NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5890

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

738,045.76

Easting
NAD 83(2011)
International Foot

2,726,008.75

Elevation
NAVD 88
Survey Foot

7.51

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAY 9 (SEA MOUNTAIN HWY), STATE HIGHWAY 65 AND STATE ROAD 209 (NORTH OCEAN BOULEVARD), IN CHERRY GROVE, GO NORTHEAST ON ROAD 209 FOR 2.1 MI (3.4 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE AT A PUBLIC BEACH ACCESS AND THE EXTENDED CENTER OF STATE ROAD 940 (59TH AVENUE NORTH).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 0.5 FT (15 CM) ABOVE THE ROAD, 17.4 FT (5.3 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 15.0 FT (4.6 M) WEST-SOUTHWEST OF THE EXTENDED CENTER OF THE AVENUE, 6.2 FT (1.9 M) WEST-NORTHWEST OF THE POWER POLE NUMBER 40910 WITH A STREET LIGHT, 27.0 FT (8.2 M) EAST-NORTHEAST OF THE CENTER OF THE EAST ENTRANCE DRIVE TO A STUCCO BUILDING NUMBER 5806 (CAROLINA DUNES), 2.3 FT (0.7 M) NORTH-NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5895

Beach Name: CHERRY GROVE **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

738,461.72

Easting
NAD 83(2011)
International Foot

2,727,166.60

Elevation
NAVD 88
Survey Foot

9.92

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAY 9 (SEA MOUNTAIN HWY), STATE HIGHWAY 65 AND STATE ROAD 209 (NORTH OCEAN BOULEVARD), IN CHERRY GROVE, GO NORTHEAST ON ROAD 209 FOR 2.35 MI (3.8 KM) TO THE STATION ON THE RIGHT NEAR THE SOUTH EDGE OF THE SIDEWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM) AND 0.5 FT (15 CM) BELOW THE ROAD, 22.0 FT (6.7 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 2.5 FT (0.8 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF THE SIDEWALK, 12.5 FT (3.8 M) EAST OF A SIGN POST (NO PARKING), 59.0 FT (18.0 M) WEST-SOUTHWEST OF A POWER POLE WITH A TRANSFORMER.