SC DEPARTMENT of ENVIRONMENTAL SERVICES

SUMMARY SHEET
Enforcement Action Report
April 2026

For the reporting period of March 1, 2026, through March 31, 2026, the Department of Environmental Services issued twelve (12) Consent Orders with total assessed civil penalties in the amount of one hundred seventy-four thousand two hundred and seventy-five dollars ($174,275.00). Also, fifteen (15) Administrative Orders with total assessed civil penalties of thirty-three thousand six hundred and eighty-eight dollars ($33,688.00) were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	1	$33,688.00	3	$7,200.00
Solid Waste			1	
Hazardous Waste			2	$9,575.00
Water				
Drinking Water			1	
Water Pollution			4	$134,000.00
Air Quality				
Air Quality			1	$23,500.00
Regional & Laboratory Services				
Onsite Wastewater	14			
TOTAL	15	$33,688.00	12	$174,275.00

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

1) Order Type and Number: Consent Order AF-0001481-UST
Order Date: March 2, 2026
Individual/Entity/Facility: **LEELA, INC.**
County: Anderson
Previous Orders: N/A
Permit/ID Number: 10369

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Anderson County, South Carolina. On October 27, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars ($3,600.00).

2) Order Type and Number: Consent Order AF-0001473-UST
Order Date: March 2, 2026
Individual/Entity/Facility: **Trinergy LLC**
County: Florence
Previous Orders: N/A
Permit/ID Number: 03577

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq.; and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.20(c)(1)(ii), (2012 & Supp 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks (USTs) in Florence County, South Carolina. On October 22, 2025, the Department conducted an inspection at the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars ($3,600.00).

3) Order Type and Number: Administrative Order AF-0001383-UST
Order Date: March 9, 2026
Individual/Entity/Facility: **Sandhu Properties LLC/Split Stop 437 (Facility #1) (and) Split Stop 407 (Facility #2)**
County: Edgefield
Previous Orders: AO 25-0064-UST (10952; $16,270.00)
Permit/ID Numbers: 10952 (Facility #1) (and) 11177 (Facility #2)

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.65, (2012 & Supp. 2025).

Summary: Individual/Entity/Facility owns underground storage tanks (USTs) in Edgefield County, South Carolina. A release was reported at both Facilities on April 3, 2023, and confirmed by the Department of Health and Environmental Control (DHEC) on May 1, 2023. The Department of Environmental Services (Department) issued a Notice of Alleged Violation (NOAV), regarding the release, for Facility #1 on March 26, 2025. The Department issued a NOAV for Facility #2, regarding the release, on April 17, 2025. The Individual/Entity/Facility has violated the SUPERB Act and the Regulations as follows: failure to determine the full extent of releases at the above Facilities in accordance with a schedule established by the Department.

Action: Individual/Entity/Facility shall submit: Tier I Assessments for both Facilities; and payment of a civil penalty in the amount of thirty-three thousand, six hundred eighty-eight dollars ($33,688.00) [sixteen thousand, eight hundred forty-four dollars ($16,844.00) for Facility #1 and sixteen thousand, eight hundred forty-four dollars ($16,844.00.) for Facility #2].

4) Order Type and Number: Consent Order AF-0001533-UST
Order Date: March 9, 2026
Individual/Entity/Facility: **Ervin's Tire, LLC**
County: Clarendon
Previous Orders: N/A
Permit/ID Number: 10744

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.113, (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Clarendon County, South Carolina. On September 24, 2025, the Department conducted a file review of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to submit evidence of financial assurance to the Department upon request.

Action: The Individual/Entity/Facility is required to submit a completed Certificate of Financial Responsibility form and evidence of financial assurance by April 26, 2026. The Individual/Entity/Facility shall pay a stipulated civil penalty in the amount of twenty-six thousand dollars ($26,000.00) should any requirement of the Order not be met.

Solid Waste Enforcement

5) Order Type and Number: Consent Order AF-0001527-SW
Order Date: March 9, 2026
Individual/Entity/Facility: **Walter Fingar, Jr.**
County: Greenwood
Previous Orders: N/A
Permit/ID Number: N/A Tax Map # 6869-562-792

Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991, S.C. Code Ann. §§ 44-96-10 et seq. (2018 & Supp. 2025) and Solid Waste Management: Solid Waste Landfills and Structural Fill, R.61-107-19 (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns the site located in Greenwood County, South Carolina. The Department conducted a site visit in response to a complaint and issued a Notice of Alleged Violation on May 13, 2025. The Individual/Entity/Facility has violated the South Carolina Solid Waste Policy and Management Act as follows: the Individual/Entity/Facility operated a Class One Landfill without a Department-issued permit.

Action: The Individual/Entity/Facility is required to close the unpermitted Class One Landfill by completing the following: pull back and remove the LCD from the cliff edge, as safely as can be performed, and remove the piles located in front of the cliff; remove all solid waste debris from the surface of the Site, which is approximately one-third of an acre in size; properly dispose of the solid waste debris at a permitted solid waste facility, and submit copies of all disposal receipts to the Department; using a form approved by the Department, record with the appropriate Register of Deeds, a notation in the record of ownership of the property, or some other instrument that is normally examined during a title search that will, in perpetuity, notify any potential purchaser of the property that the land or a portion thereof has been filled with land clearing debris; and submit a copy of the deed notation to the Department. The Individual/Entity/Facility shall pay a stipulated civil penalty in the amount of four thousand, three hundred dollars ($4,300.00) should any requirement of the Order not be met.

Hazardous Waste Enforcement

6) Order Type and Number: Consent Order 26-05-HW
Order Date: March 5, 2026
Individual/Entity/Facility: **ChromaScape**
County: Anderson
Previous Orders: N/A
Permit/ID Number: SCR 000 791 715

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Anderson County, South Carolina. On November 13, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to notify the Department no later than thirty calendar days prior to initiating a planned episodic event using EPA Form 8700-12 or within seventy-two hours of an unplanned episodic event via phone, email, or fax and subsequently using EPA Form 8700-12; and failed to manifest and send its hazardous waste from the episodic event to a designated facility as defined by R.61-79.290.10 within sixty calendar days from the start of the episodic event.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, two hundred dollars ($3,200.00).

7) Order Type and Number: Consent Order 26-06-HW
Order Date: March 23, 2026
Individual/Entity/Facility: **Urban Electric Company**
County: Charleston
Previous Orders: N/A
Permit/ID Number: SCR 000 790 436

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Charleston County, South Carolina. On November 13, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure a container holding hazardous waste remained closed at all times during accumulation; failed to mark or label containers with the words "Hazardous Waste" and an indication of the hazards of the contents; failed to mark or label containers with the date hazardous waste began accumulating; failed to include a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position listed under paragraph (a)(7)(iv)(A); failed to include in the quick reference guide the estimated maximum amount of each hazardous waste that may be present at any one time, a map of the facility showing where hazardous wastes are generated, accumulated, and treated and routes for accessing these wastes, a street map of the facility in relation to surrounding businesses, schools, and residential areas, and the locations of water supply; failed to mark each container of universal waste batteries with any of the following phrases "Universal Waste – Battery(ies)," "Waste Battery(ies)," or "Used Battery(ies)"; and failed to demonstrate the length of time that the universal waste had been accumulated from the date it becomes a waste or is received.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand, three hundred seventy-five dollars ($6,375.00).

BUREAU OF WATER

Drinking Water Enforcement

8) Order Type and Number: Consent Order 26-004-DW
Order Date: March 3, 2026
Individual/Entity/Facility: **Jacobo Cruz Aguilar, Individually and d.b.a. 7328 Middle Street/7328 Middle Street**
County: Richland
Previous Orders: None
Permit/ID Number: 4070985

Violations Cited: S.C. Code Ann. Regs. 61-58.7 & 61-58.8.B , State Primary Drinking Water Regulation.

Summary: Jacobo Cruz Aguilar, Individually and d.b.a. 7328 Middle Street owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Richland County, South Carolina. The Department conducted an inspection of the PWS on November 14, 2025 as the result of a complaint, and the PWS was rated unsatisfactory because it was not properly operated and maintained and an Emergency Preparedness Plan was not developed. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the well serving the facility was permitted as a residential well and the piping and appurtenances did not meet public supply standards; the water pressure was very low at the time of the inspection; there was insect activity around the well; the well pad did not extend in a three foot radius around the wellhead; there was debris in the wellhouse and the wellhouse lock was broken; there was insect activity and debris in the storage tank building; the storage tanks were dirty and did not have an isolation valve; an Emergency Preparedness Plan was not developed; and complete, up-to-date written procedures for the operation and maintenance of the PWS were not provided for Department review.

Action: The Individual/Entity/Facility is required to: submit to the Department for review and approval a corrective action plan (CAP) and a schedule to resolve the unpermitted source of water serving the facility and the low water pressure, and correct the deficiencies and bring the PWS into compliance with the State Primary Drinking Water Regulations 61-58. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of eight thousand dollars ($8,000.00) should any requirement of the Order not be met.

Water Pollution Enforcement

9) Order Type and Number: Consent Order 26-006-W
Order Date: March 13, 2026
Individual/Entity/Facility: **Town of Moncks Corner WWTF**
County: Berkeley
Previous Orders: 23-028-W ($3,500.00)
Permit/ID Number: SC0021598

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation, S.C. Code Ann. 61-9.122.41(a).

Summary: The Town of Moncks Corner owns and is responsible for the proper operation and maintenance of Town of Moncks Corner Wastewater Treatment Facility (WWTF) located in Berkeley County, South Carolina. On July 18, 2025, a Notice of Violation was issued for exceedance of the permitted discharge limits for Escherichia coli (E. coli) and Biochemical Oxygen Demand (BOD) reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation, as follows: failed to comply with the permitted effluent limitations for E. coli and BOD.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for E. coli and BOD; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of eleven thousand dollars ($11,000.00).

10) Order Type and Number: Consent Order 26-007-W
Order Date: March 19, 2026
Individual/Entity/Facility: **Kristopher Homes / Sunflower Lane**
County: Laurens
Previous Orders: None
Permit/ID Number: Unpermitted

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(a) and § 48-1-90(a), Wastewater Facility Construction, S.C. Code Ann Regs. 61-67.300(A)(1) and R. 61-67.100(E)(7).

Summary: Kristopher Homes constructed and is responsible for the proper construction of a wastewater disposal system installed in the cul-de-sac between Sunflower Lane and Heather Glen Lane, in Laurens County, South Carolina. On May 28, 2025, the Department conducted a complaint inspection to investigate an alleged sewer leak. The Individual/Entity/Facility has violated the Pollution Control Act, and the Standards for Wastewater Facility Construction Regulation as follows: failed to apply for and obtain a wastewater construction permit prior to initiating construction activities, failed to obtain approval from the Department prior to operating a wastewater disposal system, and discharged untreated wastewater into the environment.

Action: The Individual/Entity/Facility is required to: provide written notification to notify the residents on Heather Glen Lane and Sunflower Lane regarding their responsibility for maintaining their septic pumps, submit written documentation to the Department demonstrating the residents have been notified, submit an administratively and technically complete Wastewater Construction Permit Application via ePermitting, and upon approval from the Department, construct a wastewater disposal system in accordance with the Permit to Construct. The Individual/Entity/Facility shall pay a civil penalty in the amount of one hundred thousand dollars ($100,000.00) and pay a suspended penalty in the amount of one hundred and forty-two

thousand, two hundred and fifty dollars ($142,250.00) shall requirements and timelines established in the Consent Order not be met.

11) Order Type and Number: Consent Order 26-008-W
Order Date: March 20, 2026
Individual/Entity/Facility: **Town of Wagener WWTF**
County: Aiken
Previous Orders: 23-037-W ($700.00)
Permit/ID Number: SC0026204

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation, S.C. Code Ann. 61-9.122.41(a).

Summary: The Town of Wagener owns and is responsible for the proper operation and maintenance of Town of Wagener Wastewater Treatment Facility (WWTF) located in Aiken County, South Carolina. On November 6, 2024, a Notice of Violation was issued for exceedance of the permitted discharge limits for Total Suspended Solids Minimum % Removal (TSS Min % Removal) reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation, as follows: failed to comply with the permitted effluent limitations for TSS Min % Removal.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for TSS Min % Removal; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand dollars ($3,000.00).

12) Order Type and Number: Consent Order 26-009-W
Order Date: March 20, 2026
Individual/Entity/Facility: **Town of Pendleton / Pendleton-Clemson Regional WWTP**
County: Anderson
Previous Orders: CO 25-028-W ($4,000.00), CO 22-049-W ($4,200.00)
Permit/ID Number: SC0035700

Violations Cited: Standards for Wastewater Facility Construction, S.C. Code Ann Regs. 61-67.100(E)(7) and Construction Permit WW04596.

Summary: Town of Pendleton owns and is responsible for the proper operation and maintenance of Pendleton-Clemson Regional Wastewater Treatment Plant (WWTP) located in Anderson County, South Carolina. On November 4, 2025, the Department issued a Notice of Deficiency for facility upgrades that were placed into operation prior to receiving an Approval to Operate by the Department. The Individual/Entity/Facility has violated the Standards for Wastewater Facility Construction, and Construction Permit WW04596 as follows: failed to obtain approval from the Department prior to placing upgrades into operation.

Action: The Individual/Entity/Facility shall pay a civil penalty in the amount of twenty thousand dollars ($20,000.00).

BUREAU OF AIR QUALITY

13) Order Type and Number: Consent Order 26-005-A
Order Date: March 16, 2026
Individual/Entity/Facility: **American Perlite of South Carolina, Inc d/b/a American Perlite Corporation**
County: Spartanburg
Previous Orders: N/A
Permit/ID Number: 2060-0653

Violations Cited: U.S. EPA 40 CFR 60.8(a), 40 CFR 60.732; S.C. Code Ann. Regs. 61-62.1, Section II(A)(3); S.C. Code Ann. Regs. 61-62.1, Section II(F)(1); S.C. Code Ann. Regs 61-62.1, Section II(F)(4)(b); and, S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: Individual/Entity/Facility operates a perlite ore expansion and distribution facility in Spartanburg County, South Carolina. On October 30, 2024, the Department conducted an investigation in response to a complaint at the Individual/Entity/Facility. The Individual/Entity/Facility has violated U.S. EPA and South Carolina Air Pollution Control Regulations, as follows: failed to conduct an initial source test by May 23, 2023; failed to submit start of construction notification by September 30, 2022; failed to submit actual date of initial startup notification by December 8, 2022; failed to submit a request for a new or revised operating permit by December 8, 2022; failed to minimize fugitive PM emissions on October 30, 2024; failed to maintain a pressure drop gauge on its baghouse from August 1 to November 4, 2024; failed to establish and maintain operational ranges for its baghouse; failed to record daily pressure drop readings for its baghouse from November 23, 2022, to August 1, 2024, and November 4, 2024, to March 31, 2025; and, failed to conduct and record weekly O&M checks for baghouse cleaning systems, dust collection hoppers, and conveying systems from November 23, 2022, to October 30, 2024.

Action: The Individual/Entity/Facility is required to: henceforth conduct subpart UUU source tests on all newly constructed or altered equipment as required; henceforth minimize fugitive PM emissions; henceforth maintain a gauge on all baghouses; henceforth establish and maintain operating ranges for all baghouses; henceforth record daily pressure drop readings; henceforth conduct and record O&M checks on all baghouses. The Individual/Entity/Facility shall pay a civil penalty in the amount of twenty-three thousand five hundred dollars ($23,500.00), payable in (3) quarterly payments. The first payment is due April 15, 2026, the second payment is due by July 14, 2026, and the third and final payment is due no later than October 16, 2026.

BUREAU OF REGIONAL AND LABORATORY SERVICES

On-Site Wastewater Enforcement

14) Order Type and Number: Administrative Order AF-0001413
Order Date: March 5, 2026

Individual/Entity/Facility: **Ann Marie Davis, Mary Catina Nimmons, and Jerry Michael Paul Nimmons, Heirs and Assigns of the Estate of Albert Curtis Nimmons, Sr. and Ollie Jenny Nimmons**
County: Anderson
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Anderson County, South Carolina. The Department conducted an investigation on January 23, 2026, and observed campers being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for permits to construct OSWW systems within five (5) days and install the OSWW systems within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the campers. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

15) Order Type and Number: Administrative Order AF-0001538
Order Date: March 5, 2026
Individual/Entity/Facility: **Alex Richardson**
County: Florence
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Florence County, South Carolina. The Department conducted an investigation on January 12, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

16) Order Type and Number: Administrative Order AF-0001539

Order Date: March 5, 2026
Individual/Entity/Facility: **Greenville SC MHC, LLC**
County: Pickens
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Pickens County, South Carolina. The Department conducted an investigation on December 16, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

17) Order Type and Number: Administrative Order AF-0001540
Order Date: March 5, 2026
Individual/Entity/Facility: **Joseph R. Warren and Anna H. Warren**
County: Lexington
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Lexington County, South Carolina. The Department conducted an investigation on December 2, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

18) Order Type and Number: Administrative Order AF-0001557
Order Date: March 5, 2026

Individual/Entity/Facility: **Janie Benjamin, Roselyn Washington, McKenzie Gilmore, Heir to William Gilmore, Aldean Gilmore, Jaqueline Gilmore-Jackson, Carolyn Gilmore, and Rachelle Gilmore, Heirs and Assigns of Clarence Gilmore**
County: Orangeburg
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Orangeburg County, South Carolina. The Department conducted an investigation on December 11, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

19) Order Type and Number: Administrative Order AF-0001560
Order Date: March 5, 2026
Individual/Entity/Facility: **Piotr Anweiler**
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Horry County, South Carolina. The Department conducted an investigation on January 9, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

20) Order Type and Number: Administrative Order AF-0001577
Order Date: March 5, 2026
Individual/Entity/Facility: **Steven L. Hughes**
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Horry County, South Carolina. The Department conducted an investigation on January 27, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

21) Order Type and Number: Administrative Order AF-0001578
Order Date: March 5, 2026
Individual/Entity/Facility: **Anthony Thompkins**
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Horry County, South Carolina. The Department conducted an investigation on February 4, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

22) Order Type and Number: Administrative Order AF-0001558
Order Date: December 4, 2025

Individual/Entity/Facility: **Pilot Travel Centers. LLC**
County: Calhoun
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Calhoun County, South Carolina. The Department conducted an investigation on January 28, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

23) Order Type and Number: Administrative Order AF-0001536
Order Date: March 16, 2026
Individual/Entity/Facility: **Veteran Property Solutions,** LLC
County: Beaufort
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Beaufort County, South Carolina. The Department conducted an investigation on December 12, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

24) Order Type and Number: Administrative Order AF-0001537
Order Date: March 16, 2026
Individual/Entity/Facility: **Raymond G. Morehouse, Sr.**
County: Horry

Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Horry County, South Carolina. The Department conducted an investigation on January 15, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

25) Order Type and Number: Administrative Order AF-0001556
Order Date: March 16, 2026
Individual/Entity/Facility: **Florence MHC 2 Land, LLC**
County: Florence
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Florence County, South Carolina. The Department conducted an investigation on January 2, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

26) Order Type and Number: Administrative Order AF-0001572
Order Date: March 16, 2026
Individual/Entity/Facility: **Linda Smith**
County: Anderson
Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Anderson County, South Carolina. The Department conducted an investigation on January 20, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

27) Order Type and Number: Administrative Order AF-0001576
Order Date: March 16, 2026
Individual/Entity/Facility: **RCA Properties, LLC**
County: Anderson
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Individual/Entity/Facility owns property located in Anderson County, South Carolina. The Department conducted an investigation on February 23, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.