

For the reporting period of February 1, 2026, through February 28, 2026, the Department of Environmental Services issued seventeen (17) Consent Orders with total assessed civil penalties in the amount of one hundred sixty-two thousand eight hundred eighty dollars (\$162,880.00). Also, ten (10) Administrative Orders with a total assessed penalty of six thousand two hundred twenty-five dollars (\$6,225.00) were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	1	\$6,225	3	\$21,600
Hazardous Waste			3	\$22,200
Radiation Protection			1	\$8,000
Water				
Recreational Water			2	\$1,480
Drinking Water			2	\$8,000
Water Pollution			2	\$46,450
Air Quality				
Air Quality			4	\$55,150
Regional & Laboratory Services				
Onsite Wastewater	9			
TOTAL				



## BUREAU OF LAND AND WASTE MANAGEMENT

### Underground Storage Tank Enforcement

1. Order Type and Number: Consent Order AF-0001482-UST  
Order Date: February 10, 2026  
Individual/Entity/Facility: **Greenville Investment Properties, LLC**  
County: Greenville  
Previous Orders: N/A  
Permit/ID Number: 10404

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2024).

Summary: The Individual/Entity/Facility owns underground storage tanks in Greenville County, South Carolina. On November 6, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

2. Order Type and Number: Administrative Order AF-0001457-UST  
Order Date: February 17, 2026  
Individual/Entity/Facility: **Sarchi Group LLC**  
County: Jasper  
Previous Orders: N/A  
Permit/ID Number: 10422

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.34(c); 280.40(a); 280.43(d) (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks (UST) in Jasper County, South Carolina. On April 18, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to provide records to the Department upon request; failed to provide an adequate release detection method; and failed to conduct proper release detection using an automatic tank gauge (ATG).

Action: The Individual/Entity/Facility is required to submit: a current passing ATG record for the 8,000-gallon regular UST at the Facility. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand, two hundred twenty-five dollars (\$6,225.00).

3. Order Type and Number: Consent Order AF-0001523-UST  
Order Date: February 24, 2026  
Individual/Entity/Facility: **Murphy Oil USA, Inc.**  
County: Richland  
Previous Orders: N/A  
Permit/ID Number: 20094

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Richland County, South Carolina. On December 29, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00).

4. Order Type and Number: Consent Order AF-0001491-UST  
Order Date: February 24, 2026  
Individual/Entity/Facility: **Brar Brothers, Inc.**  
County: Chester  
Previous Orders: N/A  
Permit/ID Number: 18400

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Chester County, South Carolina. On November 26, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of fourteen thousand, four hundred dollars (\$14,400.00).

### **Hazardous Waste Enforcement**

5. Order Type and Number: Consent Order 26-03-HW

Order Date: February 3, 2026  
Individual/Entity/Facility: **Ralph H. Johnson Veterans Administration Health Care System**  
County: Charleston  
Previous Orders: N/A  
Permit/ID Number: SC4 360 014 621

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Charleston County, South Carolina. On July 16, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure the hazardous determination for each solid waste is made at the point of generation, before any dilution, mixing, or other alteration of the waste occurs; failed to ensure that satellite accumulation area containers are at or near any point of generation where waste initially accumulate which is under the control of the operator of the process generating the waste; failed to ensure that satellite accumulation area containers are marked or labeled with the words "Hazardous Waste" and an indication of the hazards of the contents; failed to ensure that central accumulation area containers are marked or labeled with the words "Hazardous Waste," and indication of the hazards of the contents, and the date upon which each period of accumulation begins; failed to keep containers of non-creditable hazardous waste pharmaceuticals closed and secure in a manner that prevents unauthorized access to its contents; failed to label containers used to accumulate non-creditable hazardous waste pharmaceuticals as healthcare facilities with the phrase "Hazardous Waste Pharmaceuticals"; and failed to demonstrate the length of time that non-creditable hazardous waste pharmaceuticals have been accumulating, starting from the date it first becomes a waste.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

6. Order Type and Number: Consent Order 26-04-HW  
Order Date: February 12, 2026  
Individual/Entity/Facility: **BASF Corporation**  
County: Oconee  
Previous Orders: N/A  
Permit/ID Number: SCD 981 866 007

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Oconee County, South Carolina. On April 10 and May 12, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to, at least weekly, inspect central

accumulation areas to look for leaking containers and for deterioration of contains caused by corrosion or other factors; failed to post the name and emergency telephone number of the emergency coordinator and the location of the fire extinguishers and spill control material next to telephones or in areas directly involved in the generation and accumulation of hazardous waste; failed to return hazardous waste to the country of export or export it to a third country whenever a transboundary movement of hazardous wastes cannot be accepted in accordance with the terms of the contract or the consent(s); failed to include in a contract or equivalent arrangement which party to the contract will assume responsibility for alternate management of the hazardous wastes if their disposition cannot be carried out as described in the notification of intent to export submitted by either the foreign exporter or the importer, specifying that the transporter or receiving facility having actual possession or physical control over the hazardous wastes will immediately inform the foreign exporter and importer, and the competent authority where the shipment is located of the need to arrange alternate management or return; failed to, beginning June 30, 2021, submit the top copy of the paper manifest and any paper continuation sheet to the e-Manifest system for the purposes of data entry and processing within thirty (30) days of the date of delivery; and failed to list the relevant consent number from consent documentation supplied by EPA to the facility for each listed waste on the manifest, matched to the relevant list number for the waste from block 9b.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of nine thousand dollars (\$9,000.00).

7. Order Type and Number:	Consent Order 26-01-HW
Order Date:	February 10, 2026
Individual/Entity/Facility:	<b>Symrise Inc.</b>
County:	Berkeley
Previous Orders:	N/A
Permit/ID Number:	SCD 070 365 051

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Berkley County, South Carolina. On July 17, 2025, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to control air pollutant emissions, from a container having a design capacity greater than 0.1 cubic meters (m3) and less than or equal to 0.46 m3; failed to make an accurate determination that waste was a hazardous waste in order to ensure wastes are properly managed according to applicable RCRA regulations; failed to ensure containers holding hazardous waste remain closed at all times during accumulation, except when adding, removing, or consolidating waste; or when temporary venting of a container is necessary; failed to ensure containers were labeled with the words "Hazardous Waste"; an indication of the hazards of the contents and the date upon which each period of accumulation begins clearly visible for inspection on each container; and failed to keep a copy of each manifest signed in accordance with section 262.23(a) onsite for three (3) years or until they received a signed copy from the designated facility which received the waste.

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of five thousand, two hundred dollars (\$5,200.00).

### **Radiation Protection Enforcement**

8. Order Type and Number: Consent Order 26-01-RP  
Order Date: February 24, 2026  
Individual/Entity/Facility: **Building and Earth Sciences, Inc.**  
County: Aiken  
Previous Orders: N/A  
Permit/ID Number: SC Radioactive Material License 1001

Violations Cited: The Atomic Energy and Radiation Control Act, S.C. Code Ann. § 13-7-10 et seq. (2017) and the Radioactive Materials (Title A) Regulations, 6 S.C. Code Ann. Regs. 61-63 (2023 Supp. 2024).

Summary: Building and Earth Sciences, Inc. is located in Aiken County, South Carolina. The Department conducted an inspection at the Facility on August 22, 2025. The Individual/Entity/Facility has violated the Atomic Energy and Radiation Control Act, and the Radioactive Materials (Title A) Regulations as follows: failed to maintain records of individual monitoring results between October 18, 2022, and August 22, 2025; failed to maintain records showing receipt, transfer, and disposal of several devices containing licensed radioactive material; and failed to maintain a Radiation Safety Officer as stated on the license between mid to late 2024, and August 22, 2025.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

### **BUREAU OF WATER**

#### **Recreational Waters Enforcement**

9. Order Type and Number: Consent Order 26-005-RW  
Order Date: February 5, 2026  
Individual/Entity/Facility: **1735 Ashley Hall Rd. Property, LLC**  
**The Magnolia by Trion Living**  
County: Charleston  
Previous Orders: None  
Permit/ID Number: 10-018-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation.

Summary: 1735 Ashley Hall Rd. Property, LLC owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on May 30, 2025, and July 8, 2025, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the lifeline was not attached to the pool wall; the deck was uneven with sharp edges; the skimmer baskets

were broken; there was no drinking water fountain; the gate did not self-close and latch; the facility could not produce current valid documentation of pool operator certification; the pool operator of record information was not posted to the public; the log book was not maintained on a daily basis; and the recirculation and filtration system was not operating.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00).

10. Order Type and Number:	Consent Order 26-006-RW
Order Date:	February 13, 2026
Individual/Entity/Facility:	<b>Aubrey Kohut, Individually and d.b.a. Wildwood Ranch/Wildwood Ranch</b>
County:	Union
Previous Orders:	None
Permit/ID Number:	None

Violations Cited: S.C. Code Ann. Regs. 61-51.B.2, Public Swimming Pools Regulation.

Summary: Aubrey Kohut, Individually and d.b.a. Wildwood Ranch owns and is responsible for obtaining from the Department the proper permit and operational approval for the construction and operation of a pool located in Union County, South Carolina. The Department conducted a complaint inspection on October 7, 2025, and it was discovered that a pool had been constructed and operated and a permit to construct and approval to operate had not been issued by the Department. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: failed to obtain a permit to construct and operational approval from the Department prior to the construction and operation of a public swimming pool.

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to resolve the unpermitted construction and unapproved operation of the pool. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight hundred dollars (\$800.00).

### **Drinking Water Enforcement**

11. Order Type and Number:	Consent Order 26-002-DW
Order Date:	February 4, 2026
Individual/Entity/Facility:	<b>Town of Whitmire</b>
County:	Newberry
Previous Orders:	None
Permit/ID Number:	3610004

Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b), State Primary Drinking Water Regulation.

Summary: The Town of Whitmire owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Newberry County, South Carolina. On December 18, 2025, a violation was issued as a result of a review of monitoring records. The Individual/Entity/Facility has violated the State

Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes (TTHM).

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the causes of the TTHM MCL exceedance. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

12. Order Type and Number: Consent Order 26-003-DW  
Order Date: February 13, 2026  
Individual/Entity/Facility: **Bucksport Water System, Inc.**  
County: Horry  
Previous Orders: CO 21-016-DW (\$4,000.00); CO 24-008-DW (\$8,000.00)  
Permit/ID Number: 2620003

Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b), State Primary Drinking Water Regulation.

Summary: Bucksport Water System, Inc. owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Horry County, South Carolina. On December 3, 2025, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes (TTHM).

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the causes of the TTHM MCL exceedance. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00) and pay a stipulated penalty in the amount of eight thousand dollars (\$8,000.00) should any requirement of the Order not be met.

### **Water Pollution Enforcement**

13. Order Type and Number: Consent Order 26-003-W  
Order Date: February 3, 2026  
Individual/Entity/Facility: **City of Bennettsville**  
**Bennettsville Wastewater Treatment Plant**  
County: Marlboro  
Previous Orders: None  
Permit/ID Number: SC0025178

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), and the Water Pollution Control Permits Regulation, S.C. Code Ann. 61-9.122.41(a).

Summary: City of Bennettsville owns and is responsible for the proper operation and maintenance of Bennettsville Wastewater Treatment Plant (WWTP) located in Marlboro County, South Carolina. On March 4, 2025, a Notice of Violation was issued for exceedance of the permitted discharge limits for Total Suspended Solids Percent Removal (TSS % removal) reported on the discharge monitoring reports submitted to the Department. The Individual/Entity/Facility has violated the Pollution Control Act, and the

Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limitations for TSS % removal.

Action: The Individual/Entity/Facility is required to: submit written notification of the planned completion date for all corrective actions necessary to resolve the effluent violations for TSS % removal; conduct a three (3) month monitoring compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTP should additional violations be observed during the compliance confirmation period. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand dollars (\$6,000.00).

14. Order Type and Number:	Consent Order 26-004-W
Order Date:	February 13, 2026
Individual/Entity/Facility:	<b>Town of Saluda Commission of Public Works</b> <b>Town of Saluda Wastewater Treatment Plant</b>
County:	Saluda
Previous Orders:	N/A
Permit/ID Number:	SC0022381

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d), the Water Pollution Control Permits Regulation, S.C. Code Ann. Regs.61-9.122.41(a), and Standards for Wastewater Facility Construction, S.C. Code Ann Regs. 61-67.300.C.3 and C.7.

Summary: The Town of Saluda Commission of Public Works (Saluda CPW) owns and is responsible for the proper operation and maintenance of the Town of Saluda Wastewater Treatment Plant (WWTP) located in Saluda County, South Carolina. Between January 27 and January 29, 2025, the Department conducted a Compliance Sampling Inspection (CSI), on March 20, 2025, an Operation and Maintenance inspection was conducted, and on October 14, 2025, a Collection System Operation and Maintenance inspection was conducted. The Individual/Entity/Facility has violated the Pollution Control Act, the Water Pollution Control Permits Regulation, and the Standards for Wastewater Facility Construction Regulation, as follows: failed to comply with the permitted effluent limitations; failed to provide and maintain records pertaining to sludge disposal, monitoring, and facility treatment inspections; failed to operate and maintain facility equipment in good working order; and failed to prevent releases to the environment, including waters of the State.

Action: The Individual/Entity/Facility is required to: submit a Closure Plan and a satellite sewer system permit application and provide written and photographic documentation demonstrating that all pump stations are functioning and operating in compliance with the Permit. The Individual/Entity/Facility shall pay a civil penalty in the amount of forty thousand four hundred and fifty dollars (\$40,450.00).

### **BUREAU OF AIR QUALITY**

15. Order Type/Order Number:	CO 26-001-A
Order Date:	February 5, 2026
Individual/Entity/Facility:	<b>Greenwood Fabricating &amp; Plating, LLC</b>
County:	Greenwood
Previous Orders:	N/A

Permit/ID Number:

1240-0153

Violations Cited: U.S. EPA regulations at 40 CFR Part 63 and S.C. Code Ann. Regs. 61-62.63, Subpart WWWW, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations (collectively, "Subpart WWWW"); S.C. Code Ann. Regs. 61-62.1, Sections II(A)(1)(a) and II(F)(1); and S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: Greenwood Fabricating & Plating, LLC ("Individual/Entity/Facility") fabricates and plate metal parts for the automotive and electrical industries at its facility located in Greenwood County, South Carolina. On March 11, 2024, the Department conducted an investigation at the Individual/Entity/Facility. On June 27, 2025, the Individual/Entity/Facility submitted a permit modification request to the Department. The Individual/Entity has violated U.S. EPA and South Carolina Air Pollution Control Regulations, as follows: failed to comply with the emissions control requirements (wetting agent/fume suppressant; emissions control device; or tank surface cover) when operating affected electrolytic process tanks, including chromate and nickel tanks associated with plating line no. 1 and 5; failed to submit an Initial Notification to the Department when it became subject to Subpart WWWW; failed to submit a Notification of Compliance Status to the Department upon initial startup of an affected source and within thirty (30) days after making changes to its list of affected sources; failed to conduct annual facility reviews of processes, equipment, and materials for calendar years 2022, 2023, and 2024; failed to apply for and obtain a construction permit and operating permit from the Department prior to installing and operating a device for the control of air contaminant discharges, specifically the demister on the manganese phosphate tank associated with plating line no. 4.

Action: Upon execution of this order comply with all applicable standards, limitations, and record keeping and reporting requirements set forth in Subpart WWWW; and, within thirty (30) days of the execution date of this Consent Order, submit a construction permit application to the Department via ePermitting for the installation of the control device (demister mesh pad mist eliminator) on the manganese phosphate tank associated with plating line no. 4. Individual/Entity/Facility shall pay a civil penalty in the amount of twenty-one thousand dollars (\$21,000.00).

16. Order Type/Order Number:	CO 26-002-A
Order Date:	February 13, 2026
Individual/Entity/Facility:	<b>Craig Banks, individually and d/b/a Banks Brothers Asphalt Paving</b>
County:	Greenville
Previous Orders:	10-013-A, 15-042-A
Permit/ID Number:	9900-0454

Violations Cited: U.S. EPA 40 CFR Part 60 and S.C. Code Ann. Regs. 61-62.60, Standards of Performance for Hot Mix Asphalt Facilities (collectively, "Subpart I") and S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: Mr. Craig Banks owns and operates Banks Brothers Asphalt Paving (collectively "Individual/Entity/Facility"), a drum mix asphalt plant located in Greenville County, South Carolina. On March 19, 2025, the Department received the results of a Department-approved source test conducted on February 18, 2025, for PM emissions from the dryer burner. The Individual/Entity has violated U.S. EPA and

South Carolina Air Pollution Control Regulations as follows: Failed to limit PM emissions from the dryer burner to 0.04 gr/dscf on February 18, 2025.

Action: Upon execution of this order, limit PM emissions in accordance with emissions limitations as specified in Subpart I. The Individual/Entity/Facility shall pay a civil penalty in the amount of eight thousand dollars (\$8,000.00).

17.	Order Type and Number:	CO 26-003-A
	Order Date:	02/17/26
	Individual/Entity/Facility:	<b>CompX Security Products Inc.</b>
	County:	Greenville
	Previous Orders:	None
	Permit/ID Number:	1200-0107

Violations Cited: U.S. EPA 40 CFR 63, Subpart N, and S.C. Code Ann. Regs. 61-62.63, Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks (collectively "Subpart N") and S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: CompX Security Products Inc. ("Individual/Entity/Facility") manufactures security locks for residential, commercial, and industrial use at its facility located in Greenville County, South Carolina. The Individual/Entity/Facility submitted multiple letters, reports, and source test results to the Department over the period of July 8, 2024, to March 27, 2025. The Individual/Entity has violated U.S. EPA and South Carolina Air Pollution Control Regulations as follows: failed to limit the surface tension of the suppressant to 33 dynes/cm, as measured by a tensiometer on June 25, 2024; failed to conduct and record monitoring of surface tension of the electroplating or anodizing bath every four (4) hours of operation to ensure the maximum surface tension did not exceed 40 dynes/cm, as measured by a stalagmometer, or 33 dynes/cm, as measured by a tensiometer, for the period of August 2023 to June 2024; failed to maintain accurate records of the date and time that fume suppressants are added to the electroplating or anodizing bath for the period of August 2023 to June 2024; and failed to limit chromium emissions to 0.007 mg/dscm, as documented during the November 19, 2024, source test.

Action: The Individual/Entity/Facility is required to: Henceforth, conduct and record monitoring of surface tension of the electroplating or anodizing bath every four (4) hours of tank operation as directed by Subpart N to ensure the maximum surface tension does not exceed 40 dynes/cm, as measured by a stalagmometer, or 33 dynes/cm, as measured by a tensiometer, or site-specific operating parameters established through source testing, maintain accurate records of the date and time that fume suppressants are added to the electroplating or anodizing bath, and limit chromium emissions in accordance with limitations established through Subpart N and the Permit. The Individual/Entity/Facility shall pay a penalty in the amount of seventeen thousand one hundred and fifty dollars (\$17,150.00).

18.	Order Type/Order Number:	CO 26-004-A
	Order Date:	02/25/2026
	Individual/Entity/Facility:	<b>Smyrna Ready Mix Concrete, LLC - Beaufort Facility</b>
	County:	Beaufort

Previous Orders: N/A  
Permit/ID Number: 9900-0754

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Section II(A)(1)(a) and II(F)(1); and, S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements.

Summary: SRM – Beaufort (“Individual/Entity/Facility”) operates a concrete batch plant in Beaufort County, South Carolina. On April 22, 2025, the Department conducted an inspection at the Individual/Entity/Facility. The Individual/Entity has violated South Carolina Air Pollution Control Regulations as follows: failed to obtain a construction permit and operating permit prior to installing and operating the multiple unpermitted silos; failed to record daily concrete production during source operation on June 30, 2025; failed to maintain records of daily concrete production; failed to maintain records of weekly visual inspections of the truck/mixer load-outs and associated control devices; failed to maintain records of daily visual inspections of its silos and associated control devices, and; failed to maintain a copy of the exempt source list onsite at the time of the April 22, 2025, inspection.

Action: Following the execution of this Order: Henceforth apply for and obtain a construction permit from the Department prior to constructing, altering, or adding to a source of air contaminants; and, within thirty (30) days of the execution of this Order, pay to the Department a civil penalty in the amount of nine thousand dollars (\$9,000.00).

## **BUREAU OF REGIONAL AND LABORATORY SERVICES**

### **On-Site Wastewater Enforcement**

19. Order Type and Number: Administrative Order AF-0001486  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Michael R. Gibson**  
County: Pickens  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Michael R. Gibson owns property located in Pickens County, South Carolina. The Department conducted an investigation on November 19, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

20. Order Type and Number: Administrative Order AF-0001487  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Orangeburg Mobile Home Park, LLC**  
County: Orangeburg  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Orangeburg Mobile Home Park, LLC owns property located in Orangeburg County, South Carolina. The Department conducted an investigation on December 2, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

21. Order Type and Number: Administrative Order AF-0001489  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Yes! Real Estate Investors, LLC**  
County: Lexington  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Yes! Real Estate Investors, LLC owns property located in Lexington County, South Carolina. The Department conducted an investigation on November 12, 2025, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

22. Order Type and Number: Administrative Order AF-0001496  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Janet Robinson**  
County: Anderson  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Janet Robinson owns property located in Anderson County, South Carolina. The Department conducted an investigation on December 1, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

23. Order Type and Number: Administrative Order AF-0001498  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Russell Powell**  
County: Richland  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Pollution Control Act.

Summary: Russell Powell owns property located in Richland County, South Carolina. The Department conducted an investigation on September 22, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

24. Order Type and Number: Administrative Order AF-0001490  
Order Date: February 3, 2026

Individual/Entity/Facility: **White Bluff, LLC**  
County: Orangeburg  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: White Bluff, LLC owns property located in Orangeburg County, South Carolina. The Department conducted an investigation on October 6, 2025, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

25. Order Type and Number: Administrative Order AF-0001510  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Angel Thompson**  
County: Cherokee  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Angel Thompson owns property located in Cherokee County, South Carolina. The Department conducted an investigation on November 21, 2025, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

26. Order Type and Number: Administrative Order AF-0001513  
Order Date: February 3, 2026  
Individual/Entity/Facility: **Peggy Terry, Heir and Assign**

**of the Revocable Trust Agreement for  
William Ralph Terry**

County: Pickens  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Peggy Terry, Heir and Assign of the Revocable Trust Agreement for William Ralph Terry, owns property located in Pickens County, South Carolina. The Department conducted an investigation on November 24, 2025, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.

27. Order Type and Number: Administrative Order AF-0001511  
Order Date: February 23, 2026  
Individual/Entity/Facility: **Adam D. Wilkes**  
County: Florence  
Previous Orders: None  
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56.

Summary: Adam D. Wilkes owns property located in Florence County, South Carolina. The Department conducted an investigation on October 8, 2025, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars (\$5,000.00) should any requirement of the Order not be met.