SC DEPARTMENT of ENVIRONMENTAL SERVICES

SUMMARY SHEET
Enforcement Action Report
October 2026

For the reporting period of September 1, 2026, through September 30, 2026, the Department of Environmental Services issued XXXXX Consent Orders with total assessed civil penalties in the amount of XXXXX. Also, XXXXX Administrative Orders were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	1	$16,330	1	$3600
Solid Waste			1	$6525
Hazardous Waste			5	$28,650
Water				
Recreational Water			24	$23,640
Drinking Water			7	
Water Pollution			3	$36,000
Air Quality				
Air Quality			7	$59,250
Regional & Laboratory Services				
Onsite Wastewater	16	$2500		
TOTAL	17	$18,830	48	$157,665

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

1. Order Type and Number: Administrative Order AF-0001674-UST
   Order Date: September 2, 2026
   Individual/Entity/Facility: **ROOTS OIL COMPANY LLC**
   County: Colleton
   Previous Orders: N/A
   Permit/ID Number: 11239

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.34(c), 280.40(a), 280.40(a)(2), 280.41(b)(1)(i)(A), 280.43(d), & 280.45(b)(1) (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Colleton County, South Carolina. On November 26, 2025, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to equip pressurized lines with an automatic line leak detector to monitor for 3.0 gallons per hour (GPH) leak rate; failed to provide records to the Department upon request; failed to provide an adequate release detection method; failed to properly install, calibrate, operate, and maintain release detection equipment; failed to annually test release detection equipment for proper operation; and failed to maintain records for at least one (1) year.

Action: The Individual/Entity/Facility is required to: repair and/or replace the source of the probe out alarm and submit proof, and submit passing follow-up test results on the repaired/replaced equipment for the 6,000-gallon regular UST at the Facility; submit current monthly passing ATG records for the 6,000-gallon premium and 6,000-gallon diesel USTs at the Facility; and submit an alarm printout of the repaired and/or replaced probe to return the facility to compliance. The Individual/Entity/Facility shall pay a civil penalty in the amount of sixteen thousand, three hundred thirty dollars ($16,330.00).

2. Order Type and Number: Consent Order AF-0001845-UST
   Order Date: September 24, 2026
   Individual/Entity/Facility: **Murphy Oil USA, Inc.**
   County: Richland
   Previous Orders: N/A
   Permit/ID Number: 20290

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB), S.C. Code Ann. §§ 44-2-10 et seq.; and the South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92, 280.20(c)(1)(ii), (2012 & Supp. 2025).

Summary: The Individual/Entity/Facility owns underground storage tanks in Richland County, South Carolina. On June 30, 2026, the Department conducted an inspection of the Facility and issued a Notice of Alleged Violation. The Individual/Entity/Facility has violated the SUPERB Act, and the Regulations as follows: failed to maintain overfill prevention equipment.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of three thousand, six hundred dollars ($3,600.00).

Solid Waste Enforcement

3. Order Type and Number: Consent Order AF-0001688-SW
   Order Date: September 9, 2026
   Individual/Entity/Facility: **TAM Residential, LLC**
   County: Richland
   Previous Orders: N/A
   Permit/ID Number: N/A

Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991 (Act), S.C. Code Ann., Sections 44-96-10 et seq. (Rev. 2018 & Supp. 2025), the Solid Waste Management: Collection, Temporary Storage, and Transportation of Municipal Solid Waste Regulation 61-107.5 (2012 and Supp. 2025).

Summary: The Individual/Entity/Facility is contracted to manage an apartment complex owned by Paddock Club Properties, LLC, and is responsible for the collection, temporary storage, and transportation of municipal solid waste at the apartment complex in Richland County, South Carolina. Between February 6, 2026, and May 27, 2026, the Department conducted multiple inspections at the Facility. The Individual/Entity/Facility has violated the South Carolina Solid Waste Policy and Management Act, and the Solid Waste Management: Collection, Temporary Storage, and Transportation of Municipal Solid Waste Regulations as follows, failed to: conduct the collection, temporary storage and transporting of municipal solid waste in a manner to: inhibit the harborage of flies, rodents, and other vectors; prevent conditions for transmission of diseases to man or animals; prevent blowing debris and particulates so as not to be injurious to human health and the environment; prevent water pollution and prevent the escape of solid waste or leachate to waters of the State; and, minimize objectionable odors, dust, unsightliness, and aesthetically objectionable conditions, and prevent the accumulation of materials in an untidy and unsafe manner so as to become a fire and safety hazard; failed to properly maintain areas around municipal solid waste storage containers to prevent hazards to health and the environment; keep the area clean; and ensure organized collection of putrescible solid waste shall be at a frequency which ensures the prevention of hazards and nuisances to health and the environment that is no less often than one (1) day per week.

Action: The Individual/Entity/Facility is required to: submit time stamped photographs to the Department to demonstrate that the Site is free of solid waste debris, including inside the compactor area; and submit a copy of the current agreement with the waste management company contracted to remove solid waste

from the Site. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand, five hundred and twenty-five dollars ($6,525.00).

Hazardous Waste Enforcement

4. Order Type and Number: Consent Order AF-0001821-HW
   Order Date: September 4, 2026
   Individual/Entity/Facility: Ingevity Corporation, Technical and Innovation Center
   County: Charleston
   Previous Orders: N/A
   Permit/ID Number: SCR 000 006 536

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Charleston County, South Carolina. On May 20, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure satellite accumulation containers are at or near the point of generation and under the control of the operator or the process; failed to ensure containers are closed; failed to mark or label containers with the words "Hazardous Waste," an indication of the hazards of the contents, and the date upon which accumulation began; failed to, at least weekly, inspect central accumulation areas; and failed to submit annual declaration of small quantity generator status.

Action: The Individual/Entity/Facility correct all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand, five hundred dollars ($4,500.00).

5. Order Type and Number: Consent Order AF-0001787-HW
   Order Date: September 11, 2026
   Individual/Entity/Facility: Cogsdill Tool Products, Inc.
   County: Kershaw
   Previous Orders: N/A
   Permit/ID Number: SCD 005 320 544

Violations Cited: The South Carolina Hazardous Waste Management Act**,** S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Kershaw County, South Carolina. On April 14, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure a container holding hazardous waste remained closed at all times during accumulation; failed to post a "No Smoking" sign conspicuously

wherever there is a hazard from ignitable or reactive waste; failed to mark or label containers with the words "Hazardous Waste" or an indication of the hazards of the contents; failed to maintain a written description of the type and amount of both introductory and continuing training that will be given to each person involved in the generation or management of hazardous waste; failed to submit an Exception Report to the Department if they had not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within forty-five (45) days of the waste accepted by the initial transporter; failed to equip areas that generate or accumulate hazardous waste onsite with a spill kit; failed to submit a copy of the contingency plan and all revisions to all local emergency responders or the LEPC; failed to update the quick reference guide and submit it to all local emergency responders or the LEPC; failed to contain lamps in containers that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps; failed to label universal waste batteries with any one of the following phrases: "Universal Waste – Battery(ies)," or "Universal Waste – Battery(ies)," or "Used Battery(ies)"; failed to label universal waste lamps with any one of the following phrases: "Universal Waste – Lamp(s)," or "Universal Waste – Lamp(s)," or "Used Lamp(s)"; and failed to demonstrate the length of time that the universal waste had been accumulated from the date it becomes a waste or is received.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of nine thousand, six hundred dollars ($9,600.00).

6. Order Type and Number: Consent Order AF-0001788-HW
   Order Date: September 28, 2026
   Individual/Entity/Facility: **Generac Power Systems Inc.**
   County: Edgefield
   Previous Orders: N/A
   Permit/ID Number: SCR 000 789 032

Violations Cited: The South Carolina Hazardous Waste Management Act**,** S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Edgefield County, South Carolina. On April 30, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to mark or label containers with the date upon which each period of accumulation beings; failed to include on the quarterly report a description and the types and quantities of wastes shipped for offsite treatment and disposal; and failed to maintain records documenting arrangements with the local fire department as well as any other organization necessary to respond to an emergency.

Action: The Individual/Entity/Facility corrected all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand dollars ($4,000.00).

7. Order Type and Number: Consent Order AF-0001893-HW
   Order Date: September 28, 2026
   Individual/Entity/Facility: DSM Nutritional Products, LLC

County: Williamsburg
Previous Orders: CO 23-24-HW ($11,500.00)
Permit/ID Number: SCD 083 418 491

Violations Cited: The South Carolina Hazardous Waste Management Act**,** S.C. Code Ann. §§ 44-56-10 et seq. (2018) and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Williamsburg County, South Carolina. On June 17, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure containers are closed; failed to ensure all facility personnel take part in an annual review of the initial training; failed to ensure containers of universal waste lamps were closed; failed to label universal waste batteries or a container in which the batteries are contained with any of the following phrases: "Universal Waste – Battery(ies)," or "Waste Battery(ies)," or "Used Battery(ies)"; failed to label a container in which lamps are contained with any of the following phrases: "Universal Waste – Lamp(s)," or "Waste Lamp(s)," or "Used Lamp(s)"; and failed to demonstrate the length of time that the universal waste had been accumulated from the date it became a waste.

Action: The Individual/Entity/Facility correct all violations prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of six thousand dollars ($6,000.00).

8. Order Type and Number: Consent Order AF-0001941– HW
   Order Date: September 30, 2026
   Individual/Entity/Facility: The Boeing Company
   County: Orangeburg
   Previous Orders: N/A
   Permit/ID Number: SCR 000 784 041

Violations Cited: The South Carolina Hazardous Waste Management Act**,** S.C. Code Ann. §§ 44-56-10 et seq. (2018), the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2021).

Summary: The Individual/Entity/Facility is a generator of hazardous waste located in Orangeburg County, South Carolina. On April 17, 2026, the Department conducted an inspection at the Facility. The Individual/Entity/Facility has violated the South Carolina Hazardous Waste Management Act, and the Hazardous Waste Management Regulations as follows: failed to ensure all CAA containers are not opened or stored in a manner that may rupture the container or cause it to leak; failed to take precautions to prevent accidental ignition or reaction of ignitable or reactive waste, in that "No Smoking" signs were not conspicuously placed wherever there is a hazard from ignitable or reactive waste; failed to ensure containers were labeled with an indication of the hazards of the contents; failed to comply with the standards in subpart M; failed to, no later than thirty (30) days after the end of each calendar quarter submit a written quarterly report to include a description, the EPA hazardous waste number, DOT hazardous class, and quantity of each hazardous waste shipped offsite for shipments to a treatment, storage, or disposal facility within the United States; failed to, no later than thirty (30) days after the end of

each calendar quarter submit the information required by paragraph (a) on a form designated by the Department and according to the instructions included with such form; and failed to locate equipment necessary to prepare for and respond to emergencies: (a) an internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel and (c) portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment, and decontamination equipment."

Action: The Individual/Entity/Facility has corrected all violations prior to the issuance of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand, five hundred and fifty dollars ($4,550.00).

BUREAU OF WATER

Recreational Waters Enforcement

9. Order Type and Number: Consent Order 26-023-RW
   Order Date: September 3, 2026
   Individual/Entity/Facility: Blockade Runner Resort, LLC/Blockade Runner Resort
   County: Horry
   Previous Orders: None
   Permit/ID Number: 26-G63-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Blockade Runner Resort, LLC owns and is responsible for the proper operation and maintenance of a kiddie pool located in Horry County, South Carolina. The Department conducted inspections on June 9, 2026, and July 20, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

10. Order Type and Number: Consent Order 26-025-RW
    Order Date: September 3, 2026
    Individual/Entity/Facility: Pfalzgraf Investment Properties 02, LLC/Quail Inn & Suites
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-450-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Pfalzgraf Investment Properties 02, LLC owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 4, 2025, and July 15, 2025, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine

level was not within the acceptable range of water quality standards; there were no "Shallow Water – No Diving Allowed" signs posted; the current pool operator of record information was not posted to the public; the log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

11. Order Type and Number: Consent Order 26-026-RW
    Order Date: September 8, 2026
    Individual/Entity/Facility: Sanibel Shores Homeowners Association, lnc./Sanibel Shores
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-1709B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Sanibel Shores Homeowners Association, lnc. owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 26, 2026, and June 29, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; there was only one "Shallow Water – No Diving Allowed" sign during the first inspection, and a "Shallow Water – No Diving Allowed" sign was in disrepair during the second inspection; the current pool operator of record information was not posted to the public; a gate did not self-close and latch; the cyanuric acid level was above the water quality standards acceptable limit; and the log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

12. Order Type and Number: Consent Order 26-027-RW
    Order Date: September 8, 2026
    Individual/Entity/Facility: Richmond Place Owner, LLC/Richmond Place Apartments
    County: Georgetown
    Previous Orders: None
    Permit/ID Number: 22-1082B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Richmond Place Owner, LLC owns and is responsible for the proper operation and maintenance of a pool located in Georgetown County, South Carolina. The Department conducted inspections on June 18, 2026, and July 29, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the deck was chipped; the chlorine level was not within the acceptable range of water quality standards; the life ring was not United States Coast Guard approved; the shepherd's handle was attached to a telescoping pole; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

13. Order Type and Number: Consent Order 26-028-RW
    Order Date: September 10, 2026
    Individual/Entity/Facility: Planters Retreat Owner, LLC/Palms on Ashley River Apartments
    County: Dorchester
    Previous Orders: None
    Permit/ID Number: 18-1030B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Planters Retreat Owner, LLC owns and is responsible for the proper operation and maintenance of a pool located in Dorchester County, South Carolina. The Department conducted inspections on June 8, 2026, and July 22, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the drinking water fountain was not operating properly; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring was deteriorated and did not have a permanently attached rope; the shepherd's crook was missing a bolt; the shepherd's crook handle was attached to a telescoping pole; the pool rules sign was not legible; the "No Lifeguard on Duty – Swim At Your Own Risk" signs did not have the correct wording and lettering; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

14. Order Type and Number: Consent Order 26-029-RW
    Order Date: September 10, 2026
    Individual/Entity/Facility: BCH Lockwood, LLC / Hilton Garden Inn Charleston Downtown Waterfront
    County: Charleston
    Previous Orders: 25-071-RW ($680.00)
    Permit/ID Number: 10-1230B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: BCH Lockwood, LLC owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 10, 2026, and July 8, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; there were no universal "no diving" tiles; the pool rules sign did not have all of the required rules on the first inspection; the pool rules sign did not have the correct wording for the hours of operation on the second inspection; and the "No Lifeguard On Duty – Swim At Your Own Risk" signs did not have the correct wording.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand six hundred dollars ($1,600.00).

15. Order Type and Number: Consent Order 26-030-RW
    Order Date: September 10, 2026
    Individual/Entity/Facility: Moncks Corner Inn, LLC/Moncks Corner Inn
    County: Berkeley
    Previous Orders: None
    Permit/ID Number: 08-079-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Moncks Corner Inn, LLC owns and is responsible for the proper operation and maintenance of a pool located in Berkeley County, South Carolina. The Department conducted inspections on May 29, 2026, and June 25, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a ladder was missing a non-slip tread insert; there was algae on the pool floor; the plaster on the pool floor was deteriorated; the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the life ring rope was deteriorated; the facility address was not posted at the emergency notification device; the "Shallow Water – No Diving Allowed" signs did not have the correct wording and the letters on the signs were not the appropriate size; the "No Lifeguard On Duty – Swim At Your Own Risk" signs did not have the correct wording and the letters on the signs were not the appropriate size; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

16. Order Type and Number: Consent Order 26-031-RW
    Order Date: September 10, 2026
    Individual/Entity/Facility: Montague Development, LLC/The Emmett on Montague
    County: Charleston
    Previous Orders: 25-202-RW ($680.00)
    Permit/ID Number: 10-1433B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Montague Development, LLC owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on May 28, 2026, June 29, 2026, and July 9, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the waterline tiles were dirty; there was algae on the pool wall and floor; there were non-pool related items stored in the equipment room; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the shepherd's crook was not permanently attached to the handle; the pool rules sign did not have all of the required rules on the first inspection; the pool rules sign

was not completely filled out on the first inspection; there was no pool rules sign on the second inspection; only one “Shallow Water – No Diving Allowed” sign was posted and did not have the correct wording, and the letters on the sign posted were not the appropriate size on the first inspection; there were no “Shallow Water – No Diving Allowed” signs posted on the second inspection; the letters on the “No Lifeguard On Duty – Swim At Your Own Risk” signs were not the appropriate size; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of four thousand eight hundred dollars ($4,800.00).

17. Order Type and Number: Consent Order 26-032-RW
    Order Date: September 10, 2026
    Individual/Entity/Facility: Providence Presbytery, Inc./Bethelwoods Camp
    County: York
    Previous Orders: None
    Permit/ID Number: 46-1052B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Providence Presbytery, Inc. owns and is responsible for the proper operation and maintenance of a pool located in York County, South Carolina. The Department conducted inspections on June 29, 2026, and July 28, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; the pool floor was not clean; there was debris in the skimmer baskets; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring was not United States Coast Guard approved;

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

18. Order Type and Number: Consent Order 26-033-RW
    Order Date: September 11, 2026
    Individual/Entity/Facility: Dovefield Homeowners Association, Inc./Dovefield Condominiums
    County: Charleston
    Previous Orders: None
    Permit/ID Number: 10-248-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Dovefield Homeowners Association, Inc. owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 1, 2026, and July 6, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a skimmer lid was cracked; the drinking water fountain was not operating properly; the pool equipment room was not accessible; the chemical storage room was not accessible; a light in the pool wall was out of

its niche; a gate did not self-close and latch; and the bound and numbered log book was not available for review.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

19. Order Type and Number: Consent Order 26-034-RW
    Order Date: September 15, 2026
    Individual/Entity/Facility: Abajeebapa Seaside Suites, LLC/The Sandbar Hotel FKA Best Western Grand Strand Inn & Suites
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-1430D

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Abajeebapa Seaside Suites, LLC owns and is responsible for the proper operation and maintenance of a spa located in Horry County, South Carolina. The Department conducted inspections on February 12, 2026, May 27, 2026, and June 29, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the drinking water fountain was not operating properly; the main drain grate was not in place; the water level was too high; the chlorine level was not within the acceptable range of water quality standards; the current pool operator of record information was not posted to the public; and the log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of two thousand forty dollars ($2,040.00).

20. Order Type and Number: Consent Order 26-035-RW
    Order Date: September 15, 2026
    Individual/Entity/Facility: LeTap of North Myrtle Beach, LLC/Edgewater Inn
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-256-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: LeTap of North Myrtle Beach, LLC leases and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 3, 2026, and July 21, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the depth marker tiles were broken and some were missing, and the required universal “No Diving Allowed” tiles on the pool deck were broken the drinking water fountain was not operating properly; the gate did not self-close and latch; and the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

21. Order Type and Number: Consent Order 26-036-RW
    Order Date: September 15, 2026
    Individual/Entity/Facility: MB 1607, LLC/Gazebo Inn
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-J79-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: MB 1607, LLC owns and is responsible for the proper operation and maintenance of a spa located in Horry County, South Carolina. The Department conducted inspections on May 26, 2026, and June 25, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; a section of the perimeter fence had openings greater than four inches; the chlorine level was not within the acceptable range of water quality standards; there was no pool rules sign; and the log book was not maintained on a daily basis.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

22. Order Type and Number: Consent Order 26-037-RW
    Order Date: September 16, 2026
    Individual/Entity/Facility: Covington South Owners Association, Inc./Covington South
    County: Lancaster
    Previous Orders: 24-208-RW ($680.00)
    Permit/ID Number: 29-1056B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Covington South Owners Association, Inc. owns and is responsible for the proper operation and maintenance of a pool located in Lancaster County, South Carolina. The Department conducted inspections on June 17, 2026, and July 21, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: skimmer baskets were floating; the equipment room was not locked; the chlorine level was not within the acceptable range of water quality standards; the log book was not available for Department review on the first inspection and was not maintained on a daily basis on the second inspection; and the recirculation and filtration system was leaking.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand six hundred dollars ($1,600.00).

23. Order Type and Number: Consent Order 26-038-RW
    Order Date: September 17, 2026

Individual/Entity/Facility: Bay Club Homes Property Owners Association, Inc./Bay Club Sea Lofts
County: Charleston
Previous Orders: None
Permit/ID Number: 10-377-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Bay Club Homes Property Owners Association, Inc. owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 2, 2026, and June 30, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the emergency notification device was not operational; and the bound and numbered log book was not available for review.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

24. Order Type and Number: Consent Order 26-039-RW
    Order Date: September 22, 2026
    Individual/Entity/Facility: Glenmoor Community Association, Inc./Glenmoor Amenity
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-1914C

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Glenmoor Community Association, Inc. owns and is responsible for the proper operation and maintenance of a kiddie pool located in Horry County, South Carolina. The Department conducted inspections on June 15, 2026, and July 30, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the cyanuric acid level was above the water quality standards acceptable limit;

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

25. Order Type and Number: Consent Order 26-040-RW
    Order Date: September 22, 2026
    Individual/Entity/Facility: Gaffney Hotel, LLC/Baymont Inn Gaffney
    County: Cherokee
    Previous Orders: None
    Permit/ID Number: 11-022-1B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Gaffney Hotel LLC owns and is responsible for the proper operation and maintenance of a pool located in Cherokee County, South Carolina. The Department conducted inspections on June 9, 2026, and July 1, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; the plaster on the pool floor was deteriorated; the pool deck was not clear of hazards; the bathroom was not located within three hundred (300) feet of the pool; there was no foot rinse shower; the chlorine and pH levels were not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; the bound and numbered log book was not maintained on a daily basis on the first inspection; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book on the second inspection.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

26. Order Type and Number: Consent Order 26-041-RW
    Order Date: September 24, 2026
    Individual/Entity/Facility: Charleston Foundry Owner. LLC/Foundry Point Apartments
    County: Charleston
    Previous Orders: None
    Permit/ID Number: 10-1375B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Charleston Foundry Owner. LLC owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 4, 2026, and July 1, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: waterline tiles were dirty; there were non-pool related items stored in the equipment room; there was standing water in the equipment room; the chlorine level was not within the acceptable range of water quality standards; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record; the cyanuric acid level was not checked weekly; some of the depth marker tiles were broken; a ladder was missing bumpers; there was algae on the pool wall; and the pool equipment room was not locked.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

27. Order Type and Number: Consent Order 26-042-RW
    Order Date: September 24, 2026
    Individual/Entity/Facility: Summerville Hospitality, LLC / Holiday Inn Express & Suites Summerville
    County: Berkeley
    Previous Orders: None
    Permit/ID Number: 08-1092B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Summerville Hospitality, LLC owns and is responsible for the proper operation and maintenance of a pool located in Berkeley County, South Carolina. The Department conducted inspections on June 1, 2026, and July 13, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the pool floor was dirty; the pool furniture was not at least four feet from the edge of the pool; there was no drinking water fountain; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the life ring rope was deteriorated; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted on the first inspection; one of the "No Lifeguard On Duty – Swim At Your Own Risk" signs did not have the correct wording and the letters were not the appropriate size on the second inspection; and the bound and numbered log book was no available for review.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

28. Order Type and Number: Consent Order 26-043-RW
    Order Date: September 24, 2026
    Individual/Entity/Facility: Dorchester Village MHC, LLC/Dorchester Village Mobile Home Park
    County: Charleston
    Previous Orders: None
    Permit/ID Number: 10-101-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Dorchester Village MHC, LLC owns and is responsible for the proper operation and maintenance of a pool located in Berkeley County, South Carolina. The Department conducted inspections on June 11, 2026, and July 27, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: there were non-pool related items stored in the equipment room; the main drain grates were not visible due to cloudy water; there was no emergency notification device; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for review on the first inspection; and the bound and numbered log book was not maintained on a daily basis on the second inspection.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

29. Order Type and Number: Consent Order 26-044-RW
    Order Date: September 29, 2026
    Individual/Entity/Facility: Pelham Falls Homeowners Association, Inc.
    County: Greenville
    Previous Orders: None
    Permit/ID Number: 23-1034C

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Pelham Falls Homeowners Association, Inc. owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on May 28, 2026, and June 25, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: The pool deck was not clear of hazards, the pool furniture was not at least four (4) feet from the edge of the pool, skimmers were missing weirs, the foot rinse shower was not operating properly, the pool equipment room was not locked, and the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

30. Order Type and Number: Consent Order 26-045-RW
    Order Date: September 29, 2026
    Individual/Entity/Facility: Ocean Waves of Myrtle Beach, Inc./Ocean Waves Hotel
    County: Horry
    Previous Orders: None
    Permit/ID Number: 26-428-1

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Ocean Waves of Myrtle Beach, Inc. leases and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 27, 2026, and June 25, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; there was debris in the skimmer baskets; the annual operating feed had not been paid; the chlorine and pH levels were not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

31. Order Type and Number: Consent Order 26-046-RW
    Order Date: September 30, 2026
    Individual/Entity/Facility: Greentree Associates, L.P./Oakbrook Village Apartment
    County: Dorchester
    Previous Orders: None
    Permit/ID Number: 18-1027B

Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Greentree Associates, L.P. owns and is responsible for the proper operation and maintenance of a pool located in Dorchester County, South Carolina. The Department conducted inspections on June 4, 2026, and July 7, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: The bathroom(s) did not have toilet paper, the chlorine and pH levels were not within the acceptable range of water quality standards, the life ring rope was deteriorated, and the bound and numbered log book was not available for review.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

32. Order Type and Number: Consent Order 26-047-RW
    Order Date: September 30, 2026
    Individual/Entity/Facility: Paramount Hotel Group, LLC/Tru Hotel by Hilton
    County: Greenville
    Previous Orders: None
    Permit/ID Number: 23-1343B
    Violations Cited: S.C. Code Ann. Regs. 61-51.J, Public Swimming Pools Regulation

Summary: Paramount Hotel Group, LLC owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on June 9, 2026, June 15, 2026, and July 16, 2026, and violations were issued for failure to properly operate and maintain. The Individual/Entity/Facility has violated the Public Swimming Pools Regulation as follows: A skimmer was missing weirs, skimmer baskets were floating, the step edge tile stripe was missing tiles, non pool-related items were stored in the equipment room, the chlorine level was not within the acceptable range of water quality standards, the log book was not maintained daily and the log book was not maintained a minimum of three times per week by the Operator of record.

Action: The Individual/Entity/Facility has corrected all violations. The Individual/Entity/Facility shall pay a civil penalty in the amount of six hundred eighty dollars ($680.00).

Drinking Water Enforcement

33. Order Type and Number: Consent Order 26-017-DW
    Order Date: September 4, 2026
    Individual/Entity/Facility: Town of Central
    County: Pickens
    Previous Orders: None
    Permit/ID Number: 3910005

Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b), State Primary Drinking Water Regulation

Summary: The Town of Central owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Pickens County, South Carolina. On July 15, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State

Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes (TTHM).

Action: The Individual/Entity/Facility is required to: submit a corrective action plan with a schedule to address the TTHM MCL violation at the PWS. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

34. Order Type and Number: Consent Order 26-018-DW
    Order Date: September 4, 2026
    Individual/Entity/Facility: Quikrete Construction Materials, LLC/Harleyville Cement Plant
    County: Dorchester
    Previous Orders: None
    Permit/ID Number: 1830005

Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)(a), State Primary Drinking Water Regulation

Summary: Quikrete Construction Materials, LLC manages and is responsible for the proper operation and maintenance of a public water system (PWS) located in Dorchester County, South Carolina. On July 14, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity/Facility is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform and E. coli present results at the PWS. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

35. Order Type and Number: Consent Order 26-019-DW
    Order Date: September 4, 2026
    Individual/Entity/Facility: The Estate of Bucky Lee Robertson/Robertson Mobile Home Park
    County: Richland
    Previous Orders: None
    Permit/ID Number: 4060029

Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)(a), State Primary Drinking Water Regulation

Summary: The Estate of Bucky Lee Robertson owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Richland County, South Carolina. On May 7 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity/Facility is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform and E. coli present results at the PWS. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

36. Order Type and Number: Consent Order 26-020-DW
    Order Date: September 8, 2026
    Individual/Entity/Facility: City of Sumter/Town of Mayesville
    County: Sumter
    Previous Orders: None
    Permit/ID Number: 4310003

Violations Cited: S.C. Code Ann. Regs. 61-58.7, State Primary Drinking Water Regulation

Summary: The City of Sumter owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Sumter County, South Carolina. The Department conducted an inspection on June 17, 2026, and the PWS was rated unsatisfactory for failure to properly operate and maintain. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the most recent storage tank inspection that was conducted on January 15, 2025, noted several deficiencies that required immediate repair; a visual inspection from the ground revealed significant deficiencies with the exterior coating of the elevated storage tank; there were trees overhanging the security fence that required trimmed; and the ladder was not securely attached to the elevated storage tank; and some of the deficiencies from the previous sanitary survey had not been addressed.

Action: The Individual/Entity/Facility is required to: submit to the Department for review and approval a corrective action plan (CAP) that will be implemented to resolve the deficiencies noted on the January 15, 2025, storage tank inspection report. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

37. Order Type and Number: Consent Order 26-021-DW
    Order Date: September 14, 2026
    Individual/Entity/Facility: Catawba Indian Nation
    County: York
    Previous Orders: None
    Permit/ID Number: 4650063

Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b), State Primary Drinking Water Regulation

Summary: Catawba Indian Nation owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in York County, South Carolina. On June 3, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes.

Action: The Individual/Entity/Facility is required to: submit a corrective action plan to include proposed steps to address the MCL violation by October 14, 2026. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

38. Order Type and Number: Consent Order 26-022-DW
    Order Date: September 16, 2026
    Individual/Entity/Facility: William Michael Roebuck, Individually and d.b.a. Norman Mobile Home Park/ Norman Mobile Home Park
    County: Lexington
    Previous Orders: None
    Permit/ID Number: 3260221

Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)(a)&(b), State Primary Drinking Water Regulation

Summary: William Michael Roebuck, Individually and d.b.a. Norman Mobile Home Park owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Lexington County, South Carolina. The Department conducted routine bacteriological contaminant monitoring at the PWS on July 20, 2026, and the results tested present for total coliform and E. coli. The Department conducted repeat bacteriological contaminant monitoring at the PWS on July 21, 2026, and the results tested present for total coliform and E. coli. The Individual/Entity/Facility has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the MCL for E. coli.

Action: The Individual/Entity/Facility is required to: submit to the Department for review and approval an investigative report to determine the causes of the total coliform present and E. coli present results at the PWS and a CAP to include proposed steps to address those causes. The CAP shall also include a detailed schedule of implementation and completion that will be incorporated into and become an enforceable part of the Order. If the CAP and schedule are not approved by the Department, a revised CAP and schedule shall be submitted to the Department for review and approval within 15 days of the date of notification by the Department. The Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

39. Order Type and Number: Consent Order 26-023-DW
    Order Date: September 29, 2026
    Individual/Entity/Facility: Edisto Presbyterian Church (USA)/Larimer Center
    County: Charleston
    Previous Orders: None
    Permit/ID Number: 1079017

Violations Cited: S.C. Code Ann. Regs. 61-58.17,K(1)(a). State Primary Drinking Water Regulation

Summary: Edisto Presbyterian Church (USA) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Charleston County, South Carolina. On August 3, 2026, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity/Facility is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform and E. coli present results at the PWS. The

Individual/Entity/Facility shall pay a stipulated penalty in the amount of four thousand dollars ($4,000.00) should any requirement of the Order not be met.

Water Pollution Enforcement

40. Order Type and Number: Consent Order 26-005-W
    Order Date: September 16, 2026
    Individual/Entity/Facility: Saluda County Public School District 1 / Saluda High School Field House
    Previous Orders: N/A
    Permit/ID Number: SCR10ZGT9

Violations Cited: The Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.41(a) and 61-9.122.41(e).

Summary: Saluda County Public School District 1 owns and is responsible for land disturbing activity consisting of one and six tenths (1.6) acres located in Saluda County, South Carolina. On March 20, 2025, April 29, 2025, and May 21, 2025, Compliance Evaluation Inspections (CEIs) documented deficiencies at the Site. The Individual/Entity/Facility has violated the Water Pollution Control Permits Regulation as follows: failed to install all erosion and sediment controls as specified in the Onsite Stormwater Pollution Prevention Plan (OS-SWPPP), failed to update the OS-SWPPP as modifications were made, failed to follow the sequence of construction described in the OS-SWPPP, failed to properly operate and maintain in good working order all erosion and sediment controls installed or used, failed to prohibit wastewater discharges from washout of concrete, and failed to operate as efficiently as possible all erosion and sediment controls.

Action: The Individual/Entity/Facility returned to compliance prior to the issuance of the Consent Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of eighteen thousand dollars ($18,000.00).

41. Order Type and Number: Consent Order 26-032-W
    Order Date: September 16, 2026
    Individual/Entity/Facility: Clemson Grove Investments LLC / Belvedere Phase II
    Previous Orders: N/A
    Permit/ID Number: SCR10ZF55

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-90(a) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.41(a) and 61-9.122.41(e).

Summary: Clemson Grove Investments LLC owns and is responsible for land disturbing activity at Belvedere Phase II consisting of one hundred thirty-four and thirteen hundredths (134.13) acres located in Anderson County, South Carolina. On May 15, 2025, June 12, 2025, July 9, 2025, August 1, 2025, and September 16, 2025, Compliance Evaluation Inspections (CEIs) documented deficiencies at the Site. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed implement/install all erosion and sediment controls as specified in the Onsite Stormwater Pollution Prevention Plan (OS-SWPPP), failed to properly operate and maintain in good working order all erosion and sediment controls installed or used, failed to document and retain rainfall logs as events occurred, failed to follow the sequence of construction as described in the OS-SWPPP, failed to

update the OS-SWPPP as modifications were made, failed to conduct weekly inspections on a routine basis, failed to keep the OS-SWPPP and required documents at the construction site until final stabilization, and discharged sediment into the environment in a manner other than in compliance with the permit issued by the Department.

Action: The Individual/Entity/Facility is required to: maintain rain log data from an on-site rain gauge or certified weather records, maintain weekly inspections on-site as per the SWPPP and complete the needed repairs listed in weekly inspections as required by the Permit, submit documentation to the Department demonstrating: vegetation and proper soil stabilization are implemented, sediment is removed from storm inlet protections, silt fences are installed and maintained, excess sediment is removed from the temporary sediment basin and the cleanout stake is installed, erosion rills are fixed, sediment tubes at inlets nearest lots twenty-eight (28) and twenty-nine (29) are installed and maintained, and provide an updated redline OS-SWPPP documenting the current erosion and sediment control measures in place. The Individual/Entity/Facility shall pay a civil penalty in the amount of fifteen thousand dollars ($15,000.00) and pay a suspended penalty in the amount of forty-five thousand dollars ($45,000.00) shall requirements and timelines established in the Consent Order not be met.

42. Order Type and Number: Consent Order 26-34-W
    Order Date: September 29, 2026
    Individual/Entity/Facility: Town of Greeleyville
    Previous Orders: N/A
    Permit/ID Number: ND0077968

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) and the Water Pollution Control Permits and S.C. Code Ann Regs. 61-9.122.21(d) and 6-19.122.41(a).

Summary: The Town of Greeleyville owns and is responsible for the proper operation and maintenance of a wastewater treatment facility located in Williamsburg County, South Carolina. On September 1, 2026, a Notice of Violation was issued for failure to submit a timely permit renewal application. The Individual/Entity/Facility has violated the Pollution Control Act, and the Water Pollution Control Permits Regulation as follows: failed to submit a timely permit renewal application.

Action: The Individual/Entity/Facility shall submit an administratively complete permit renewal application and pay a civil penalty in the amount of three thousand dollars ($3,000.00).

BUREAU OF AIR QUALITY

43. Order Type/Order Number: Consent Order 26-019-A
    Order Date: September 2, 2026
    Individual/Entity/Facility: **Enchanted Construction, LLC and ECS Development, LLC**
    County: Spartanburg
    Previous Orders: 21-021-A
    Permit/ID Number: N/A

Violations Cited: S.C. Code Ann. Regs. 61-62.2, *Prohibition of Open Burning*

Summary: Enchanted Construction, LLC and ECS Development, LLC (collectively "Individual/Entity/Facility") previously owned the property located at 655 Hammet Store Road in Lyman, South Carolina ("Site"). On May 17, 2024, a Department inspector conducted an investigation in response to a complaint of open burning at the Site. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: burned or allowed to be burned materials other than those allowed by Section I of the *Open Burning Regulations*, specifically land clearing debris burned within one thousand (1,000) feet of the nearest public roadway and residential sites.

Action: The Individual/Entity/Facility shall: cease all open burning except as permitted by S.C. Code Ann. Regs. 61-62.2 (Supp. 2025), *Prohibition of Open Burning*; and, provide documentation demonstrating that standard operating procedures provided to the Department on April 9, 2026, have been provided to site managers within fourteen (14) days of the execution of the Order. The Individual/Entity/Facility shall pay a civil penalty in the amount of ten thousand dollars ($10,000.00) by October 2, 2026.

44. Order Type/Order Number: Consent Order 26-020-A
    Order Date: 9/2/26
    Individual/Entity/Facility: **Moorhead Brothers, INC.**
    County: Greenwood
    Previous Orders: N/A
    Permit/ID Number: N/A

Violations Cited: S.C. Code Ann. Regs. 61-62.2 (Supp. 2024), *Prohibition of Open Burning*.

Summary: Moorhead Brothers Inc. ("Individual/Entity/Facility") is a land clearing contractor located in Blacksburg, South Carolina. The Individual/Entity/Facility was contracted to perform work at 321 Siloam Church Road in Blacksburg, South Carolina ("Site"). On October 16, 2025, a Department inspector conducted an investigation at the Site in response to a complaint of open burning. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: burned, or allowed to be burned, materials other than those allowed by Section I, specifically metal and land clearing debris less than one thousand (1000) feet from the nearest property line.

Action: The Individual/Entity/Facility shall: cease all open burning except as permitted by S.C. Code Ann. Regs. 61-62.2, *Prohibition of Open Burning*. The Individual/Entity/Facility shall pay a civil penalty in the amount of ($7,000.00) by October 2, 2026.

45. Order Type/Order Number: Consent Order 26-021-A
    Order Date: 9/8/2026
    Individual/Entity/Facility: **Danny Reeves**
    County: Colleton
    Previous Orders: N/A
    Permit/ID Number: N/A

Violations Cited: S.C. Code Ann. Regs. 61-62.2, *Prohibition of Open Burning*

Summary: Danny Reeves ("Individual/Entity/Facility") is the registered property owner of the following properties: Parcels 136-00-00-085 ("Site 1") and 136-00-00-286 ("Site 2"), located on Cottageville Highway

in Cottageville, South Carolina. On January 30, 2025, a Department inspector conducted an investigation at Site 1 and Site 2 in response to a complaint of open burning. The Individual/Entity/Facility has violated the South Carolina Air Pollution Control Regulations, as follows: burned materials other than those specifically allowed by Section I of the Open Burning Regulations, specifically land clearing debris less than one thousand (1,000) feet from the nearest public roadway and residential area.

Action: The Individual/Entity/Facility shall: cease all open burning except as permitted in S.C. Code Ann. Regs. 61-62.2, *Prohibition of Open Burning*. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand five hundred dollars ($1,500.00) by October 8, 2026, and shall pay a suspended penalty of five thousand five hundred dollars ($5,500.00) shall requirements and timelines established in the Consent Order not be met.

46. Order Type/Order Number: CO 26-022-A
    Order Date: 9/17/2026
    Individual/Entity/Facility: **Wyman Gordon Company**
    County: Dillon
    Previous Orders: N/A
    Permit/ID Number: CM-0880-0040

Violations Cited: U.S. EPA 40 CFR 60.4211(g), U.S. EPA 40 CFR 63.6590(c), U.S. EPA 40 CFR 60.4214(b), U.S. EPA 40 CFR 63.6590(c) S.C. Code Ann. Regs. 61-62.60.4211(g), S.C. Code Ann. Regs. 61-62.63.6590(c), S.C. Code Ann. Regs. 61-62.60.4214(b), S.C. Code Ann. Regs. 61-62.63.6590(c) and S.C. Code S.C. Code Ann. Regs. 61-62.1 Section II, *Permit Requirements*

Summary: Wyman Gordon Company ("Individual/Entity/Facility") processes ferrous and nonferrous alloy forgings in Dillon County, South Carolina. On October 27, 2025, the Department conducted a comprehensive inspection at the Individual/Entity/Facility. The Individual/Entity/Facility has violated U.S. EPA and South Carolina Air Pollution Control Regulations, as follows: failed to conduct annual maintenance, record hours of operation and differentiate between emergency and non-emergency hours on four (4) emergency generators; failed to maintain records of gauge calibrations or replacements for the flow meters/pressure drop gauges associated with the nine (9) scrubbers; failed to ensure flow meters associated with (2) two of scrubbers were operational; failed to record cause and corrective action for deviations from established operating ranges for (2) two of scrubbers; failed to conduct timely tune ups for two (2) furnaces and maintain documentation of monthly fuel records and records of startup/shutdown; failed to conduct and record pressure drop readings on dust collectors for multiple months; failed to document cause and corrective action for parameter exceedances on the dust collectors; failed to conduct weekly O&M checks for (9) nine of the scrubbers; and, failed to maintain an exempt source list.

Action: The Individual/Entity/Facility shall: henceforth comply with all applicable monitoring and recordkeeping requirements in accordance with the Permit. The Individual/Entity/Facility shall pay a civil penalty in the amount of sixteen thousand dollars ($16,000.00) by October 17, 2026.

47. Order Type/Order Number: 26-023-A
    Order Date: 9/16/2026

Individual/Entity/Facility: **Michael Mathis**
County: Horry
Previous Orders: N/A
Permit/ID Number: N/A

Violations Cited: S.C Code Ann. Regs. 61-62.2, Prohibition of Open Burning

Summary: Michael Mathis ("Individual/Entity/Facility") owns the property located at 1884 Circle Bay Drive in Longs, South Carolina ("Site"). On April 25, 2026, May 10, 2026, May 21, 2026, June 5, 2026, and June 9, 2026, a Department inspector conducted multiple investigations in response to complaints of open burning the Site. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: burned or allowed to be burned materials other than those allowed by Section I of the *Open Burning Regulations*, specifically land clearing debris burned within one thousand (1,000) feet of the nearest public roadway and residential sites on April 25, 2026, May 10, 2026, May 21, 2026, June 5, 2026, and June 9, 2026.

Action: The Individual/Entity/Facility shall: cease all open burning except as permitted in S.C. Code Ann. Regs. 61-62.2 (Supp. 2025), *Prohibition of Open Burning*. The Individual/Entity/Facility shall pay a civil penalty in the amount of fifteen thousand dollars ($15,000.00) by October 16, 2026, and shall pay a suspended penalty of fifteen thousand dollars ($15,000) shall requirements and timelines established in the Consent Order not be met.

48. Order Type/Order Number: 26-024-A
Order Date: 9/22/26
Individual/Entity/Facility: **Concrete Pipe & Precast, LLC**
County: Berkeley
Previous Orders: 18-005-A
Permit/ID Number: 9900-0757

Violations Cited: S.C. Code Ann. Regs. 61-62.1, Sections II (A)(1)(a) and II(F)(2), and Section II, *Permit Requirements*

Summary: Concrete Pipe & Precast, LLC ("Individual/Entity/Facility") operates a central mix concrete plant in Berkeley County, South Carolina. On September 16, 2025, the Department conducted an inspection at the Individual/Entity/Facility. The Individual/Entity/Facility has violated South Carolina Air Pollution Control Regulations, as follows: failed to obtain a construction permit prior to replacing the permitted concrete plant; failed to obtain operating permit coverage for the Unpermitted Concrete Plant prior to its operation from September 15, to October 27, 2025; failed to record daily concrete production from September 11, to September 16, 2025, and for nine (9) days in the period of October 1, 2025, to March 31, 2026; failed to conduct and record filter maintenance in accordance with manufacturer's specifications or good engineering practices on its applicable control devices from January 1, 2023, to September 16, 2025; failed to conduct and record daily visual inspections of its applicable control devices during loading from September 11, to September 16, 2025, and for two (2) days during the period of October 1, 2025, to March 31, 2026; failed to determine and maintain supporting documentation of operating ranges for its dust collector; and, failed to conduct and record any daily pressure drop readings for its dust collector from January 1, 2023, to April 30, 2026.

Action: The Individual/Entity/Facility shall: henceforth apply for and obtain a construction permit from the Department prior to constructing, altering, or adding to a source of air contaminants, including installation of any device for the control of air contaminant discharges, unless subject to an applicable exemption from obtaining a construction permit; and, henceforth comply with all record keeping requirements of the Permit. The Individual/Entity/Facility shall pay a civil penalty in the amount of nine thousand dollars ($9,000.00) by October 22, 2026.

49. Order Type/Order Number: CO 26-025-A
    Order Date: 9/28/2026
    Individual/Entity/Facility: **Delores Edwards**
    County: Aiken
    Previous Orders: N/A
    Permit/ID Number: Open Burn

Violations Cited: S.C. Code Ann. Regs. 61-62.2 *Prohibition of Open Burning*

Summary: Delores Edwards ("Individual/Entity/Facility") owns the property located at 121 Inkberry Road in Salley, SC ("Site"). On August 5, 2025, and February 27, 2026, a Department inspector conducted investigations in response to complaints of open burning at the Site. The Individual/Entity has violated South Carolina Air Pollution Control Regulations, as follows: burned materials other than specifically allowed by Section I of Open Burning Regulations, specifically, household garbage including rubber products and treated lumber.

Action: The Individual/Entity/Facility shall: henceforth cease burning except as permitted by S.C. Code Ann. Regs. 61-62.2, *Prohibition of Open Burning*. The Individual/Entity/Facility shall pay a civil penalty in the amount of seven hundred fifty dollars ($750.00) by October 28, 2026, and shall pay a suspended penalty of seven hundred fifty dollars ($750.00) shall requirements and timelines established in the Consent Order not be met.

BUREAU OF REGIONAL AND LABORATORY SERVICES

On-Site Wastewater Enforcement

50. Order Type and Number: Administrative Order AF-0001900
    Order Date: September 15, 2026
    Individual/Entity/Facility: Eric Dreher
    County: Lexington
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Eric Dreher repaired an OSWW system on property located in Lexington County, South Carolina. The Department conducted an investigation on June 6, 2026, and determined the onsite wastewater (OSWW) system was installed too close to a body of water, and the Individual/Entity/Facility is not licensed by the Department. The Individual has violated the South Carolina Onsite Wastewater Systems regulation

as follows: failed to apply for, receive, and maintain a Department issued license to install and repair OSWW systems, and failed to keep all parts of an OSWW system out of the regulatory setback of the high-water mark of a body of water.

Action: The Individual /Entity/Facility is required to cease installing or repairing OSWW systems without a Department issued license. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand dollars ($1,000.00).

51. Order Type and Number: Administrative Order AF-0001878
    Order Date: September 21, 2026
    Individual/Entity/Facility: Clayton Alexander
    County: Anderson
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Clayton Alexander owns property located in Anderson County, South Carolina. The Department conducted an investigation on June 29, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

52. Order Type and Number: Administrative Order AF-0001866
    Order Date: September 21, 2026
    Individual/Entity/Facility: Jamie Barnes
    County: Anderson
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Jamie Barnes owns property located in Anderson County, South Carolina. The Department conducted an investigation on August 3, 2026, and observed an enclosed trailer being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

53. Order Type and Number: Administrative Order AF-0001867
    Order Date: September 21, 2026
    Individual/Entity/Facility: Dennis Aiken Whitfield
    County: Anderson
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Dennis Aiken Whitfield owns property located in Anderson County, South Carolina. The Department conducted an investigation on July 28, 2026, and observed an RV being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

54. Order Type and Number: Administrative Order AF-0001881
    Order Date: September 22, 2026
    Individual/Entity/Facility: Jacques Bivins and Ara Paulina Tomas
    County: Richland
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Jacques Bivins and Ara Paulina Tomas own property located in Richland County, South Carolina. The Department conducted an investigation on August 4, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

55. Order Type and Number: Administrative Order AF-0001848
    Order Date: September 22, 2026
    Individual/Entity/Facility: Dalford Wilson, DBA Wilson Septic Tank Service
    County: Chester
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Dalford Wilson, DBA Wilson Septic Tank Service, installed OSWW systems on properties located in Chester County, South Carolina. The Department conducted an investigation on April 10, 2026, and determined the onsite wastewater (OSWW) system was installed within the setback from the neighbor's well, and one drainline trench had more than a two-inch (2") elevation differential. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to ensure all parts of the OSWW system are far enough from a private well and failed to ensure the OSWW system drainline trenches were installed with no more than a two-inch (2") elevation differential along the length of the trench.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct or the regulation. The Individual/Entity/Facility shall pay a civil penalty in the amount of one thousand dollars ($1,000.00).

56. Order Type and Number: Administrative Order AF-0001902
    Order Date: September 22, 2026
    Individual/Entity/Facility: Russell Watson
    County: Lexington
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Russell Watson owns property located in Lexington County, South Carolina. The Department conducted an investigation on June 29, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground;

or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

57. Order Type and Number: Administrative Order AF-0001618
    Order Date: September 28, 2026
    Individual/Entity/Facility: Andre Lernard Davenport, DBA Davenport Construction
    County: Aiken
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Andre Lernard Davenport, DBA Davenport Construction, installed OSWW systems on properties located in Aiken County, South Carolina. The Department conducted an investigation on October 28, 2025, and determined the onsite wastewater (OSWW) system did not have sufficient cover, insufficient drainline was installed, and there was a rise from the inlet to the outlet of the septic tank. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater Systems regulation as follows: failed to set the septic tank level, did not have enough cover over the OSWW system, and had insufficient drainline length.

Action: The Individual/Entity/Facility is required to cease installing OSWW systems outside the parameters of the permit to construct. The Individual/Entity/Facility shall pay a civil penalty in the amount of five hundred dollars ($500.00).

58. Order Type and Number: Administrative Order AF-0001869
    Order Date: September 28, 2026
    Individual/Entity/Facility: Laura Davis
    County: Barnwell
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Laura Davis owns property located in Barnwell County, South Carolina. The Department conducted an investigation on July 30, 2026, and observed campers being occupied for more than two (2) hours per day without being connected to approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the campers. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

59. Order Type and Number: Administrative Order AF-0001870
    Order Date: September 28, 2026
    Individual/Entity/Facility: Mibsar Miguel Mejia and Melba Armida Mejia
    County: Lancaster
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Mibsar Miguel Mejia and Melba Armida Mejia own property located in Lancaster County, South Carolina. The Department conducted an investigation on March 24, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

60. Order Type and Number: Administrative Order AF-0001872
    Order Date: September 28, 2026
    Individual/Entity/Facility: Marion Arnold
    County: Pickens
    Previous Orders: None
    Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Marion Arnold owns property located in Pickens County, South Carolina. The Department conducted an investigation on July 13, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

61. Order Type and Number: Administrative Order AF-0001875

Order Date: September 28, 2026
Individual/Entity/Facility: Jimmy Page and Candice Page
County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Jimmy Page and Candice Page own property located in Horry County, South Carolina. The Department conducted an investigation on May 2, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

62. Order Type and Number: Administrative Order AF-0001876
Order Date: September 28, 2026
Individual/Entity/Facility: Long Leaf MHP, LLC
County: Marion
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Long Leaf MHP, LLC owns property located in Marion County, South Carolina. The Department conducted an investigation on June 8, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

63. Order Type and Number: Administrative Order AF-0001882
Order Date: September 28, 2026
Individual/Entity/Facility: Cynthia Freer

County: Horry
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Cynthia Freer owns property located in Horry County, South Carolina. The Department conducted an investigation on June 25, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

64. Order Type and Number: Administrative Order AF-0001883
Order Date: September 28, 2026
Individual/Entity/Facility: Herman Dwight McAlister, Jr.
County: Florence
Previous Orders: None
Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Herman Dwight McAlister, Jr. owns property located in Florence County, South Carolina. The Department conducted an investigation on June 25, 2026, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity/Facility is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.

65. Order Type and Number: Administrative Order AF-0001886
Order Date: September 28, 2026
Individual/Entity/Facility: DH Rentals, LLC
County: Anderson
Previous Orders: None

Permit Number: None

Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: DH Rentals, LLC owns property located in Anderson County, South Carolina. The Department conducted an investigation on July 9, 2026, and observed a camper being occupied for more than two (2) hours per day without being connected to an approved means of domestic wastewater treatment and disposal. The Individual/Entity/Facility has violated the South Carolina Onsite Wastewater (OSWW) Systems regulation as follows: failed to ensure that a building or dwelling that is occupied for more than two (2) hours per day is connected to an approved means of domestic wastewater treatment and disposal.

Action: The Individual/Entity/Facility is required to apply for a permit to construct an OSWW system within five (5) days and install the OSWW system within ten (10) days of the issuance of the permit to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate or remove the camper. The Individual/Entity/Facility shall pay a suspended penalty in the amount of five thousand dollars ($5,000.00) should any requirement of the Order not be met.