



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/17/14 and 4/22/14 SC Dam Inventory Number D1940 County: Pickens
Dam Name: Wm. L. Lowrance (Twelve Mile Creek WCD Dam #12)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Wm. L. Lowrance

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 130 Beaver Dam Rd.

City: Easley State: SC Zip: 29640

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 130 Beaver Dam Rd Easley SC 29640

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 5110-00-18-3946

*observed from crest of dam and Stone Road

B. Is there any evidence of new development below the dam? Yes No **does not appear to be new development; however*

C. Do you think the hazard classification should be upgraded? Yes No *Robert P. Jeanes Rd + 220 Stone Rd home*

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard) *would potentially be impacted*
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Melissa Dawkins
Printed Name of Regional Inspector

[Signature]
Melissa Dawkins
Signature

7/29/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1961 County: Pickens
 Dam Name: Dwellemanle #5 (Adams Rd)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pickens Soil & Water Conservation District

Contact Person (if owner is company): Ross Stewart

Phone: 864-878-6155 Email: _____

Mailing Address: P.O. Box 245

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.): across from 229 Adams rd

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): 466-00-76-8455

observed from Adams rd

B. Is there any evidence of new development below the dam? Yes No *existing house*

C. Do you think the hazard classification should be upgraded? Yes No *? if not, yes @ current level, no*

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

7-11-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1954 County: Pickens

Dam Name: Twelve mile 16 (Country Club)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pickens County Soil & Water Conservation District

Contact Person (if owner is company): Ross Stewart

Phone: 864-878-6155 Email: _____

Mailing Address: PO Box 245

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): 4099-06-49-3482;

4099-06-28-7544; 4099-06-28-6429; 4099-05-28-3587; 4099-05-18-8064

B. Is there any evidence of new development below the dam? Yes No observed from foot bridge across creek below 133 Farmgate -

C. Do you think the hazard classification should be upgraded? Yes No could see outlet pipe of dam

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

7-11-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Albert Taylor ✓
Pond Dam 1

Class III
Low Hazard Dam Classification
Check

Dam Number D 2907

County Greenwich

Tax Map No.

Has ownership changed? yes no

If yes, new owner and address

(Record any address change,
even if owner has not changed)

~~Gary~~ Donald A. Gary Jr.
430 Jenkins Bridge Rd.
Simpsonville, SC. 29680

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

 4/3/2001

Albert Taylor ✓

Pond Dam 2

Imp Pond
Mater
PEIM

Class III
Low Hazard Dam Classification
Check

Dam Number D 2908

County Greenville

Tax Map No. _____

Has ownership changed? yes no

If yes, new owner and address Donald H. Gary, Jr. ^{Donna} & Latimer ~~Latimer~~

(Record any address change,
even if owner has not changed)

526 Jenkins Bridge Rd.

Simpsonville, SC 29680-7134

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

6/5/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-28-2013 SC Dam Inventory Number D 2215 County: Greenville

Dam Name: Awanita Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 35° 08' 46.95" N Longitude: -82° 29' 32.96" W Tax map # (list all): 0670030100500

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

BATSON

Class III
Low Hazard Dam Classification
Check

New tax
map #

Dam Number D 1938

County 39

Tax Map No. TOP-CO-019 B

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] PE 6/13/99

District Engineer's Signature and Date

INS 7/2/1999

BIG ROCK LAKE

Class III
Low Hazard Dam Classification
Check

Dam Number D 1960

County 39

Tax Map No. 507-09-0190

Has ownership changed? yes no

If yes, new owner and address Elizabeth Blount
1023 HAYNE AVE.
Aiken, SC. 29801

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/99
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/13/99
District Engineer's Signature and Date

MS 7/5/1999

Bdb James ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 4446

County Greenville

Tax Map No. 0521020101903

Has ownership changed? yes no

If yes, new owner and address Fielding E. Gallivan

(Record any address change,
even if owner has not changed)

PO. Box 696
Travelers Rest, SC. 29690-0696

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)



District Engineer's Signature and Date

4/2/02 4/2/02


M. R. Bracken

Class III
Low Hazard Dam Classification
Check

Dam Number D 1924

County 39

Tax Map No. 1C13-00-0260

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


 6/17/2009
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 6/17/2009
District Engineer's Signature and Date

115 7/7/1999



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-21-2013 SC Dam Inventory Number D 2872 County: Greenville

Dam Name: Buckhorn Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): near Paris Mtn. State Park Rd

Latitude: 34° 55' 29.92" N Longitude: -82° 22' 43.03" W Tax map # (list all): P035000101

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John C Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

BURGESS

Dam Number D 1343

County 39

Tax Map No. H05-00-19B

Has ownership changed? yes no

If yes, new owner and address

Blanche Burgess
4800 Pumpkintown Hwy
Pickens, SC. 29671-8004

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] P.E. 6/13/99
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/99
District Engineer's Signature and Date

MS 7/21/1999

Class III
Low Hazard Dam Classification
Check

CAMP McCALL

Dam Number D 1964

County 39

Tax Map No. D04-W-0070

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2000

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] PK 6/13/2000

District Engineer's Signature and Date

MS 7/8/1999

Class III
Low Hazard Dam Classification
Check

CARL NEWTON

Dam Number D 4376

County Picoms

Tax Map No. C-11-00-0020

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature], 6/26/2011

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 6/26/2011

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/1/13 SC Dam Inventory Number D 1106 County: Greenville

Dam Name: Childers/Bagwell

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Randy and Regina Icard

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 670 Pumpkintown Rd.

City: Marietta State: SC Zip: 29661

II. Site Information

*observed from 670 Pumpkintown Rd (on private) and drive

A. Site Location (street address, nearest intersection, etc.): Used 2013 Greenville County

Latitude: _____ N Longitude: - _____ W Tax map # (list all): 0677030100601 8-15 aerials
(see attachment)

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

flow through the emergency spillway observed during inspection

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins
Printed Name of Regional Inspector

Melissa M. Dawkins
Signature

1/6/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/22/14 SC Dam Inventory Number D 1956 County: Pickens

Dam Name: City Lake Farm Pond (formerly H.L. Bivens)
MI 4/22/14

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): City Lake Farm Trust

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO BOX 742

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.): City Lake Rd

Latitude: 34° 54' 59.76" N Longitude: -82° 43' 58.32" W Tax map # (list all): 4172-00-86-3344

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Lake Rd +
*observed from City Lake Rd. Class 2 (Significant Hazard) only a few
feet of freeboard
for road

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melinda Dale
Signature

4/22/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Robert Cornett

Class III
Low Hazard Dam Classification
Check

~~STATE OF FLORIDA~~

Dam Number D 1363

County 39

Tax Map No. DOZ-CO-003A

Has ownership changed? yes no

If yes, new owner and address Robert & Laura Cornett

(Record any address change,
even if owner has not changed)

6630 Dartmoor Ln
New Port Richey, FL 34659

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2000

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/13/2000

District Engineer's Signature and Date

INS 7/7/1999

Class III
Low Hazard Dam Classification
Check

Dam Number D 1939

DAVID COX

County 39

Tax Map No. T08-00-061B

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

1651 Earls Bridge Rd
Eastley, SC 29640

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/15/99

Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

[Signature] RE 6/15/99

District Engineer's Signature and Date

INS 7/2/1999

Class III
Low Hazard Dam Classification
Check

JAMES CUSHMAN

Dam Number D 1362

County 39

Tax Map No. 002-00-0030

Has ownership changed? yes no

If yes, new owner and address John & Linda Serpy

(Record any address change,
even if owner has not changed)

304 Morefield Hwy
Sunset, SC. 29685

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)



6/10/2000


Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)



6/10/2000

District Engineer's Signature and Date

115 7/21/1999



GREENVILLE EQC OFFICE
301 UNIVERSITY RIDGE, SUITE 5800
GREENVILLE, SC 29601
Phone: (864) 241-1090
Fax: (864) 241-1092

Serving Counties: Greenville and Pickens

December 2, 2011

Ms. Kirsten Robertson
Greenville County Soil and Water Conservation District
301 University Ridge, Suite 4800
Greenville, SC 29601

RE: Inspection of Huff Creek WCD Dams, Greenville County
D-2889 Huff Creek WCD Dam #1B D-2877 Huff Creek WCD Dam #4C
D-2879 Huff Creek WCD Dam #2A D-2890 Huff Creek WCD Dam #5B
D-2880 Huff Creek WCD Dam #3A

Dear Ms. Robertson:

On November 30, 2011, I conducted a visual inspection of the Huff Creek WCD Dams. Thank you for accompanying me. Overall, the dams were in excellent conditions. The Department would like to thank the Greenville County Soil and Water Conservation District for maintaining these dams in such superb conditions. However, some minor items of concern were noted during the inspection and are listed below.

- Dam 1B appears to have some water seeping through the concrete collar that supports the spillway pipe, resulting in minor calcium leaching. While this currently seems to pose very little risk to the structural integrity of the spillway pipe, it would be prudent to monitor this condition and take corrective actions if necessary.
- Toe Drains at Dam 2A and 3A exhibited some iron bacteria build-ups. Please keep cleaning the toe drains periodically.
- **As you are already aware, Dam 5B has double row of fence in the emergency spillway. While you are not required to remove the fences, please keep in mind that it is not a recommended practice to have any structures that could potentially impede the flow of water through emergency spillways.**

Enclosed are two copies of a Dams and Reservoirs Emergency Notification Plan. Please complete the forms if any information needs to be updated, retain a copy for your use, and return the other copy to this office to be placed in your dam's file. The agencies listed on your copy of the Emergency Alert Notification Plan can provide service in the case of an emergency and should all be notified immediately should a dam failure be imminent.

Provisions to the S.C. Dams and Reservoirs Safety Act require the owner to notify the Department within 30 days of transferring title or the control of his dam to someone else. Please notify our office should control of your dam be transferred.

Also, a copy of the formal inspection report is enclosed for your record along with some of the photographs taken during my inspection. Please feel free to contact me with any questions or concerns. As Class 2 Dams, the next scheduled inspection will be conducted in November of 2014.

Sincerely,

Eric Kim
Regional Engineer
Greenville EQC Office

cc: Bill Chaplin, Dams and Reservoirs Safety, Bureau of Water



Inlet Riser - D-2889 Huff Creek WCD Dam #1B



Spillway and Toe Drains - D-2889 Huff Creek WCD Dam #1B



Spillway and Toe Drains - D-2889 Huff Creek WCD Dam #1B



Upstream Embankment - D-2889 Huff Creek WCD Dam #1B



Upstream Embankment - D-2889 Huff Creek WCD Dam #1B



Emergency Overflow - D-2889 Huff Creek WCD Dam #1B



Inlet Riser - D-2879 Huff Creek WCD Dam #2A



Upstream Embankment - D-2879 Huff Creek WCD Dam #2A



Upstream Embankment - D-2879 Huff Creek WCD Dam #2A



Downstream Embankment - D-2879 Huff Creek WCD Dam #2A



Spillway Pipe - D-2879 Huff Creek WCD Dam #2A



Iron Bacteria Build-Up at Toe Drains - D-2879 Huff Creek WCD Dam #2A



Inlet Riser - D-2880 Huff Creek WCD Dam #3A




Upstream Embankment - D-2880 Huff Creek WCD Dam #3A



Downstream Embankment - D-2880 Huff Creek WCD Dam #3A



Spillway Pipe - D-2880 Huff Creek WCD Dam #3A



Iron Bacteria Build-Up at Toe Drains - D-2880 Huff Creek WCD Dam #3A



Emergency Spillway - D-2880 Huff Creek WCD Dam #3A



Inlet Riser - D-2877 Huff Creek WCD Dam #4C



Upstream Embankment - D-2877 Huff Creek WCD Dam #4C



Discharge Basin - D-2877 Huff Creek WCD Dam #4C



Spillway Pipe and Toe Drains - D-2877 Huff Creek WCD Dam #4C



Downstream Embankment - D-2877 Huff Creek WCD Dam #4C



Emergency Spillway - D-2877 Huff Creek WCD Dam #4C



Inlet Riser - D-2890 Huff Creek WCD Dam #5B



Upstream Embankment - D-2890 Huff Creek WCD Dam #5B



Downstream Embankment - D-2890 Huff Creek WCD Dam #5B



Discharge Basin - D-2890 Huff Creek WCD Dam #5B



Spillway Pipe and Toe Drains - D-2890 Huff Creek WCD Dam #5B



Fences at Emergency Spillway - D-2890 Huff Creek WCD Dam #5B

Class III
Low Hazard Dam Classification
Check

DANNY COX

Dam Number D 4451

County Pitkin

Tax Map No. Being reexamined

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/20/2011

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/20/2011

District Engineer's Signature and Date

David Gray
Fack Shanks

David
Gray ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 4511

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 6/17/2002

District Engineer's Signature and Date

David ✓
Harrison

Class III
Low Hazard Dam Classification
Check

Dam Number D 4350

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 11/8/2001

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

DOROTHY JAMISON

Dam Number D 1927

County 39

Tax Map No. 508-00-0230

Has ownership changed? yes no

If yes, new owner and address

(Record any address change
even if owner has not changed)

2535 Earls Bridge Rd.
Easley, SC. 29540

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/00
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/00
District Engineer's Signature and Date

HS 7/12/1999

Class III
Low Hazard Dam Classification
Check

Douglas Winchester

Dam Number D 1970

County 39

Tax Map No. C-09-W-013C

Has ownership changed? yes no

If yes, new owner and address

(Record any address change
even if owner has not changed)

2403 Crowe Creek Rd
Sunset, SE. 29685

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2011

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/2011

District Engineer's Signature and Date

INS 7/6/11

Ernest Vaughn
Pond ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2910

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 6/3/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/26/13 SC Dam Inventory Number D 2905 County: Greenville
Dam Name: Fairview Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Fairview/Waterton HOA (90 HOA Community Management)
Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 400 Regent Park Ct #100

City: Greenville State: SC Zip: 29607

II. Site Information

*observed from Waterton way & used 2013 Greenville County GIS Aerial!

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): 0566050107900

B. Is there any evidence of new development below the dam? Yes No (houses built 1998-2002)

C. Do you think the hazard classification should be upgraded? Yes No see attachment for possible affected properties

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa Dawkins
Signature

1/3/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

FERGUSON

Dam Number D 1937

County 39

Tax Map No. T08-00-025A

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/13/2000
District Engineer's Signature and Date

INS 7/14/1999

B.F. FINLEY DAM 1

Class III
Low Hazard Dam Classification
Check

Dam Number D 1901

County 39

Tax Map No. 511-00-016F

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/00
Signature and Date

Recheck by District Engineer

Leave as low hazard.


Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] PK 6/13/00
District Engineer's Signature and Date

MS 7/12/1999

6/23/14



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-17-14 SC Dam Inventory Number D 1932 County: Pickens

Dam Name: Finley Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Franklin Finley

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 293 Louise Lake Rd

City: Easley State: SC Zip: 29640

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 5131-03-41-3033

house @ 207 Jim Hunt Rd

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

4-25-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

B. FRANK FINLEY

Class III
Low Hazard Dam Classification
Check

Dam Number D 1930

County 39

Tax Map No. J11-00-0160

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


 6/10/2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 6/10/2000
District Engineer's Signature and Date

MS 7/12/1999



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1953 County: _____

Dam Name: Finley

I. Dam Owner Information

Has ownership changed? _____ Yes _____ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Fred Finley

Phone: _____ Email: _____

Mailing Address: PO Box 1092

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 4183-66-60-8894

B. Is there any evidence of new development below the dam? _____ Yes No

C. Do you think the hazard classification should be upgraded? _____ Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

*observed from
Midway Rd.
could not see
from pipes
line*

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

7-11-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-13-15 SC Dam Inventory Number D 2916 County: Pickens
Dam Name: Garren Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Clemson University

Contact Person (if owner is company): Knight Cox

Phone: 864-656-4833 Email: _____

Mailing Address: Gentry Hall

City: Clemson State: SC Zip: 29631

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): 5116-00-77-5988

* house at 1525 and 1520 Moody Bridge Rd.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3/6/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

George W. Ke ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 4445

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes _____ no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no ~~proposed development~~

If yes, do you think the classification should be upgraded?

_____ yes no


What is your opinion of what the new classification should be?

- _____ Class I (High hazard)
- _____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- _____ Reclassify to high hazard. (Schedule for inspection.)
- _____ Reclassify to significant hazard. (Schedule for inspection.)

 4/15/2022
District Engineer's Signature and Date

Gertrude Harris

Class III
Low Hazard Dam Classification
Check

Dam Number D 1968

County 39

Tax Map No. CO6-W-0060

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2011

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/13/2011

District Engineer's Signature and Date

115 7/22/2011

DPJL



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-13-14 SC Dam Inventory Number D 2904 County: Greenville

Dam Name: Greer Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Greer Limited Partnership

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 318 S Main Street

City: Mauldin State: SC Zip: 29662

II. Site Information

A. Site Location (street address, nearest intersection, etc.): * Dam has been breached.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

5/25/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-16-15 SC Dam Inventory Number D 2902 County: Greenville
Dam Name: Hartness International Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Smith Road Investments LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1200 Garlington Rd

City: Greenville State: SC Zip: 29615

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0533020100600

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

4-6-15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Hejaz Temple

Class III
Low Hazard Dam Classification
Check

Dam Number D 2895

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 11/8/2011

District Engineer's Signature and Date



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/17/14 + 4/22/14 SC Dam Inventory Number D 1941 County: Pickens
 Dam Name: Hendricks Pond (Montague Lakes)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Montague Lakes HOA
 Contact Person (if owner is company): _____
 Phone: _____ Email: _____
 Mailing Address: PO Box 51277
 City: Piedmont State: SC Zip: 29673

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Upper Lake Dr./Greenvale Dr
 Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 5120-09-07 - 5249

X observed from crest of dam + Upper Lake Dr.

B. Is there any evidence of new development below the dam? Yes No - Homes at 165 + 169⁺¹⁷⁷ Upper Lake Drive and 214 + 264 Gin Rd and 940 Holly Bush Rd.
 C. Do you think the hazard classification should be upgraded? Yes No
 D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

D-1941 flows directly into D-1933. Under normal conditions, D-1933 appears to have enough storage to handle a breach of D-1941. However, homes were built within the impoundment area for D-1941, according to Pickens county GIS. These homes would potentially experience loss of life if failure of D-1941 occurred when D-1933 was above normal pool.

III. Signature Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
 Printed Name of Regional Inspector
Melissa Dawkins
 Printed Name of BOW Engineer
[Signature]
 Signature
7/29/14
 Date of Signature

 Signature

 Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-14 SC Dam Inventory Number D 1967 County: Pickens

Dam Name: Issaquena Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Clemson University

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 31

City: Clemson State: SC Zip: 29637

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 34° 44' 05.84" N Longitude: -82° 51' 51.34" W Tax map # (list all): 4046-03-32-346B

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-18-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/26/13 SC Dam Inventory Number D 2906 County: Greenville

Dam Name: James Martin Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): AVX Greenville LLC / KMSC LLC et al

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 867

City: Myrtle Beach State: SC Zip: 29578

II. Site Information * observed from Harrison Bridge Rd + used 2013 Greenville County GIS Aerials (nearest downstream road crossing was ~.2 miles downstream)

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 033000100200

B. Is there any evidence of new development below the dam? Yes No (Houses built 2000-2001)

C. Do you think the hazard classification should be upgraded? Yes No See attachment for potential affected properties

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins
Printed Name of Regional Inspector

Melinda M. Allen
Signature

1/6/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

RECEIVED

0723 ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams APR 10 2014 Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Surface Water, Construction & Agricultural Permitting Division

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-24-14 SC Dam Inventory Number D 4476 County: Greenville Dam Name: James Senn Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): James Senn

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 280 Latimer Mill Rd

City: Horica Path State: SC Zip: 29654

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 280 Latimer Mill Rd

Latitude: 34°30'41.52" N Longitude: -82°16'39.2" W Tax map # (list all): 0581030101602

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Homes @ 328 Latimer Mill Rd + 307 Latimer Mill Rd. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector


[Signature] Signature

4-8-14 Date of Signature

Robert James Ford Printed Name of BOW Engineer

[Signature] Signature

6/19/14 Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-14 SC Dam Inventory Number D 1944 County: Pickens

Dam Name: Hamby DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Jane Hamby

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 149 Diamond DR

City: Liberty State: SC Zip: 29657

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 149 Diamond DR

Latitude: 34° 46' 44.92" N Longitude: -82° 39' 32.93" W Tax map # (list all): 5007-00-14-0525

* Viewed from dam top on fields below dam - nearest road is Hwy 17B.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-13-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Jesse Fletcher

Class III
Low Hazard Dam Classification
Check

Dam Number D 1947

County 39

Tax Map No. 606-00-022A

Has ownership changed? yes no

If yes, new owner and address

(Record any address change,
even if owner has not changed)

4951 Hwy 357
Campobello, SC 29322

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

[Signature] 6/13/2011

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

[Signature] 6/13/2011

10/7/5/1999

J. Rice

Jimmy Rice
Perd ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D

County 4425

Tax Map No.

Has ownership changed? yes no

If yes, new owner and address

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.


Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

 6/6/2002

EPISU



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-24-14 SC Dam Inventory Number D 2909 County: Greenville
Dam Name: Joe Riddle Pond / Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Charles Ross

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 198 Chapin Rd

City: Greenville State: SC Zip: 29605

II. Site Information

A. Site Location (street address, nearest intersection, etc.): end of Monroe Bridge Rd

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0572010100100

* no roads below dam, could not access dam property -> County GIS map attached -> notary below dam on map

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

4-8-14
Date of Signature


Printed Name of BOW Engineer

Signature

Date of Signature

Joe Williams

Class III
Low Hazard Dam Classification
Check



Dam Number D 1173

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

3550 N. Hwy 25
Travelers Rest, SC, 29690-8931

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 7/15/2011
District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/8/13 SC Dam Inventory Number D 4424 County: Greenville
Dam Name: Johnson / Tedder

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below) MO 3/4/14

A. Owner/ Operator (Company or person): Matthew Ray Tedder, Zachary Tedder, et. al

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 3708 Albermarle St. NW

City: Washington D.C. State: _____ Zip: 20016

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____ ° _____ ' _____ " N Longitude: - _____ ° _____ ' _____ " W Tax map # (list all): 0625010100700

B. Is there any evidence of new development below the dam? _____ Yes _____ No

C. Do you think the hazard classification should be upgraded? Yes _____ No house below dam - see attached

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)
*observed using Greenville County GIS aeriab dated 3/7-8/2013

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins
Printed Name of Regional Inspector

Melissa M. Dawkins
Signature

3/4/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

EPSSV



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/5/14 SC Dam Inventory Number D 2081 County: _____

Dam Name: Jordan Pond

I. Dam Owner Information

Has ownership changed? [X] Yes _____ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Stoneledges HOA

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____ N Longitude: - _____ W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? [X] Yes _____ No mobile home below

C. Do you think the hazard classification should be upgraded? [X] Yes _____ No dam

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard) _____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Printed Name of Regional Inspector


Signature

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-14 SC Dam Inventory Number D 4508 County: Pickens

Dam Name: King Sunset Nursery Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): John Holcombe Trustee

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 764 Five Forks Rd

City: Liberty State: SC Zip: 29657

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 34°45'52.11" N Longitude: 82°40'18.85" W Tax map # (list all): 4097-00-90-4589

* Mobile Home @ 110 Christine Drive

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-17-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

LAKE CARLTON

Class III
Low Hazard Dam Classification
Check

Dam Number D 1965

County 39

Tax Map No. 009-00-0010

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)




Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)



P.E. 6/13/99

District Engineer's Signature and Date

INS 7/9/1999

LAKE DIANA

Class III
Low Hazard Dam Classification
Check

Dam Number D 1989

County 39

Tax Map No. B09-00-070

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature], 6/13/2000

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/2000

District Engineer's Signature and Date

MS 7/22/1999



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/14/13 SC Dam Inventory Number D 1174 County: Greenville Dam Name: Lake Mollirene

I. Dam Owner Information

Has ownership changed? [X] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Sonja Marchant, John Harden Dyer III et al

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 200 Lanford Circle

City: Travelers Rest State: SC Zip: 29690

II. Site Information

*observed from crest of dam - seepage on (L) side + Chinquapin Rd.

A. Site Location (street address, nearest intersection, etc.):

Latitude: Longitude: - Tax map # (list all): 0662110100400

B. Is there any evidence of new development below the dam? [X] Yes ___ No

C. Do you think the hazard classification should be upgraded? [X] Yes ___ No

* house below dam @ 1870 Chinquapin Rd. See attached

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins Printed Name of Regional Inspector [Signature] Signature 3/4/14 Date of Signature

Printed Name of BOW Engineer Signature Date of Signature

EP352



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-14-14 SC Dam Inventory Number D 4596 County: Greenville

Dam Name: Lake Wattaco

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 35° 05' 06.62" N Longitude: -82° 31' 43.23" W Tax map # (list all): _____

* Dam drains to D-2207 => Camp is closed and buildings will be removed. If Camp is rebuilt, Class will need to be upgraded.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb

Printed Name of Regional Inspector

[Signature]

Signature

10-10-14

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/23/15 SC Dam Inventory Number D 1966 County: Pickens
Dam Name: Lamaster Dairy

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 800 Old Stone Church Rd.

Latitude: 34° 39' 23.9" N Longitude: -82° 49' 09.8" W Tax map # (list all): 4052-00-08-4144

Access thru gate on New Hope Rd [code = # 3046]

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Kyle Lancaster
Printed Name of Regional Inspector

Kyle Lancaster
Signature

09/25/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Lancaster ✓
Boone Dam

Class III
Low Hazard Dam Classification
Check

Dam Number D 4143

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 6/3/02

District Engineer's Signature and Date

LAWRENCE LEDFORD

Class III
Low Hazard Dam Classification
Check

* New tax map #
↓

Dam Number D 1925

County Pickens

Tax Map No. 505-00-050

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/99
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/99
District Engineer's Signature and Date

125 7/7/1999

LLOYD'S INC.

Class III
Low Hazard Dam Classification
Check

* New Tax map
2

Dam Number D 1934

County 39

Tax Map No. 513-08-001B

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?

- Class I (High hazard)
- Class II (Significant hazard)

[Handwritten Signature] 6/13/99

Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

[Handwritten Signature] 6/13/99

District Engineer's Signature and Date

MS 7/14/99



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/27/13 SC Dam Inventory Number D1373 County: Greenville Dam Name: Look-up Forest Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No X No (If yes, enter the new owners and their contact information below) Source: Greenville County GIS

A. Owner/ Operator (Company or person): Look-up Forest Homes Association

Contact Person (if owner is company):

Phone: Email:

Mailing Address: PO Box 91

City: Tigerville State: SC Zip: 29688

II. Site Information

A. Site Location (street address, nearest intersection, etc.):

Latitude: Longitude: - Tax map # (list all): 065704 0110400

B. Is there any evidence of new development below the dam? Yes No WWTP + house below dam

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

Source: on-site inspection

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form. John Poole + Petar Milenkov also in attendance

Melissa M. Dawkins Printed Name of Regional Inspector

Melissa M. Dawkins Signature

3/29/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

M.R. Bracken

Class III
Low Hazard Dam Classification
Check

Dam Number D 1924

County 39

Tax Map No. 1C13-00-0260

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


 6/13/2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 6/13/2000
District Engineer's Signature and Date

MS 7/7/1999



Cobb, John <cobbjc@dhec.sc.gov>

Re: Mallard Cove GIS

1 message

D-1935

Poole, John A. <pooleja@dhec.sc.gov>
 To: "Cobb, John" <cobbjc@dhec.sc.gov>

Thu, Dec 13, 2012 at 1:26 PM

John,

The dam appears to have had a "refined H&H study" performed around the 2001 time period. If there isn't any additional house built below the dam since then it should remain a class 2. This will also mean that we don't need to regulate this dam any longer b/c it is below the size requirements according to the information contained in EFIS. Not sure how we can flag that this is an exempt dam for future reference but I am working on a system for that now.

Thanks,

John A. Poole, P.E.

SC DHEC - BOW
 Dams and Reservoirs Safety
 2600 Bull St.
 Columbia, SC 29201
 Phone: 803-898-4212
 Fax: 803-898-7344
 email: pooleja@dhec.sc.gov

On Thu, Dec 13, 2012 at 1:12 PM, Poole, John A. <pooleja@dhec.sc.gov> wrote:

John,

After performing a photo based inundation study for the Pelham Mill Dam, it appears that it is high hazard. I believe that if a more detailed study of the dam was performed by the owner they could have its hazard classification reduced to significant or possibly low. I would like to do a more detailed inundation study on the dam before assigning it as high, but due its large and complex draining area it is beyond my capabilities. I suggest that we proceed with adding this dam as a high hazard to the inventory and recommend to Greenville Parks and Rec to perform a inundation study to see if the classification may be reduced.

The Mallard Cove Dam looks like it should be high hazard also. One house appears to be located right off the downstream toe of the dam. Not sure if we have anything in our files about this one but I am going to look now. Hopefully it will explain the significant hazard classification. Also, if it stays a significant hazard dam we should be able to stop future inspections b/c of its size.

Sincerely,

John A. Poole, P.E.

SC DHEC - BOW
 Dams and Reservoirs Safety
 2600 Bull St.
 Columbia, SC 29201
 Phone: 803-898-4212
 Fax: 803-898-7344



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/14/13 SC Dam Inventory Number D 4352 County: Greenville
Dam Name: Mamin Atkins

I. Dam Owner Information

Has ownership changed? X Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mamie B. Atkins
Contact Person (if owner is company):
Phone: Email:
Mailing Address: 14180 Highway 11
City: Campobello State: SC Zip: 29322

II. Site Information

* observed from Gowensville Church Rd

A. Site Location (street address, nearest intersection, etc.):
Latitude: Longitude: - Tax map # (list all): 0622020101300

B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? X Yes No * few houses below the dam - see attached
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins Signature 3/4/14
Printed Name of Regional Inspector Date of Signature

Printed Name of BOW Engineer Signature Date of Signature

McCarter
Pond Dam
✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 1179

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 4/11/2012
District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1963 County: Pickens Dam Name: McJunkin/Natives Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company): Nancy McJunkin

Phone: Email:

Mailing Address: 6946 Old Pasco Rd

City: Wesley Chapel State: FL Zip: 33544

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 182 Praters Creek, Pickens, SC

Latitude: Longitude: Tax map # (list all): 4160-06-72-5037

B. Is there any evidence of new development below the dam? Yes No X

C. Do you think the hazard classification should be upgraded? Yes No X

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

Intersection of Autumn Dr & Praters Creek Rd - could not see dam

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector

Signature

7-11-13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-14 SC Dam Inventory Number D 1942 County: Pickens

Dam Name: Merritte Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Lucile Weborn Merritt c/o Penn Merriman

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 115 Dorchester Ave

City: Summerville State: SC Zip: 29483

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Johnson Rd + N. Watson Rd

Latitude: 34° 46' 29.77" N Longitude: -82° 35' 19.66" W Tax map # (list all): 5027-00-34-7453

* Homes near stream @ 134, 181, 185 N Watson; 687 Mt. Zion.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

John Cobb
Signature

3-18-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

EPSS ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-13-14 SC Dam Inventory Number D 4322 County: Greenville

Dam Name: Michael Ashmore Pond

I. Dam Owner Information

Has ownership changed? [X] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JPM Enterprises LLC

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 3649 Calhoun Memorial Hwy

City: Greenville State: SC Zip: 29611

II. Site Information

A. Site Location (street address, nearest intersection, etc.):

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all):

B. Is there any evidence of new development below the dam? ___ Yes [X] No

C. Do you think the hazard classification should be upgraded? ___ Yes [X] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard)

___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector

[Signature] Signature

9-25-14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Perry Lee
Dixon
✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2217

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 4/11/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/14 SC Dam Inventory Number D 2827 County: Greenville

Dam Name: Norman Paxton / Holly Pot Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Gilbert & Sarah Knight

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 400

City: Cleveland State: SC Zip: 29635

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Lanton Rd. Ext + Remickville Dr.

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0679040100104

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No *drains into D-2207 - currently abandoned camp is below

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) D-2207
 Class 2 (Significant Hazard)

*could not access dam - "no trespassing" signs and "trespassers shot" signs

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa Dawkins
Signature

4/15/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-28-13 SC Dam Inventory Number D 2829 County: Greenville

Dam Name: Timber Lands Lake Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): GAP CREEK LP SC LTD

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 1805

City: Greenville State: SC Zip: 29602

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Devils Fork Rd & Garden Gate Trail

Latitude: 35° 07' 23.26" N Longitude: -82° 31' 18.24" W Tax map # (list all): 0675030100900

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb

Printed Name of Regional Inspector

[Signature]

Signature


3-20-13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/14 SC Dam Inventory Number D 2830 County: Greenville

Dam Name: Winfield Gillchrest

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Northfield Realty Trust

Contact Person (if owner is company):

Phone: Email:

Mailing Address: PO Box 75

City: Cleveland State: SC Zip: 29635

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 277 McCarson Rd Marietta, SC 29661

Latitude: Longitude: Tax map # (list all): 0674010100400

B. Is there any evidence of new development below the dam? [checked] Yes [] No -> D-2830 flows directly into D-1111; hunting RV

C. Do you think the hazard classification should be upgraded? [checked] Yes [] No below D-1111 - see attached map - observed RV from McCarson Rd.

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard) -> talked to owner of RV, LM Bagwell (828-361-2133) on 7/21/14. RV is used ~ 30 days/year.

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins Printed Name of Regional Inspector

[Signature] Signature

7/29/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-28-2013 SC Dam Inventory Number D 2831 County: Greenville

Dam Name: Rice Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Urbana Cliffs RE LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 5420 LBJ Freeway

City: Dallas State: TX Zip: 75240

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 35° 05' 36.90" N Longitude: -82° 30' 42.07" W Tax map # (list all): 0666030100502

* home added to 06669040100201

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

John Cobb
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/1/13 SC Dam Inventory Number D 2832 County: Greenville
Dam Name: Connelly Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)
A. Owner/ Operator (Company or person): Michael + Beverly Weir and Alexander + Janet Stone
Contact Person (if owner is company): _____
Phone: _____ Email: _____
Mailing Address: 160 Sakanaga Trace (Weir)
438 Pumpkin Town Rd (Stone)
City: Marietta State: SC Zip: 29661

II. Site Information

*observed from Sakanaga Trace (no trespassing) along road + used Greenville County GIS 2013 aerials

A. Site Location (street address, nearest intersection, etc.): _____
Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0672020100501
0672020100600

B. Is there any evidence of new development below the dam? Yes No
C. Do you think the hazard classification should be upgraded? Yes No see attachment
D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins Melissa M. Dawkins 1/6/14
Printed Name of Regional Inspector Signature Date of Signature

Printed Name of BOW Engineer Signature Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/1/13 SC Dam Inventory Number D 2833 County: Greenville

Dam Name: Goldsmith/Timmons

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Watson + River Road LLC and Central Investments LP et al

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 1887

City: Greenville State: SC Zip: 29602

II. Site Information

**observed from Pumpkin town Rd. (no trespassing) and used Greenville County GIS 2013 aerials at gate*

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): 0527000100100

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No See attachment

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins
Printed Name of Regional Inspector

Melina McDaniel
Signature

1/6/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Sam Hoffman
Pond



Class III
Low Hazard Dam Classification
Check

Dam Number D 2834

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 4/11/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/10/13 SC Dam Inventory Number D 2835 County: Greenville

Dam Name: Cliffs Valley Golf Course Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): IT-SPE LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4200 Marsh Landing Blvd, Ste 100

City: Jacksonville Beach State: FL Zip: 32250

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0667010100814

Observed from crest of D2835

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa Dawkins
Signature

9/23/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/10/13 SC Dam Inventory Number D 2836 County: Greenville
Dam Name: Highland Farms Association Dam 2 (Cliffs Valley Golf Course) Dam 2)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): IT-SPE LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4200 Marsh Landing Blvd, Ste 100

City: Jacksonville Beach State: FL Zip: 32250

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0667010100814

Observed from crest of D2835

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa M Dawkins
Signature

9/23/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

G. Herman
Walker Pond

Class III
Low Hazard Dam Classification
Check

Dam Number D 2838

County Greenville

Tax Map No. 0521020101203

Has ownership changed? yes no

If yes, new owner and address WILSON FARMS COMPANY

(Record any address change,
even if owner has not changed)

PO. Bx 919
Travelers Rest, SC. 29670-0919

Is there any evidence of new development below the dam?

yes no

can't
infer
previous
owner
info

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.


Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 4/2/201

District Engineer's Signature and Date

Lindseys Lake



Class III
Low Hazard Dam Classification
Check

Dam Number D 2839

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 4/15/2002

District Engineer's Signature and Date

George Coleman



Class III
Low Hazard Dam Classification
Check

Dam Number D 2840

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 4/15/2002

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check



Dam Number D 2842

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

- _____ Class I (High hazard)
- _____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 4/15/2002

District Engineer's Signature and Date

Robert Caldwell
Prod

Class III
Low Hazard Dam Classification
Check

Dam Number D 2843

County Greenville

Tax Map No. 0608030101800

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

Greg Stuber PE 9/28/2001
District Engineer's Signature and Date

Douglas
Bracken ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2844

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 9/28/2001
District Engineer's Signature and Date

Kenneth Gells Pond

Class III
Low Hazard Dam Classification
Check



Dam Number D 2845

County Greenville

Tax/Map No. 0609050 101600

Has ownership changed? yes no

If yes, new owner and address KENNETH G. ELLS (NOT ELLIS)

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] PE, 9/28/2001
District Engineer's Signature and Date

Rosalee Davis

Class III
Low Hazard Dam Classification
Check



Dam Number D 2846

County Greenville

Tax Map No. 0611030102300

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

MC MAHAN ROAD (NOT McMAhan)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

Bryce A. [Signature] P.E. 9/28/2011
District Engineer's Signature and Date

Jack Stewart
Pond

Class III
Low Hazard Dam Classification
Check



Dam Number D 2847

County Greenville

Tax Map No. 06/2030/0500

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

Greg A. [Signature], PE 9/28/2001
District Engineer's Signature and Date

Dysart Lake ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2851

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes

no

** To the best of my knowledge and belief, property is not accessible*

If yes, do you think the classification should be upgraded?

_____ yes

no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 4/11/02

District Engineer's Signature and Date

Forty Nine
Lake
✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2852

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature], 4/11/02

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-21-2013 SC Dam Inventory Number D 2855 County: Greenville

Dam Name: Kaughman Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): AERIE'S LLC

Contact Person (if owner is company): I

Phone: _____ Email: _____

Mailing Address: 1240 Altamont Rd

City: Greenville State: SC Zip: 29609

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 34 ° 55 '30.13" N Longitude: -82 ° 32 '43.01" W Tax map # (list all): 0462000100400

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-21-2013 SC Dam Inventory Number D 2856 County: Greenville

Dam Name: Snyder Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Douglas Knight

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1304 N. Parker Rd

City: Greenville State: SC Zip: 29609

II. Site Information

A. Site Location (street address, nearest intersection, etc.): old Parker / Mauldin Cir

Latitude: 34° 54' 57.98" N Longitude: -82° 25' 11.84" W Tax map # (list all): 0453000102900, 2500

B. Is there any evidence of new development below the dam? Yes No * house @ 1749 old Parker Rd

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

McKinney Land

Co. Dam



Class III
Low Hazard Dam Classification
Check

Dam Number D 2858

County Greenville

Tax Map No. 0408 0001 00400

Has ownership changed? yes no

If yes, new owner and address McKINNEY LAND Co. Inc

(Record any address change,
even if owner has not changed)

5751 Augusta Road

Greenville, SC. 29605-2760

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.


Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 4/2/2011

District Engineer's Signature and Date

Dam Has Been Drained to about 1/4 acre surface area.



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

220 ✓

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-24-14 SC Dam Inventory Number D 2860 County: Greenville
 Dam Name: Bates Pond / LAKE EL-JEMA

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Daniel Dopler

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 424 LAKE EL-JEMA Drive

City: Piedmont State: SC Zip: 29673

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 424 LAKE EL-Jema Dr.

Latitude: 34° 43' 12.99" N Longitude: -82° 25' 20.86" W Tax map # (list all): 0109040100300

* Bank Rd below dam ~ last amount of land below dam until Emily^{2d} County GIS does not show any structure being built below dam.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
 Printed Name of Regional Inspector

John Cobb
 Signature

4-8-14
 Date of Signature


 Printed Name of BOW Engineer

 Signature

 Date of Signature

August Schwiers
Prod

Class III
Low Hazard Dam Classification
Check



Dam Number D 2861

County Greenville

Tax Map No. 0603020102800

Has ownership changed? yes no

If yes, new owner and address Virginia Schwiers

(Record any address change,
even if owner has not changed)

8824 Augusta Road
Pelzer, SC. 29669

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

Bill D. [Signature] P.E. 9/28/01

District Engineer's Signature and Date



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/14/13 SC Dam Inventory Number D 2864 County: Greenville
 Dam Name: Belk Simpson Co. (now Burbank Creek Plantation)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Burbank Creek Homeowners Association

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1480 Highway 414

City: Travelers Rest State: SC Zip: 29690

II. Site Information

A. Site Location (street address, nearest intersection, etc.): *could not access adjacent properties because of gate @ entrance to Belk Rd.

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): 0657010100603

B. Is there any evidence of new development below the dam? ____ Yes No
 C. Do you think the hazard classification should be upgraded? ____ Yes No
 D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) based on
*observed using Greenville County GIS Aerials done 3/7-8/2013 down to next road crossing Bailey Mill. see attached

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa M. Dawkins Melissa M. Dawkins 3/6/14
 Printed Name of Regional Inspector Signature Date of Signature

 Printed Name of BOW Engineer Signature Date of Signature

S. Tygote River
WCD Dam #2C
✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2865

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 4/11/2022

District Engineer's Signature and Date

T.P. Wood
Pond

Class III
Low Hazard Dam Classification
Check

Dam Number D 2866

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 11/7/2001
District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-16-15 SC Dam Inventory Number D 2867 County: Greenville

Dam Name: Joe Hayer Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): 230 Sally Gilreath RD LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 230 Sally Gilreath Rd

City: Traveler's Rest State: SC Zip: 29690

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 064904010100

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

4-6-15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Charles Spence
Pard

Class III
Low Hazard Dam Classification
Check



Dam Number D 2868

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

* Gate locked - no apparent
change since last insp

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 4/11/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/1/14 SC Dam Inventory Number D 2870 County: Greenville
Dam Name: Harry Hill Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mary Smith

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 280 Tramrod Trail

City: Travelers Rest State: SC Zip: 29690

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Tramrod Trail

Latitude: _____ " N Longitude: - _____ " W Tax map # (list all): 0499020100500

* according to past inspections, pond on TM#0499020100400 was inspected; however, according to lat/long, pond is on TM#0499020100500

B. Is there any evidence of new development below the dam? Yes No *observed from Tramrod Trail + Cross tree Ct.

C. Do you think the hazard classification should be upgraded? Yes No Chouses @ 27 and 31 cross tree Ct.

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melinda Dailin
Signature

10/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: _____ SC Dam Inventory Number D 2877 County: Greenville

Dam Name: Huff Creek WCD #4C

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): #1: Helen Sloan, Mary Andrews et al #2: Joleen + Terry Unger

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: #1: 96 E. Sloan Rd #2: 196 Talley Scott Rd.

City: #1: Piedmont State: SC Zip: 29673

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? ^{WFO 1/30/15} Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

[Signature]
Signature


1/30/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

0721 ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-24-14 SC Dam Inventory Number D 2881 County: Greenwood

Dam Name: Assembly of God Dam

I. Dam Owner Information

Has ownership changed? Yes No (checked) (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): SC District of the Assemblies

Contact Person (if owner is company):

Phone: Email:

Mailing Address: PO Box 402

City: Columbia State: SC Zip: 29202

II. Site Information

A. Site Location (street address, nearest intersection, etc.): @ end of youth camp rd

Latitude: 34° 31' 25.24" N Longitude: -82° 21' 57.85" W Tax map # (list all): 0600010100301

B. Is there any evidence of new development below the dam? Yes No (checked)

C. Do you think the hazard classification should be upgraded? Yes No (checked)

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector

[Signature] Signature

4-8-14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

South Tyger
WCD 5C ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2883

County Greenville

Tax Map No. _____

Has ownership changed? yes no

If yes, new owner and address Lucille S. Sudduth

(Record any address change,
even if owner has not changed)

806 S. Danzler Rd

Duncan, SC 29334

} This owner
should be added
in addition to
the other owner

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)



11/7/2011

District Engineer's Signature and Date

Frank Lindsey
Pond

Class III
Low Hazard Dam Classification
Check



Dam Number D 2884

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer


_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

Frank Lindsey, 5/28/2012
District Engineer's Signature and Date

8/13 ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-13-14 SC Dam Inventory Number D 2887 County: Greenville

Dam Name: Jacquelyn Bell Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Iredell Lake Owners LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 789 Knollwood Dr

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): M008030101311

220 & 222 Anders Ave - possible damage

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

9-25-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

EFIS ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-13-14 SC Dam Inventory Number D 2888 County: Greenville

Dam Name: JB Green Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Anie Sue Green

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 399 Fowler Circle

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.):

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all): M00703200814

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

* Subdivision built below dam

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector

[Signature] Signature

9-25-14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 12/15/14 SC Dam Inventory Number D 2890 County: Greenville

Dam Name: Huff Creek WCD #5B

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): #1: Steven + Cheryl Bryson #2: Ireta Davis Livingstate #3: Frank + Mary Bridwell et al #4: James + Kathy Caldwell

Contact Person (if owner is company):

Phone: Email:

Mailing Address: #1: 290 Gunter Rd Simpsonville 29680 #2: 150 Ivy Glen Dr Pelzer 29669 #3: 70 New Tipton Rd Taylors 29687 #4: 131 Ivy Glen Dr Pelzer 29669

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): #1 #2

Latitude: Longitude: Tax map # (list all) #1 058502010202, 0585020103905 #2 058502010390, 058502010390

B. Is there any evidence of new development below the dam? [checked] Yes [] No

C. Do you think the hazard classification should be upgraded? [checked] Yes [] No *house at 88601d Hundred Rd Pelzer, SC

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard)

* also Lake Trollingwood, D-2878, class 2, flows directly into this lake [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins Printed Name of Regional Inspector

[Signature] Signature

1/21/15 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Bryant Pond ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2891

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 11/7/2001

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-13-2013 SC Dam Inventory Number D 2896 County: Greenville

Dam Name: Pension Plan DAM or TRICKLE DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Greenville Tech. College

Contact Person (if owner is company): Chris Reeves

Phone: 864-250-8205 Email: _____

Mailing Address: P O BOX 5616

City: Greenville State: SC Zip: 29606

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1830 West Georgia Rd, Simpsonville, SC

Latitude: 34° 42' 30.46" N Longitude: - 82° 18' 41.01" W Tax map # (list all): Tax map: 0575030100400

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

2-20-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Jenks
Spartanville Quat
Spartanville

Jenks Inc.
Dam ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 2898

County Greenville

Tax Map No. UNKNOWN

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 6/5/02
District Engineer's Signature and Date

Jenks Inc ✓

Dam 2

Class III
Low Hazard Dam Classification
Check

Dam Number D 2899

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.


_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

11/10/2001 

District Engineer's Signature and Date

2873 ✓



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-24-14 SC Dam Inventory Number D 2900 County: Greenville

Dam Name: Camp Pond / Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Laurie Camp

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 393 Taylors Rd

City: Hogra Park State: SC Zip: 29654

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 393 Taylors Rd

Latitude: 34° 33' 16.45" N Longitude: -82° 18' 21.60" W Tax map # (list all): 0580010100100

* Viewed @ Taylors Road → heavy woods below Taylors Road.

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

4-8-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Nannie
Rodgers Pond ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 7913

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

40 Kellogg Ave.
Greenville, SC. 29611

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 4/16/2012
District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

NORTON

Dam Number D 1971

County 39

Tax Map No. C12-a-412F

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature], 6/13/2009
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature], RE 6/13/2009
District Engineer's Signature and Date

1257/6/12009

00LENOY WCD #9

Class III
Low Hazard Dam Classification
Check

Dam Number D 1948

County 39

Tax Map No. 605-0-13B

Has ownership changed? yes no 605-0-13C

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2000

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/15/2000

District Engineer's Signature and Date

11-5-7/1/1999

Class III
Low Hazard Dam Classification
Check

00'LENOY WCD #10

Dam Number D 1949

County 39

Tax Map No. F05-00-0420

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 6/13/2009

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)


Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 6/13/2009

District Engineer's Signature and Date

115 7/5/1999

272454



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-17-14 SC Dam Inventory Number D 1929 County: Pickens
Dam Name: Pace Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Steve Pace

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 382 Albatross Rd

City: Easley State: SC Zip: 29640

II. Site Information

A. Site Location (street address, nearest intersection, etc.):

Latitude: 34° 53' 14.25" N Longitude: -82° 33' 16.41" W Tax map # (list all):

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

* Camper @ 3424 Farris BR Rd. Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

7/31/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

(Lower) Pelzer Mills

Class III
Low Hazard Dam Classification
Check



Dam Number D 2848

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Kenneth Ellis

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 9/28/2011

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

J.A. Philpot

Dam Number D 1926

County 39

Tax Map No. J08-00-35A

Has ownership changed? yes no

If yes, new owner and address S.A. Philpot Jr. & Donna H.
609 Sulfur Springs Rd.
Greenville, SC. 29617-1621

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 4/13/2009
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

[Signature] PE 6/15/2009
District Engineer's Signature and Date

ms 7/12/1999



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2/23/15 SC Dam Inventory Number D 1946 County: Pickens

Dam Name: Pinnacle Lake

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): SC Department of Parks, Recreation + Tourism

Contact Person (if owner is company): Poll Knowland

Phone: _____ Email: _____

Mailing Address: 158 E. Ellison Ln.

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 4187-00-51-7301

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa Dawkins
Signature

6/30/15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Rabon Creek ✓
Wed 20

Class III
Low Hazard Dam Classification
Check

Dam Number D 4321
County Greenville

Tax Map No.

Has ownership changed? _____ yes _____ no

If yes, new owner and address

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

 6/4/2002

Rambo Pond ✓

Class III
Low Hazard Dam Classification
Check

Dam Number D 1402

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

* I would like for the
dam safety engineer in
Columbus to schedule an
inspect of this when he
is in the area


Recheck by District Engineer


Signature and Date

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 4/11/2002
District Engineer's Signature and Date



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-16-15 SC Dam Inventory Number D 4351 County: Greenville

Dam Name: WCRSA Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Re-WA (name changed)

Contact Person (if owner is company): Chris Eleazer

Phone: 864-299-4000 Email: _____

Mailing Address: 561 Mauldin Rd

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 0542010103401

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

John Cobb
Signature

4-6-15
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

RIVER BLUFF

2

Dam Number D 4100

County 39

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

[Signature] 6/13/2009

Signature and Date

Recheck by District Engineer

Leave as low hazard.


_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] P.E. 6/13/2009

District Engineer's Signature and Date

INS 7/6/1999



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 11-20-2013 SC Dam Inventory Number D 4103 County: Pickens

Dam Name: _____

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): William L Betts - trustee

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2016 Montana Ave

City: St. Petersburg State: FL Zip: 33703

II. Site Information

A. Site Location (street address, nearest intersection, etc.): off Hardwood Ln

Latitude: 35° 02' 47.35" N Longitude: -82° 39' 20.64" W Tax map # (list all): 5107-00-33-9100

* house @ 164 Cherry Blossom Ln

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

12-2-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

8-35



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-14-14 SC Dam Inventory Number D 4102 County: Pickens

Dam Name: River Bluff Upper Lake

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): 2 owners @ Steve Smith @ 305 Raven Cliff

Contact Person (if owner is company): Rd, Cleveland, SC 29635

Phone: @ Mary Thomson @ 254 Fish Hawk Rd, Cleveland, SC 29635

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 5107-00-23-7954; 5107-00-24-2223

Latitude: 35 02 52.0 N Longitude: -82 09 42.8 W Tax map # (list all): 9

* drains to D-4103, which was reclassified due to a home @ 164 Cherry Blossom Ln

B. Is there any evidence of new development below the dam? [checked] Yes [] No

C. Do you think the hazard classification should be upgraded? [checked] Yes [] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard)

[] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cabb Printed Name of Regional Inspector

[Signature] Signature

10/10/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Section III (Dam Inspection Checklist) continued

B. Upstream Slope

- i. Vegetation (grass, trees weeds)? _____
- ii. Animal activity observed? _____
- iii. Any obvious alterations or repairs made? _____
- iv. Erosion observed on upstream slope? _____
- v. Settlement or cracks visible in slope? _____

C. Down Stream Slope

- i. Vegetation (grass, trees weeds)? _____
- ii. Animal activity observed? _____
- iii. Any obvious alterations or repairs made? _____
- iv. Erosion observed on down stream slope? _____
- v. Settlement or cracks visible in slope? _____
- vi. Toe drains flowing? _____
- vii. Any seepage observed? If so, describe location, flow rate, and any turbidity or color within the flow: _____

D. Primary Spillway

- i. Any visible deterioration of structure? _____
- ii. Is there an obvious need to repair or replace trash rack? _____
- iii. Any noticeable problems with debris? _____
- iv. Is valve or gate present? _____

E. Outlet Pipe

- i. Any water visibly flowing or leaking outside of the discharge pipe? _____
- ii. Describe any deflection or damage observed to the pipe: _____
- iii. Visible condition of outlet channel: _____

F. Auxiliary (Emergency) Spillway

- i. Noticeable obstructions to flow? _____
- ii. Animal activity observed? _____
- iii. Any noticeable deterioration in the approach or discharge channel? _____
- iv. Any visible deterioration of structure's crest? _____

F. Auxiliary (Emergency) Spillway continued

v. If applicable, any observed exposure of rebar reinforcement? _____

vi. If applicable, any visible leakage below concrete spillway? _____

H. Downstream/Hazard Class Issues

i. Any noticeable changes immediately downstream of the dam that affects the hazard classification? _____

I. Emergency Action Plan (EAP)

i. Emergency Action Plan provided by owner? _____

ii. Does EAP contains emergency alert notification plan? If so, when was it last updated? _____

iii. Does EAP contain specific actions to take if the dam has failed or is near failure? _____

Section IV (Conclusions)

General comments and recommendations:

no flow through emergency spillway - water level @ ES elevation flows through primary - lighter than gages are - appears to be same color as pond sand accumulated around outlet pipe - may be from previous failure
lake not drained
has some freeboard $\approx 5'$

Preliminary Dam Inspection Disclaimer:

The information contained in the preliminary inspection report is intended as an aid to identify those dams that require maintenance and/or repair actions to reduce their danger to human life or property only. It is not intended as professional engineering or consulting advice for conditions or situations present at individual dams. It is not a substitute for a detailed inspection, nor does it replace the need for services provided by registered professional engineers. If your dam is experiencing an unusual situation consult with engineering professionals to find an appropriate remedy. Preliminary inspections conducted by South Carolina Department of Health and Environmental Control (the Department) are provided "AS IS" and "as available", without warranties of any kind, either express or implied. Preliminary inspections consist only of a visual but technical examination of the dam and its appurtenant works. All findings are based solely on visual observations of the inspector at the time of the inspection. Common law holds that the storage of water is a hazardous activity and the Department does not assume any responsibility or risk for your actions or inactions. Dam owners are responsible for the safe operations and maintenance of their impoundment structures.

Shell Thackston
FE Team

E. Shell ✓
Thackston

Class III
Low Hazard Dam Classification
Check

Dam Number D 4408

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)


Signature and Date

Recheck by District Engineer

Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

 6/4/2002

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/1/14 SC Dam Inventory Number D 4409 County: Greenville

Dam Name: Steve Wingard

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Steve Wingard

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 254 I-35 S, Unit 200

City: Round Rock State: TX Zip: 78664

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 4751 State Park Rd

Latitude: Longitude: Tax map # (list all): 0500030102200

*observed from State Park Rd. - could not access dam because of gated driveway

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No *State road below dam

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard) D-2853 (Class 2) drains into D-4409

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins Printed Name of Regional Inspector

Melissa Dawkins Signature

10/14/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-28-2013 SC Dam Inventory Number D 1095 County: Greenville

Dam Name: Tall Pines Lake / Wilkerson Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Tall Pines Investments LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2411 N. Dak St. Suite 402

City: Myrtle Beach State: SC Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 35° 03' 50.98" N Longitude: -82° 34' 06.79" W Tax map # (list all): 0678020100100

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
State road is part of dam Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector


[Signature]
Signature

3-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/14 SC Dam Inventory Number D 1108 County: Greenville

Dam Name: J. B. Tankersley Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Tankersley Properties LP

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 503 N. Main Street

City: Travelers Rest State: SC Zip: 29690

II. Site Information

A. Site Location (street address, nearest intersection, etc.): West of River Falls Rd.

Latitude: 35° 05' 56.84" N Longitude: -82° 33' 5.40" W Tax map # (list all): 0674020100100

**observed from River Falls Rd.*

B. Is there any evidence of new development below the dam? Yes No *houses at 393 River Falls Rd,*

C. Do you think the hazard classification should be upgraded? Yes No *354 River Falls Rd, and 330 River Falls Rd*

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard) *(see attached)*

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

Melissa Dawkins
Printed Name of Regional Inspector

Melissa Dawkins
Signature

4/23/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Tillman
Williams Road
✓ Dam

Class III
Low Hazard Dam Classification
Check

Dam Number D 1172

County Greenville

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Zip code is 29260-6894

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Signature and Date

Recheck by District Engineer

Leave as low hazard.


_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

[Signature] 7/15/2011

District Engineer's Signature and Date

FEB 21 2013



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Stormwater, Construction & Agricultural Runoff Regulations
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-13-2013 SC Dam Inventory Number D 2894 County: Greenville

Dam Name: Pension Plan DAM or Trickle DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Greenville Tech. College

Contact Person (if owner is company): Chris Reeves

Phone: 864-250-8205 Email: _____

Mailing Address: P O Box 5616

City: Greenville State: SC Zip: 29606

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1830 West Georgia Rd, Simpsonville, SC

Latitude: 34° 42' 30.46" N Longitude: - 82° 18' 41.01" W Tax map # (list all): Tax map: 0575030100400

B. Is there any evidence of new development below the dam? Yes No J.P.

C. Do you think the hazard classification should be upgraded? Yes No J.P.

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
Printed Name of Regional Inspector

[Signature]
Signature

2-20-13
Date of Signature

John Poole
Printed Name of BOW Engineer

[Signature]
Signature

3-7-13
Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1951 County: Pickens

Dam Name: Twelve Mile 8

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pickens Soil & Water Conservation District

Contact Person (if owner is company): Ross Stewart

Phone: 864-878-6155 Email:

Mailing Address: PO Box 245

City: Pickens State: SC Zip: 29671

II. Site Information

A. Site Location (street address, nearest intersection, etc.):

Latitude: ° ' " N Longitude: - ° ' " W Tax map # (list all): 4184-00-92-4261

B. Is there any evidence of new development below the dam? Yes No (observed from Pt Fork on dam - nothing visible downstream)

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb Printed Name of Regional Inspector

[Signature] Signature

7/11/13 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

W.L. RICH

Dam Number D 1928

County 39

Tax Map No. 507-00-0520

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no


If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)


 6/13/2000
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

 6/13/2000
District Engineer's Signature and Date
113 7/12/1999



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-14 SC Dam Inventory Number D 1936 County: Pickens

Dam Name: Watsons Pond

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Donald Watson

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1550 Brushy Creek Rd

City: Easley State: SC Zip: 29642

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 34° 47' 22.57" N Longitude: -82° 33' 51.18" W Tax map # (list all): 5037-05-09-3661

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Gbb
Printed Name of Regional Inspector

[Signature]
Signature

3-18-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/10/13 SC Dam Inventory Number D 1958 County: Pickens
 Dam Name: William Erath

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Holder Family Limited Partnership

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 101 Kimberough Street

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1041 Belle Shoals Rd

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 4180-15-53-4552; 4180-00-43-9148

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Heraldry Dr
 Class 2 (Significant Hazard) could be dam in distance - no access

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Cobb
 Printed Name of Regional Inspector

[Signature]
 Signature

7-11-13
 Date of Signature

 Printed Name of BOW Engineer

 Signature

 Date of Signature