

March 7, 2019

Delivered via FedEx Overnight Delivery

Ms. Bobbi Coleman
South Carolina Department of Health and Environmental Control
Assessment Section, UST Management Division
Bureau of Land and Waste Management
2600 Bull Street
Columbia, South Carolina 29201

**Subject: Lewis Drive – 2018 Fourth Quarter Supplemental Data Transmittal
Plantation Pipe Line Company
Lewis Drive Remediation Site
Belton, South Carolina
Site ID #18693, "Kinder Morgan Belton Pipeline Release"**

Dear Ms. Coleman,

On behalf of Plantation Pipe Line Company (Plantation), CH2M HILL Engineers, Inc., part of Jacobs Engineering Group Inc. (Jacobs), as agreed to in our November 1, 2018 meeting with South Carolina Department of Health and Environmental Control (SCDHEC), is submitting the attached data transmittal for the fourth quarterly groundwater and surface water sampling event conducted between December 3 and 7, 2018. The following preliminary data summary tables are included with this submittal.

- Historical Analytical Results for Groundwater, December 2018 (Table 1)
- Historical Analytical Results for Surface Water, December 2018 (Table 2)

If you have any further questions or concerns, please call me at (919) 760-1777, or Mr. Jerry Aycock/Plantation at (770) 751-4165.

Regards,



William M. Waldron, P.E.
Program Manager

Copies to: Jerry Aycock, Plantation (Digital, Jerry_Aycock@kindermorgan.com)
Mary Clair Lyons, Esq., Plantation (Digital, Mary_Lyons@kindermorgan.com)
Richard Morton, Esq., Womble Bond Dickinson, LLP (Digital, ric.morton@wbd-us.com)

Attachments:

Table 1 - Historical Analytical Results for Groundwater, December 2018
Table 2 - Historical Analytical Results for Surface Water, December 2018.



Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units	5.0	700	1,000	10,000	5.0	40	25	0.05
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
MW-01	MW-01-072715			7/27/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-01-012716			1/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-01-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-090717			9/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-120517	12/4/2017	9.85	12/5/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-030818	3/5/2018	3.80	3/8/2018	µg/L	1.85	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-060518	6/4/2018	3.83	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-091118	9/10/2018	6.72	9/11/2018	µg/L	2.02	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01-120518	12/3/2018	3.91	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-01B	MW-01B-080415			8/4/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-01B-012716			1/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.019 U
	MW-01B-120116			12/1/2016	µg/L	1 U	1 U	1.4	5.6	1 U	1 U	1.3	--
	MW-01B-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-062817-FD			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-090717			9/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-120517	12/4/2017	10.24	12/5/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-030818	3/5/2018	7.40	3/8/2018	µg/L	3.51	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-060518	6/4/2018	6.47	6/5/2018	µg/L	8.96	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-091118	9/10/2018	9.28	9/11/2018	µg/L	11.1	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-01B-120518	12/3/2018	7.62	12/5/2018	µg/L	8.30	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-02	MW-02-072715			7/27/2015	µg/L	4,320	625 U	9,670	2,460	5 U ^b	171	74.7	0.02 U
	MW-02-012616			1/26/2016	µg/L	9,500	1,160	25,000	6,310	50 U ^b	285	139	0.019 U
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-02-062917			6/29/2017	µg/L	8,040	833	27,100	9,890	250 U ^b	250 U ^b	1,250 U ^b	--
	MW-02-090817			9/8/2017	µg/L	2,340	181	7,120	8,510	50 U ^b	50 U ^b	389	--
	MW-02-100417	10/3/2017	16.03	10/4/2017	µg/L	3,510	306	11,900	11,200	50 U ^b	53.9	250 U ^b	--
	MW-02-110817	11/7/2017	4.20	11/8/2017	µg/L	850	100 U	1,370	3,520	100 U ^b	100 U ^b	500 U ^b	--
	MW-02-120717	12/4/2017	2.54	12/7/2017	µg/L	153	15.1	313	441	1 U	70.9	12.8	--
	MW-02-010918	1/8/2018	14.26	1/9/2018	µg/L	307	10 U	878	1,300	10 U ^b	61.8	63.7	--
	MW-02-020618	2/5/2018	0.00	2/6/2018	µg/L	30.5	1.09	29.6	88	1 U	32.0	5 U	--
	MW-02-030718	3/5/2018	3.00	3/7/2018	µg/L	131	34.1	594	442	1 U	27.6	34.5	--
	MW-02-040618	4/5/2018	4.79	4/6/2018	µg/L	72.5	8.96	94.7	501	1 U	18.4	5 U	--
	MW-02-050318	5/2/2018	10.85	5/3/2018	µg/L	35.4	7.50	14.9	163	1 U	8.0	5 U	--
	MW-02-060618	6/4/2018	0.00	6/6/2018	µg/L	1 U	1 U	3.19	3.7	1 U	1.25	5 U	--
	MW-02-071218	7/11/2018	15.25	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02-091218	9/11/2018	12.1	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02-120618	12/3/2018	3.58	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-02B	MW-02B-080415			8/4/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-02B-D-080415			8/4/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.019 U
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-02B-030116			3/1/2016	µg/L	1 U	1 U	4.8	4.6	1 U	1 U	1 U	0.019 U
	MW-02B-D-030116			3/1/2016	µg/L	1 U	1 U	4.8	5.3	1 U	1 U	1 U	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-02B-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-120717	12/4/2017	24.56	12/7/2017	µg/L	1 U	1 U	1.11	3 U	1 U	1 U	5 U	--
	MW-02B-030718	3/5/2018	1.50	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-060618	6/4/2018	4.23	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-091218	9/11/2018	18.65	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-02B-120618	12/3/2018	12.92	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-03	MW-03-072715			7/27/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-03-012516			1/25/2016	µg/L	108	20.1	958	598	1 U	1 U	11.1	0.02 U
	MW-03-120616			12/6/2016	µg/L	61.1	25.1	229	330	2 U	2 U	3.6	--
	MW-03-062917			6/29/2017	µg/L	10.9	1 U	24.6	6.98	1 U	2.34	5 U	--
	--			9/5/2017	--	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS
	--	10/3/2017	19.87	10/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-03-110817	11/7/2017	--*	11/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-120517	12/4/2017	18.00	12/5/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	--	1/8/2018	19.98	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-03-020618	2/5/2018	--*	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-030718	3/5/2018	4.12	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-040618	4/5/2018	15.40	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-050318	5/2/2018	0	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-060618	6/4/2018	16.5	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-071218	7/11/2018	0	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-091318	9/11/2018	17.3	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-03-120618	12/3/2018	14	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-04	MW-04-072815			7/28/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.019 U
	MW-04-012516			1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	MW-04-120616			12/6/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-04-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-04-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-04-090817-DUP			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-04-120717	12/4/2017	10.07	12/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-04-030718	3/5/2018	10.70	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-04-060618	6/4/2018	6.23	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-07-012116			1/21/2016	µg/L	1,060	389	5,210	2,620	40 U ^b	40 U ^b	40 U ^b	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-07-062917			6/29/2017	µg/L	4,290	629	17,700	4,990	250 U ^b	250 U ^b	1,250 U ^b	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/3/2017	13.20	10/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	13.20	11/7/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	13.21	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	13.21	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	2/5/2018	13.19	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-07-030818	3/5/2018	11.77	3/8/2018	µg/L	4,550	802	14,100	7,520	50 U ^b	50 U ^b	250 U ^b	--
	--	4/5/2018	11.39	4/6/2018	µg/L	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-07-050318	5/2/2018	10.35	5/3/2018	µg/L	6,330	662	16,500	9,060	250 U ^b	250 U ^b	1,250 U ^b	--
	--	6/4/2018	9.44	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-07-091218	9/11/2018	11.4	9/12/2018	µg/L	4,620	639	13,600	6,180	1 U	1 U	82.5	--
	MW-07-120618	12/3/2018	10.99	12/6/2018	µg/L	4,850	574	13,400	9,890	100 U ^b	100 U ^b	500 U ^b	--
MW-08	MW-08-072815			7/28/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-08-012616			1/26/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	MW-08-120616			12/6/2016	µg/L	1 U	1 U	14.4	7.1	1 U	1 U	1 U	--
	MW-08-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-08-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-08-120717	12/4/2017	10.47	12/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-08-030718	3/5/2018	7.5	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-08-030718	6/4/2018	5.63	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-08-060618	9/11/2018	16.85	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	--	12/3/2018	19.18	12/3/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
MW-09	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-09-062917			6/29/2017	µg/L	3,860	517	13,000	8,680	200 U ^b	200 U ^b	1,000 U ^b	--
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-09-120717	12/4/2017	3.05	12/7/2017	µg/L	54.3	3.44	19.6	64.8	1 U	27.5	5 U	--
	MW-09-030718	3/5/2018	0.50	3/7/2018	µg/L	3.3	1 U	11.0	3.92	1 U	8.74	5 U	--
	MW-09D-030718	3/5/2018	0.50	3/7/2018	µg/L	1 U	1 U	1.32	3 U	1 U	8.74	5 U	--
MW-09	MW-09-060618	6/4/2018	Could not open	6/6/2018	µg/L	2.25	1 U	6.06	4.75	1 U	3.65	5 U	--
	MW-09-091318	9/11/2018	10.56	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.14	5 U	--
	MW-09-D-091318	9/11/2018	10.56	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.00	5 U	--
	MW-09-120618	12/3/2018	0	12/6/2018	µg/L	6.39	2.61	48.3	39.8	1 U	5.68	6.79	--
MW-09B	MW-09B-120717	12/4/2017	9.15	12/7/2017	µg/L	21.8	24.7	82.1	179	1 U	4.72	11.9	--
	MW-09B-030718	3/5/2018	0.00	3/7/2018	µg/L	4.36	4.5	18.1	33.3	1 U	1.37	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	--			3/13/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			3/20/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			3/31/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			4/6/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-12-062817			6/28/2017	µg/L	1,190	467	7,910	5,100	50 U ^b	50 U ^b	250 U ^b	--
	MW-12-090817			9/8/2017	µg/L	648	436	3,470	4,440	100 U ^b	100 U ^b	500 U ^b	--
	MW-12-120617	12/4/2017	15.55	12/6/2017	µg/L	367	137	1,540	4,660	10 U ^b	10 U	54.4	--
	MW-12-030818	3/5/2018	12.83	3/8/2018	µg/L	486	25.2	1,880	1,980	10 U ^b	10 U	50 U ^b	--
	MW-12-060518	6/4/2018	9.2	6/5/2018	µg/L	16.3	2.51	181	249	1 U	1 U	5 U	--
	MW-12-091118	9/10/2018	13.19	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12-120518	12/3/2018	12.02	12/5/2018	µg/L	5.81	2.75	9.08	72.0	1 U	1 U	5 U	--
MW-12B	MW-12B-012616			1/26/2016	µg/L	228	31.4	193	532	1 U	5.4	14.6	0.019 U
	MW-12B-113016			11/30/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-12B-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-031417-FD			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-062817			6/28/2017	µg/L	30.1	1 U	7.28	14.3	1 U	11.8	5 U	--
	MW-12B-090817			9/8/2017	µg/L	126	3.81	16.8	256	1 U	1 U	12	--
	MW-12B-120617	12/4/2017	16.12	12/6/2017	µg/L	1.01	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-030818	3/5/2018	12.92	3/8/2018	µg/L	3.06	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-12B-060518	6/4/2018	9.83	6/5/2018	µg/L	275	58.7	20.9	171	1 U	1 U	22.5	--
	MW-12B-091118	9/10/2018	14.07	9/11/2018	µg/L	246	39.8	2.87	68	1 U	1 U	18.7	--
	MW-12B-120518	12/3/2018	12.49	12/5/2018	µg/L	240	57.7	29.5	160	1 U	1 U	17.7	--
MW-13	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-13-012816			1/28/2016	µg/L	2	1 U	12.5	6.9	1 U	1 U	1 U	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-13-062917			6/29/2017	µg/L	1.18	1 U	3.39	3 U	1 U	1 U	5 U	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	21.87	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-13-030618	3/5/2018	20.40	3/6/2018	µg/L	6.98	1.14	15.3	4.55	1 U	1 U	5 U	--
	MW-13-060618	6/4/2018	18.8	6/6/2018	µg/L	44.2	4.25	86.2	19.9	1 U	1 U	5 U	--
	--	9/10/2018	21.85	9/10/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-13-120718	12/3/2018	20.87	12/7/2018	µg/L	83.4	9.62	158	23.6	1 U	1 U	5 U	--
MW-13B	MW-13B-012816			1/28/2016	µg/L	367	1 U	5.6	59.5	1 U	119	1 U	0.02 U
	MW-13B-D-012816			1/28/2016	µg/L	405	1 U	6.1	59.1	1 U	108	1 U	0.02 U
	MW-13B-113016			11/30/2016	µg/L	550	5.1	21.2	140	5 U ^b	158	7.9	--
	MW-13B-062817			6/28/2017	µg/L	308	3.09	10.3	103	1 U	121	5.13	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						5.0	700	1,000	10,000	5.0	40	25	0.05
RBSL ^a :					µg/L	NS-SL	NS-SL	NS-SL	NS-SL	NS-SL	NS-SL	NS-SL	NS-SL
	MW-13B-090817			9/8/2017	--								
	MW-13B-110817	11/7/2017	23.08	11/8/2017	µg/L	325	3.42	19	91.6	1 U	173	5.55	--
	MW-13B-D-110817	11/7/2017	23.08	11/8/2017	µg/L	356	3.85	20.8	100	1 U	168	6.61	--
	MW-13B-120617	12/4/2017	22.66	12/6/2017	µg/L	269	3.97	24.4	100	1 U	140	8.83	--
	MW-13B-030718	3/5/2018	21.00	3/7/2018	µg/L	252	3.13	12.1	60.2	1 U	175	6.44	--
	MW-13B-060618	6/4/2018	19.56	6/6/2018	µg/L	498	47.7	469	282	1 U	148	8.47	--
	MW-13B-091218	9/10/2018	21.81	9/12/2018	µg/L	402	42.5	503	271	1 U	141	5 U	--
	MW-13B-120618	12/3/2018	21.69	12/6/2018	µg/L	614	93.5	823	516	1 U	139	10.8	--
MW-14	MW-14-072815			7/28/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-14-012816			1/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.019 U
	MW-14-113016			11/30/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-14-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-120617	12/4/2017	17.62	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-030718	3/5/2018	15.11	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-060618	6/4/2018	17.48	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-091218	9/10/2018	16.64	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-14-120618	12/3/2018	14.88	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-14B	MW-14B-052516			5/25/2016	µg/L	5	1 U	1 U	4.4	1 U	17.2	1 U	0.02 U
	MW-14B-052516-FD			5/25/2016	µg/L	4.6	1 U	1 U	4.1	1 U	23.6	1 U	0.02 U
	MW-14B-113016			11/30/2016	µg/L	10.5	1 U	1.1	5.5	1 U	19.7	1 U	--
	MW-14B-062817			6/28/2017	µg/L	38.1	1.34	2.56	19.1	1 U	36.2	5 U	--
	MW-14B-090817			9/8/2017	µg/L	6.81	1 U	1 U	6.67	1 U	18.7	5 U	--
	MW-14B-120617	12/4/2017	19.22	12/6/2017	µg/L	8.82	1 U	1 U	6.91	1 U	24.4	5 U	--
	MW-14B-030718	3/5/2018	16.95	3/7/2018	µg/L	3.57	1 U	1 U	5.6	1 U	9.28	5 U	--
	MW-14B-0604B18	6/4/2018	15.09	6/6/2018	µg/L	8.63	1 U	1 U	5.77	1 U	22.1	5 U	--
	MW-14B-091218	9/10/2018	17.59	9/12/2018	µg/L	3.32	1 U	1 U	3.61	1 U	7.86	5 U	--
	MW-14B-120618	12/3/2018	16.6	12/6/2018	µg/L	3.56	1 U	1.40	6.34	1 U	6.56	5 U	--
MW-15	MW-15-080415			8/4/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.019 U
	MW-15-012816			1/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	MW-15-120716			12/7/2016	µg/L	3,680	139	422	2,280	25 U ^b	188	43.8	--
	MW-15-031417			3/14/2017	µg/L	1,960	72	324	1,320	25 U ^b	161	125 U ^b	--
	MW-15-031417-FD			3/14/2017	µg/L	1,820	61	286	1,120	25 U ^b	153	125 U ^b	--
	MW-15-032017			3/20/2017	µg/L	3,390	103	505	2,460	50 U ^b	194	250 U ^b	--
	MW-15-033117			3/31/2017	µg/L	2,850	65.4	444	1,860	20 U ^b	221	100 U ^b	--
	MW-15-040617			4/6/2017	µg/L	1,790	60.6	465	886	25 U ^b	181	125 U ^b	--
	MW-15-062817			6/28/2017	µg/L	73	25 U	29	110	25 U ^b	91.8	125 U ^b	--
	MW-15-090817			9/8/2017	µg/L	454	24	567	338	5 U ^b	193	25 U ^b	--
	MW-15-120617	12/4/2017	13.66	12/6/2017	µg/L	1 U	1 U	2	5	1 U	140	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-21-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-032117			3/21/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-062817-FD			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-120717	12/4/2017	17.42	12/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-030718	3/5/2018	8.05	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-060718	6/4/2018	12.43	6/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-091118	9/10/2018	14.51	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-21-120518	12/3/2018	13.41	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-22	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-22-012116			1/21/2016	µg/L	19.8	3.4	47.2	37.4	1 U	1 U	1 U	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			5/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-22-062917			6/29/2017	µg/L	234	10 U	125	30 U	10 U ^b	10 U	50 U ^b	--
	--			7/17/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			8/1/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/3/2017	9.94	10/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	9.96	11/8/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	9.99	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	10.01	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	2/5/2018	9.81	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-22-030618	3/5/2018	8.05	3/6/2018	µg/L	1 U	1 U	1.03	3 U	1 U	1 U	5 U	--
	MW-22-040618	4/5/2018	7.27	4/6/2018	µg/L	1 U	1 U	1.76	46.6	1 U	1 U	5 U	--
	MW-22-050318	5/2/2018	7.19	5/3/2018	µg/L	1.43	1.79	33.1	426	1 U	1 U	1 U	--
	MW-22-060518	6/4/2018	5.72	6/5/2018	µg/L	1 U	1 U	4.27	41.6	1 U	1 U	5 U	--
	MW-22-071218	7/11/2018	7.9	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-22-091318	9/10/2018	9.57	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-22-120518	12/3/2018	7.37	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-23	MW-23-072715			7/27/2015	µg/L	5 U ^b	5 U	7.5	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-23D-072715			7/27/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-23-012016			1/20/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.019 U
	MW-23-120216			12/2/2016	µg/L	450	5 U	14.6	336	5 U ^b	46.4	5.9	--
	MW-23-031317			3/13/2017	µg/L	709	5 U	23.1	548	5 U ^b	127	25 U ^b	--
	MW-23-032017			3/20/2017	µg/L	642	10 U	12.7	579	10 U ^b	108	50 U ^b	--
	MW-23-032017-FD			3/20/2017	µg/L	620	10 U	12.0	548	10 U ^b	110	50 U ^b	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						µg/L							
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-23-033117			3/31/2017	µg/L	685	10 U	16.5	624	10 U ^b	130	50 U ^b	--
	MW-23-040617			4/6/2017	µg/L	432	1 U	6.6	254	1 U	76.5	5 U	--
	MW-23-062817			6/28/2017	µg/L	131	10 U	10 U	117	10 U ^b	19.1	5 U	--
	MW-23-071717			7/17/2017	µg/L	1.2	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-23-080117			8/1/2017	µg/L	132	1 U	6.2	252	1 U	48.1	5 U	--
	MW-23-090717			9/7/2017	µg/L	1,110	9.25	43.1	999	5 U ^b	141	25 U ^b	--
	MW-23-100417	10/3/2017	11.52	10/4/2017	µg/L	703	10 U	17.5	515	10 U ^b	90.1	50 U ^b	--
	MW-23-100417-DUI	10/3/2017	11.52	10/4/2017	µg/L	543	2.65	11.5	424	1 U	69.2	5 U	--
	MW-23-110817	11/7/2017	11.10	11/8/2017	µg/L	788	10 U	21.5	580	10 U ^b	118	50 U ^b	--
	MW-23-120617	12/4/2017	11.13	12/6/2017	µg/L	693	10 U	17.0	408	10 U ^b	99.5	50 U ^b	--
	MW-23-010918	1/8/2018	11.02	1/9/2018	µg/L	127	10 U	10 U	137	10 U ^b	69.6	50 U ^b	--
	MW-23-020618	2/5/2018	9.76	2/6/2018	µg/L	1.1	1 U	1 U	3 U	1 U	33.8	5 U	--
	MW-23-030618	3/5/2018	8.27	3/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	17.5	5 U	--
	MW-23-040618	4/5/2018	7.52	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	32	5 U	--
	MW-23-050318	5/2/2018	7.12	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	19.1	5 U	--
	MW-23-D-050318	5/2/2018	7.12	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	16.9	5 U	--
	MW-23-060518	6/4/2018	6.33	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	5.28	5 U	--
	MW-23-071218	7/11/2018	7.15	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	7.05	5 U	--
	MW-23-080218	8/1/2018	7.56	8/2/2018	µg/L	17.9	1 U	1 U	10.4	1 U	5.01	5 U	--
	MW-23-091118	9/10/2018	5.94	9/11/2018	µg/L	2.3	1 U	1 U	3 U	1 U	11.0	5 U	--
	MW-23-110218	11/2/2018	9.19	11/2/2018	µg/L	11.1	1 U	2.48	4.85	1 U	8.35	5 U	--
	MW-23-120518	12/3/2018	6.97	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.08	5 U	--
	MW-23-D-120518	12/3/2018	6.97	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.03	5 U	--
MW-23B	MW-23B-080515			8/5/2015	µg/L	5 U ^b	5 U	7.0	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-23B-012016			1/20/2016	µg/L	1 U	1 U	3.9	7.1	1 U	1 U	1 U	0.02 U
	MW-23B-120216			12/2/2016	µg/L	1 U	1.4	3.5	11.0	1 U	1 U	1.3	--
	MW-23B-031317			3/13/2017	µg/L	1 U	1.11	2.63	8.86	1 U	1 U	5 U	--
	MW-23B-032017			3/20/2017	µg/L	1 U	1.55	2.98	11.7	1 U	1 U	5 U	--
	MW-23B-033117			3/31/2017	µg/L	1 U	1.24	2.41	8.86	1 U	1 U	5 U	--
	MW-23B-040617			4/6/2017	µg/L	1 U	1.21	2.41	9.23	1 U	1 U	5 U	--
	MW-23B-062817			6/28/2017	µg/L	1 U	1 U	1.73	6.20	1 U	1 U	5 U	--
	MW-23B-090717			9/7/2017	µg/L	1 U	1 U	1.65	5.40	1 U	1 U	5 U	--
	MW-23B-120617	12/4/2017	11.45	12/6/2017	µg/L	1 U	1.2	2.48	7.93	1 U	1 U	5 U	--
	MW-23B-030618	3/5/2018	10.88	3/6/2018	µg/L	1 U	1.2	4.57	9.14	1 U	1 U	5 U	--
	MW-23B-060518	6/4/2018	6.06	6/5/2018	µg/L	1 U	1 U	1.08	4.21	1 U	1 U	5 U	--
	MW-23B-091118	9/10/2018	5.4	9/11/2018	µg/L	1 U	1 U	1.24	3 U	1 U	1 U	5 U	--
	MW-23B-120518	12/3/2018	8.73	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-24	MW-24-080515			8/5/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-24-012616			1/26/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.019 U

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						5.0	700	1,000	10,000	5.0	40	25	0.05
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-24-120716			12/7/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-24-062817			6/28/2017	µg/L	28.8	3.96	1.7	22.2	1 U	1 U	5 U	--
	MW-24-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24-120617	12/4/2017	4.51	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24-030818	3/5/2018	4.15	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24-060618	6/4/2018	4.45	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24-091218	9/10/2018	5.22	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24-120618	12/3/2018	4.78	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-24B	MW-24B-080515			8/5/2015	µg/L	5 U ^b	5 U	5 U	10 U	5 U ^b	5 U	5 U	0.02 U
	MW-24B-012616			1/26/2016	µg/L	1 U	1 U	3.3	6.8	1 U	1 U	1 U	0.019 U
	MW-24B-120716			12/7/2016	µg/L	1 U	1 U	2.9	1.6	1 U	1 U	1 U	--
	MW-24B-062817			6/28/2017	µg/L	28.9	3.89	1.77	20.7	1 U	1 U	5 U	--
	MW-24B-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24B-120617	12/4/2017	5.69	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24B-030818	3/5/2018	5.03	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24B-060618	6/4/2018	5.12	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24B-091218	9/10/2018	5.85	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-24B-120618	12/3/2018	5.59	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-25	MW-25-012716			1/27/2016	µg/L	101	1 U	1 U	115	1 U	1 U	1.8	0.02 U
	MW-25-012716			12/1/2016	µg/L	675	30.2	15.3	619	5 U ^b	5.9	29.7	--
	MW-25-031417			3/14/2017	µg/L	627	28.6	10.1	668	10 U ^b	10 U	50 U ^b	--
	MW-25-032017			3/20/2017	µg/L	604	20.4	20 U	680	20 U ^b	20 U	100 U ^b	--
	MW-25-033117			3/31/2017	µg/L	673	30.1	12	736	10 U ^b	10 U	50 U ^b	--
	MW-25-033117FD			3/31/2017	µg/L	790	35.4	12.5	861	10 U ^b	10 U	50 U ^b	--
	MW-25-040617			4/6/2017	µg/L	558	24.3	10 U	682	10 U ^b	10 U	50 U ^b	--
	MW-25-050317			5/3/2017	µg/L	519	49.3	10.1	614	1 U	1 U	43.2	--
	MW-25-062817			6/28/2017	µg/L	431	34.8	10 U	520	10 U ^b	10 U	50 U ^b	--
	MW-25-071717			7/17/2017	µg/L	230	13.4	10 U	264	10 U ^b	10 U	50 U ^b	--
	MW-25-080117			8/1/2017	µg/L	234	14.4	10 U	277	10 U ^b	10 U	50 U ^b	--
	MW-25-090817			9/8/2017	µg/L	200	12.2	1.27	214	1 U	1 U	10.6	--
	MW-25-100417	10/3/2017	8.52	10/4/2017	µg/L	173	16.2	1.73	276	1 U	1.1	6.77	--
	MW-25-110817	11/7/2017	8.35	11/8/2017	µg/L	82.9	7.21	1 U	143	1 U	1 U	7.74	--
	MW-25-120617	12/4/2017	7.10	12/6/2017	µg/L	23.8	1.84	1 U	60.5	1 U	1 U	5 U	--
	MW-25-010918	1/8/2018	8.80	1/9/2018	µg/L	72	2.74	1 U	111	1 U	1 U	5 U	--
	MW-25-020618	2/5/2018	8.15	2/6/2018	µg/L	10.8	1 U	1 U	19.3	1 U	1 U	5 U	--
	MW-25-030818	3/5/2018	7.84	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25-040618	4/5/2018	7.46	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25-050318	5/2/2018	7.02	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25-060518	6/4/2018	6.73	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units	5.0	700	1,000	10,000	5.0	40	25	0.05
RBSL ^a :					µg/L								
	MW-25-071218	7/11/2018	7.7	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25-091218	9/10/2018	7.88	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25-120518	12/3/2018	7.13	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-25B	MW-25B-012716			1/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	MW-25B-120116			12/1/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-25B-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-090817-DUP			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-120617	12/4/2017	5.30	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-030818	3/5/2018	4.12	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-060518	6/4/2018	3.41	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-091218	9/10/2018	4.76	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-25B-120518	12/3/2018	3.7	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-26	MW-26-012016			1/20/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.019 U
	MW-26-120116			12/1/2016	µg/L	1 U	1 U	2.3	1 U	1 U	1 U	1 U	--
	MW-26-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-040617-FD			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-050317			5/3/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-090717			9/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-100417	10/3/2017	7.71	10/4/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-110817	11/7/2017	6.56	11/8/2017	µg/L	1 U	1 U	1.17	3 U	1 U	1 U	5 U	--
	MW-26-120617	12/4/2017	6.83	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-010918	1/8/2018	6.68	1/9/2018	µg/L	1 U	1.79	6.2	13.8	1 U	1 U	5 U	--
	MW-26-020618	2/5/2018	4.37	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-030618	3/5/2018	2.94	3/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-040618	4/5/2018	2.88	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-050318	5/2/2018	2.71	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-060518	6/4/2018	2.01	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-26-071218	7/11/2018	3.67	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-28-031517			3/15/2017	µg/L	1,120	68.9	3,350	1,370	50 U ^b	50 U ^b	250 U	--
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			4/6/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-28-050317			5/3/2017	µg/L	65.9	14.5	263	1,010	1 U	2.94	9.33	--
	MW-28-062817			6/28/2017	µg/L	199	55	108	546	1 U	1 U	10.1	--
	MW-28-071717			7/17/2017	µg/L	219	64.2	85.8	422	1 U	1 U	14.7	--
	MW-28-080217			8/2/2017	µg/L	219	48.7	52.7	187	1 U	3.46	11.9	--
	MW-28-090817			9/8/2017	µg/L	130	16.2	175	388	1 U	4.77	13.6	--
	--	10/3/2017	23.80	10/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	23.78	11/7/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	23.94	12/7/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	24.15	1/9/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-28-020618	2/5/2018	22.60	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-28-030818	3/5/2018	21.65	3/8/2018	µg/L	10.1	9.92	5.27	21.2	1 U	1 U	5 U	--
	MW-28-040618	4/5/2018	20.68	4/6/2018	µg/L	16.1	11.6	4	23.4	1 U	1 U	5 U	--
	MW-28-050318	5/2/2018	20.81	5/3/2018	µg/L	8.25	8.8	1.55	24.5	1 U	1 U	5 U	--
	MW-28-060518	6/4/2018	19.82	6/5/2018	µg/L	3.81	3.8	1.01	16.0	1 U	1 U	5 U	--
	MW-28-071218	7/11/2018	20.92	7/12/2018	µg/L	3.91	5.19	1.05	8.82	1 U	1 U	5 U	--
	MW-28-091118	9/10/2018	22	9/11/2018	µg/L	28.0	25.2	3.66	4.89	1 U	1 U	5 U	--
	MW-28-120518	12/3/2018	21.17	12/5/2018	µg/L	13.7	8.04	1.47	3 U	1 U	1 U	5 U	--
MW-29	MW-29-012116			1/21/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	MW-29-112916			11/29/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-29-031317			3/13/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-050317			5/3/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-090717			9/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-100417	10/3/2017	10.85	10/4/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-110817	11/7/2017	10.06	11/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-120617	12/4/2017	10.39	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-010918	1/8/2018	10.36	1/9/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-020618	2/5/2018	7.80	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-030718	3/5/2018	4.20	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-040618	4/5/2018	5.28	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-29-D-040618	4/5/2018	5.28	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-050318	5/2/2018	4.72	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-060518	6/4/2018	3.23	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-071218	7/11/2018	6.35	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-091118	9/10/2018	8.36	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-29-120518	12/3/2018	3.11	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-30	MW-30-012516			1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	1 U	0.02 U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-30-050417			5/4/2017	µg/L	104	3.98	341	161	1 U	1 U	5 U	--
	MW-30-062917			6/29/2017	µg/L	646	25 U	1,630	736	25 U ^b	25 U	125 U ^b	--
	MW-30-071717			7/17/2017	µg/L	922	25 U	2,050	1,320	25 U ^b	25 U	125 U ^b	--
	MW-30-080217			8/2/2017	µg/L	1,240	25.9	1,020	2,230	25 U ^b	25 U	125 U ^b	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/3/2017	14.58	10/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	14.60	11/8/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	14.47	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	14.59	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-30-020518	2/5/2018	13.11	2/5/2018	µg/L	2.2	1 U	1.86	4.1	1 U	1 U	5 U	--
	MW-30-030718	3/5/2018	11.43	3/7/2018	µg/L	22.1	1 U	8.94	19.1	1 U	2.25	5 U	--
	MW-30-040618	4/5/2018	11.92	4/6/2018	µg/L	1.9	1 U	7.38	5.95	1 U	2.22	5 U	--
	MW-30-050318	5/2/2018	11.49	5/3/2018	µg/L	1.19	1 U	3.7	3 U	1 U	2.29	5 U	--
	MW-30-060618	6/4/2018	10.47	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.58	5 U	--
	MW-30-071218	7/11/2018	12.26	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.79	5 U	--
	--	9/11/2018	14.60	9/11/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-30-120718	12/3/2018	12.77	12/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1.94	9.22	--
	MW-30-D-120718	12/3/2018	12.77	12/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.05	5 U	--
MW-31	MW-31-051016			5/10/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
	MW-31-112916			11/29/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-31-050317			5/3/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-D-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-100417	10/3/2017	22.70	10/4/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-110817	11/7/2017	20.81	11/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-120617	12/4/2017	20.05	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-010918	1/8/2018	22.55	1/9/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-020618	2/5/2018	18.90	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-31-030718	3/5/2018	18.01	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-040618	4/5/2018	18.59	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-050318	5/2/2018	17.35	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-D-050318	5/2/2018	17.35	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-060618	6/4/2018	17.25	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-071318	7/11/2018	18.37	7/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-091218	9/10/2018	21.88	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-D-091218	9/10/2018	21.88	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-31-120618	12/3/2018	19.47	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-31B	MW-31B-051116			5/11/2016	µg/L	1 U	1 U	2.7	1 U	1 U	1 U	1 U	0.02 U
MW-32	MW-32-051016			5/10/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
	MW-32-120616			12/6/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-32-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-120717	12/4/2017	10.02	12/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-030718	3/5/2018	6.82	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-060618	6/4/2018	7.16	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-091218	9/10/2018	21.07	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-32-120618	12/3/2018	11.85	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-33	MW-33-051016			5/10/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
MW-33T	MW-33T-051016			5/10/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
	MW-33T-120617	12/4/2017	27.12	12/6/2017	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-33T-030718	3/5/2018	25.23	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-33T	MW-33T-060618	6/4/2018	23.56	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-33T-091218	9/10/2018	25.91	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-33T-120618	12/3/2018	26.29	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-34	MW-34-031517			3/15/2017	--	978	33.0	143	218	10 U ^b	157	50 U ^b	--
	MW-34-032017			3/20/2017	µg/L	801	10.0 U	113	305	10 U ^b	149	50 U ^b	--
	MW-34-033117			3/31/2017	µg/L	728	10.0 U	81.4	224	10 U ^b	152	50 U ^b	--
	MW-34-040617			4/6/2017	µg/L	860	1.7	58.6	181	1 U	123	5 U	--
	MW-34-050317			5/3/2017	µg/L	287	2.62	27.2	130	1 U	124	5 U	--
	MW-34-062817			6/28/2017	µg/L	167	4.59	9.3	39.2	1 U	68.3	5 U	--
	MW-34-071717			7/17/2017	µg/L	137	5.83	19.8	69.5	1 U	73.8	5 U	--
	MW-34-080117			8/1/2017	µg/L	517	10 U	31.7	110	10 U ^b	98.3	50 U ^b	--
	MW-34-090817			9/8/2017	µg/L	1,430	6.01	98.0	264	1 U	191	7.33	--
	MW-34-100417	10/3/2017	2.76	10/4/2017	µg/L	919	10 U	36.8	157	10 U ^b	151	50 U ^b	--
	MW-34-100417-DUI	10/3/2017	2.76	10/4/2017	µg/L	846	1.49	40.8	186	1 U	148	5 U	--
	MW-34-110817	11/7/2017	2.48	11/8/2017	µg/L	338	10 U	15.3	140	10 U ^b	266	50 U ^b	--
	MW-34-120617	12/4/2017	2.52	12/6/2017	µg/L	169	10 U	29.7	69.9	10 U ^b	218	50 U ^b	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-34-010918	1/8/2018	2.48	1/9/2018	µg/L	147	10 U	13.1	79.8	10 U ^b	246	50 U ^b	--
	MW-34-020618	2/5/2018	2.27	2/6/2018	µg/L	249	10 U	19.2	88.3	10 U ^b	191	50 U ^b	--
	MW-34-030818	3/5/2018	2.23	3/8/2018	µg/L	696	7.35	51.6	180	1 U	229	5.84	--
	MW-34-040618	4/5/2018	2.25	4/6/2018	µg/L	619	2.22	31.9	150	1 U	281	7.77	--
	MW-34-050318	5/2/2018	2.31	5/3/2018	µg/L	342	10 U	18.1	99.7	10 U ^b	278	50 U ^b	--
	MW-34-060518	6/4/2018	2.34	6/5/2018	µg/L	63.1	1 U	3.28	19.2	1 U	247	5 U	--
	MW-34-071218	7/11/2018	2.6	7/12/2018	µg/L	186	2.41	9.34	33.7	1 U	153	5 U	--
	MW-34-D-071218	7/11/2018	2.6	7/12/2018	µg/L	303	3.82	14.9	51.3	1 U	199	5 U	--
	MW-34-080218	8/1/2018	2.48	8/2/2018	µg/L	414	5.27	32.6	53.6	1 U	147	5 U	--
	MW-34-091218	9/10/2018	3.18	9/12/2018	µg/L	21.8	1 U	1 U	3 U	1 U	209	5 U	--
	MW-34-110218	11/2/2018	2.9	11/2/2018	µg/L	75.1	1 U	1.53	8.16	1 U	302	5 U	--
	MW-34-120618	12/3/2018	2.87	12/6/2018	µg/L	1 U	1 U	1 U	6.63	1 U	271	5 U	--
MW-35	MW-35-051016			5/10/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
	MW-35-120116			12/1/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-35-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-050317			5/3/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-100417	10/3/2017	10.34	10/4/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-110817	11/7/2017	8.94	11/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-120617	12/4/2017	10.41	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-010918	1/8/2018	10.57	1/9/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-D-010918	1/8/2018	10.57	1/9/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-020618	2/5/2018	9.00	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-030818	3/5/2018	8.33	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-040618	4/5/2018	8.39	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-050318	5/2/2018	8.37	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-060618	6/4/2018	8.15	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-071218	7/11/2018	7.22	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-091118	9/10/2018	9.14	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-35-120518	12/3/2018	7.45	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-36	MW-36-051116			5/11/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.02 U
	MW-36-112916			11/29/2016	µg/L	1.3	1 U	6.5	1.1	1 U	1 U	1 U	--
	MW-36-D-112916			11/29/2016	µg/L	1 U	1 U	5.4	1 U	1 U	1 U	1 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-36-062917			6/29/2017	µg/L	2.11	1 U	2.28	3 U	1 U	1 U	5 U	--
	MW-36-090817			9/8/2017	µg/L	4.75	1 U	6.16	4.62	1 U	1 U	5 U	--
	MW-36-120717	12/4/2017	20.14	12/7/2017	µg/L	17.5	1 U	30.2	14.4	1 U	1 U	5 U	--
	MW-36-030718	3/5/2018	18.11	3/7/2018	µg/L	44.2	10 U	75.2	38.4	10 U ^b	10 U	50 U ^b	--
	MW-36-060718	6/4/2018	15.21	6/7/2018	µg/L	184	1 U	208	134	1 U	2.06	5 U	--
	MW-36-091318	9/11/2018	16.68	9/13/2018	µg/L	238	1 U	326	238	1 U	1 U	5 U	--
	MW-36-120618	12/3/2018	16.65	12/6/2018	µg/L	146	1 U	181	142	1 U	1 U	5 U	--
	MW-36-D-120618	12/3/2018	16.65	12/6/2018	µg/L	143	1 U	175	134	1 U	1 U	5 U	--
MW-36B	MW-36B-051116			5/11/2016	µg/L	1 U	1 U	7.2	1 U	1 U	1 U	1 U	0.02 U
	MW-36B-112916			11/29/2016	µg/L	1 U	1 U	1.6	1 U	1 U	1 U	1 U	--
	MW-36B-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-062917-FD			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-120717	12/4/2017	20.90	12/7/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-030718	3/5/2018	17.81	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	7W-36B-060618	6/4/2018	14.84	6/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-091318	9/11/2018	16.39	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-36B-120618	12/3/2018	16.32	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-37	MW-37-113016			11/30/2016	µg/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	--
	MW-37-062817			6/28/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1.44	5 U	--
	MW-37-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1.5	5 U	--
	MW-37-120617	12/4/2017	3.47	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	2.93	5 U	--
	MW-37-030818	3/5/2018	3.28	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	3.71	5 U	--
	MW-37-060518	6/4/2018	3.26	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	5.06	5 U	--
	MW-37-091218	9/10/2018	3.29	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	4.30	5 U	--
	MW-37-120618	12/3/2018	3.01	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-38	MW-38-113016			11/30/2016	µg/L	1 U	1 U	1 U	1 U	1 U	5.5	1 U	--
	MW-38-031417			3/14/2017	µg/L	1 U	1 U	1 U	3 U	1 U	9.14	5 U	--
	MW-38-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	7.55	5 U	--
	MW-38-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	10.2	5 U	--
	MW-38-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	8.06	5 U	--
	MW-38-050317			5/3/2017	µg/L	1 U	1 U	1 U	3 U	1 U	9.08	5 U	--
	MW-38-062817			6/28/2017	µg/L	9.71	1.17	1 U	6.63	1 U	1 U	5 U	--
	MW-38-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	8.59	5 U	--
	MW-38-071717-FD			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	9.78	5 U	--
	MW-38-080117			8/1/2017	µg/L	1 U	1 U	1 U	3 U	1 U	7.25	5 U	--
	MW-38-090817			9/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	12.9	5 U	--
	MW-38-100417	10/3/2017	2.23	10/4/2017	µg/L	1.75	1 U	1 U	3 U	1 U	11.2	5 U	--
	MW-38-110817	11/7/2017	1.88	11/8/2017	µg/L	4.48	1 U	1 U	12.4	1 U	29.2	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						µg/L							
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-38-120617	12/4/2017	2.01	12/6/2017	µg/L	102	1 U	1 U	86.1	1 U	38	5 U	--
	MW-38-010918	1/8/2018	1.95	1/9/2018	µg/L	311	1 U	2.31	158	1 U	49.4	5 U	--
	MW-38-020618	2/5/2018	1.58	2/6/2018	µg/L	389	5 U	5 U	208	5 U	48.8	25 U	--
	MW-38-030818	3/5/2018	1.25	3/8/2018	µg/L	364	5 U	5 U	202	5 U	54.8	25 U	--
	MW-38-040618	4/5/2018	1.50	4/6/2018	µg/L	347	1 U	2.95	221	1 U	68.8	10.4	--
	MW-38-D-040618	4/5/2018	1.50	4/6/2018	µg/L	371	1 U	2.61	190	1 U	67.6	9.46	--
	MW-38-050318	5/2/2018	1.7	5/3/2018	µg/L	378	10 U	10 U	212	10 U ^b	62.1	50 U ^b	--
	MW-38-060518	6/4/2018	1.2	6/5/2018	µg/L	373	1 U	2.49	222	1 U	75.5	9	--
	MW-38-071218	7/11/2018	1.45	7/12/2018	µg/L	268	1 U	1.27	138	1 U	52.5	7.26	--
	MW-38-091218	9/10/2018	2.17	9/12/2018	µg/L	157	1 U	1.19	66.5	1 U	38.8	5 U	--
	MW-38-120618	12/3/2018	1.12	12/6/2018	µg/L	412	1 U	1.90	236	1 U	89.7	13.7	--
MW-39	MW-39-120716			12/7/2016	µg/L	6,320	682	1,290	3,650	50 U ^b	311	86	--
	MW-39-031417			3/14/2017	µg/L	6,370	431	2,200	3,700	10 U ^b	199	117	--
	MW-39-032017			3/20/2017	µg/L	7,340	704	2,990	4,050	100 U ^b	248	500 U ^b	--
	MW-39-033117			3/31/2017	µg/L	7,540	899	3,140	4,400	50 U ^b	272	250 U ^b	--
	MW-39-040617			4/6/2017	µg/L	6,180	754	3,280	3,860	50 U ^b	257	250 U ^b	--
	MW-39-062817			6/28/2017	µg/L	5,470	58	3,360	3,900	20 U ^b	239	100 U ^b	--
	MW-39-071717			7/17/2017	µg/L	4,690	100 U	3,760	4,580	100 U ^b	344	500 U ^b	--
	MW-39-080117			8/1/2017	µg/L	4,630	100 U	2,880	4,740	100 U ^b	348	500 U ^b	--
	MW-39-090817			9/8/2017	µg/L	3,380	10.7	1,040	2,740	1 U	376	15.6	--
	MW-39-100417	10/3/2017	3.75	10/4/2017	µg/L	1,560	50 U	365	1,350	50 U ^b	305	250 U ^b	--
	MW-39-110817	11/7/2017	4.89	11/8/2017	µg/L	878	50 U	123	368	50 U ^b	442	250 U ^b	--
	MW-39-120617	12/4/2017	5.72	12/6/2017	µg/L	345	50 U	69	150	50 U ^b	355	250 U ^b	--
	MW-39-D-120617	12/4/2017	5.72	12/6/2017	µg/L	286	1 U	31	131	1 U	353	5 U	--
	MW-39-010918	1/8/2018	4.86	1/9/2018	µg/L	23.8	5 U	5 U	15 U	5 U	370	25 U	--
	MW-39-020618	2/5/2018	4.85	2/6/2018	µg/L	46.9	5 U	5 U	15 U	5 U	263	25 U	--
	MW-39-030818	3/5/2018	4.66	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	304	5 U	--
	MW-39-040618	4/5/2018	4.54	4/6/2018	µg/L	1	1 U	1 U	3 U	1 U	297	5 U	--
	MW-39-050318	5/2/2018	4.48	5/3/2018	µg/L	10 U	10 U	10 U	30 U	10 U ^b	287	50 U ^b	--
	MW-39-060518	6/4/2018	4.34	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	322	5 U	--
	MW-39-071218	7/11/2018	4.75	7/12/2018	µg/L	1	1 U	1 U	3 U	1 U	244	5 U	--
	MW-39-091218	9/10/2018	5.12	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	176	5 U	--
	MW-39-D-091218	9/10/2018	5.12	9/12/2018	µg/L	1.84	1 U	1 U	3 U	1 U	187	5 U	--
	MW-39-120618	12/3/2018	4.45	12/6/2018	µg/L	30.6	1 U	7.49	29.3	1 U	156	5 U	--
MW-40	MW-40-120716			12/7/2016	µg/L	6,730	588	7,460	3,390	50 U ^b	373	64.8	--
	MW-40-031417			3/14/2017	µg/L	11,600	1,280	16,100	7,260	50 U ^b	691	250 U ^b	--
	MW-40-032017			3/20/2017	µg/L	12,300	1,330	19,600	7,500	200 U ^b	654	1,000 U ^b	--
	MW-40-033117			3/31/2017	µg/L	13,300	1,500	19,500	8,070	100 U ^b	727	500 U ^b	--
	MW-40-040617			4/6/2017	µg/L	10,400	1,180	16,200	6,570	200 U ^b	650	1,000 U ^b	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
RBSL ^a :						5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-40-062817			6/28/2017	µg/L	9,250	1,030	19,200	6,540	500 U ^b	590	2,500 U ^b	--
	MW-40-071717			7/17/2017	µg/L	11,400	1,210	25,300	7,430	500 U ^b	727	2,500 U ^b	--
	MW-40-080117			8/1/2017	µg/L	12,000	1,120	23,200	8,070	500 U ^b	631	2,500 U ^b	--
	MW-40-090817			9/8/2017	µg/L	14,300	1,250	28,700	9,250	20 U ^b	716	219	--
	MW-40-100417	10/3/2017	1.95	10/4/2017	µg/L	13,800	1,000 U ^b	28,800	9,530	1,000 U ^b	1,000 U ^b	5,000 U ^b	--
	MW-40-110817	11/7/2017	2.11	11/8/2017	µg/L	13,500	1,000 U ^b	23,000	9,290	1,000 U ^b	1,000 U ^b	5,000 U ^b	--
	MW-40-120617	12/4/2017	3.43	12/6/2017	µg/L	14,300	1,000 U ^b	22,300	10,100	1,000 U ^b	1,000 U ^b	5,000 U ^b	--
	MW-40-010918	1/8/2018	2.72	1/9/2018	µg/L	12,400	773	22,300	10,200	200 U ^b	497	1,000 U ^b	--
	MW-40-020618	2/5/2018	2.75	2/6/2018	µg/L	11,100	777	20,300	9,350	200 U ^b	373	1,000 U ^b	--
	MW-40-030818	3/5/2018	2.44	3/8/2018	µg/L	8,450	498	14,500	7,580	50 U ^b	337	250 U ^b	--
	MW-40-040618	4/5/2018	2.32	4/6/2018	µg/L	6,710	212	8,350	5,460	100 U ^b	423	500 U ^b	--
	MW-40-050318	5/2/2018	2.23	5/3/2018	µg/L	2,890	100 U	3,490	3,350	100 U ^b	288	500 U ^b	--
	MW-40-060518	6/4/2018	1.98	6/5/2018	µg/L	472	16.8	514	1,490	1 U	255	20.4	--
	MW-40-071218	7/11/2018	2.44	7/12/2018	µg/L	148	6.85	28.7	197	1 U	152	8.62	--
	MW-40-080218	8/1/2018	2.38	8/2/2018	µg/L	123	4.46	9.67	93.2	1 U	183	5 U	--
	MW-40-091218	9/10/2018	2.77	9/12/2018	µg/L	28	1.67	15.3	14.0	1 U	112	5 U	--
	MW-40-110218	11/2/2018	2.64	11/2/2018	µg/L	6.40	1 U	2.05	3 U	1 U	76.7	5 U	--
	MW-40-120618	12/3/2018	2.27	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	36.2	5 U	--
MW-41	MW-41-120716			12/7/2016	µg/L	212	2 U	2 U	155	2 U	6.7	5.6	--
	MW-41-031417			3/14/2017	µg/L	469	1.78	1 U	275	1 U	4.34	18.1	--
	MW-41-032017			3/20/2017	µg/L	424	2.62	1 U	342	1 U	1 U	16.9	--
	MW-41-033117			3/31/2017	µg/L	449	5 U	5 U	343	5 U ^b	5 U	25 U ^b	--
	MW-41-040617			4/6/2017	µg/L	470	2.06	1 U	258	1 U	3.84	10.6	--
	MW-41-062817			6/28/2017	µg/L	292	8.83	2.09	271	1 U	3.36	13.3	--
	MW-41-071717			7/17/2017	µg/L	487	15.8	3.09	366	1 U	3.62	27.9	--
	MW-41-080117			8/1/2017	µg/L	371	10 U	10 U	260	10 U ^b	10 U	50 U ^b	--
	MW-41-090817			9/8/2017	µg/L	189	1.51	1 U	90	1 U	3.74	5 U	--
	MW-41-100417	10/3/2017	4.37	10/4/2017	µg/L	93.5	1 U	1 U	59.9	1 U	1.84	5 U	--
	MW-41-110817	11/7/2017	4.39	11/8/2017	µg/L	99.6	1 U	1 U	56.6	1 U	2.46	5.68	--
	MW-41-120617	12/4/2017	5.55	12/6/2017	µg/L	27.6	1 U	1 U	11.1	1 U	1.62	5 U	--
	MW-41-010918	1/8/2018	4.40	1/9/2018	µg/L	2.06	1 U	1 U	3 U	1 U	1.43	5 U	--
	MW-41-020618	2/5/2018	3.82	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-030818	3/5/2018	3.94	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-040618	4/5/2018	4.00	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-050318	5/2/2018	3.8	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-060518	6/4/2018	3.69	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-071218	7/11/2018	4.07	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-091218	9/10/2018	4.25	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-41-120618	12/3/2018	3.66	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units	5.0	700	1,000	10,000	5.0	40	25	0.05
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-41-D-120618	12/3/2018	3.66	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-42	MW-42-120716			12/7/2016	µg/L	3.8	1 U	1 U	2.7	1 U	1 U	1 U	--
	MW-42-031417			3/14/2017	µg/L	19.3	1 U	1 U	3 U	1 U	1.12	5 U	--
	MW-42-032017			3/20/2017	µg/L	59.6	1 U	1 U	16.9	1 U	1.24	5 U	--
	MW-42-033117			3/31/2017	µg/L	135	1 U	1 U	73.8	1 U	1 U	5.19	--
	MW-42-040617			4/6/2017	µg/L	93.5	1 U	1 U	53.3	1 U	1.18	5 U	--
	MW-42-062817			6/28/2017	µg/L	15.1	1 U	1 U	11.7	1 U	1.25	5 U	--
	MW-42-090817			9/8/2017	µg/L	143	1 U	1 U	100	1 U	1.51	5.52	--
	MW-42-120617	12/4/2017	5.26	12/6/2017	µg/L	9.82	1 U	1 U	45	1 U	1.24	5 U	--
	MW-42-030818	3/5/2018	4.86	3/8/2018	µg/L	1.02	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-42-060518	6/4/2018	5.37	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-42-091218	9/10/2018	4.96	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-42-120618	12/3/2018	4.37	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-43	MW-43-110817	11/7/2017	4.45	11/8/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-120617	12/4/2017	4.50	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-010918	1/8/2018	4.35	1/9/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-020618	2/5/2018	3.70	2/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-030818	3/5/2018	3.90	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-040618	4/5/2018	4.18	4/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-050318	5/2/2018	4.26	5/3/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-060618	6/4/2018	4.28	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-071218	7/11/2018	4.74	7/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	4.42	5 U	--
	MW-43-091218	9/10/2018	5.24	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43-120618	12/3/2018	4.24	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-43B	MW-43B-120617	12/4/2017	4.08	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43B-030818	3/5/2018	1.21	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43B-060618	6/4/2018	0.9	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43B-091218	9/10/2018	1.88	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-43B-120618	12/3/2018	2.3	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-44	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-44-062917			6/29/2017	µg/L	1.06	1 U	7.12	3.11	1 U	1 U	5 U	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	9.40	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-44-030818	3/5/2018	4.00	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44-030818	3/5/2018	4.00	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44-060518	6/4/2018	3.16	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44-091318	9/10/2018	8.65	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44-120518	12/3/2018	3.22	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-44B	MW-44B-031317			3/13/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-44B-062817			6/28/2017	µg/L	1 U	1 U	2.39	3 U	1 U	1 U	5 U	--
	MW-44B-090717			9/7/2017	µg/L	1 U	1 U	3.07	3 U	1 U	1 U	5 U	--
	MW-44B-120517	12/4/2017	14.32	12/5/2017	µg/L	1 U	1 U	2.27	3 U	1 U	1 U	5 U	--
	MW-44B-030818	3/5/2018	12.10	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44B-060518	6/4/2018	9.5	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44B-D-060518	6/4/2018	9.5	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44B-091118	9/10/2018	12.35	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-44B-120518	12/3/2018	11.36	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-45	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			4/6/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			5/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-45-062917			6/29/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45-071717			7/17/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45-080217			8/2/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/3/2017	14.25	10/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	14.24	11/8/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	14.22	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	14.25	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	2/5/2018	13.95	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-45-030618	3/5/2018	12.31	3/6/2018	µg/L	24.3	6.11	28.9	41.2	1 U	1 U	5 U	--
	MW-45-040618	4/5/2018	11.30	4/6/2018	µg/L	21.9	3.08	19.6	36.6	1 U	1 U	5 U	--
	MW-45-050318	5/2/2018	10.74	5/3/2018	µg/L	2.65	1 U	1 U	1 U	1 U	3.35	5 U	--
	MW-45-060718	6/4/2018	24.15	6/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45-071318	7/11/2018	10.66	7/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45-091318	9/10/2018	12	9/13/2018	µg/L	1 U	1 U	1 U	3 U	1 U	46.3	5 U	--
	MW-45-120518	12/3/2018	10.94	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	3.67	5 U	--
MW-45B	MW-45B-031317			3/13/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45B-032017			3/20/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45B-033117			3/31/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45B-040617			4/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-45B-062817			6/28/2017	µg/L	1 U	1 U	1.73	3 U	1 U	1 U	5 U	--
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-45B-120717	12/4/2017	15.93	12/7/2017	µg/L	1 U	1 U	3.26	3 U	1 U	1 U	5 U	--
	MW-45B-030618	3/5/2018	14.65	3/6/2018	µg/L	1 U	1 U	2.75	3 U	1 U	1 U	5 U	--
	MW-45B-060718	6/4/2018	25.13	6/7/2018	µg/L	1 U	1 U	1.94	3 U	1 U	1 U	5 U	--
	MW-45B-091118	9/10/2018	12.84	9/11/2018	µg/L	1 U	1 U	1.16	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte: Units	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05
	MW-45B-120518	12/3/2018	13.13	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-46	MW-46-120617	12/4/2017	9.48	12/6/2017	µg/L	4.97	1 U	1 U	7.74	1 U	85.5	5 U	--
	MW-46-030618	3/5/2018	6.33	3/6/2018	µg/L	173	1.76	16.5	29.5	1 U	129	7.21	--
	MW-46-060518	6/4/2018	5.2	6/5/2018	µg/L	294	1 U	11.8	147	1 U	184	5 U	--
	MW-46-080218	8/1/2018	6.67	8/2/2018	µg/L	1520	4.24	92.1	763	1 U	200	20.7	--
	MW-46-091118	9/10/2018	7.88	9/11/2018	µg/L	1510	6.81	64	597	1 U	311	23.4	--
	MW-46-110218	11/2/2018	7.95	11/2/2018	µg/L	1790	7.1	120	740	1 U	299	16.6	--
	MW-46-120518	12/3/2018	5.25	12/5/2018	µg/L	1250	3.07	46.7	521	1.90	290	7.38	--
MW-47	MW-47-120617	12/4/2017	17.75	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-47-030718	3/5/2018	14.74	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-47-060618	6/4/2018	13.92	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-47-091218	9/10/2018	19.42	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-47-120618	12/3/2018	18.88	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-48B	MW-48B-120617	12/4/2017	18.22	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	2.92	5 U	--
	MW-48B-030718	3/5/2018	16.70	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.97	5 U	--
	MW-48B-060618	6/4/2018	15.91	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.12	5 U	--
	MW-48B-D-060618	6/4/2018	15.91	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	2.11	5 U	--
	MW-48B-091218	9/10/2018	17.45	9/12/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1.80	5 U	--
	MW-48B-120618	12/3/2018	16.4	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1.56	5 U	--
MW-49	MW-49-120617	12/4/2017	20.29	12/6/2017	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-49-030818	3/5/2018	17.68	3/8/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-49-060518	6/4/2018	14.95	6/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-49-091118	9/10/2018	18.28	9/11/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-49-120518	12/3/2018	17.49	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
	MW-49-D-120518	12/3/2018	17.49	12/5/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-50B	MW-50B-120617	12/4/2017	21.37	12/6/2017	µg/L	1.37	1 U	1 U	3 U	1 U	35.5	5 U	--
	MW-50B-030718	3/5/2018	19.10	3/7/2018	µg/L	1 U	1 U	1 U	3 U	1 U	26.7	5 U	--
	MW-50B-060618	6/4/2018	18.36	6/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	21.8	5 U	--
	MW-50B-091218	9/10/2018	23.28	9/12/2018	µg/L	150	1.2	57.9	47.8	1 U	87.9	5 U	--
	MW-50B-120618	12/3/2018	26.06	12/6/2018	µg/L	27.4	1 U	3.21	3 U	1 U	40.6	5 U	--
MW-51	MW-51-100518	10/5/2018	18.84	10/5/2018	µg/L	1 U	1 U	1.88	3 U	1 U	1 U	5 U	--
	MW-51-120618	12/3/2018	17.38	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-52	MW-52-100518	10/5/2018	16.9	10/5/2018	µg/L	1 U	1 U	1.25	3 U	1 U	3.12	5 U	--
	MW-52-120618	12/3/2018	15.8	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-53	MW-53-100518	10/5/2018	11.54	10/5/2018	µg/L	1 U	1 U	5.43	3 U	1 U	1 U	5 U	--
	MW-53-D-100518	10/5/2018	11.54	10/5/2018	µg/L	1 U	1 U	2.11	3 U	1 U	1 U	5 U	--
	MW-53-120618	12/3/2018	6.81	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--
MW-54	MW-54-100518	10/5/2018	11.57	10/5/2018	µg/L	1 U	1 U	1.72	3 U	1 U	1.35	5 U	--
	MW-54-120618	12/3/2018	12.95	12/6/2018	µg/L	1 U	1 U	1 U	3 U	1 U	1 U	5 U	--

Table 1. Historical Analytical Results for Groundwater, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Analyte:	Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB
					Units								
RBSL ^a :					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05

Notes:

^a RBSL = Risk-based screening levels identified in South Carolina Underground Storage Tank Management Division Programmatic Quality Assurance Program Plan, Revision 3.1, Table D1 "RBSLs for Groundwater", February 2016

^b The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria. The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit can not be determined.

*Unable to collect depth to water due to fluctuation of the well from air bubbling.

Samples analyzed by EPA Methods SW 8260B and 8011

Bold indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded RBSLs.

U = analyte was not detected above the reported sample quantitation limit

µg/L = microgram(s) per liter

1,2-DCA = 1,2-dichloroethane

EDB = 1,2-dibromoethane

ID = identification

MTBE = methyl tertiary butyl ether

NS-FP = sample not collected due to the presence of free product in the well

NS-HS = sample not collected due to health and safety concerns

NS-IW = sample not collected due to insufficient volume of water in well

NS-OL = sample not collected because it was overlooked in the field

NS-SL = sample not analyzed due to sample being lost in transit to laboratory

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):				2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
SW-RELEASE	SW-RELEASE	1/20/2015	µg/L	330	490	2,400	2,100	940	140	5.7 J
SW-01	SW01-121114	12/11/2014	µg/L	0.5 U	1 U	1 U	2 U	1 U	1 U	1 U
	SW01-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-033115	3/31/2015	µg/L	5 U ^c	5 U	17.6	10 U	5 U	5 U	NA
	SW01-042215	4/22/2015	µg/L	5 U ^c	5 U	14.9	10 U	5 U	5 U	NA
	SW01-050715	5/7/2015	µg/L	5 U ^c	5 U	7.0	10 U	5 U	5 U	NA
	SW01-051915	5/19/2015	µg/L	5 U ^c	5 U	8.8	10.6	6.4	5 U	NA
	SW01-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW01-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW01-112415	11/24/2015	µg/L	7.8	1.5	13.0	9.3	4.6	1 U	NA
	SW01-122215	12/22/2015	µg/L	4.6	1 U	8.8	5.5	3.1	1 U	NA
	SW01-012516	1/25/2016	µg/L	17.6	2.3	36.0	11.3	6.3	1 U	NA
	SW01-021816	2/18/2016	µg/L	23.4	3.0	55.6	15.0	9.1	1 U	NA
	SW01-031616	3/16/2016	µg/L	20.1	2.4	42.3	13.3	7.6	1 U	NA
	SW01-042716	4/27/2016	µg/L	20.8	1 U	30.6	2.9	2.0	1 U	NA
	SW01-050916	5/9/2016	µg/L	16.5	1.4	16.3	7.0	4.8	1 U	NA
	SW01-062716	6/27/2016	µg/L	9	1 U	3.3	2 U	1 U	1 U	NA
	SW01-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW01-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW01-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW01-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW01-112816	11/28/2016	µg/L	5.0	1 U	10.4	4.9	8.3	1 U	NA
	SW01-122916	12/29/2016	µg/L	12.6	1 U	22.1	11.2	13.5	1 U	NA
	SW01-012017	1/20/2017	µg/L	1.0	1 U	2.3	2 U	3.5	1 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):				2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW01-022817	2/28/2017	µg/L	18.5	1.93	37.0	13.8	10.2	5 U	NA
	SW01-031517	3/15/2017	µg/L	3.02	1 U	5.13	2.16	1.74	5 U	NA
	SW01-032117	3/21/2017	µg/L	1 U	1 U	1.57	2 U	1 U	5 U	NA
	SW01-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW01-040517	4/5/2017	µg/L	1 U	1 U	2.25	2 U	1 U	5 U	NA
	SW01-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW01-061317	6/13/2017	µg/L	1 U	1 U	1.90	2 U	1 U	5 U	NA
	SW01-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW01-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW01-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW01-120517	12/5/2017	µg/L	1.5	1 U	1.15	2 U	2.14	5 U	NA
	SW01-121417	12/14/2017	µg/L	4.52	1 U	4.52	3.48	3.2	5 U	NA
	SW01-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1.15	5 U	NA
	SW01-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW01-030918	3/9/2018	µg/L	1.15	1 U	1 U	2 U	1 U	5 U	1 U
	SW01-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.1
	SW01-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW01-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.43
	SW01-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.09
	SW01-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.51
	SW01-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-02	SW02-121114	12/11/2014	µg/L	0.5 U	1 U	1 U	2 U	1 U	1 U	1 U
	SW02-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-033115	3/31/2015	µg/L	5 U ^c	5 U	6.0	10 U	5 U	5 U	NA
	SW02-042215	4/22/2015	µg/L	5 U ^c	5 U	13.0	10 U	5 U	5 U	NA
	SW02-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW02-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW02-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-112415	11/24/2015	µg/L	6	1.3	10.0	7.8	4.0	1 U	NA
	SW02-122215	12/22/2015	µg/L	4.1	1 U	7.6	5.1	3.1	1 U	NA
	SW02-012516	1/25/2016	µg/L	12	1.5	25.0	8.4	4.6	1 U	NA
	SW02-021816	2/18/2016	µg/L	15.5	1.8	35.3	10.1	5.9	1 U	NA
	SW02-031616	3/16/2016	µg/L	8	1.0	17.5	5.8	3.9	1 U	NA
	SW02-042716	4/27/2016	µg/L	5.6	1 U	7.1	2 U	1 U	1 U	NA
	SW02-050916	5/9/2016	µg/L	7.1	1 U	4.5	2.2	1.6	1 U	NA
	SW02-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-112816	11/28/2016	µg/L	5.4	1 U	1.6	2.6	4.8	1 U	NA
	SW02-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1.4	1 U	NA
	SW02-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW02-022817	2/28/2017	µg/L	10.7	1 U	11.0	4.14	4.23	5 U	NA
	SW02-031517	3/15/2017	µg/L	11.4	1 U	8.6	4.45	3.6	5 U	NA
	SW02-032117	3/21/2017	µg/L	8.42	1 U	2.45	2.48	2.68	5 U	NA
	SW02-033017	3/30/2017	µg/L	2.18	1 U	1 U	2 U	1 U	5 U	NA
	SW02-040517	4/5/2017	µg/L	2.87	1 U	1.12	2 U	1.14	5 U	NA
	SW02-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW02-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW02-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW02-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW02-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW02-120517	12/5/2017	µg/L	26.6	1.8	8.39	10.2	7.17	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):				2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW02-121417	12/14/2017	µg/L	21.1	1.53	9.4	9.74	7.32	5 U	NA
	SW02-010918	1/9/2018	µg/L	25.0	1.56	12.4	11	8.24	5 U	NA
	SW02-020618	2/6/2018	µg/L	6.69	1 U	2.65	2.75	1.87	5 U	1 U
	SW02-030918	3/9/2018	µg/L	3.19	1 U	1.39	2 U	1.11	5 U	1 U
	SW02-040618	4/6/2018	µg/L	2.23	1 U	1 U	2 U	1 U	5 U	2.13
	SW02-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	2.25
	SW02-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.92
	SW02-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.15
	SW02-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	2.94
	SW02-120418	12/4/2018	µg/L	11.9	1 U	1.32	4.40	3.75	5 U	2.23
SW-03	SW-UPGRADIENT	1/20/2015	µg/L	0.5 U	1 U	0.23 J	2 U	1 U	1 U	1 U
	SW03-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW03-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	--	9/24/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW03-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW03-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	--	8/19/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW03-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW03-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW03-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	--	1/9/2018	--	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS
	SW03-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW03-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-04	SW-DOWNGRADIENT	1/20/2015	µg/L	95	27	310	110	63	94	2.7

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW04-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW04-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-112415	11/24/2015	µg/L	1.7	1 U	2.7	2.9	1.6	1 U	NA
	SW04-122215	12/22/2015	µg/L	3.3	1 U	7.3	5.2	2.7	1 U	NA
	SW04-012516	1/25/2016	µg/L	6.9	1 U	14.0	4.9	2.8	1 U	NA
	SW04-021816	2/18/2016	µg/L	10.9	1.1	25.4	7.0	4.3	1 U	NA
	SW04-031616	3/16/2016	µg/L	1 U	1 U	2.0	2 U	1.8	1 U	NA
	SW04-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-062716	6/27/2016	µg/L	1 U	1 U	1.1	2 U	1 U	1 U	NA
	SW04-072816	7/28/2016	µg/L	1 U	1 U	23.5	2 U	1 U	1 U	NA
	SW04-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW04-022817	2/28/2017	µg/L	1 U	1 U	1.13	2 U	1 U	5 U	NA
	SW04-031517	3/15/2017	µg/L	1 U	1 U	2.90	2 U	1 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):			2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b	
	SW04-032117	3/21/2017	µg/L	1 U	1 U	3.28	2 U	1 U	5 U	NA
	SW04-033017	3/30/2017	µg/L	1 U	1 U	6.15	2 U	1 U	5 U	NA
	SW04-040517	4/5/2017	µg/L	1 U	1 U	9.47	2 U	1 U	5 U	NA
	SW04-050417	5/4/2017	µg/L	1 U	1 U	13.8	2 U	1 U	5 U	NA
	SW04-061317	6/13/2017	µg/L	1 U	1 U	1.37	2 U	1 U	5 U	NA
	SW04-071817	7/18/2017	µg/L	1 U	1 U	1.92	2 U	1 U	5 U	NA
	SW04-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW04-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW04-120517	12/5/2017	µg/L	1 U	1 U	5.53	2 U	1 U	5 U	NA
	SW04-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW04-010918	1/9/2018	µg/L	1 U	1 U	4.09	2 U	1 U	5 U	NA
	SW04-020618	2/6/2018	µg/L	3.04	1 U	1.73	2 U	1.12	5 U	1 U
	SW04-030918	3/9/2018	µg/L	1 U	1 U	1.37	2 U	1 U	5 U	1 U
	SW04-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW04-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.2
	SW04-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.31
	SW04-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW04-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.13
	SW04-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-05	SW05-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW05-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	--	5/19/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	6/3/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	6/18/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	7/15/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	8/13/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):			2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b	
--	--	9/24/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	10/22/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW05-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW05-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW05-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW05-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW05-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
--	--	4/27/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	5/9/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	6/27/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	7/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	8/19/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	9/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	10/31/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	1/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	2/28/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/15/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/21/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/30/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	4/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	5/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	6/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	7/18/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	8/2/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/14/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	1/9/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW05-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW05-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	--	4/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW05-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	--	6/7/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	7/12/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	9/14/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW05-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-06	SW06-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW06-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW06-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW06-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	--	3/31/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW06-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	--	5/7/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	5/19/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	6/3/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	6/18/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	7/15/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	8/13/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	9/24/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/22/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/24/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW06-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW06-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW06-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	--	3/16/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	4/27/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	5/9/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	6/27/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	7/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	8/19/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):			2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b	
--	--	9/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	10/31/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	1/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	2/28/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/15/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/21/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/30/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	4/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	5/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	6/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	7/18/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	8/2/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/14/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	1/9/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	3/9/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	4/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	5/3/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	6/7/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	7/12/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	9/14/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
--	--	12/4/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
SW-07	SW07-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
				Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b
	SW07-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW07-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	--	8/13/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	9/24/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW07-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW07-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	--	6/27/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	7/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	8/19/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	9/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/31/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/29/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	2/28/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW07-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):			2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b	
	SW07-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	--	8/2/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW07-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW07-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW07-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW07-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW07-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW07-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW07-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	--	9/14/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	SW07-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-08	SW08-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW08-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-122215	12/22/2015	µg/L	1.6	1 U	3.8	2.5	1.6	1 U	NA
	SW08-012516	1/25/2016	µg/L	2.4	1 U	5.6	2	1.3	1 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW08-021816	2/18/2016	µg/L	2.9	1 U	7.6	2.3	1.5	1 U	NA
	SW08-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW08-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW08-010918	1/9/2018	µg/L	1.16	1 U	1 U	2 U	1.87	5 U	NA
	SW08-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Screening Value (µg/L):	Benzene 2.2 ^a	Ethylbenzene 530 ^a	Toluene 1,000 ^a	m&p-Xylene NA ^b	o-Xylene NA ^b	Naphthalene NA ^b
	SW08-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW08-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-09	SW09-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW09-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-122215	12/22/2015	µg/L	2.1	1 U	4.8	3.3	2.1	1 U	NA
	SW09-012516	1/25/2016	µg/L	3.3	1 U	7.1	2.4	1.5	1 U	NA
	SW09-021816	2/18/2016	µg/L	2.2	1 U	5.9	2 U	1.2	1 U	NA
	SW09-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW09-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW09-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW09-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW09-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-10	SW10-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW10-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
				Screening Value (µg/L): 2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
SW10-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA	
SW10-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA	
SW10-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA	
SW10-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA	
SW10-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW-10-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW-10-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW-10-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	
SW10-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW10-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW10-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW10-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-11	SW11-022515	2/25/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-030215	3/2/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-031115	3/11/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-031815	3/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-033115	3/31/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-042215	4/22/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-050715	5/7/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-051915	5/19/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-060315	6/3/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-061815	6/18/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-071515	7/15/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-081315	8/13/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-092415	9/24/2015	µg/L	5 U ^c	5 U	5 U	10 U	5 U	5 U	NA
	SW11-102215	10/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-112415	11/24/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-122215	12/22/2015	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-012516	1/25/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-021816	2/18/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
				Screening Value (µg/L): 2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW11-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW11-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW-11-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW-11-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW-11-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW11-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW11-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-12	SW12-081916	8/19/2016	µg/L	6,430	764	15,400	3,360	1,730	128	NA
	SW12-092916	9/29/2016	µg/L	7,850	1,030	19,000	3,910	1,940	143	NA
	SW12-103116	10/31/2016	µg/L	165	17.7	302	103	58.2	4.7	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
Screening Value (µg/L):				2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW12-112816	11/28/2016	µg/L	486	59.6	976	351	181	14.2	NA
	SW12-122916	12/29/2016	µg/L	707	97.3	1,790	408	213	16.8	NA
	SW12-012017	1/20/2017	µg/L	212	19.8	396	104	58	3.8	NA
	SW12-022817	2/28/2017	µg/L	26.1	4.04	62.3	18.0	9.73	5 U	NA
	SW12-031517	3/15/2017	µg/L	125	15.3	185	67.9	35.5	5 U	NA
	SW12-032117	3/21/2017	µg/L	134	12.1	45.0	60.8	33.6	5 U	NA
	SW12-033017	3/30/2017	µg/L	48.5	5.69	86.3	27.7	15.8	5 U	NA
	SW12-040517	4/5/2017	µg/L	67.1	9.24	127.0	43.6	23.7	5 U	NA
	SW12-050417	5/4/2017	µg/L	52.8	7.96	91.7	42	23.2	5 U	NA
	SW12-061317	6/13/2017	µg/L	102	16.6	166	85.1	46.2	5 U	NA
	SW12-071817	7/18/2017	µg/L	65	5.8	116	43.3	24.8	5 U	NA
	SW12-080217	8/2/2017	µg/L	125	14.7	204	102	67	5 U	NA
	SW12-090517	9/5/2017	µg/L	46.7	4.72	72	39	26.2	5 U	NA
	SW12-120517	12/5/2017	µg/L	16.6	2.91	12.6	20.1	13.3	5 U	NA
	SW12-121417	12/14/2017	µg/L	9.19	2.66	8.26	18	12.1	5 U	NA
	SW12-010918	1/9/2018	µg/L	12.3	2.16	5.65	14.6	11.1	5 U	NA
	SW12-020618	2/6/2018	µg/L	2.53	1 U	1.20	4.04	2.44	5 U	1 U
	SW12-030918	3/9/2018	µg/L	3.24	1.79	12.2	9.75	4.28	5 U	1 U
	SW12-040618	4/6/2018	µg/L	1.88	1 U	1 U	5.05	2.82	5 U	1 U
	SW12-050318	5/3/2018	µg/L	1 U	1 U	1 U	4.18	2.72	5 U	1 U
	SW12-060718	6/7/2018	µg/L	1.85	1 U	1 U	3.24	1.64	5 U	1 U
	SW12-071218	7/12/2018	µg/L	1.79	1 U	1 U	3.81	2.15	5 U	1 U
	SW12-091418	9/14/2018	µg/L	1.34	1 U	1 U	3.20	2.00	5 U	1 U
	SW12-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
SW-13	SW13-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW13-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW13-103116	10/31/2016	µg/L	1 U	1 U	2.0	2 U	1 U	1 U	NA
	SW13-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW13-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW13-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	SW13-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
				Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b
	SW13-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-040517	4/5/2017	µg/L	1 U	1 U	1.21	2 U	1 U	5 U	NA
	SW13-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW13-020618	2/6/2018	µg/L	1.78	1 U	1 U	2 U	1 U	5 U	4.26
	SW13-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	2.07
	SW13-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.4
	SW13-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	3.67
	SW13-060718	6/7/2018	µg/L	2.99	1 U	2.48	2 U	1 U	5 U	8.08
	SW13-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW13-081318	8/13/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW13-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW13-120418	12/4/2018	µg/L	1 U	1 U	1.84	2 U	1 U	5 U	3.49
SW-14	SW14-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW14-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW14-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW14-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	--	12/14/2017	--	NS-DW	NS-DW	NS-DW	NS-DW	NS-DW	NS-DW	NS-DW
	SW14-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	SW14-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW14-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW14-040618	4/6/2018	µg/L	1 U	1 U	1.43	2 U	1 U	5 U	1 U
	SW14-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	SW14-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.18
	SW14-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.33
	SW14-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	SW14-120418	12/4/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1.62
FP-01	FP01-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP01-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP01-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-01-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP01-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP01-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP01-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP01-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	FP01-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP01-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP01-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP01-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
FP-02	FP02-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-081916	8/19/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP02-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP02-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-040517	4/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-02-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP02-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP02-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP02-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP02-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	FP02-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP02-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP02-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP02-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
FP-03	FP03-031616	3/16/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-042716	4/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-050916	5/9/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-062716	6/27/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-072816	7/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	--	8/19/2016	--	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS
	FP03-092916	9/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-103116	10/31/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-112816	11/28/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-122916	12/29/2016	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-012017	1/20/2017	µg/L	1 U	1 U	1 U	2 U	1 U	1 U	NA
	FP03-022817	2/28/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP03-031517	3/15/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-032117	3/21/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-033017	3/30/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	--	4/5/2017	--	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS	NS-HS
	FP-03-050417	5/4/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-061317	6/13/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-071817	7/18/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-080217	8/2/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-090517	9/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-120517	12/5/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP-03-121417	12/14/2017	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP03-010918	1/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	NA
	FP03-020618	2/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP03-030918	3/9/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Table 2. Historical Analytical Results for Surface Water, December 2018

Plantation Pipe Line Company

Lewis Drive Remediation Site, Belton, South Carolina

Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte						
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE
			Screening Value (µg/L):	2.2 ^a	530 ^a	1,000 ^a	NA ^b	NA ^b	NA ^b	NA ^b
	FP03-040618	4/6/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP03-050318	5/3/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP03-060718	6/7/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP03-071218	7/12/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U
	FP03-091418	9/14/2018	µg/L	1 U	1 U	1 U	2 U	1 U	5 U	1 U

Notes:

^a South Carolina Department of Health and Environmental Control (SCDHEC) R.61-68, Water Classifications and Standards, Human Health for consumption of water and organism, June 27, 2014.

^b Screening levels for these analytes are not specified in SCDHEC R. 61-68.

^c The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria.

The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit cannot be determined.

Samples analyzed by EPA Method SW 8260B

Bold indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded its screening value.

µg/L = microgram(s) per liter

FP = fishing pond

ID = identification

J = estimated

MTBE = methyl tertiary butyl ether

NA = not applicable

NS-IW = sample not collected due to insufficient volume of water in location

SW = surface water

U = analyte was not detected above the reported sample quantitation limit