


**Password recovery or reset.** User should go directly to EPA Shared Cromerr Services (SCS) for the appropriate environment (test [a/k/a pre-prod] or production):

- a. Production: <https://encromerr.epa.gov/>
- b. Pre-Production: <https://encromerrtest.epacdxnode.net/>
- c. Or call EPA's SCS help desk at 1-888-890-1995 Option 2.





Log In

User ID

Password

Log In Register with SCS

Forgot your **Password** or **User ID**?  

[Warning Notice and Privacy Policy](#)

*EPA SCS requires passwords be reset every 90-days. It is advisable to set reminders 85-days out from the last time you updated your password.*

**Other important links to bookmark:**

SC DHEC's CMDP webpage: <https://scdhec.gov/electronic-reporting-water-quality-compliance-monitoring-data-portal-cmdp>

CMDP Production:  
[https://cmdpapp2.epa.gov/sso/login?service=https%3A%2F%2Fcmdpapp2.epa.gov%2Fcmdp%2Fj\\_spring\\_cas\\_security\\_check](https://cmdpapp2.epa.gov/sso/login?service=https%3A%2F%2Fcmdpapp2.epa.gov%2Fcmdp%2Fj_spring_cas_security_check)

CMDP Test:  
[https://cmdpprep.epa.gov/sso/login?service=https%3A%2F%2Fcmdpprep.epa.gov%2Fcmdp%2Fj\\_spring\\_cas\\_security\\_c heck](https://cmdpprep.epa.gov/sso/login?service=https%3A%2F%2Fcmdpprep.epa.gov%2Fcmdp%2Fj_spring_cas_security_c heck)